

08
DAILY RAINFALL

I.O.W. SEPARATE BOOKS
HAMPSHIRE

1911 - 20

ALDERSHOT	S. W.	1912 - 20
ALICE HOLT	FOREST	1919 - 20
ALTON	HSE	1913 - 14
ALVERSTOKE	MONKTON HSE	1912 - 20
AMPFIELD	VICARAGE	1911 - 14
ANDOVER	ABBOTS ANN REC.	1913 - 19
ANDOVER	S. W.	1914 - 20
ASHMANSWORTH	MANOR HSE	1920
BARON STACEY	MOODYS DOWN	1911 - 20
BASINGSTOKE	QUEENS SCH.	1911 - 15, 19 - 20
BASINGSTOKE	W. W.	1911 - 20
BASING	PARK GDNS.	1914
BINSTED	QUARR HILL (see 10W)	1913 - 1919
BISHOPS	WALTHAM THE PALACE HSE	1911 - 20
BISTERNE		1920
BLACKGANG	SOUTHVIEW HSE (see 10W)	1918
BLACKMOOR	KINGSHOLT	1911 - 17
BLENDWORTH	LODGE	1912 - 15
BORDEN		1914
BOSSINGTON	HSE	1916, 1920.
BOTLEY HILL		1911 - 1920

BOTLEY	HEDGE END	1911 - 1918
BOURNEMOUTH		1919.
BOURNEMOUTH	C G. STATION	1915 - 16
BOURNEMOUTH	RODNEY HSE	1911 - 20
BOURNEMOUTH	VALE VIEW	1920
BOURNEMOUTH	DERBY RD	1920
BOURNEMOUTH	CLARENDON COURT	1911 - 12
BOURNEMOUTH	WELLINGTON HSE	1911 - 14
BOURNEMOUTH	WEST CLIFFE	1912 - 20
BRAISHFIELD	MANOR	1919 - 20.
BROADHANGER		1912.
BROUGHTON		1911 - 20
BURGHCLERE	TOWER HILL HSE	1911 - 13, 16
BURLEY	MANOR PARK VIEW	1911 - 12.
CADLAND		1911 - 17, 20.
CADNAM	COPPTHORNE HSE	1916 - 20
CALSHOT		1918 - 20.
CATHERINGTON	HSE	1918
CHARLESFORD	FRIERN	1911 - 17
CHRISTCHURCH	HURN BRIDGE HSE	1912 - 15
CHRISTCHURCH	GROVE LANE	1911, 12, 14

CHRISTCHURCH	WINKTON	LODGE	1911 - 17
CHRISTCHURCH	EAST CLOSE		1912 - 16
COLDEN COMMON	THE GORSE		1912
COWPLAIN	FOREST VIEW		1916 - 20
CURDRIDGE	BEECHCROFT		1911 - 20
CURDRIDGE	KITNOCKS FARM		1917 - 20
DEAN WEST	RECTORY		1911 - 19
DIBDEN			1911 14
DIBDEN	PURLIEU	HEATHFIELD	1911 - 20
DIBDEN	PURLIEU		1914
DITCHAM			1911 - 20
DITCHAM	PARK		1913 - 14
DROXFORD	FAIRFIELD	HSE	1911 - 20
DROXFORD	UPLANDS		1911 - 20
DROXFORD	FIR HILL		1911 - 20
DUNLEY	MANOR	WHITCHURCH	1917 - 20
EASTNEY	COLLECTING	TANKS	1911 - 20
ELLISFIELD	MANOR		1911 - 14
ELVETHAM	PARK		1911 - 20
EMSWORTH	RECTORY		1913
EVELEY			1911 - 18
EWHURST	PARK		1913, 16.

EWUSHOTT	WARREN CORNER	1911 - 20
FACCOMBE		1911 - 16
FAIR OAK	PARK	1911 - 15
FAIR OAK	FISHERS POND	1919 - 20
FAIRTHORNE	MANOR	1915 - 20
FAREHAM	THE MOUNT	1911 - 20
FAREHAM	FAREHAM HSE	1920
FAREHAM	BURPHAM HSE	1912 - 19
FARNHAM		1912
FAREHAM		1911 - 12
FARLINGTON	P.S.	1911 - 20
FARNBOROUGH	SCHOOL	1913 - 20
FORDINGBRIDGE	OAKLANDS	1911 - 20
FOWLEY		1917 - 20
FROYLE		1914 - 16
FVFIELD	RECTORY	1913, 16, 17, 19, 20
GORLEY	STH CUCKOO HILL	1911 - 20
GRAYSHOTT		1911 - 1920
GREATHAM	LE COURT	1914 - 1920
GREYWELL	P.S.	1915 - 20

HARTLEY WITNEY COUNCIL OFFICES	1911 - 15.
HAMBLEDON ROSECROFT	1911 - 13
HARTLEY GRANGE	1911 - 20
HAVANT PORTSMOUTH W. W.	1911 - 20
HAWLEY	1911 - 15, 17
HAYLING ISLAND	1916
HAYLING ISLAND LAMA HSE	1911 - 14
HAYLING ISLAND LITTLEMEAD	1911 - 15
HAYLING ISLAND RICHMOND HSE	1913 - 20
HECKFIELD PARK CORNER	1911 - 20
HERON COURT	1911 - 20
HERRIARD VIC	1911 - 15
HODDINGTON	1911 - 20
HOOK VICARAGE	1911 - 17
HORNDEN ST CATHERINES	1911 - 20
HURN MILL HSE	1911.
HURSTBOURNE TARRANT THE ROOKERY	1916.
HURSLEY PARK	1916 - 20
ITCHEN ABBAS CHILLAND	1914 - 20
ITCHEN STOKE RECTORY	1920

KILMESTON	MANOR	1911-13, 16.
KINGSCLERE	THE ROOKERY	1915, 17-19.
KINGS	SOMBORNE ASHEY	1911-20
LEE ON SOLENT	EDINBURGH HSE SCH.	1920.
LIPHOOK	FOWLEY	1911-16
LISS	KIPPENCES	1911-20.
LISS	EAST THE LODGE	1917-20
LISS	WEST BERRY GROVE	1911-12, 1919-20.
LISH	HIGHFIELD	1911-20
LONGPARISH	HSE	1911-15.
LYMINGTON	THE SALTERNS	1911-20
LYNDHURST	FRITHAM HSE	1914-16, 1918-20
LYNDHURST	ALLUM GREEN	1919-20.
MALSHANGER		1911, 16, 17.
MAPLEDURWELL		1911-14
MARCHWOOD	"BIYANS"	1911.
MANYDOWN	PK	1914-20.
MEDSTEAD	MANOR	1911-14
MICHELDEVER	NORTH BROOK HSE	1911-13, 15.
MILFORD	ON SEA	1916
NETLEY	ABBEY LAKE HSE	1913-20
MILFORD	ON SEA SALT GRASS	1911-20

NEWTON	VALENCE	VICARAGE	1911 - 20
NORTHBROOK	HSE.		1914
OAKLEY	RECTORII		1911 - 18
OSBORNE			1918
OTTERBOURNE	W. W.		1911 - 20.
OTTERBOURNE	HSE.		1914-15, 17-20
OTTERBOURNE	ELDERFIELD		1911-14.
OVERCOMBE			1911-20.
OVINGTON	RECTORII		1911-20
PAULTONS			1912
PETERSFIELD	BURITON	HSE	1913-20
PETERSFIELD	NURSTED	HSE	1911-14
PETERSFIELD	DURFORD	ABBEEY FARM	1912-20
PETERSFIELD	WESTBURY	HSE	1911-13, 16.
* PETERSFIELD	FAIRLEY		1911-14
PORTSMOUTH			1911-20
RINGWOOD	VICARAGE		1911-14
RINGWOOD	SOMERLEY	GDS	1912
RINGWOOD	WEST MOUNT		1911-16
RINGWOOD	MOORTOWN	HSE	1913.
ROCHE	COURT		1911-20
* PORTCHESTER	NOEL COTT		1911-20

ROMSEY	TIMSBURY	P. S.	1911 - 20
ROPLEY			1917, 18, 20.
ST MARYBOURNE	BOURNSIDE		1916 - 20
SELBORNE	THE WAKES		1911 - 20.
SHALDEN	MANOR		1916, 19
SHERBORNE	ST JOHN		1917 - 18
SHERBORNE	ST JOHN RECTORY		1911 - 20
SOBERTON	MISLINGFORD		1915 - 20
SOUTHAMPTON	EAST PARK		1911 - 20
SOUTH	FARNBOROUGH		1914, 19, 20
STOCKBRIDGE	HOUGHTON LODGE		1913 - 18
STOKE	CHARITY RECTORY		1918 - 20
STRATHFIELDSAYE	HSE GDNS		1911 - 14.
STRATHFIELDSAYE	RECTORY		1911 - 20.
SUTTON	SCOTNEY		1911 - 15
SWANMORE	HILL PLACE		1911 - 13.
SWARRATON	RECTORY		1911 - 12
TIDWORTH	HSE		1911.
TISTED	COLMER RECTORY		1911 - 20
TISTED	EAST RECTORY		1916 - 19.
TOTTON	SHORNE HILL		1920

TWYFORD	PUMPING	ST	1911 - 20
TWYFORD	MALLARD	CLOSE	1912 - 20
TYTHERLEY	WEST		1914
UP	NATELY		1912 - 13, 15 - 18
UPPER	FROYLE		1911 - 13
UPPER	SOMBORNE		1914 - 20.
VERNHAM	DEAN	ROWE HSE	1911 - 20.
WESTBURY	HSE	GONG	1914, 15, 17, 18, 20
WESTON			1914 - 20
WEST	MEON	WESTWOOD	1920
WICKHAM	LOWER	HSE	1917 - 18
WICKHAM	THE	CROFT	1913
WICKHAM	PARK	PLACE	1911, 1920
WINCHESTER	EAST	HILL	1913 - 20
WINCHESTER	NORTHGATE	PLACE	1914
WINCHESTER	ST	CROSS	1911 - 20
WINTERSHILL			1911 - 12
WOOTTON	HILL		1915 - 19

Kept at Sewage Works
in the County of 8
by John E

ALDERSHOT
S. W.
HANTS

1912 - 1920

IMPORTANT NOTICE
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden

square, London, N.W.

26-11-13
12
FORM A2.
BRITISH RAINFALL.
-8 FEB 1913
5 in.
ve Ground 1 ft. in.
Sea Level 231 ft.
A.M.
Name Aldershot Town
Distance 1 1/2 miles Direction S.W.W
the result entered to the
versal rule, he is earnestly
ear in the space provided
ment of rain,
British Rainfall
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.11	-	-	0.10	0.35	-	0.22	0.72	-	0.20	1
2	-	0.02	.15	0.02	-	.15	.40	-	-	.04	-	-	2
3	0.03	.04	.12	-	-	.13	.05	0.32	1.02	-	-	.07	3
4	.17	.04	.48	-	0.19	.20	-	.02	-	-	0.27	.01	4
5	.25	.07	.05	-	.02	-	-	.46	.02	-	.02	.01	5
6	.40	.11	-	-	.02	-	-	.24	.03	-	-	.13	6
7	-	.01	-	-	.18	.90	-	.35	-	-	-	.04	7
8	31	30	.29	-	-	.06	-	.08	-	-	-	.01	8
9	-	.23	.05	.03	-	.22	.02	.07	-	-	-	.20	9
10	-	.08	-	-	-	.02	-	.22	.01	.02	.14	.27	10
11	.07	.22	-	-	.01	-	-	.07	.01	-	.05	.24	11
12	.05	.20	.08	-	.21	.22	.08	-	-	.01	.05	-	12
13	-	.03	.02	-	-	.03	.16	-	-	.01	.05	.09	13
14	.01	-	.04	-	.03	-	-	.33	-	.02	-	.03	14
15	.02	.03	.14	-	.17	.45	-	.03	-	-	.02	.31	15
16	.28	.01	.09	-	.28	.07	-	.05	-	.17	.03	-	16
17	.58	-	.14	-	-	.04	-	.11	-	-	-	.02	17
18	.21	-	.28	-	-	-	-	.18	-	.02	.02	.07	18
19	.07	.07	.05	-	-	.02	.45	.57	-	-	.01	-	19
20	.03	.01	.20	-	.01	.04	.03	.21	-	.35	.01	-	20
21	.02	.03	.23	-	.28	-	-	.05	-	.06	.05	-	21
22	.15	.23	.05	-	.03	-	-	.25	-	.01	-	.05	22
23	.44	.55	.36	-	-	.02	-	.30	-	.13	.19	.22	23
24	.49	.03	-	-	-	.19	-	.23	-	-	-	.11	24
25	.07	-	-	-	-	.38	-	.45	-	.03	.26	.64	25
26	.03	.05	-	-	-	.02	.01	.21	-	.48	.52	.30	26
27	-	-	-	-	-	.08	.03	-	-	.31	-	.23	27
28	-	.07	.02	-	-	.10	.30	.16	.09	.50	.50	.26	28
29	-	.06	-	-	-	.20	.21	.11	1.69	.28	.07	.02	29
30	-	-	-	-	.21	.08	.08	.10	1.09	.16	-	-	30
31	-	-	.34	-	.13	-	.23	.11	-	.03	-	0.03	31
Total	3.68	2.49	3.29	0.05	1.77	3.72	2.20	5.28	3.18	3.35	2.18	3.58	TOTAL for year
No. of Rain Days.	20	23	21	2	14	23	14	26	9	19	17	24	212

F

26-41-13

12

FORM A2.
BRITISH RAINFALL.
-8 FEB 1913Kept at Sewage Works Aldershotin the County of Hantsby John Edwards

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 231 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Aldershot Town
Distance 1 1/2 miles Direction S.W.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.11	—	—	0.10	0.35	—	0.22	0.72	—	0.20	1
2	—	0.02	.15	0.02	—	.15	.40	—	—	.04	—	—	2
3	0.03	.04	.12	—	—	.13	.06	0.32	1.02	—	—	.07	3
4	.17	.04	.48	—	0.19	.20	—	.02	—	—	0.27	.01	4
5	.25	.07	.05	—	.02	—	—	.46	.02	—	.02	.01	5
6	.40	.11	—	—	.02	—	—	.24	.03	—	—	.13	6
7	—	.01	—	—	.18	.90	—	.35	—	—	—	.06	7
8	31	.30	.29	—	—	.06	—	.08	—	—	—	.01	8
9	—	.23	.05	.03	—	.22	.02	.07	—	—	—	.20	9
10	—	.08	—	—	—	.02	—	.22	.01	.02	.14	.27	10
11	.07	.22	—	—	.01	—	—	.07	.01	—	.05	.24	11
12	.05	.20	.08	—	.21	.22	.08	—	—	.01	.05	—	12
13	—	.03	.02	—	—	.03	.16	—	—	.01	.05	.09	13
14	.01	—	.04	—	.03	—	—	.33	—	.02	—	.03	14
15	.02	.03	.14	—	.17	.45	—	.03	—	—	.02	.31	15
16	.28	.01	.09	—	.28	.07	—	.05	—	.17	.03	—	16
17	.58	—	.14	—	—	.04	—	.11	—	—	—	.02	17
18	.21	—	.28	—	—	—	—	.18	—	.02	.02	.07	18
19	.07	.07	.05	—	—	.02	.45	.57	—	—	.01	—	19
20	.03	.01	.20	—	.01	.04	.03	.21	—	.35	.01	—	20
21	.02	.03	.23	—	.28	—	—	.05	—	.06	.05	—	21
22	.15	.23	.05	—	.03	—	—	.25	—	.01	—	.05	22
23	.44	.55	.36	—	—	.02	—	.30	—	.13	.19	.22	23
24	.49	.03	—	—	—	.19	—	.23	—	—	—	.11	24
25	.07	—	—	—	—	.38	—	.45	—	.03	.26	.64	25
26	.03	.05	—	—	—	.02	.01	.21	—	.48	.52	.30	26
27	—	—	—	—	—	.08	.03	—	—	.31	—	.23	27
28	—	.07	.02	—	—	.10	.30	.16	.09	.50	.50	.26	28
29	—	.06	—	—	—	.20	.21	.11	1.69	.28	.07	.02	29
30	—	—	—	—	.21	.08	.08	.10	1.09	.16	—	—	30
31	—	—	.34	—	.13	—	.23	.11	—	.03	—	0.03	31
Total	3.68	2.49	3.29	0.05	1.77	3.72	2.40	5.28	3.18	3.35	2.18	3.58	TOTAL for year 34.97
No. of Rain Days.	20	23	21	2	14	23	14	26	9	19	17	24	212

REGISTER OF RAINFALL IN 1913

Kept at Sewage Works Aldershot
in the County of Hants
by J. Edwards

Lat. 51.15 Long. 0.46
Time of Observation 9 A.M.
Nearest Railway Station Liphm
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 231 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.30	0.08	0.10	0.02	0.02	-	-	1.07	-	0.15	0.31	1
2	0.12	.04	.03	.03	-	-	0.15	-	.06	.08	.06	.03	2
3	.04	-	.02	.13	.46	-	-	-	-	.02	-	.08	3
4	.30	-	.08	.03	.24	-	-	-	.28	.15	.05	.04	4
5	.21	.01	-	-	.02	.09	.04	-	.35	.03	-	.5	5
6	.07	.04	.14	.41	.02	.09	.33	-	.03	.55	.09	.22	6
7	-	.28	-	.01	.09	.05	.38	-	-	.38	.12	-	7
8	-	.03	.03	-	.14	.08	-	-	-	.36	-	.03	8
9	-	.11	-	.07	.03	.01	.03	.03	.20	-	.04	.03	9
10	.04	-	.02	.07	.03	-	.06	.02	-	-	.29	-	10
11	.55	.01	-	.41	.08	-	-	-	-	.85	.28	-	11
12	-	.01	-	-	.23	-	-	-	.01	-	.26	-	12
13	.19	-	.03	.04	-	-	-	.03	.05	-	.25	-	13
14	.16	.02	.13	.04	-	-	.11	-	.04	.09	.05	-	14
15	.29	.08	.38	.38	-	-	.14	-	.20	-	.02	-	15
16	.21	-	.57	.10	-	.04	-	-	.16	-	-	-	16
17	.03	.07	.04	.16	-	-	.33	-	-	-	.01	.04	17
18	-	-	.22	.06	.01	-	.02	-	.01	-	.06	-	18
19	.42	-	.13	.05	-	-	.08	-	.25	-	-	-	19
20	.10	-	.44	.05	.01	.29	-	-	-	.53	.02	-	20
21	.02	-	.19	.10	-	-	.01	-	-	.13	.90	-	21
22	.32	-	.43	.06	-	-	.03	.21	.18	-	-	.01	22
23	.02	-	.01	.04	-	.03	-	.08	.02	-	-	.60	23
24	.03	-	-	.04	-	-	-	-	-	.01	.02	-	24
25	-	.03	-	.14	-	-	.04	-	-	.01	.01	.02	25
26	-	.02	.10	.26	-	-	.01	.16	-	.60	Trace	.17	26
27	-	.03	.11	.20	-	-	-	-	-	.09	-	-	27
28	.14	-	.29	.15	-	-	-	-	-	.14	-	-	28
29	.12	-	.10	.47	.51	-	-	.18	-	.13	.01	.03	29
30	.41	-	-	.03	-	-	-	.11	-	.19	-	-	30
31	.04	-	.06	-	.01	-	-	.46	-	.04	-	-	31
Total	3.83	1.08	3.43	2.88	1.90	0.70	1.76	1.28	2.91	4.38	2.63	1.66	28.44
Rain Days.	22	15	23	23	15	9	15	9	15	19	19	14	198

only run 22.11.15
W.D.S.

REGISTER OF RAINFALL IN 1914

Kept at *Sewage Works Aldershot*
 in the County of *Hants*
 by *J. Edwards*

Lat. *51.15* Long. *0.46*
 Time of Observation *9 AM*
 Nearest Railway Station *Tongham*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. — in.
 " " " " Sea Level *232* ft.

FORM A.
 BRITISH RAINFALL
 6 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.02	-	-	-	-	0.07	-	-	0.13	0.04	1
2	-	-	-	-	-	0.03	0.03	.13	-	-	.12	.20	2
3	-	-	.08	0.06	0.23	-	.07	.14	-	-	.02	.04	3
4	0.03	-	.04	.22	.03	-	.04	.17	-	-	.36	.48	4
5	.11	-	.07	.27	.33	.06	.26	.41	-	-	-	.04	5
6	-	0.17	.04	.19	.02	.70	.27	.02	-	-	.02	.23	6
7	-	.72	.32	.36	.03	.02	.20	.03	-	-	-	.12	7
8	.06	.42	.56	.05	.02	.02	.02	.14	-	-	-	.05	8
9	.25	.01	.66	.32	.01	.13	-	.02	0.16	-	-	2.37	9
10	.05	.13	.02	.04	.10	-	-	-	.28	-	.01	-	10
11	-	.25	.40	-	.02	.03	.03	-	.05	-	.19	.43	11
12	.01	.15	.09	-	-	.01	.74	-	.25	0.06	.03	.57	12
13	.01	.33	.22	-	-	-	-	-	.13	.02	.04	.64	13
14	-	.33	.25	-	-	.01	.04	.04	.02	.67	.13	.53	14
15	.08	.01	.16	-	-	-	.02	.13	.02	.03	.35	.02	15
16	.02	-	.02	-	-	-	.02	-	.09	-	-	.02	16
17	-	.46	.10	-	-	-	.01	-	.06	.02	-	.34	17
18	-	.03	.30	-	-	-	.01	-	-	-	-	.37	18
19	-	.04	.33	-	-	.09	.31	-	.02	-	.19	.26	19
20	-	.37	.32	-	-	.03	-	-	.03	-	-	.39	20
21	-	.52	.09	-	-	.05	-	-	-	.15	-	.05	21
22	-	.02	.02	-	.17	.06	.15	.04	-	.16	-	-	22
23	-	(20) .02	.75	-	.04	.02	.02	-	-	.09	-	-	23
24	-	-	.07	-	.02	-	-	-	-	-	.09	-	24
25	.03	-	.11	-	-	-	-	.21	-	.26	.02	.13	25
26	-	-	.02	-	-	-	.07	.04	-	.09	.21	.60	26
27	.08	-	.01	-	-	-	-	-	-	-	.06	.20	27
28	.02	.04	.01	-	.06	-	-	-	-	.06	.46	.96	28
29	.08	-	.07	-	-	-	-	-	-	.29	.26	-	29
30	.01	X	.11	-	-	-	-	-	-	.17	.57	.59	30
31	.03	X	-	X	.08	X	.05	-	X	.03	X	.06	31
Total	0.82	4.22	4.66	1.57	1.16	0.68	2.36	1.59	1.11	2.10	3.26	9.67	33.14
Rain Days.	15	18	29	8	14	14	19	14	11	14	19	26	201

REGISTER OF RAINFALL IN 1915

Kept at *Sewage Works Aldershot*
in the County of *Hants*
by *J. Edwards*

Lat. *51.15* Long. *0.46*
Time of Observation *9 a.m.*
Nearest Railway Station *Yarham*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. — in.
" " " " Sea Level *232* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>0.78</i>	<i>0.12</i>	<i>0.03</i>	—	<i>0.03</i>	—	<i>0.37</i>	<i>0.02</i>	<i>0.25</i>	<i>0.07</i>	<i>0.10</i>	<i>0.55</i>	1
2	<i>.43</i>	<i>.20</i>	<i>.25</i>	<i>0.09</i>	<i>.01</i>	<i>0.03</i>	—	<i>.63</i>	<i>.03</i>	<i>.05</i>	—	<i>.17</i>	2
3	<i>.66</i>	—	<i>.09</i>	<i>.12</i>	<i>.04</i>	<i>.01</i>	—	<i>.02</i>	<i>.02</i>	<i>.03</i>	—	<i>.33</i>	3
4	<i>.12</i>	—	<i>.02</i>	—	—	—	—	<i>.10</i>	—	—	—	<i>.20</i>	4
5	<i>.02</i>	<i>.32</i>	—	<i>.03</i>	—	—	—	<i>.03</i>	—	<i>.03</i>	—	<i>.38</i>	5
6	<i>.43</i>	<i>.14</i>	<i>.03</i>	<i>.32</i>	—	—	<i>.67</i>	<i>.02</i>	—	—	—	<i>.57</i>	6
7	<i>.40</i>	<i>.26</i>	<i>.03</i>	—	—	—	<i>.30</i>	<i>.02</i>	—	—	—	<i>.15</i>	7
8	<i>.06</i>	<i>.72</i>	<i>.04</i>	—	—	—	<i>.11</i>	<i>.10</i>	—	—	<i>.02</i>	—	8
9	<i>.10</i>	<i>.15</i>	—	<i>.08</i>	—	<i>.08</i>	—	<i>.02</i>	—	—	<i>.43</i>	<i>.68</i>	9
10	<i>.13</i>	<i>.03</i>	—	—	—	—	—	<i>.01</i>	—	—	—	<i>.26</i>	10
11	<i>.02</i>	—	<i>.06</i>	—	—	—	—	—	—	<i>.03</i>	<i>.67</i>	<i>.08</i>	11
12	<i>.04</i>	<i>.21</i>	—	<i>.26</i>	<i>.41</i>	—	—	<i>.02</i>	—	—	<i>.31</i>	<i>.02</i>	12
13	<i>.02</i>	<i>.75</i>	—	—	<i>1.16</i>	—	—	<i>.02</i>	<i>.02</i>	—	—	—	13
14	<i>.03</i>	<i>.03</i>	—	—	—	—	<i>.23</i>	<i>.07</i>	<i>.02</i>	—	—	<i>.45</i>	14
15	<i>.21</i>	<i>.43</i>	—	—	<i>.06</i>	—	<i>.08</i>	<i>.16</i>	<i>.03</i>	—	<i>.15</i>	<i>.26</i>	15
16	<i>.02</i>	—	—	—	<i>.12</i>	—	<i>.78</i>	<i>.08</i>	—	—	—	<i>.17</i>	16
17	—	<i>.49</i>	—	—	<i>1.23</i>	—	<i>.06</i>	<i>.01</i>	—	—	—	—	17
18	—	<i>.31</i>	<i>.12</i>	—	<i>.10</i>	—	—	—	—	—	<i>.03</i>	—	18
19	<i>.01</i>	<i>.08</i>	—	—	<i>.03</i>	—	<i>.07</i>	—	—	—	—	—	19
20	<i>.23</i>	—	—	<i>.02</i>	<i>.04</i>	—	<i>.03</i>	—	—	—	—	<i>.14</i>	20
21	<i>.17</i>	<i>.08</i>	—	—	<i>.04</i>	—	<i>.14</i>	—	—	<i>.08</i>	—	<i>.05</i>	21
22	<i>1.10</i>	<i>.18</i>	<i>.22</i>	<i>.01</i>	—	—	<i>.81</i>	—	<i>.02</i>	—	—	<i>.19</i>	22
23	<i>.03</i>	<i>.15</i>	<i>.05</i>	—	—	<i>.03</i>	<i>.19</i>	—	<i>.42</i>	<i>.42</i>	—	<i>.21</i>	23
24	<i>.01</i>	—	<i>.02</i>	—	—	—	<i>.02</i>	—	<i>.53</i>	<i>.29</i>	—	<i>.30</i>	24
25	—	—	<i>.01</i>	<i>.02</i>	—	<i>.12</i>	<i>.09</i>	—	—	—	<i>.02</i>	<i>.20</i>	25
26	—	<i>.07</i>	—	—	—	<i>.18</i>	<i>.62</i>	—	—	—	—	<i>.61</i>	26
27	—	<i>.09</i>	—	—	—	<i>.60</i>	<i>.02</i>	—	—	<i>.36</i>	—	<i>.10</i>	27
28	—	<i>.04</i>	—	—	—	<i>.11</i>	—	—	<i>.96</i>	<i>.12</i>	<i>.02</i>	—	28
29	—	—	<i>.01</i>	—	—	<i>.18</i>	<i>.05</i>	<i>.10</i>	—	—	<i>.27</i>	<i>.04</i>	29
30	<i>.05</i>	~~X~~	—	—	—	<i>.18</i>	—	—	—	<i>.33</i>	<i>.50</i>	<i>.04</i>	30
31	<i>.05</i>	~~X~~	—	~~X~~	—	~~X~~	—	<i>.01</i>	~~X~~	<i>1.60</i>	~~X~~	<i>.33</i>	31
Total	<i>5.14</i>	<i>5.04</i>	<i>0.98</i>	<i>1.00</i>	<i>3.27</i>	<i>1.52</i>	<i>4.64</i>	<i>1.44</i>	<i>2.50</i>	<i>3.41</i>	<i>2.52</i>	<i>6.38</i>	YEAR'S TOTAL <i>37.64</i>
Rain Days.	<i>24</i>	<i>21</i>	<i>18</i>	<i>9</i>	<i>12</i>	<i>10</i>	<i>18</i>	<i>18</i>	<i>10</i>	<i>11</i>	<i>25</i>	<i>18</i>	

REGISTER OF RAINFALL IN 1916

Kept at Sewage Works Aldershot
in the County of Hants
by J. Edwards

Lat. 51.15 Long. 0.46
Time of Observation 9h
Nearest Railway Station Tongham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 231 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.09	0.05	0.03	-	0.18	0.03	-	-	0.42	0.09	0.37	-	1
2	.27	.10	.36	-	.38	-	0.01	-	.13	.73	.07	-	2
3	.07	.86	.17	-	.02	.05	.04	-	.06	.40	.43	-	3
4	.19	.10	-	-	-	.34	-	-	.21	.04	.66	-	4
5	.04	.03	.01	0.02	.24	.17	-	-	-	.05	.69	-	5
6	.07	.18	.06	.06	.02	.21	.18	-	.01	.10	.60	-	6
7	.05	.02	.38	-	.07	.15	.23	-	-	.05	.53	0.05	7
8	-	-	.22	-	.30	.15	-	-	-	-	.02	.31	8
9	-	-	-	-	.15	.02	-	-	-	.03	-	.25	9
10	-	.32	.12	.07	.03	.26	.06	-	-	.03	.05	.17	10
11	.04	.10	.09	.12	.02	.33	-	-	.01	-	-	.09	11
12	.04	.06	.02	.04	.17	.10	.04	0.08	-	.05	-	-	12
13	-	.22	.17	.16	.02	.05	.03	.12	.04	.03	-	-	13
14	-	.42	.31	.01	.03	-	-	.08	-	.03	-	.08	14
15	-	.18	.49	-	-	-	-	.65	-	.01	-	.06	15
16	.02	.05	.36	.18	.03	-	.10	.57	-	.60	-	-	16
17	.11	.21	-	.03	-	-	.03	.53	.40	.10	-	-	17
18	-	.10	.05	.04	-	-	-	.11	.08	-	.80	.04	18
19	.21	.02	.26	.31	-	.06	-	.08	.26	-	.35	.16	19
20	.10	-	.33	.04	-	-	-	-	-	-	.05	.70	20
21	.03	-	.30	-	-	-	.17	-	-	-	-	.21	21
22	-	.01	.04	.02	.02	.02	-	-	-	.06	-	.53	22
23	.03	.15	.02	.03	-	.06	-	.05	-	.09	.05	.04	23
24	-	.18	-	-	.18	.17	-	.04	-	.29	.09	.34	24
25	-	.90	.25	-	-	-	-	.12	.06	.03	.10	-	25
26	Trace	.18	.02	-	-	.09	-	.38	.10	.37	-	-	26
27	.05	.08	1.01	-	-	-	-	.41	.06	.47	-	-	27
28	.02	.40	.15	-	-	.30	-	.06	.10	.05	.02	.14	28
29	-	.34	.01	-	-	.15	-	.86	.10	.44	.01	.20	29
30	-	X	-	-	-	-	-	.06	-	.52	-	-	30
31	-	X	-	X	-	X	-	.05	X	.20	X	.07	31
Total	1.43	5.26	5.24	1.83	1.86	2.71	0.89	4.25	2.06	4.86	4.91	3.40	37.98
Rain Days.	17	25	25	14	16	19	10	17	15	25	17	17	217

REGISTER OF RAINFALL IN 1917

Kept at *Sewage Works Aldershot*
in the County of *Hants*
by *J. Edwards*

Lat. *51.15* Long. *0.46*
Time of Observation *9h 4m*
Nearest Railway Station *Aldershot Town*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *231* in.
" " " " Sea Level *231* ft.

775
30. JAN 1918
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	<i>Trace</i>	<i>0.03</i>	<i>0.17</i>	—	<i>0.02</i>	—	<i>1.28</i>	<i>0.03</i>	—	<i>0.05</i>	—	1
2	—	<i>0.02</i>	<i>0.1</i>	<i>.31</i>	—	<i>.15</i>	—	<i>.01</i>	—	<i>0.01</i>	<i>.23</i>	—	2
3	—	—	—	<i>.13</i>	—	—	<i>1.10</i>	<i>.54</i>	—	<i>.21</i>	<i>.02</i>	—	3
4	—	<i>.24</i>	<i>.12</i>	—	—	—	<i>.05</i>	<i>.38</i>	—	<i>.25</i>	—	<i>0.03</i>	4
5	<i>0.25</i>	—	<i>.05</i>	<i>.25</i>	—	<i>.04</i>	—	—	<i>.30</i>	<i>.41</i>	<i>.13</i>	—	5
6	—	—	<i>.26</i>	<i>.03</i>	—	<i>.05</i>	—	—	<i>.13</i>	<i>.03</i>	<i>.10</i>	<i>.02</i>	6
7	<i>.19</i>	—	—	—	—	—	<i>.30</i>	—	—	<i>.20</i>	—	<i>.03</i>	7
8	<i>.30</i>	—	<i>.02</i>	<i>.06</i>	—	—	<i>.41</i>	<i>.09</i>	<i>.07</i>	<i>.21</i>	<i>.16</i>	<i>.33</i>	8
9	—	—	<i>.10</i>	<i>.07</i>	<i>0.03</i>	—	<i>.05</i>	<i>.14</i>	<i>.04</i>	<i>.02</i>	<i>.04</i>	<i>.16</i>	9
10	<i>.19</i>	—	<i>.14</i>	<i>.30</i>	<i>.01</i>	<i>.03</i>	—	<i>.08</i>	—	—	<i>.05</i>	<i>.03</i>	10
11	<i>.10</i>	<i>.02</i>	<i>.28</i>	<i>.11</i>	—	—	—	<i>.04</i>	<i>.63</i>	<i>.23</i>	—	—	11
12	<i>.09</i>	—	<i>.03</i>	<i>.05</i>	<i>.15</i>	<i>.07</i>	—	<i>.11</i>	—	<i>.44</i>	—	<i>.02</i>	12
13	<i>.10</i>	—	<i>.20</i>	<i>.06</i>	—	—	—	<i>.24</i>	<i>.04</i>	<i>.05</i>	—	—	13
14	<i>.01</i>	—	<i>.02</i>	<i>.11</i>	—	—	—	<i>.26</i>	—	—	—	—	14
15	<i>.02</i>	—	—	—	<i>.02</i>	—	<i>.26</i>	<i>.10</i>	—	<i>.05</i>	—	<i>.03</i>	15
16	<i>.04</i>	<i>.10</i>	—	<i>.18</i>	<i>*.33</i>	<i>.09</i>	<i>.10</i>	<i>.04</i>	—	<i>.75</i>	—	<i>.76</i>	16
17	—	<i>.03</i>	—	<i>.17</i>	<i>.26</i>	<i>.03</i>	<i>.25</i>	<i>.14</i>	<i>.40</i>	<i>.29</i>	—	—	17
18	<i>.03</i>	<i>.02</i>	—	<i>.06</i>	—	<i>.50</i>	<i>.30</i>	<i>.01</i>	<i>.32</i>	<i>.04</i>	—	—	18
19	<i>.05</i>	<i>.16</i>	<i>.18</i>	—	<i>.38</i>	<i>.05</i>	—	—	<i>.18</i>	—	<i>.02</i>	—	19
20	<i>.04</i>	<i>.08</i>	<i>.04</i>	—	<i>.01</i>	<i>.04</i>	<i>.05</i>	<i>.04</i>	<i>.03</i>	—	<i>.04</i>	—	20
21	<i>.01</i>	—	<i>.03</i>	<i>.01</i>	—	<i>.23</i>	—	—	—	<i>.02</i>	<i>.02</i>	<i>.02</i>	21
22	<i>.02</i>	—	<i>.02</i>	—	<i>.11</i>	<i>.10</i>	—	<i>.12</i>	—	<i>.06</i>	<i>.02</i>	—	22
23	—	<i>.20</i>	<i>.01</i>	—	—	<i>.09</i>	—	<i>.15</i>	—	<i>.03</i>	—	<i>.04</i>	23
24	—	<i>.05</i>	—	—	—	<i>.10</i>	<i>.10</i>	—	—	<i>.15</i>	—	<i>.02</i>	24
25	—	<i>.08</i>	<i>.03</i>	—	—	—	—	<i>.04</i>	—	<i>.02</i>	—	—	25
26	—	—	<i>.06</i>	—	<i>.10</i>	—	—	<i>.39</i>	<i>.03</i>	<i>.01</i>	<i>.22</i>	<i>.01</i>	26
27	—	—	<i>.02</i>	—	—	<i>.05</i>	—	<i>1.35</i>	—	—	—	<i>.04</i>	27
28	—	<i>.02</i>	<i>.08</i>	—	<i>1.35</i>	<i>1.02</i>	—	<i>.07</i>	—	—	—	<i>.07</i>	28
29	—	—	<i>.06</i>	—	—	<i>.10</i>	<i>.23</i>	<i>.02</i>	—	<i>.37</i>	—	<i>.13</i>	29
30	<i>.04</i>	~~X~~	<i>.40</i>	—	—	—	<i>1.37</i>	<i>.07</i>	—	<i>.04</i>	<i>.01</i>	<i>.08</i>	30
31	<i>.01</i>	~~X~~	<i>.06</i>	~~X~~	—	~~X~~	<i>.25</i>	<i>.04</i>	~~X~~	<i>.02</i>	~~X~~	<i>.02</i>	31
Total	<i>1.49</i>	<i>1.02</i>	<i>2.25</i>	<i>2.07</i>	<i>2.75</i>	<i>2.66</i>	<i>4.82</i>	<i>5.75</i>	<i>2.20</i>	<i>3.91</i>	<i>1.11</i>	<i>1.84</i>	YEAR'S TOTAL <i>31.97</i>
Rain Days.	<i>17</i>	<i>13</i>	<i>24</i>	<i>16</i>	<i>11</i>	<i>18</i>	<i>14</i>	<i>25</i>	<i>12</i>	<i>24</i>	<i>14</i>	<i>18</i>	<i>205</i>

* Entered to wrong date
One day too soon

3.68

REGISTER OF RAINFALL IN 1918.

Kept at Sewage Works Aldershot
in the County of Hants
by J. Edwards

Lat. 51.15 Long. 0.46
Time of Observation 9 h
Nearest Railway Station Tongham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 231 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	0.03	0—	0.05	0.01	—	—	0.07	—	0.02	0.48	0.12	1
2	Trace	.04	—	.05	—	—	—	.35	.02	.05	.43	.16	2
3	Trace	.02	.05	.24	.49	—	—	.03	—	—	.31	.04	3
4	—	.13	.15	.03	—	—	—	.04	.37	—	.88	.01	4
5	—	.05	.04	—	.08	—	—	.09	.06	.12	—	.02	5
6	.12	.13	—	.27	.14	—	—	.02	.03	.03	—	.06	6
7	.04	.11	—	.01	.29	.01	—	.03	.21	.06	.27	.03	7
8	.02	.08	—	.01	—	—	—	—	.10	.08	.08	.05	8
9	.03	.05	—	.14	—	.10	.43	—	.37	.13	—	.28	9
10	~~.02~~	—	—	.10	—	.05	1.05	—	.10	.03	.04	.32	10
11	.02	~~.01~~	—	.02	—	—	1.54	—	.09	.33	.08	.12	11
12	~~.01~~	.04	—	—	.23	—	.39	—	.03	—	—	.02	12
13	.09	.01	—	.01	.24	—	.25	—	.23	.04	—	.04	13
14	.16	—	.05	.01	.02	.21	.03	—	.15	.22	—	.26	14
15	1.46	—	—	.20	—	.10	.17	—	.02	—	—	.12	15
16	.35	—	.03	.25	—	.09	—	—	.90	.04	—	.02	16
17	.27	—	—	.15	—	—	.26	.07	.04	—	—	.18	17
18	.61	—	—	.02	—	.20	.11	~~.02~~	.62	.01	—	.05	18
19	.11	Trace	.08	.04	.01	.10	.33	—	.04	.07	—	.01	19
20	.05	.11	—	.61	—	.03	.07	—	.35	.08	—	.01	20
21	.17	.04	—	.32	—	.02	.05	—	.42	.02	—	.02	21
22	.14	.02	—	—	.41	—	.36	—	.30	—	—	.20	22
23	.04	—	—	.04	.12	.02	.67	.04	.18	—	—	.03	23
24	—	.34	—	—	—	.06	.58	—	.13	—	.08	—	24
25	—	—	—	.01	—	—	.44	.27	—	.02	.02	—	25
26	.01	—	.01	—	—	—	.69	~~.00~~	.04	.03	.07	.15	26
27	—	.05	.04	.03	—	.04	.06	.20	.06	.01	.08	.04	27
28	—	.06	.26	.05	—	—	—	.06	—	—	.12	.02	28
29	—	—	.04	—	—	—	—	—	1.14	—	.05	.01	29
30	—	X	.40	—	—	—	—	—	.05	.02	.07	.08	30
31	.01	X	.02	X	—	X	—	—	X	.10	X	.02	31
Total	3.73	1.33	1.17	3.16	2.04	1.03	7.48	1.27	6.05	1.51	3.06	2.49	YEAR'S TOTAL 34.32
Rain Days	219	187	12	23	11	13	18	12	26	21	15	29	216

REGISTER OF RAINFALL IN 1919.

Kept at Aldershot [M.O.]
in the County of Hampshire
by G. W. Routley M.D.

Lat. 51° 15' Long. 0° 46' W
Time of Observation 9h. G.M.T.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 231 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.0	0.7	1.2	0.2	0.7	-	8.6	-	-	1.0	0.1	32.0	1
2	8.3	-	0.7	-	1.0	-	1.2	0.5	2.0	-	1.2	1.7	2
3	10.7	-	12.5	-	2.0	-	1.5	-	0.5	-	0.5	8.0	3
4	4.5	1.0	12.7	-	-	1.2	1.7	1.2	1.8	-	1.0	4.1	4
5	-	9.1	19.3	-	-	-	21.0	-	7.6	-	1.6	5.4	5
6	6.5	0.5	1.0	-	0.7	-	-	-	-	-	2.0	2.0	6
7	2.0	-	12.0	0.2	-	-	-	-	-	-	3.7	-	7
8	4.2	-	3.0	0.5	-	-	-	-	-	-	-	-	8
9	5.1	-	1.2	1.2	1.0	-	-	-	-	-	1.1	-	9
10	13.2	-	4.5	1.0	-	-	-	-	-	0.5	1.2	3.2	10
11	1.2	-	1.5	6.0	1.2	-	8.9	-	-	-	-	0.5	11
12	0.5	-	1.5	0.7	0.2	-	2.0	-	-	2.7	1.5	0.5	12
13	0.7	0.5	-	10.7	-	0.5	-	-	-	-	-	0.7	13
14	8.1	-	-	9.0	-	-	2.7	-	28.7	1.2	-	1.0	14
15	6.3	0.7	1.0	1.5	-	-	-	-	-	0.2	0.7	22.6	15
16	2.0	19.1	-	2.0	-	-	-	-	-	-	2.4	0.4	16
17	-	5.0	-	1.0	-	-	-	-	-	-	4.2	0.4	17
18	-	4.0	6.1	-	-	-	-	0.2	-	-	1.0	1.0	18
19	1.3	4.3	20.1	-	-	5.5	12.5	9.0	1.0	-	1.0	-	19
20	8.1	3.2	3.5	-	-	13.2	1.2	3.5	0.2	-	0.3	0.5	20
21	2.8	8.1	1.0	-	-	1.0	2.0	-	0.7	-	0.3	2.5	21
22	-	0.5	-	-	-	-	5.5	0.2	5.8	-	1.5	7.6	22
23	-	-	-	-	-	0.7	0.7	2.5	-	1.2	1.0	1.0	23
24	-	0.5	-	1.5	-	1.5	0.5	0.5	-	8.2	1.7	2.5	24
25	1.3	2.0	-	0.2	0.2	-	-	4.0	-	-	0.3	9.5	25
26	1.5	4.0	2.5	6.5	-	-	1.0	1.2	2.5	-	-	7.0	26
27	18.3	-	0.5	15.2	-	-	0.5	15.7	-	-	0.3	1.0	27
28	3.0	-	7.2	-	-	-	-	17.4	-	-	11.0	7.0	28
29	1.5	-	-	2.0	-	1.0	-	6.3	-	3.5	0.6	1.0	29
30	-	~~X~~	0.7	6.7	-	3.0	-	15.2	-	0.7	10.8	16.0	30
31	0.5	~~X~~	1.2	~~X~~	-	~~X~~	1.5	-	~~X~~	0.2	~~X~~	2.2	31
TOTAL	118.6	63.2	114.9	66.1	7.0	27.6	73.0	77.4	50.8	19.4	51.0	141.3	YEAR'S TOTAL
Days with 0.2 mm. or more	24	16	22	18	8	9	17	14	10	10	24	27	199

REGISTER OF RAINFALL IN 1911.

Kept at The Sewage Works Aldershot
in the County of Hants
by J. Edwards

Lat. 51.15 Long. 0.46
Time of Observation 9 hr.
Nearest Railway Station Longham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 232 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.0	0.7	1.2	0.2	0.7	-	8.6	-	-	1.0	0.1	32.0	1
2	8.3	-	0.7	-	1.0	-	1.2	0.5	2.0	1.0	1.2	1.7	2
3	10.7	-	12.5	-	2.0	-	1.5	-	0.5	-	0.5	8.0	3
4	4.5	1.0	12.7	-	-	1.2	1.7	1.2	1.8	-	1.0	2.5	4
5	-	9.1	19.3	-	-	-	21.0	-	7.6	-	1.6	0.4	5
6	6.5	0.5	1.0	-	0.7	-	-	-	-	-	2.0	2.0	6
7	2.0	-	12.0	0.2	-	-	-	-	-	-	3.7	-	7
8	4.2	-	3.0	0.5	-	-	-	-	-	-	-	-	8
9	5.1	-	1.2	1.2	1.0	-	-	-	-	-	1.1	-	9
10	13.2	-	4.5	1.0	-	-	-	-	-	0.5	1.2	3.2	10
11	1.2	-	1.5	6.0	1.2	-	8.9	-	-	-	Trace	0.5	11
12	0.5	-	1.5	0.7	0.2	-	2.0	-	-	2.7	1.5	0.5	12
13	0.7	0.5	-	10.7	-	0.5	-	-	-	-	-	0.7	13
14	8.1	-	-	9.0	-	-	2.7	-	28.7	1.2	-	1.0	14
15	6.3	0.7	1.0	1.5	-	-	-	-	-	0.2	0.7	22.6	15
16	2.0	19.1	-	2.0	-	-	-	-	-	-	2.4	0.4	16
17	-	5.0	-	1.0	-	-	-	-	-	-	4.2	0.4	17
18	-	4.0	6.1	-	-	-	-	0.2	-	-	1.0	1.0	18
19	1.3	4.3	20.1	-	-	5.5	12.5	9.0	2.0	-	1.0	-	19
20	8.1	3.2	3.5	-	-	13.2	1.2	3.5	0.2	-	0.3	0.5	20
21	2.8	8.1	1.0	-	-	1.0	2.0	-	0.7	-	0.3	2.5	21
22	-	0.5	-	-	-	-	5.0	0.2	5.8	-	6.5	7.6	22
23	-	-	-	-	-	0.7	0.7	2.5	-	1.2	1.0	1.0	23
24	-	0.5	-	1.5	-	1.5	0.5	0.5	-	8.2	1.7	2.5	24
25	1.3	2.0	-	0.2	0.2	-	-	4.0	-	-	0.3	7.0	25
26	1.5	4.0	2.5	6.5	-	-	1.0	1.2	2.5	-	-	9.5	26
27	18.3	-	0.5	15.2	-	-	0.5	15.7	-	-	0.3	1.0	27
28	3.0	-	7.2	-	-	-	-	17.4	-	-	11.0	7.0	28
29	1.5	-	-	2.0	-	1.0	-	6.3	-	3.5	0.6	1.0	29
30	-	X	0.7	6.7	-	3.0	-	15.2	-	0.7	10.8	16.0	30
31	0.5	X	1.2	X	-	X	1.5	-	X	0.2	X	2.2	31
TOTAL	118.6	63.2	118.2	65.7	7.0	27.6	73.0	77.4	50.8	19.4	50.0	141.3	YEAR'S TOTAL
Days with 0.2 mm. or more	24	16	22	18	8	9	17	14	10	10	24	27	199

REGISTER OF RAINFALL IN 1920.

Kept at Aldershot
in the County of Hampshire
by G. W. Routley, M.D.

Lat. 51° 15' Long. 0° 46' W
Time of Observation gh, G.M.T.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 231 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.3	-	0.3	9.8	3.9	-	6.5	0.1	0.3	16.8	0.8	8.8	1
2	0.5	-	2.0	0.5	0.4	-	3.8	11.2	2.2	1.1	-	2.8	2
3	1.0	1.7	-	1.0	-	-	6.9	-	0.2	4.3	-	1.0	3
4	-	1.7	0.6	3.2	-	-	14.5	2.2	-	5.3	-	0.3	4
5	-	-	2.0	0.4	0.1	-	19.3	2.0	-	0.5	-	0.8	5
6	-	-	5.6	-	1.2	-	10.8	-	-	-	-	0.9	6
7	1.0	-	3.0	2.0	0.1	-	1.5	-	-	-	-	-	7
8	-	0.4	-	1.6	5.0	-	4.5	-	-	0.2	-	-	8
9	5.7	0.5	4.0	1.2	-	1.0	0.4	-	-	-	-	-	9
10	10.4	1.8	1.0	1.6	-	4.0	2.6	-	-	-	0.2	0.4	10
11	12.5	0.5	2.0	8.0	0.8	0.2	5.5	-	-	-	-	2.0	11
12	0.8	0.4	-	6.0	-	21.2	-	-	-	-	0.9	-	12
13	4.1	0.5	4.4	1.4	-	-	-	-	-	-	0.8	-	13
14	-	-	7.8	9.0	-	1.5	-	-	2.8	2.5	9.6	1.1	14
15	0.6	0.8	1.2	12.0	-	0.3	-	-	13.0	4.8	2.5	0.4	15
16	-	0.2	1.0	0.4	1.8	-	-	-	2.6	0.4	0.2	-	16
17	0.2	-	0.2	-	3.7	-	0.5	-	13.6	-	-	1.2	17
18	2.0	-	0.3	0.1	1.2	-	0.1	21.0	2.0	-	-	0.8	18
19	2.1	-	-	4.6	-	1.5	-	1.3	0.2	-	-	0.6	19
20	2.4	2.0	-	7.2	-	10.2	-	0.1	-	-	0.2	0.5	20
21	-	-	-	0.4	-	-	16.6	-	6.0	-	-	3.0	21
22	1.0	-	-	8.6	-	-	0.2	-	1.8	-	-	11.6	22
23	0.3	-	-	-	-	-	8.6	3.5	-	-	-	8.6	23
24	0.2	-	2.5	0.2	-	-	-	-	-	-	0.6	1.5	24
25	-	0.5	0.5	0.8	0.8	-	6.7	-	-	-	-	0.2	25
26	2.2	-	4.5	0.4	-	-	8.8	-	-	-	-	1.8	26
27	11.0	0.6	0.3	4.4	-	2.1	0.5	-	-	-	10.2	4.5	27
28	10.8	0.2	12.0	3.5	2.2	0.2	2.0	-	-	-	1.1	0.5	28
29	10.6	-	3.2	0.5	0.3	-	0.2	-	-	-	2.2	5.5	29
30	1.0	~~X~~	-	0.2	0.2	0.6	3.2	-	4.8	0.5	5.4	6.1	30
31	0.6	~~X~~	7.2	~~X~~	0.1	~~X~~	-	-	~~X~~	15.5	~~X~~	2.2	31
TOTAL	82.3	11.8	65.6	89.0	21.8	42.8	123.7	41.4	49.5	51.9	34.7	66.1	YEAR'S TOTAL
Days with 0.2 mm. or more	23	14	22	26	12	11	21	6	12	11	13	25	196

Kept at Alice Holt Forest

in the County of H

by A. Simpson

IMPORTANT NOTES

If an Observer prefers the reading at 9 a.m. on 1st January, this paragraph. Full instructions for the measurement of rain, the selection of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Inches should not be entered on this form.

Rain Gauge _____ in.
above Ground _____ ft. _____ in.
" Sea Level 264 ft.
entered to the previous day.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.4	.4	1.0	.1	.2		3.5			.7	.4	36.6	1
2	8.8		.3		1.9		.6		1.9		1.5	.8	2
3	9.6	.1	13.8		.2		.3		1.0		.2	9.1	3
4	3.9	.7	8.7			.4	8	.8	4.4	.1	1.7	1.9	4
5	.1	.1	25.1				2.0		6.1		1.8	5.9	5
6	7.5		1.7	.1	1.0						.3	2.2	6
7	1.7		11.8								2.1	.1	7
8	7.1		5.5	.1							.1	.1	8
9	2.7		.1	3.1	1.1				.2		4.3		9
10	12.0		5.1	1.3							1.5	5.2	10
11	1.2		1.9	5.8	1.1		4.0				.4	.7	11
12	.4		.9	1.1	.1		1.9			1.3	.6	.1	12
13	.9	.5	.1	17.1		.3				.3		.9	13
14	10.9	.4		9.5			1.7		23.7	.3	.3	1.9	14
15	7.3	.3	.7	.2						.3		23.8	15
16	3.0	18.7							.1		2.5	.2	16
17	.1	7.4				.3					3.6	.2	17
18	.1	3.3	6.4					.4			2.2	.5	18
19	1.3	5.9	23.8			3.3	5.9	4.1	.2		1.6	.2	19
20	9.3	3.8	2.4			10.8	.5	3.3				.8	20
21	1.7	12.1	.1			2.8	.2				.5	1.0	21
22		.2	.2			.1	3.9		10.4		.1	7.4	22
23	.1					.4		.1		1.3	.9	1.3	23
24		.2		.4		.5			.1	6.1	1.9	.9	24
25	.8	3.8				.1		6.5	3.0			1.0	25
26	1.3	6.8	2.2	1.6			.1	2.1			.2	9.9	26
27	15.3	.1	.1	16.0				15.0				.9	27
28	.8		8.3	.4				19.8			11.7	9.3	28
29	1.0			.5		.3		5.6		3.2		1.7	29
30		~~X~~	.5	5.0		2.3		16.4		.3	13.4	20.8	30
31	.7	~~X~~	1.0	~~X~~		~~X~~	.6	.1	~~X~~	.1	~~X~~	1.8	31
TOTAL	119.0	64.8	121.7	62.3	5.6	21.6	26.0	74.2	51.1	14.0	53.8	147.2	YEAR'S TOTAL 761.3
Days with 0.2 mm. or more	24	15	20	13	6	10	13	10	9	9	22	27	178

REGISTER OF

19.

Kept at *Alice Holt Forest*

in the County of *Hampshire*

by *A. Simpson*

Lat. *51° 10' N* Long. *0° 50' W*

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level *264* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.4	.4	1.0	.1	.2		3.5			.7	.4	36.6	1
2	8.8		.3		1.9		.6		1.9		1.5	.8	2
3	9.6	.1	13.8		.2		.3		1.0		.2	9.1	3
4	3.9	.7	8.7			.4	8	.8	4.4	.1	1.7	1.9	4
5	.1	.1	25.1				2.0		6.1		1.8	5.9	5
6	7.5		1.7	.1	1.0						.3	2.2	6
7	1.7		11.8								2.1	.1	7
8	7.1		5.5	.1							.1	.1	8
9	2.7		.1	3.1	1.1				.2		4.3		9
10	12.0		5.1	1.3							1.5	5.2	10
11	1.2		1.9	5.8	1.1		4.0				.4	.7	11
12	.4		.9	1.1	.1		1.9			1.3	.6	.1	12
13	.9	.5	.1	17.1		.3				.3		.9	13
14	10.9	.4		9.5			1.7		23.7	.3	.3	1.9	14
15	7.3	.3	.7	.2						.3		23.8	15
16	3.0	18.7							.1		2.5	.2	16
17	.1	7.4				.3					3.6	.2	17
18	.1	3.3	6.4					.4			2.2	.5	18
19	1.3	5.9	23.8			3.3	5.9	4.1	.2		1.6	.2	19
20	9.3	3.8	2.4			10.8	.5	3.3				.8	20
21	1.7	12.1	.1			2.8	.2				.5	1.0	21
22		.2	.2			.1	3.9		10.4		.1	7.4	22
23	.1					.4		.1		1.3	.9	1.3	23
24		.2		.4		.5			.1	6.1	1.9	.9	24
25	.8	3.8				.1		6.5	3.0			1.0	25
26	1.3	6.8	2.2	1.6			.1	2.1			.2	9.9	26
27	15.3	.1	.1	16.0				15.0				.9	27
28	.8		8.3	.4				19.8			11.7	9.3	28
29	1.0			.5		.3		5.6		3.2		1.7	29
30		~~X~~	.5	5.0		2.3		16.4		.3	13.4	20.8	30
31	.7	~~X~~	1.0	~~X~~		~~X~~	.6	.1	~~X~~	.1	~~X~~	1.8	31
TOTAL	119.0	64.8	121.7	62.3	5.6	21.6	26.0	74.2	51.1	14.0	53.8	147.2	761.3
Days with 0.2 mm. or more	24	15	20	13	6	10	13	10	9	9	22	27	178

REGISTER OF RAINFALL IN 1920.

Kept at Alice Holt Forest
in the County of Hampshire
by A. Simpson

Lat. 51° 10' Long. 0° 45'
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 264 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.7	2	2	9.1	4.4		5.2			16.6	.6	11.3	1
2	.8		1.8	.9	.5		1.7	15.1	2.4	1.5		3.1	2
3	2.3	1.8		1.8	1.5		5.0			9.8		1.0	3
4		1.9		5.5			37.5	4.1		9.0		.1	4
5			2.0	.2			21.3	4.9		1.7		1.3	5
6			6.0	.1	4.6		12.4					.3	6
7	.9	.1	.1	3.5	.9		2.1						7
8		.1		1.1	1.9		4.9						8
9	6.5	1.2	.4	.9	.1	.9	.7						9
10	17.0	7.6	.5	.3		4.8	4.2						10
11	7.5	.3	2.5	9.3	.6		6.2					3.0	11
12	1.6	.7	.2	5.0		15.0					1.0		12
13	3.6	.2	4.4	1.4							.4		13
14		.4	8.2	12.3		.2		.3	3.1	3.8	13.6	.6	14
15	.6	.6	.5	12.5	.4	1.1			10.6	4.6	3.9		15
16			.4	.3	3.3	4.4			6.4				16
17	.3		.1		.9	2.3	2.0		16.4			3.1	17
18	2.2			.4				16.1	2.2			.3	18
19	2.1			6.2		1.0		.3				.3	19
20	1.6	1.9		6.1		11.0					.3	.9	20
21				1.1			15.5		6.1			4.5	21
22	.9			4.3			.3	.2	6.0			9.5	22
23	.1						9.6	3.2				9.9	23
24	.1	1.3		.1	.3						.2	2.0	24
25	.2	1.3	.5	.1			9.0					.1	25
26	3.2		6.0	.4	3.6		3.1					2.2	26
27	16.8	.5	.2	2.8		2.8	1.0				5.9	5.3	27
28	12.6	.3	4.2	2.2	.8	.2	1.8				.3	.5	28
29	15.6	.1	2.2	.1	.4	.3					3.4	7.9	29
30	1.0				.4		3.6		3.9		7.6	6.4	30
31	1.9		4.7		.1					25.8		3.5	31
TOTAL	101.1	20.5	45.1	88.0	24.2	44.0	147.1	44.2	57.1	72.8	37.2	77.1	YEAR'S TOTAL 708.4
Days with 0.2 mm. or more	22	15	18	23	15	12	20	8	9	8	11	21	182

REC

Kept at Alton House
in the County of Hants
by B. W. Bunting

ALTON HSE

1913 - 1914

FORM A.
BRITISH RAINFALL
- 3 JAN 1914

Hants
in
und 1 ft. 3 in.
Level _____ ft.

IMPORTANT NOTE: If an Observer has not entered the result entered to the previous day. If an Observer has not entered the result entered to the previous day, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.11	.15					.75		.19		1
2	.04		.02	.03			.10		.11	.14	.11	.13	2
3	.09		.05	.12	.59					.01		.12	3
4	.40		.11		.40				.96	.15	.08	.03	4
5	.27					.05	.03		.43			?	5
6	.06		.16		.04	.09	.01		.01	.48		.25	6
7			.03		.23	.04	.65	.01		.35			7
8			?		.26	.05	.01			.22			8
9					.01		.02		.15		.27		9
10	.03			.03	.02			.08			.45		10
11	.99			.43	.04					.40	.52		11
12					.45					.01	.35		12
13	?		.09						.08		.26		13
14			.18				.14		.01	.06	.14	.05	14
15			.33	.44			.15	.08	.08				15
16	.80		.45	.13					.04				16
17	.03		.11	.04			.14				.05		17
18	.70		.22	.11			.03						18
19	?		.14				.13		.12		.05		19
20	?		.57	.08		.07							20
21	?		.34	.25							1.05		21
22	?		.40	.03				.08	.17				22
23	.43		.01					.09				.76	23
24	.02			.11				.01					24
25				.27									25
26			.06	.27				.11	.53			.13	26
27			.58	.08				.01	.08		.03		27
28	?		.11	.08					?				28
29	?		.05	.50	.85			.12	?				29
30	.74			.03				.68	.23				30
31	.04		.04					.47	.04				31
Total	4.66	1.25	22?	19	9	5	12	11	12	14	14	8	YEAR'S TOTAL
Rain Days.	24?	8	4.16	3.18	2.89	.30	1.41	1.74	2.91	3.20	3.56	1.47	30.73

30.73

REC

FORM A.
BRITISH RAINFALL
- 3 JAN 1914

Kept at Alton House, Alton
in the County of Hampshire
by B. W. Benbrick

Lat. _____ Long. _____
Time of Observation 8 A.M.
Nearest Railway Station Alton Hants
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.11	.15					.75		.19		1
2	.04		.02	.03			.10		.11	.14	.11	.13	2
3	.09		.05	.12	.59					.01		.12	3
4	.40		.11		.40				.96	.15	.08	.03	4
5	.27					.05	.03		.43			?	5
6	.06		.16		.04	.09	.01		.01	.48		.25	6
7			.03		.23	.04	.65	.01		.35			7
8			?		.26	.05	.01			.22			8
9					.01		.02		.15		.27		9
10	.03			.03	.02			.08			.45		10
11	.99			.43	.04					.40	.53		11
12					.45					.01	.35		12
13	?		.09						.08		.26		13
14			.18				.14		.01	.06	.14	.05	14
15			.33	.44			.15	.08	.08				15
16	.80		.45	.13					.04				16
17	.03		.11	.04			.14				.05		17
18	.70		.22	.11			.03						18
19	?		.14				.13		.12		.05		19
20	?		.57	.08		.07							20
21	?		.34	.25							1.05		21
22	?		.40	.03				.08	.17				22
23	.43		.01					.09				.76	23
24	.02			.11				.01					24
25				.27									25
26			.06	.27				.11	.53			.13	26
27			.58	.08				.01	.08		.03		27
28	?		.11	.08					?				28
29	?		.05	.50	.85			.12	?				29
30	.74			.03				.68	.73				30
31	.04		.04					.47	.04				31
Total	4.66	1.25	22?	19	9	5	12	11	12	14	14	8	YEAR'S TOTAL
Rain Days.	24?	8	4.16	3.18	2.89	.30	1.41	1.74	2.91	3.20	3.56	1.47	30.73

end for a/c 22.11.15

REGISTER OF RAINFALL IN 1914

Kept at Alton House, Alton
in the County of Hants
by B. W. Benkinch

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Alton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 300 ft.

BRITISH RAINFALL
FORM A.
22 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		<u>March</u>	<u>Febr.</u>										
1		.02		.20				.15			.10	.05	1
2								.07				.30	2
3		.11			.26		.02	.17			.80	.38	3
4		.11		.23	.04		.01	}.95			.11	.11	4
5	.23	.11		.56	.34	.04	.22				.40		5
6			.20	.18	.03	.11		.03					6
7	.01	.69	.82	.21		.02	.17					.10	7
8	.08	.50	.41	.08		.02	.05	.16				.50	8
9	.22	.65		.15	.10	.15		.01	.18			2.10	9
10	.07		.18		.19				.09				10
11		.45	}.50		.04				.21			.45	11
12		.11					.50		.38		.19	.60	12
13		.17	.46			.02	.08		.20	.12	.02	.80	13
14		.19	.45			.01				.04		.60	14
15		.18	.07				}.06	.20	.02	.55	.20	.01	15
16	.02		.50						.07		.21		16
17		.06					.01		.05			.35	17
18												.34	18
19		}.88	.05				.32					.31	19
20			.40								.20		20
21		.10	.64			.02							21
22		.01	.03			.04	.10	.02					22
23		.15			.10		.01						23
24		.10	.07		.04								24
25	.04	.09						.18			.24		25
26										.64	.25	1.05	26
27										.08		.25	27
28			.04		.08						.15	.72	28
29		.09			.05						.28		29
30		~~.11~~								.33	.51	.68	30
31	.25	~~.11~~		~~X~~	.05	~~X~~	.13		~~X~~	.16	~~X~~	.06	31
Total	.92 ~~0.93~~	4.28 ~~4.39~~	4.88 ~~4.90~~	1.41	1.32	0.43	2.68 ~~2.58~~	1.94 ~~1.79~~	1.20	1.92	3.66 ~~3.76~~	9.76 ~~9.78~~	34.40 ~~34.40~~
Rain Days.	8	<u>March</u> 22	<u>February</u> +716	56	12	9	14	+011	8	87	14	20	147

672

Kept
in the County
by

ALVERSTOKE. MONKTON HOUSE

1912-20

1912
Long. 1.8.20 W
ervation 9.0 A.M.

BRITISH RAINFALL
FORM A.
6-JAN-1913

Way Station Stoves Bay Pier
Rain Gauge 5 in. (Sweden)
p of Gauge above Ground 1 ft. - in.
" " Sea Level 15 ft.

IMPO
previous da
requested to

for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

9 a.m. and the result entered to the almost universal rule, he is earnestly following year in the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.13			.11	.02		.01	.53		.22	1
2			.32		.02	.23	.31						2
3			.01				.02	.57			.04	.005	3
4	.15	.06	.71		.01	.27		.05			.26		4
5	.25		.18					.29				.04	5
6	.45	.04			.13	.02	.04	.42				.15	6
7		.02	.03		.21	.74		.06				.07	7
8		.005	.33			.02		.31					8
9	.39	.29	.07	.03		.05	.05	.11				.14	9
10	.04	.15						.16			.04	.30	10
11		.05				.09		.05				.29	11
12	.08	.16	.09		.22	.39	.10	.29					12
13	.02	.07	.01				.04	.02				.06	13
14		.06			.03			.12		.01			14
15	.05	.08	.16		.05	.65		.08				.29	15
16	.01	.005	.17		.03	.01		.13		.08	.09		16
17	.22		.28		.08	.10		.24				.11	17
18	.84	.005	.17			~~.03~~	.02	.09				.07	18
19	.04	.04	.13			.03		.42			.005		19
20	.07		.37					.10		.41	.04		20
21		.10	.07		.10			.10		.08			21
22	.10	.43	.04					.29				.05	22
23	.48	.11	.20		.02			.49		.09	.13	.08	23
24	.09	.05						.11				.20	24
25	.18					.30		.65		.07	.22	.64	25
26		.04					.06	.18		.39	.39	.22	26
27		.005				.06	.40			.20		.49	27
28		.05				.02	.24	.18	.05	.65	.51	.18	28
29		.10					.08	.09	1.46	.22	.02		29
30					.08	.01	.06	.03	1.10	.24			30
31			.16				.20	.07		.02		.02	31
Total	3.46	1.92	3.63	.03	.98	3.10	1.64	5.70	2.62	2.99	1.745	3.625	31.440
Rain Days.	17	18	20	1	12	17	14	28	4	13	10	19	173

1912

Lat. 50° N. Long. 1° 8' 20" W
Observation 9.0 A.M.

FORM A.
BRITISH RAINFALL
6 - JAN 1913

Kept at

in the County of

Abingdon
Hampshire

by

Jack Blake

Nearest Railway Station Stokes Bay Pier
Diameter of Rain Gauge 5 in. (Standard)
Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 15 ft.

above half tide level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.13			.11	.02		.01	.53		.22	1
2			.32		.02	.23	.31						2
3			.01				.02	.57			.04	.005	3
4	.15	.06	.71		.01	.27		.05			.26		4
5	.25		.18					.29				.04	5
6	.45	.04			.13	.02	.04	.42				.15	6
7		.02	.03		.21	.74		.06				.07	7
8		.005	.33			.02		.31					8
9	.39	.29	.07	.03		.05	.05	.11				.14	9
10	.04	.15						.16			.04	.30	10
11		.05				.09		.05				.29	11
12	.08	.16	.09		.22	.39	.10	.29					12
13	.02	.07	.01				.04	.02				.06	13
14		.06			.03			.12		.01			14
15	.05	.08	.16		.05	.65		.08				.29	15
16	.01	.005	.17		.03	.01		.13		.08	.09		16
17	.22		.28		.08	.10		.24				.11	17
18	.84	.005	.17			~~.03~~	.02	.09				.07	18
19	.04	.04	.13			.03		.42			.005		19
20	.07		.37					.10		.41	.04		20
21		.10	.07		.10			.10		.08			21
22	.10	.43	.04					.29				.05	22
23	.48	.11	.20		.02			.49		.09	.13	.08	23
24	.09	.05						.11				.20	24
25	.18					.30		.65		.07	.22	.64	25
26		.04					.06	.18		.39	.39	.22	26
27		.005				.06	.40			.20		.49	27
28		.05				.02	.24	.18	.05	.65	.51	.18	28
29		.10					.08	.09	1.46	.22	.02		29
30					.08	.01	.06	.03	1.10	.24			30
31			.16				.20	.07		.02		.02	31
Total	3.46	1.92	3.63	.03	.98	3.10	1.64	5.70	2.62	2.99	1.745	3.625	YEAR'S TOTAL 31.440
Rain Days.	17	18	20	1	12	17	14	28	4	13	10	19	173

REGISTER OF RAINFALL IN, 19 13

Kept at Monkton House, Abingdon
in the County of Hampshire
by Jack Blake

Lat. 50.46.50 Long. 1.8.20
Time of Observation 9.0 AM
Nearest Railway Station Stokes Bay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 12 ft.

FORM A.
BRITISH RAINFALL
5-JAN-1914
S. D. R.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.31	.16	.04		.04			.40		.21	.04	1
2		.09		.03			.03		.02	.15	.10		2
3	.04		.05	.10	.20					.36		.21	3
4	.26		.03		.37		.20		.90	.08	.10		4
5	.29	.18	.03			.08	.03		.64	.03	.17	.06	5
6	.35	.04	.06		.08	.11	.18		.005	.79	.19	.62	6
7		.28	.09		.24		.08			.50	.11		7
8		.06			.23			.01		.29		.03	8
9		.03					.11	.14	.06		.02		9
10	.06					.005	.04			.15	.61		10
11	.89			.28	.03					.32	.52		11
12					.40						.38		12
13	.13		.06					.02	.03		.12		13
14	.24		.13	.005			.02	.02	.03		.10		14
15	.24	.11		.40			.22				.02		15
16	.07		.34	.15		.05			.36		.005		16
17	.12		.48	.08			.03				.05		17
18			.22	.09			.03				.04		18
19			.02		.13	.04	.05		.20				19
20	.46		.12	.11						.55	.02		20
21	.44		.24	.12						.37	.42		21
22			.19					.13	.33	.03		.03	22
23	.25		.10			.06		.04			.005	.86	23
24				.02				.24			.02		24
25	.07	.02		.21									25
26				.26				.11		.45		.20	26
27			.31	.09						.04			27
28	.22		.02	.15				.005		.24			28
29	.14		.15	.78	.75			.03		.17		.06	29
30	.51			.09				.09		.20			30
31	.02		.02					1.04		.20			31
Total	4.83	1.12	2.82	3.005	2.43	.385	1.02	1.875	2.975	4.92	3.21	2.11	YEARS TOTAL 30.70
Rain Days.	20	9	20	17	9	6	12	11	10	18	18	9	154

f. snow

REGISTER OF RAINFALL IN 19¹⁴

Kept at Winkton House, Alverstoke
 in the County of Hampshire
 by Jack Blake

Lat. 50° 46' 50" Long. 1° 8' 20" W
 Time of Observation 9.0 A.M.
 Nearest Railway Station Stokes Bay
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 15 ft.

FORM A.
 BRITISH RAINFALL
 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.02				.17			.16	.16	1
2								.02			.13	.16	2
3			.04	.03	.25		.04					.01	3
4				.29	.01			.12			.27	.34	4
5	.15		.10	.21	.10		.29				.04		5
6		.14	.005	.13	.04	.06		.02				.57	6
7	.03	.55	.17	.25	.01	.02	.15	.10				.32	7
8	.04	.42	.29	.03		.01	.005					.10	8
9	.02	.01	.78	.09					.06			<u>1.64</u>	9
10	.05	.34		.07	.20				.18		.02		10
11		.37	.46		.09	.05	.50		.08		.07	.54	11
12		.16	.20				.04		.31	.06	.005	.50	12
13		.44	.12						.21	.17	.07	.82	13
14		.20	.15			.42	.18	.27		.57	.20	.27	14
15		.03	.22				.12	.56		.02	.71		15
16							.12		.23				16
17		.48	.09						.10			.37	17
18		.04	.30									.41	18
19		.12	.63				1.20				.12	.05	19
20		.39	.35			.06			.04			.26	20
21		.56	.02							.13		.01	21
22		.06			.04	.005	.08	.02		.40			22
23		.12	.20			.45				.04			23
24			.01				.01				.10		24
25	.02		.20				.02	.26		.30	.03	.12	25
26							.04	.03		.32	.33	.47	26
27	.07										.08	.32	27
28		.03	.02		.48		.03			.61	.33	.57	28
29	.14		.17	.04	.07					.28	.18		29
30	.02	X	.08	.04						.18	.67	.47	30
31		X		X	.05	X	.06		X	.11	X	.04	31
Total	.54	4.46	4.605	1.20	1.34	1.075	2.885	1.57	1.21	3.19	3.515	8.52	YEAR'S TOTAL 34.11
Rain Days.	9	18	~~21~~ 22	11	11	7	~~15~~ 16	10	8	13	17	23	163

REGISTER OF RAINFALL IN 1915

Kept at Monckton House, Alverstoke
in the County of Hampshire
by Capt J. Blake

Lat. 50° 46' 50" N. Long. 1° 8' 20" W
Time of Observation 9.0 AM
Nearest Railway Station Stokes Bay (L.S.W. Ry)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 15 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.61	.18		.04	.04			.15	.24	.13	.005	.41	1
2	.34	.22	.15	.17				.06	.04	.07		.45	2
3	.84		.10	.04	.08			.04				.66	3
4	.02											.49	4
5		.42						.10				.52	5
6	.72	.18		.51			.45	.04				.15	6
7	.25	.44		.08			.10					.27	7
8	.04	.78					.30	.06			.08	.05	8
9		.07		.06		.09		.05			.36	.71	9
10	.24	.06	.04							.02		.31	10
11	.02		.07								.85	.03	11
12	.08	.27		.21	.49						.48		12
13		.46			1.36				.13	.04	.02		13
14	.04						.03		.05			.67	14
15	.08				.10		.04	.15			.11	.21	15
16		.78			.66		1.15	.31				.15	16
17		.33			.61			.05				.04	17
18		.16			.06						.05		18
19		.04			.07		.05						19
20	.27			.05	.04					.03		.10	20
21	.04		.12							.38		.19	21
22	.66	.54	.13				.63					.20	22
23		.05	.02						.57	.28		.65	23
24						.06	.06		1.25	.61		.40	24
25							.005					.26	25
26		.04				.09	.12					.88	26
27										.34		.02	27
28		.07				.18	.16		.68	.31		.005	28
29						.37		.08		.02	.38	.04	29
30	.32	X								.51	.63	.05	30
31	.03	X		X		X		.18	X	.85	X	.38	31
Total	4.60	5.09	.63	1.16	3.51	.79	3.095	1.27	2.96	3.69	2.965	8.295	38.055
Rain Days.	17	18	7	8	10	5	11	12	7	13	9	26	143

REGISTER OF RAINFALL IN 1916

Kept at Mouchton House, Alverstoke

in the County of Hampshire

by Captain J. Blake

Lat. 50° 46' 50" Long. 1° 8' 20" W

Time of Observation 9.0 am

Nearest Railway Station As last

Diameter of Funnel of Rain Gauge 5 year in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 15 ft.

FORM A. BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.04	.08		.02	.02			.07	.18	.38		1
2	.22	.11	.03		.20		.01			.39	.02		2
3	.005	.52	.07				.04			.63	.47		3
4	.14	.14				.31			.33	.02	.25		4
5	.03	.02			.16	.10				.06	.66		5
6		.06	.03	.03	.02	.12	.31			.08	.42		6
7		.05	.37		.05	.01				.04	.65	.06	7
8			.01		.22							.45	8
9					.06							.14	9
10		.53	.005	.04	.01	.03	.06				.01	.27	10
11	.03	.05	.035	.12		.02						.09	11
12	.005	.07	.08	.05	.03		.08	.02		.02			12
13		.18	.005	.01		.03							13
14		.59	.03		.04								14
15		.22	.16										15
16	.07	.01	.21	.17			.10	.18					16
17	.15	.33		.10				.14	.41	.54	.10		17
18	.03	.11	.09	.05				.11	.13	.07	.42	.17	18
19	.10		.12	.04					.02	.02	.27	.02	19
20	.15	.07	.65	.08				.01			.03	1.04	20
21		.02	.30				.04					.27	21
22			.01			.08				.15	.005	.74	22
23		.07	.02			.31		.06		.10	.05	.01	23
24					.17			.02		.26	.13	.34	24
25		.58	.08					.13		.09	.04		25
26	.02	.19				.12		.005	.18	.48		.04	26
27		.12	.96			.13		.02	.01	.28			27
28		.46	.06					.32	.17	.26		.28	28
29		.32				.23		.63	.09	.44		.39	29
30		X			.48			.01	.19	.37		.03	30
31		X		X		X		.04	X	.25	X	.02	31
Total	1.00	4.86	3.405	.69	1.46	1.51	.64	1.695	1.60	4.73	3.905	4.36	29.855
Rain Days.	11	24	20	10	12	13	7	13	10	21	15	17	173



THE REMOUNT DEPÔT.
ROMSEY,
HANTS.

24. 1. '17

The Director
British Rainfall Society.

Dear Sir,
I enclose Rainfall
return. There are one
or two particulars as
regards distance of nearest
object from gauge etc
which I have not noted
in as I am questioned
have owned not trust
my memory.
I cannot give a
guarantee of absolute
accuracy this year as for
much of it I have been
away from home.
My old head farmer is
however very reliable -

in letting me state much
interest in the matter &
he has taken the necessary
measures.

I enclose cheque
£1.13.6 . . . receipt of
which please acknowledge
to this address.

Please send the public-
ations to my home address.

I am anxious to have
the "Register for five years"
as soon as possible as
my £1 note is full.

Yours truly

J. Blake
Captain
A. R. S.

REGISTER OF RAINFALL IN 1917

Kept at Mouckton House, Alverstoke
in the County of Hampshire
by Captain J. Blake.

Lat. 50° 46' 50" Long. 1° 8' 20" W.
Time of Observation 9.0 am.
Nearest Railway Station Stokes Bay (closed). Gosport
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20	.17		.02		1.21	.05		.04		1
2			.07	*.55						.01	.09		2
3	.005			*.24			.36	.18		.04	.09		3
4	~~.18~~	*.16	.28					.12		.21		.02	4
5	.18		.05	.15		.22		.03	.14	.49	.06		5
6	~~.26~~		.26								.14		6
7	.26						.16			.24		.04	7
8	.22		*.04	.07			.33	.13		.31	.12	.25	8
9			*.17	.005	.33		.03		.03	.12	.02		9
10	.12		.24	*.23	.02	.11		.09		.03			10
11	.08		.23	.17						.31			11
12	.09		.03		.06			.06		.34		.02	12
13	.01		.25					.05	.04	.12			13
14				.06				.11		.05			14
15				.01	.09		.09	.05		.22		.06	15
16		.16		.03	.17					.63		.45	16
17				.19	.03		.35	.09	.36	.21			17
18		.01				.04	.08		.25	.02			18
19		.26	.06						.27				19
20		.07	*.29		.89	.06							20
21		.02	*.03			.005	.17						21
22			*.02			.04		.10		.22			22
23		.23			.07			.22		.02		.04	23
24		.11				.06	.13			.19		.03	24
25		.11	.02							.03	.02		25
26			.03		.08			.34(?)	.07	.02	.23		26
27					.57			1.62					27
28			.06			~~.18~~		.15					28
29					.03	~~1.90~~	.19	.01		.50		.07	29
30		X	.38			~~.03~~	.65	(.25)				.005	30
31		X	.09	X		X	.20		X	.12	X	*.04	31
Total	.965	1.13	2.80	1.875	2.34	2.665	2.74	4.81	1.21	4.45	.81	1.025	26.82
Rain Days.	7	9	20	11	11	10	12	18	8	23	9	10	148

* Snow

TEL. NO 37Y ALVERSTOKE.

MONCKTON HOUSE,
ALVERSTOKE,
HANTS.

6 Jan. 1918

Note:

My gauge on Aug 26th
registered over 3 inches.
My small boy had watered it!!
The reading noted is that
of Victoria Park. Portsmouth
distant 3 miles N.E.
The rainfall was of a broad
type and the reading is
probably correct within a
few hundredths.

J. Blake
Captain
Staff.

REGISTER OF RAINFALL IN 1918

Kept at Monckton House, Alverstoke
 in the County of Hampshire
 by Major J. Blake

Lat. 50°46'50" Long. 1°8'20" W.
 Time of Observation 9.0 am.
 Nearest Railway Station Gosport
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 03 in.
 " " " " Sea Level 15 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.63			.38	.10	1
2		.04		.11				.30			.27	.12	2
3		.06		.24	.25			.06			.16	.05	3
4		.15	.08	.02				.04	.11		.61	.04	4
5		(.05)	.04		.24			.29	.02	.17		.02	5
6	.21	.06		.18	.03			.37	.04	.03		.02	6
7		.10		.12	.61			.02	.14	.06	.16		7
8		.07							.08	.10	.04	.06	8
9				.31		.12	.33		.44	.13		.48	9
10	.02			.07		.03	.13		.23	.005		.34	10
11							.19		.02	.22	.04	.09	11
12		.10			.24				.11			.04	12
13	.30				.94		.25		.21			.03	13
14	.22		.04		.01	.07	.04		.31	.20		.07	14
15	1.36			.14		.21	.03					.17	15
16	.40			.03		.005			.86	.04		.005	16
17	.15			.13			.27	.03	~~.80~~	.02		.19	17
18	.38		.01			.43			.84			.11	18
19	.02		.15			.11	.15	.01	.03	.06		.02	19
20	.04	.15		.33		.03	.05		.19	.13			20
21	.18	.005							.30			.13	21
22	.15				.14		.54		.13			.19	22
23	.05						.22	.02	.08			.04	23
24		.25		.04			.05		.14	.01	.12		24
25				.55				.21		.02			25
26							.31		.04	.015	.03	.15	26
27		.07	.04				.04	.08	.32	.03	.14		27
28			.17	.04						.01	.10	.005	28
29			.04						1.28			.03	29
30		X	.45						.05	.04	.03	.09	30
31		X	.03	X		X			X	.12	X		31
Total	3.48	1.115	1.05	2.31	1.56	1.005	2.60	2.06	5.97	1.41	2.08	2.59	YEAR'S TOTAL 27.23
Rain Days	13	11	10	14	8	7	14	12	23	18	12	23	165

REGISTER OF RAINFALL IN 1919.

Kept at Monckton House, Alverstoke
 in the County of Hampshire
 by Jack Blake

Lat. 50.46.50 Long. 1.8.20 W.
 Time of Observation 9.0 am.
 Nearest Railway Station Gosport
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32		.03		.01		.15			.05		1.05	1
2	.24				.07		.18		.17		.01	.02	2
3	.56		.69		.04		.03					.25	3
4	.31	.04	.43			.02	.08	.04	.03		.22	.05	4
5		.46	.75						.62		.20	.14	5
6	.29		.10		.14						.02	.12	6
7	.10		.48	.005									7
8	.31		.21	.005									8
9	.22		.07	.08	.06						.23		9
10	.99		.10	.01								.19	10
11	.46		.06	.23	.06		.005 1					.06	11
12	.06		.02				.09			.03	.08		12
13	.005		.03	.58			.005					.03	13
14	.27	.04		.16			.05		.07			.09	14
15	.31	.14		.03	.02					.01		1.07	15
16	.07	.71									.11	.04	16
17		.21						.04			.06	.005	17
18		.08	.22					.08			.10	.01	18
19	.17	.28	.69			.15	.34	.19			.08		19
20	.48	.04				.54					.01	.01	20
21	.05	.53					.02		.005		.005	.07	21
22							.19		.35				22
23										.05	.04	.22	23
24			.01			.04	.04	.24		.43	.11	.16	24
25	.03	.02				.02		.03				.41	25
26	.03	.12	.08	.05					.09		.31	.05	26
27	.14			.34				.75			.01		27
28	.10		.46					.54			.44	.50	28
29				.04				.28		.09		.14	29
30		~~X~~		.20		.06		.69		.005	.54	.64	30
31	.02	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~	.20	31
TOTAL	5.535	2.67	4.43	1.73	.40	.83	1.18	2.88	1.335	.665	2.575	5.525	YEAR'S TOTAL
Days with 01 in. or more	22	12	17	11	7	6	11	10	7	6	18	23	146

REGISTER OF RAINFALL IN 1920.

Kept at Alverstoke
in the County of Hampshire
by J. Blake

Lat. 50° 46' 50" Long. 1° 8' 20" W.
Time of Observation 9.0 am. G.M.T.
Nearest Railway Station Exmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10		.01	.12	.16		.14	.005		.46	.38	.37	1
2	.07		.04	.07	.09			.11	.10	.06		.12	2
3	.02			.01			.55		.01	.32		.02	3
4		.11					.43	.24		.23			4
5			.15	.20			.77	.07		.47		.01	5
6			.11		.31		.38					.01	6
7	.02			.09	.09		.33						7
8	.02	.02		.02	.06		.24						8
9	.33	.03	.03	.02	.04	.08							9
10	.78	.22	.13	.06		.12	.29						10
11	.13		.07	.47	.05	.09	.35					.18 <u>Snow</u>	11
12	.11	.05		.12		.73					.01	.20 <u>Snow</u>	12
13	.17		.24	.05							.02	.01 <u>Snow</u>	13
14	.02	.005	.45	.34					.20	.11	.43		14
15	.03		.04	.14	.11	.005			.55	.78	.03		15
16		.005	.005	.01		.01			.26	.02			16
17				.03	.15		.01		.43				17
18	.07					.09		.56	.04			.05	18
19	.06			.19		.02			.03			.01	19
20	.09	.02		.11		.84						.06	20
21				.005			1.05		.09			.23	21
22	.02			.19			.005	.05				.19	22
23					.01		.34	.01				.36	23
24			.14	.03	.16						.02	.08	24
25		.03	.02				.41				.005		25
26	.04		.24	.03		.05	.01				.02	.08	26
27	.46	.02		.11		.04	.17				.15	.24	27
28	.44		.02	.07	.05		.07				.005	.04	28
29	.69		.10	.08							.10	.17	29
30	.07	~~X~~	.21			.05	.05		.19	.02	.20	.24	30
31		~~X~~		~~X~~					~~X~~	.71	~~X~~	.16	31
TOTAL	3.74	.51	2.005	2.565	1.28	2.125	5.595	1.045	1.90	3.18	1.37	2.83	YEAR'S TOTAL 28.145
Days with ".01 in. or more	21	8	16	23	12	11	17	6	10	10	10	21	165
Days with ".04 in. or more	15	3	12	16	11	9	15	5	8	8	5	16	123

Kept at *Ample*

in the County of *Sal*

by *Rev. Dr*

AMPFIELD VICARAGE

HAMPSHIRE

1911 - 1914

ard

in.

pound *3* ft. - in.

a Level *233* ft.

ame *Chaudlers Ford*

istance *3½* Direction *SE*

he result entered to the

IMPORTANT NOTE. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	-	.27	.24	-	.07	.01	-	-	-	.08	1
2	-	-	-	.07	.21	-	-	-	-	.01	.22	.18	2
3	-	-	-	-	-	-	-	.03	-	-	.12	.27	3
4	.04	-	.07	-	-	-	-	-	-	.12	.14	.35	4
5	-	-	-	.05	-	-	-	.02	-	.25	.05	-	5
6	.39	-	.08	-	-	-	-	-	-	-	-	.69	6
7	.05	-	.02	-	-	-	-	-	-	.02	.50	.03	7
8	.04	-	.34	-	-	-	-	-	-	-	.28	.55	8
9	.11	-	.02	-	-	-	-	-	-	-	.02	.22	9
10	-	.13	.29	-	.09	-	-	-	-	-	.02	.44	10
11	-	-	.02	-	.01	-	-	-	-	-	.82	-	11
12	-	-	.81	-	.03	-	-	-	-	-	.07	.16	12
13	.49	-	-	-	.05	-	-	-	.29	-	-	.41	13
14	-	.05	-	-	.04	-	-	-	-	-	-	.49	14
15	-	.01	-	-	-	-	-	-	-	-	.14	.01	15
16	.01	.02	-	-	-	.14	-	-	-	-	.34	.19	16
17	-	-	-	-	-	.18	-	-	-	-	.44	.43	17
18	-	.15	.05	.05	-	.09	-	-	-	.08	.33	.48	18
19	.02	.02	-	-	-	.25	-	-	.18	.13	.01	.16	19
20	.05	.02	.13	-	-	-	-	.03	.09	.03	-	.66	20
21	-	.22	.08	-	-	-	-	.01	.09	.67	-	.09	21
22	.08	.03	.35	-	-	.06	-	-	.12	.30	-	.37	22
23	-	.07	.07	-	-	.22	-	-	-	.13	.11	.15	23
24	.01	.11	-	-	-	.31	-	.11	-	.69	-	.25	24
25	-	.02	.01	.09	-	.05	.01	.01	.05	.01	-	.25	25
26	-	.01	-	.32	.72	.08	-	.01	-	.25	.01	.34	26
27	-	.34	.19	.29	-	-	-	.03	.09	.12	.09	.21	27
28	-	.22	-	.13	-	-	-	.15	-	-	-	-	28
29	-	X	-	.33	-	.18	.10	-	.14	.31	.03	.01	29
30	-	X	.	.31	-	-	-	.24	-	.27	-	.01	30
31	-	X	-	X	-	X	-	-	X	-	X	-	31
Total	1.31	1.42	2.53	1.91	1.39	1.56	.18	.65	1.05	3.39	3.74	7.48	26.61
No. of Rain Days.	12	15	15	10	8	10	3	11	8	16	19	27	154

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at Ampfield Vicarage
in the County of Southampton 4
by Rev. Vere Audley

Pattern Howard
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 3 ft. - in.
" " " Sea Level 233 ft.
Time of Observation 9 am
Nearest Railway Station { Name Chaudlers Ford
Distance 3½ Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	—	.27	.24	—	.07	.01	—	—	—	.08	1
2	—	—	—	.07	.21	—	—	—	—	.01	.22	.18	2
3	—	—	—	—	—	—	—	.03	—	—	.12	.27	3
4	.04	—	.07	—	—	—	—	—	—	.12	.14	.35	4
5	—	—	—	.05	—	—	—	.02	—	.25	.05	—	5
6	.39	—	.08	—	—	—	—	—	—	—	—	.69	6
7	.05	—	.02	—	—	—	—	—	—	.02	.50	.03	7
8	.04	—	.34	—	—	—	—	—	—	—	.28	.55	8
9	.11	—	.02	—	—	—	—	—	—	—	.02	.22	9
10	—	.13	.29	—	.09	—	—	—	—	—	.02	.44	10
11	—	—	.02	—	.01	—	—	—	—	—	.82	—	11
12	—	—	.81	—	.03	—	—	—	—	—	.07	.16	12
13	.49	—	—	—	.05	—	—	—	.29	—	—	.41	13
14	—	.05	—	—	.04	—	—	—	—	—	—	.49	14
15	—	.01	—	—	—	—	—	—	—	—	.14	.01	15
16	.01	.02	—	—	—	.14	—	—	—	—	.34	.19	16
17	—	—	—	—	—	.18	—	—	—	—	.44	.43	17
18	—	.15	.05	.05	—	.09	—	—	—	.08	.33	.48	18
19	.02	.02	—	—	—	.25	—	—	.18	.13	.01	.16	19
20	.05	.02	.13	—	—	—	—	.03	.09	.03	—	.66	20
21	—	.22	.08	—	—	—	—	.01	.09	.67	—	.09	21
22	.08	.03	.35	—	—	.06	—	—	.12	.30	—	.37	22
23	—	.07	.07	—	—	.22	—	—	—	.13	.11	.15	23
24	.01	.11	—	—	—	.31	—	.11	—	.69	—	.25	24
25	—	.02	.01	.09	—	.05	.01	.01	.05	.01	—	.25	25
26	—	.01	—	.32	.72	.08	—	.01	—	.25	.01	.34	26
27	—	.34	.19	.29	—	—	—	.03	.09	.12	.09	.21	27
28	—	.22	—	.13	—	—	—	.15	—	—	—	—	28
29	—	X	—	.33	—	.18	.10	—	.14	.31	.03	.01	29
30	—	X	—	.31	—	—	—	.24	—	.27	—	.01	30
31	—	X	—	X	—	X	—	—	X	—	X	—	31
Total	1.31	1.42	2.53	1.91	1.39	1.56	.18	.65	1.05	3.39	3.74	7.48	26.61
No. of Rain Days.	12	15	15	10	8	10	3	11	8	16	19	27	154

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

Kept at *Ampfield Vicarage*

in the County of *Southampton* 4

by *Rev D. Audrey*

Lat. *51-0* Long. *1-27*

Nearest Railway Station *Chaulmsley Road*

Time of Observation *9 a.m.*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *3* ft. — in.

Sea Level *2.33* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.06	—	.02	.32	.09	—	—	.53	—	.35	1
2	—	<i>Sprinkle of snow</i>	.09	.03	.01	.14	.32	.22	—	—	—	—	2
3	.02	<i>Sprinkle of snow</i>	.05	—	—	.17	—	.53	—	—	.01	—	3
4	.16	<i>Sprinkle of snow</i>	.41	—	.01	.15	—	.06	—	—	.18	—	4
5	.39	.17	.18	—	.01	.02	.15	.54	—	—	—	.07	5
6	.52	.07	—	—	.09	—	—	.22	—	—	—	.06	6
7	—	.18	.02	—	.16	.75	—	.13	—	—	—	.07	7
8	.38	.29	.48	—	—	.14	.01	.07	—	—	—	.03	8
9	—	.21	.14	.01	—	1.02	—	.08	—	—	—	.26	9
10	—	.07	—	.07	—	.03	—	.05	.01	—	.07	.33	10
11	.10	.10	.05	—	—	.03	—	.23	—	—	.03	.28	11
12	.03	.26	.10	—	.55	.43	.14	.25	—	—	.02	—	12
13	—	.04	.02	—	.03	—	—	.08	—	—	.02	.03	13
14	.13	—	.11	—	—	—	—	.12	—	.05	—	.01	14
15	.04	.08	.10	—	—	.61	—	.01	—	—	.01	.47	15
16	.26	.01	.20	—	—	—	.05	.12	—	.07	.03	—	16
17	<i>snow</i> 1.04	—	.20	—	—	.13	—	.47	—	.01	—	.04	17
18	.05	—	.34	—	—	—	—	.28	—	.02	.02	.04	18
19	.04	.06	.13	—	—	—	.10	.28	—	.01	—	—	19
20	.01	.01	.32	—	—	.02	.03	.05	—	.33	.04	—	20
21	.01	.08	.30	—	.38	—	—	.08	—	.30	—	—	21
22	.15	.39	.01	—	.02	—	—	.27	—	.02	—	.06	22
23	.40	.33	.26	—	—	.02	.07	.44	—	.03	.22	.16	23
24	.45	.03	.01	—	—	.43	—	.19	—	.04	—	.23	24
25	.08	—	—	—	—	.22	—	.69	—	.03	.26	.51	25
26	—	.03	—	—	—	—	.29	.31	—	.37	.54	.29	26
27	—	—	—	—	—	.13	.27	—	—	.55	—	.42	27
28	—	.11	—	—	—	.18	.39	.50	.10	.60	.41	.26	28
29	—	.07	—	—	—	.16	.14	.14	1.12	.15	—	—	29
30	—	~~X~~	—	—	—	.02	.06	—	.86	.28	—	—	30
31	—	~~X~~	.29	~~X~~	.05	~~X~~	.23	.13	~~X~~	.03	~~X~~	.03	31
Total	4.26	2.60	3.87	.11	1.33	5.12	2.34	6.54	2.09	3.42	1.86	4.00	TOTAL for year 37.54
No. of Rain Days	19	22	23	3	11	21	15	28	4	18	14	21	199

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
29 JAN 1914

Kept at Ampfield Vicarage
in the County of Southampton
by Rev. Wm. P. P. P.

Lat. 51.0 Long. 1.27
Nearest Railway Station Chadderton Ford
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
Sea Level 233 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.30	.13	.17	.01	—	—	—	.71	—	.13	—	1
2	.05	.13	.01	.05	.02	—	.04	—	—	.17	.13	.06	2
3	.04	—	.02	.07	.37	—	—	—	—	.25	—	—	3
4	.49	—	.03	—	.45	.02	.06	—	.59	.65	.06	.03	4
5	.24	.07	—	—	—	—	.10	—	.23	.02	.09	.07	5
6	.01	.13	—	—	.09	.14	.47	—	.03	.58	.02	.53	6
7	—	.29	—	—	.30	.07	.10	.06	—	.82	.18	.01	7
8	.02	.05	—	—	.25	—	—	.02	—	.05	—	—	8
9	—	.17	—	—	.01	—	.03	.24	—	—	.07	—	9
10	.04	—	.10	.08	—	—	.18	.19	—	—	.61	—	10
11	.79	—	—	.32	—	—	—	—	—	.26	.26	.01	11
12	—	—	—	—	.50	—	—	—	—	.02	.33	—	12
13	.21	—	.06	—	—	—	—	.05	.09	.01	.19	—	13
14	.30	—	.08	.02	—	—	—	.05	.11	—	.12	—	14
15	.12	.10	.24	.33	—	—	.08	.01	.13	.01	.03	—	15
16	.19	—	.54	.10	—	.05	—	—	—	—	.01	—	16
17	—	.03	.02	.09	—	.05	.04	—	—	—	.03	—	17
18	.07	—	.16	.11	—	—	—	—	—	—	.03	—	18
19	.79	—	.09	—	—	—	.08	—	.22	.03	—	—	19
20	.14	—	.35	.13	.02	—	—	—	—	.95	.03	—	20
21	—	—	.16	.17	—	—	—	—	—	.14	.72	—	21
22	.35	—	.23	—	—	—	—	.13	.32	.08	—	—	22
23	—	—	.19	—	—	.05	—	—	—	—	.01	.90	23
24	.03	—	—	.16	—	—	—	.02	—	—	.01	—	24
25	—	.05	—	.24	—	—	—	—	—	—	—	—	25
26	—	—	—	.22	—	—	—	.25	—	.33	—	.25	26
27	—	—	.28	.03	—	—	—	—	—	.04	—	—	27
28	.21	—	.12	.13	—	—	—	—	—	.17	—	—	28
29	.09	X	.21	.59	.44	—	—	.05	—	.20	—	.04	29
30	.56	X	—	.05	.07	—	—	—	—	.28	—	—	30
31	.11	X	.07	X	.01	X	—	.56	X	.04	X	—	31
Total	4.85	1.32	3.09	3.06	2.54	.38	1.18	1.63	2.43	5.10	3.06	1.90	TOTAL 30.54
No. of Rain Days	21	10	20	19	13	6	10	12	9	22	20	9	176

REGISTER OF RAINFALL IN 1914

Kept at Amplefield Vicarage
in the County of Hants
by Rev Vere Audley

Lat. 51° 0' Long. 1° 27'
Nearest Railway Station Chandlers Ford
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
Sea Level 233 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.08	—	—	—	—	.42	—	—	.10	.04	1
2	—	—	—	—	—	—	.10	—	—	—	.50	.20	2
3	—	—	.16	.04	.30	—	.12	—	—	—	.28	.03	3
4	.05	—	.02	.17	.09	—	.01	.23	—	—	.51	.22	4
5	.05	—	—	.46	.21	—	.31	.70	—	—	.28	—	5
6	—	.20	.02	—	.01	.03	.01	.06	—	—	.06	.33	6
7	.01	.50	.10	.20	.02	.01	.11	.02	—	—	—	.12	7
8	.05	.26	.56	.02	.07	.05	—	.16	—	—	—	.04	8
9	.05	—	.46	.11	.02	.04	—	.01	.17	—	—	1.28	9
10	.02	.23	.03	.09	.20	—	—	.	.30	—	—	.02	10
11	—	.20	.42	—	.02	—	.67	—	.03	—	.08	.43	11
12	<i>Sprinkle</i>	.08	.21	—	—	—	—	—	.26	.20	—	1.07	12
13	<i>.02 of snow</i>	.28	.22	—	—	—	—	—	.18	.01	—	.69	13
14		.25	.23	—	—	.02	.18	.17	.01	.30	.37	.43	14
15	.01	—	.17	—	—	—	—	.51	.01	—	.16	—	15
16	—	—	.05	—	—	—	.10	—	.10	—	—	—	16
17	—	.67	.10	—	—	—	—	—	.02	—	—	.38	17
18	—	—	.19	—	—	—	.06	—	—	—	—	.49	18
19	—	.05	S.51	—	—	—	1.10	—	—	—	.20	.26	19
20	—	.42	S.12	—	—	.05	—	—	—	—	—	.14	20
21	—	.55	.03	—	—	.09	—	—	—	.20	—	—	21
22	—	.09	.01	.01	.05	.03	.13	.04	—	.06	—	—	22
23	—	.13	.12	—	—	.02	.01	—	—	.10	—	—	23
24	—	—	.06	—	.01	—	.02	—	—	.03	.16	—	24
25	.05	—	.14	—	.01	—	.05	.24	—	.28	.04	.14	25
26	—	—	.04	—	—	—	.12	.04	—	.04	.14	.51	26
27	.09	—	.07	—	—	—	—	.01	—	.02	.12	.23	27
28	—	.07	.02	—	.10	—	.02	—	—	.34	.25	.52	28
29	.17	~~X~~	.11	.10	—	—	—	—	—	—	.15	.02	29
30	.02	~~X~~	.06	—	—	—	—	—	—	.15	.45	.82	30
31	.05	~~X~~	—	~~X~~	.02	~~X~~	.07	—	~~X~~	.22	~~X~~	.05	31
Total	.614	3.98	4.31	1.20	1.13	.34	3.19	2.61	1.08	1.95	3.85	8.46	TOTAL for year 32.74
No. of Rain Days	(15)	15	28	9	14	9	18	14	9	13	17	24	185

88

R

Kept at Abbot's
in the County of Hants
by Rev. J. de la

ANDOVER
ABBOTS ANN. REC.
HAMPSHIRE
1913 - 1919

22 JAN 1914
FORM A.
BRITISH RAINFALL

Andover June. 2 1/2 mi NE
5 in.

Ground 1 ft. 0 in.
Sea Level ft.

IMPORTANT
previous day. If a
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	.19	.13	.04					.75		.17	.13	1
2	.02	.08	.01						.04	.15	.15	.02	2
3	.05			.07	.36					.03		.11	3
4	.63		.06		.44		.19		1.20	.58	.05	.12	4
5	.19	.02				.12	.15		.25		.04	.11	5
6		.05	.09		.20	.13	.63		.02	.50	.03	.63	6
7		.37			.32	.07	.39	.05		.69	.12		7
8	.01	.07			.22	.08				.16	.01	.01	8
9		.11					.03	.04	.15	.02	.03	.02	9
10	.08		.01	.07	.03		.10	.02			.62		10
11	.58	.01		.33	.05					.11	.54		11
12	.03	.01			.33					.02	.34		12
13	.10		.10				.07	.03	.13		.21		13
14	.18		.12	.02		.02	.01	.03	.17	.03	.10		14
15	.18	.02	.25	.50			.12		.07		.03		15
16	.20		.39	.09									16
17	.01	.04	.04	.01		.03	.08				.01		17
18	.03		.29	.09	.02		.02				.05		18
19	.76		.11		.03	.01	.12		.35				19
20	.10		.11	.08	.01					.79	.05		20
21			.29	.15	.01					.03	.55		21
22	.46		.26	.22				.19	.26	.01			22
23						.03					.01	.59	23
24				.18				.07					24
25		.04		.17								.01	25
26				.47				.18		.25		.12	26
27			.33	.06						.05			27
28	.27		.06	.21						.21			28
29	.04		.34	.59	.26			.04		.49	.01	.01	29
30	.53				.05			.01		.37			30
31	.02		.05					.46		.01			31
Total	4.48	1.01	3.04	3.35	2.33	.49	1.91	1.12	3.39	4.50	3.12	1.88	30.62
Rain Days.	22	12	19	15	14	8	12	11	11	19	20	12	178

22 JAN 1914

BRITISH RAINFALL FORM A.

117a

REGISTER OF RAINFALL

Kept at *Abbot's Ann Rec. Andover*

in the County of *Hampshire*

by *F. de Paravicini*

Lat. _____ Long. _____

Time of Observation *9 am*

Nearest Railway Station *Andover Junc. 2½ mi NE*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *0* in.

Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	.19	.13	.04					.75		.17	.13	1
2	.02	.08	.01						.04	.15	.15	.02	2
3	.05			.07	.36					.03		.11	3
4	.63		.06		.44		.19		1.20	.58	.05	.12	4
5	.19	.02				.12	.15		.25		.04	.11	5
6		.05	.09		.20	.13	.63		.02	.50	.03	.63	6
7		.37			.32	.07	.39	.05		.69	.12		7
8	.01	.07			.22	.08				.16	.01	.01	8
9		.11					.03	.04	.15	.02	.03	.02	9
10	.08		.01	.07	.03		.10	.02			.62		10
11	.58	.01		.33	.05					.11	.54		11
12	.03	.01			.33					.02	.34		12
13	.10		.10				.07	.03	.13		.21		13
14	.18		.12	.02		.02	.01	.03	.17	.03	.10		14
15	.18	.02	.25	.50			.12		.07		.03		15
16	.20		.39	.09									16
17	.01	.04	.04	.01		.03	.08				.01		17
18	.03		.29	.09	.02		.02				.05		18
19	.76		.11		.03	.01	.12		.35				19
20	.10		.11	.08	.01					.79	.05		20
21			.29	.15	.01					.03	.55		21
22	.46		.26	.22				.19	.26	.01			22
23						.03					.01	.59	23
24				.18				.07					24
25		.04		.17								.01	25
26				.47				.18		.25		.12	26
27			.33	.06						.05			27
28	.27		.06	.21						.21			28
29	.04		.34	.59	.26			.04		.49	.01	.01	29
30	.53				.05			.01		.37			30
31	.02		.05					.46		.01			31
Total	4.48	1.01	3.04	3.35	2.33	.49	1.91	1.12	3.39	4.50	3.12	1.88	30.62
Rain Days.	22	12	19	18	14	8	12	11	11	19	20	12	178

REGISTER OF RAINFALL IN 1914

Kept at Abbots Anne, Andover
in the County of Hampshire
by Fde Paravicini

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01	09				03	40			13	11	1
2							07	08			81	11	2
3			29	11	24		07	05			03	09	3
4	05		08	26	01		02	38			43	37	4
5	01		11	40	15		13	35			68	08	5
6		19	03	25	03	01	10	04			04	28	6
7		63	18	13	13	07	17	04				23	7
8	07	13	50	03	01	08		13				05	8
9	16	01	38	41	05	72			09			70	9
10	02	21	01	06	22				32			01	10
11		30	44			02	58				14	44	11
12		18	16			04	01		29	16	01	61	12
13		31	30						20		06	44	13
14		21	23				13	05	03	34	21	40	14
15	02		16					33		01	19		15
16							04		18				16
17		56	29									55	17
18			10				10					41	18
19		09	53				88				11	19	19
20		63	04			84						22	20
21		91	03			01				17		01	21
22		19	19		13	07	12			32			22
23		14	15		09		03			16			23
24		10	02		01					02	13		24
25			29					29		35	06	29	25
26	05		08				01	03		05	24	54	26
27	06									03	06	20	27
28		07	05		03		02				40	76	28
29	16		14							24	37		29
30	01		10	05						11	73	77	30
31	08						04	12		29		17	31
Total	69	4.87	4.97	1.70	1.10	1.86	2.55	2.29	1.11	2.25	4.93	8.03	YEAR'S TOTAL 36.25
Rain Days.	11	18	27	9	12	9	18	13	6	13	19	25	180

REGISTER OF RAINFALL IN 1915

Kept at Abbot's Ann

in the County of Hampshire

by Rev. F. de Paravicini

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.60	.15			.07			.02	.10	.10	.02	.16	1
2	.46	.23	.24	.13		.05		.73	.01	.44	.01	.32	2
3	1.17	.01	.08	.04	.19			.03		.02		.30	3
4	.02							.03				.25	4
5	.03	.61		.03				.08				.40	5
6	.59	.12		.33			.40	.04				.11	6
7	.20	.42	.03				.25	.01				.32	7
8	.07	.50		.02			.01	.06				.01	8
9	.03	.04		.10				.12			.39	.74	9
10	.10		.04				.11	.06		.01		.12	10
11	.06		.06	.03				.07			.76	.05	11
12	.08	.37		.17	.51			.59		.01	.29		12
13	.02	.74			.83				.11				13
14	.03						.70	.25	.04			.82	14
15	.23				.12		.03	.09			.13	.17	15
16	.03	.80			.35		.89	.10				.26	16
17		.48			1.80			.30	.01				17
18		.17	.04		.14								18
19		.01			.05		.12						19
20	.15			.03	.01							.14	20
21	.12	.12			.27		.09		.05	.09			21
22	.29	.59	.47				.76		.02			.22	22
23		.03	.08				.16		.13	.65		.23	23
24			.01				.46		.98	.24		.33	24
25				.01		.10	.36		.01	.10		.06	25
26	.01	.06				.13	.22					.70	26
27		.06				.78	.02		.02	.46		.06	27
28		.07				.04			1.24	.01			28
29						.21		.24		.02	.17	.04	29
30	.17	X				.11				.43	.51	.45	30
31	.01	X		X		X			X	1.13	X	.57	31
Total	4.47	5.58	1.05	.89	4.34	1.42	4.58	2.82	2.72	3.71	2.28	6.83	40.69
Rain Days.	22	20	9	10	11	7	15	17	12	14	8	24	169

Kept at Abbots Ann Rectory
in the County of Hampshire
by Rev. F. de Taravicini

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	11		04		16	03			36	31	36		1
2	15	18	07		18					89	03		2
3	02	1.32	04		02				08		44		3
4	09	08				28			26	01	79		4
5	03	04			22	21				04	73		5
6	01	15	07		02	03	81			20	91	01	6
7	04	03	28		02		03			04	86	08	7
8		02	01		16	03				01		19	8
9					10	10				12		12	9
10		49	02	06	04	19	06			04			10
11	07		02	05		21						25	11
12	04	03	02	05	16	01	09	03		09			12
13		20	09					50					13
14		33		08	04			09		01			14
15		26	17	01				68					15
16	02	06	18	20	03		20	85					16
17	16	33						12	38	46			17
18	01	05	01	14				03	13		30		18
19	11		13	26					07	02	41	10	19
20	12		62					01			03	1.25	20
21	03		38		09							44	21
22		05								31		42	22
23		06		03		01		22			16	04	23
24		02		01	12	10		02		36	05	35	24
25		80	11					36			10		25
26		07	02			22			06	59			26
27			1.08			18		32	10	38			27
28		50	10					08		16	02	22	28
29		25	02			38		77	17	37	02	25	29
30		X						01		39			30
31		X		X		X		03	X	41	X	11	31
Total	1.01	5.32	3.48	.89	1.36	1.98	1.18	4.12	1.61	5.21	5.21	3.83	35.20
Rain Days.	15	22	21	10	14	14	5	16	9	21	15	14	176

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at *Abbot's Ann Rectory*
in the County of *Hampshire*
by *F. de Paravicini*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			19	14		01		79	06		02		1
2			03	53				01			06		2
3	01			05			69	12	01	25	05	01	3
4		18	10				04	11		25			4
5	26		07	26		08		01	10	26	12		5
6			53			10				11	04		6
7	20						10			09		04	7
8	35		13	04			41	13	09	19	12	35	8
9			08	01	25		07	35	01	01	06		9
10	23		26	25	04			18		04			10
11			55	14						20			11
12	13		01						07	40			12
13			12	01				37					13
14				13				25		02			14
15							31	27		10		20	15
16		11		14	05		15			95		76	16
17		01		03	21		46	24	64	23			17
18		05		01	01	45	13		40	07			18
19	02	38	08			01			17				19
20		04	15		86	02		01	05		04		20
21			09			39				03			21
22						04		02		03	04		22
23		27			04			41				02	23
24		11					03	09		36			24
25		05	05				09	07	03	07	01		25
26			01		02			51	10	01	10		26
27					59	11		97		03		01	27
28			09			207		10				02	28
29			22		53	03	30	03		70		08	29
30		X	10				62	07		04	01		30
31		X	02	X		X	06		X	03	X	03	31
Total	1.20	1.20	2.88	1.74	2.60	3.31	3.46	5.11	1.73	4.47	67	1.52	29.89
Rain Days.	9	9	20	13	10	11	14	22	12	24	12	10	164

REGISTER OF RAINFALL IN 1918

Kept at, *Abbot's Ann Rectory*
in the County of *Hampshire*
by *F. de Paravicini*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

53
74
FORM A.
BRITISH RAINFALL
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01		.06				.14			.62	.05	1
2		.04		.11				.38		.01	.15	.11	2
3		.06	.01	.25	.33			.13	.01	.02	.11	.02	3
4		.10						.07	.05		.92	.03	4
5		.06	.04		.27			.12	.61	.17		.05	5
6	.17	.10		.25				.06	.20	.03		.05	6
7		.18			.49			.02	.30	.08	.25	.04	7
8		.21		.10					.15	.18		.08	8
9		.07		.37		.23	.40		.50	.19		.29	9
10	.01			.08		.04	.42		.07	.33	.01	.37	10
11	.01						.36		.17	.07	.04	.07	11
12		.05			.33		.09		.03				12
13	.15				.10		.38		.47	.04		.05	13
14	.18		.04		.02	.11	.05		.12	.15		.20	14
15	1.12			.61		.02	.16					.13	15
16	.52		.01	.16		.10	.02		.26	.04		.07	16
17	.25		.01	.13			.81	.07	.22			.18	17
18	.83					.36	.27		.51			.05	18
19	.12	.02	.09	.01			.23	.02	.07	.02		.09	19
20	.04	.11		.46		.02	.06	.01	.22	.04			20
21	.17	.06					.04		.54	.27		.10	21
22	.07				.10		.42		.14			.12	22
23	.09			.01	.29		.59		.06		.06	.03	23
24		.36				.02	.50		.13		.19		24
25							.45	.56		.02	.02		25
26							.64		.02		.08	.15	26
27		.05	.06					.20	.08		.12	.02	27
28		.01	.22	.04		.02				.01	.15		28
29			.03						1.12			.02	29
30	.02	X	.45					.03		.02	.09	.03	30
31		X	.05	X		X			X	.12	X		31
Total	3.75	1.49	1.01	2.64	1.93	.91	5.89	1.81	6.05	1.81	2.81	2.40	32.50
Rain Days.	15	16	11	14	8	9	18	13	24	19	14	25	186

643

7

FORM A.

BRITISH RAINFALL.

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

“ “ “ “ Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

W. 6,500, VII. 18. W W C

RE 662

Kept at *Sewage Works*in the County of *Sal*by *G. J.*

ANDOVER SEWAGE WORKS

1914-20

A.M.

Andover Jan 1915

10 in.

Ground 1 ft. 6 in.

Sea Level ft.

The result entered to the
normal rule, he is earnestly
in the space provided

Jan. 1, following.

62

IMPORTANT NOTE
previous day. If an O
requested to add the reafor it at the end of this
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan. in.	Feb. in.	March. in.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	—	—	.08	—	—	—	.10	—	—	—	.26	.11	1
2	—	—	—	—	—	—	.16	.24	—	—	.13	.06	2
3	—	—	.20	.09	.20	—	.10	.11	—	—	.74	.04	3
4	.05	—	.10	.29	.06	—	—	.31	—	—	.04	.33	4
5	.03	—	.11	.38	.09	—	.15	.38	—	—	.48	.07	5
6	—	.20	.01	.25	.02	—	.05	.04	—	—	.43	.23	6
7	—	.43	.12	.18	.09	.20	.19	.03	—	—	.08	.16	7
8	.09	.14	.47	.09	.02	.09	.04	.13	—	—	—	.03	8
9	.22	—	.37	.41	.20	1.37	—	—	.04	—	—	.82	9
10	.03	.16	—	.06	.01	—	—	—	.24	—	—	—	10
11	—	.26	.42	—	—	.03	.30	—	—	—	.08	.46	11
12	—	.15	.15	—	—	.03	.02	—	.24	.16	—	.63	12
13	—	.30	.27	—	—	.04	.14	—	.22	—	.05	.41	13
14	—	.25	.18	—	—	.07	—	.03	—	.29	.20	.40	14
15	—	—	.17	—	—	.03	—	.32	—	.03	.17	—	15
16	—	—	—	—	—	—	.03	—	.14	—	—	—	16
17	—	.60	.27	—	—	—	.01	—	.03	—	—	.42	17
18	—	—	.17	—	—	—	.10	—	—	—	—	.47	18
19	—	.09	.34	—	—	—	1.15	—	—	—	.11	.28	19
20	—	.50	.22	—	—	—	—	—	—	—	—	.12	20
21	—	.82	.04	—	—	—	—	—	—	.13	—	.02	21
22	—	.12	.22	—	.14	—	.11	—	—	.35	—	—	22
23	—	.11	.15	—	.08	—	.03	—	—	.14	—	—	23
24	—	.10	.02	—	.03	—	—	—	—	—	.09	—	24
25	.09	—	.30	—	—	—	—	—	—	.31	.03	.23	25
26	—	—	.06	—	—	—	—	.26	—	.05	.22	.64	26
27	.05	—	.02	—	—	—	—	.05	—	—	.04	.17	27
28	.02	.09	.13	—	.15	—	—	—	—	—	.35	.86	28
29	.15	X	—	—	—	—	—	—	—	.24	.23	—	29
30	—	X	.06	—	—	—	—	—	—	.11	.66	.72	30
31	.05	X	—	X	.01	X	.06	—	X	—	X	.03	31
99 Total	.73	4.38	4.74	1.75	1.10	1.86	2.74	1.90	.91	1.81	4.39	7.71	33.92
Rain Days.	7	16	27	8	13	8	17	11	6	10	19	24	168

REC

Kept at *Swage Works Andovers*
in the County of *Southampton*
by *C. Jerome*

Time of Observation *9 A.M.*
Nearest Railway Station *Andovers*
Diameter of Rain Gauge *10* in.
Height of top of Gauge above Ground *1* ft. *6* in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
8 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.62

Date	Jan. in.	Feb. in.	March. in.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.08	—	—	—	.10	—	—	—	.26	.11	1
2	—	—	—	—	—	—	.16	.24	—	—	.13	.06	2
3	—	—	.20	.09	.20	—	.10	.11	—	—	.74	.04	3
4	.05	—	.10	.29	.06	—	—	.31	—	—	.04	.33	4
5	.03	—	.11	.38	.09	—	.15	.38	—	—	.48	.07	5
6	—	.20	.01	.25	.02	—	.05	.04	—	—	.43	.23	6
7	—	.43	.12	.18	.09	.20	.19	.03	—	—	.08	.16	7
8	.09	.14	.47	.09	.02	.09	.04	.13	—	—	—	.03	8
9	.22	—	.37	.41	.20	1.37	—	—	.04	—	—	.82	9
10	.03	.16	—	.06	.01	—	—	—	.24	—	—	—	10
11	—	.26	.42	—	—	.03	.30	—	—	—	.08	.46	11
12	—	.15	.15	—	—	.03	.02	—	.24	.16	—	.63	12
13	—	.30	.27	—	—	.04	.14	—	.22	—	.05	.41	13
14	—	.25	.18	—	—	.07	—	.03	—	.29	.20	.40	14
15	—	—	.17	—	—	.03	—	.32	—	.03	.17	—	15
16	—	—	—	—	—	—	.03	—	.14	—	—	—	16
17	—	.60	.27	—	—	—	.01	—	.03	—	—	.42	17
18	—	—	.17	—	—	—	.10	—	—	—	—	.47	18
19	—	.09	.34	—	—	—	1.15	—	—	—	.11	.28	19
20	—	.50	.22	—	—	—	—	—	—	—	—	.12	20
21	—	.82	.04	—	—	—	—	—	—	.13	—	.02	21
22	—	.12	.22	—	.14	—	.11	—	—	.35	—	—	22
23	—	.11	.15	—	.08	—	.03	—	—	.14	—	—	23
24	—	.10	.02	—	.03	—	—	—	—	—	.09	—	24
25	.09	—	.30	—	—	—	—	—	—	.31	.03	.23	25
26	—	—	.06	—	—	—	—	.26	—	.05	.22	.64	26
27	.05	—	.02	—	—	—	—	.05	—	—	.04	.17	27
28	.02	.09	.13	—	.15	—	—	—	—	—	.35	.86	28
29	.15	X	—	—	—	—	—	—	—	.24	.23	—	29
30	—	X	.06	—	—	—	—	—	—	.11	.66	.72	30
31	.05	X	—	X	.01	X	.06	—	X	—	X	.03	31
99 Total	.73	4.28	4.74	1.75	1.10	1.86	2.74	1.90	.91	1.81	4.39	7.71	33.92
Rain Days.	7	16	27	8	13	8	17	11	6	10	19	24	168

REGISTER OF RAINFALL IN 1915

Kept at Andover Sewage Works
 in the County of Hampshire
 by Walter Charles Jerome

Lat. _____ Long. _____
 Time of Observation 9.0 A.M.
 Nearest Railway Station Andover Town
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

733
 FORM A.
 BRITISH RAINFALL
 13 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

10

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	.62	.14	—	—	.05	—	—	—	.10	.21	.04	.18	1
2	.33	.19	.23	.05	—	.04	—	.72	.05	.24	—	.27	2
3	1.26	—	.08	.08	.15	—	—	.02	—	—	—	.28	3
4	—	—	—	—	—	—	.01	.01	—	—	—	.28	4
5	.03	.50	—	—	—	—	—	.07	—	—	—	.40	5
6	.54	.21	—	.34	—	—	.45	.10	—	—	—	.11	6
7	.18	.42	.03	—	—	—	.24	.02	—	—	—	.30	7
8	.05	.54	—	.04	—	—	.01	.06	—	—	—	—	8
9	.03	.07	—	.07	—	—	—	.13	—	—	.33	.75	9
10	.10	—	.03	—	—	—	—	—	—	—	—	.12	10
11	.08	—	.06	.04	—	—	—	.04	—	—	.68	.06	11
12	.06	.23	—	.12	.41	—	—	.65	—	.01	.50	—	12
13	—	.93	—	—	.63	—	—	—	.12	—	—	—	13
14	.02	—	—	—	—	—	.84	.24	.02	—	—	.76	14
15	.14	—	—	—	.11	—	.04	—	—	—	.13	.18	15
16	.03	.73	—	—	.39	—	.84	.08	—	—	—	.30	16
17	—	.35	—	—	1.58	—	—	.01	—	—	—	—	17
18	—	.20	.02	—	.24	—	—	—	—	—	—	—	18
19	—	—	—	—	.04	—	.10	—	—	—	—	.13	19
20	.12	—	—	.02	—	—	—	—	—	—	—	—	20
21	.03	.13	—	—	.38	—	.07	—	—	.10	—	.10	21
22	.27	.56	.45	—	—	—	.73	—	—	—	—	.22	22
23	—	.03	.12	—	—	—	.13	—	.15	.56	—	.20	23
24	—	—	.02	—	—	.18	—	—	1.14	.26	—	.18	24
25	—	—	—	—	—	—	.85	—	—	.05	—	.09	25
26	—	.03	—	—	—	.07	.74	—	—	—	—	.72	26
27	—	.04	—	—	—	.82	.02	—	—	.47	—	.04	27
28	—	.07	—	—	—	.05	—	—	1.24	—	—	—	28
29	—	—	—	—	—	.02	—	.19	—	—	.17	.03	29
30	.15	—	—	—	—	.09	—	—	—	.41	.49	.32	30
31	—	—	—	—	—	—	—	—	—	.95	—	.56	31
99 Total	4.04	5.37	1.04	0.76	3.98	1.27	4.47	2.34	2.82	3.26	2.34	6.58	38.27
Rain Days.	18	18	9	8	10	7	14	14	7	10	7	24	146

YEAR'S TOTAL

Section

A

for the entry of Daily Observations

Station No. _____

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1946

Kept at Andover
in the County of Hampshire
Diameter of funnel of gauge 8 in.
Height of top of gauge above ground 1 ft. 2 in.
Height of ground above sea level _____ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
16	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	—	—	—	.15	.02	.01	—	.34	.17	.59	—		1
2	.18	.12	.10	—	.16	—	—	—	—	.77	.09	—		2
3	.02	.18	.05	—	—	—	—	—	.07	.44	.42	—		3
4	.10	.11	—	—	—	.25	—	—	.26	—	.57	—		4
5	.02	.03	—	—	.25	.16	—	—	—	.02	.80	—		5
6	.04	.13	—	—	.02	.05	.79	—	—	.18	.81	—		6
7	.02	.04	.30	—	—	—	.10	—	—	.04	.83	.09		7
8	—	.02	.03	—	.13	.03	—	—	—	—	—	.20		8
9	—	—	—	—	—	.11	—	—	—	.10	—	.10		9
10	—	.45	—	.06	.04	.19	.10	—	—	.04	.02	—		10
11	.09	.04	.02	.07	—	.11	—	—	—	—	—	.42		11
12	.05	.02	.05	.05	.12	—	.07	.02	—	.08	—	—		12
13	—	.20	.07	—	—	—	—	.23	—	—	—	—		13
14	—	.32	—	.08	.03	—	—	.28	—	—	—	—		14
15	—	.30	.13	—	—	—	—	.76	—	—	—	—		15
16	.02	.05	.22	.16	.03	—	.21	.49	—	—	—	—		16
17	.15	.32	—	—	—	—	—	.19	.28	.44	—	—		17
18	.01	.08	.01	.12	—	—	—	.04	.19	—	.31	—		18
19	.07	—	.07	.21	—	—	—	—	.11	—	.33	.06		19
20	.19	—	.61	—	—	—	—	—	—	—	.01	.15		20
21	.03	—	.38	—	—	—	—	—	—	—	—	.51		21
22	—	.06	—	—	.11	—	—	—	—	.20	—	.42		22
23	—	.03	—	.03	—	—	—	.25	—	.03	.12	.05		23
24	—	.03	—	—	.10	.09	—	.02	—	.26	.05	.30		24
25	—	.19	.13	—	—	—	—	.34	.02	.01	.11	.05		25
26	—	.35	.05	—	—	.23	—	.03	.06	.52	—	—		26
27	—	.45	.90	—	—	.11	—	.28	.08	.43	—	—		27
28	—	.27	.19	—	—	—	—	.04	.03	.11	—	.23		28
29	—	—	.02	—	—	.42	—	.78	.13	.31	.04	.26		29
30	—	X	—	—	—	—	—	.01	.09	.37	.06	.04		30
31	—	X	—	X	—	X	—	.03	X	.23	X	.10		31
TOTAL	1.09	4.79	3.33	.78	1.14	1.77	1.28	4.79	1.57	4.72	5.10	3.94	Year's total	34.30
*Days with .01 in. or more.	1.90	4.62	3.24	.73	1.07	1.52	1.19	4.69	1.88	3.66	5.02	3.95		
*Days with .04 in. or more.	111	222	333	222	555	666	777	888	999	123	456	789		

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) _____ (P.T.O.)

REGISTER OF RAINFALL IN 1917

Kept at Sewage Works Andover
in the County of Hampshire
by C. Jerome

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Andover Lion
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
17	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	.12	.11	—	.01	—	.74	.08	—	.01	—	1
2	—	—	—	.37	—	—	—	.01	—	—	.02	—	2
3	.01	—	—	.28	—	—	.77	.13	—	.20	.04	—	3
4	—	—	.07	—	—	—	.04	.18	—	.26	—	.01	4
5	.31	—	.08	.24	—	.07	—	—	.13	.27	.40	—	5
6	—	—	.30	—	—	.10	—	—	.01	.03	.03	—	6
7	.21	—	—	—	—	—	.17	—	—	.20	—	.02	7
8	.46	—	—	.04	—	—	.37	.11	.08	.20	.12	.34	8
9	—	—	.17	—	.39	—	.05	.40	.02	.01	.04	—	9
10	.23	—	.10	.23	.01	—	—	.12	—	.07	—	—	10
11	.10	.09	.70	.09	—	—	—	—	.03	.22	—	—	11
12	.05	—	—	—	—	—	—	.03	.05	.44	—	—	12
13	—	—	.11	—	—	—	—	.27	—	—	—	—	13
14	—	—	—	.10	—	—	—	.21	—	—	—	—	14
15	—	—	—	—	—	—	.34	.15	—	.09	—	—	15
16	—	.13	—	.13	.05	—	.18	—	—	.93	—	.70	16
17	—	.04	—	.12	.23	—	.48	.21	.61	.22	—	—	17
18	.02	.02	—	—	—	.29	.10	—	.37	.03	—	—	18
19	—	.33	.07	—	—	.01	—	—	.27	.08	—	—	19
20	—	.09	.27	—	.75	.01	—	.02	.06	—	.01	—	20
21	—	—	.07	—	—	.30	—	—	—	.03	.02	—	21
22	—	—	.01	—	—	.04	—	.04	—	.03	—	—	22
23	—	.20	—	—	.06	.02	—	.30	—	—	—	.03	23
24	—	.09	—	—	—	—	.04	.08	—	.21	—	—	24
25	—	.04	.02	—	—	—	.09	.01	.01	.02	—	—	25
26	—	—	—	—	—	—	—	.56	.07	—	.09	—	26
27	—	—	—	—	.52	.08	—	.84	—	.03	—	.02	27
28	—	—	.05	—	—	1.84	—	.08	—	—	—	.01	28
29	—	X	.13	—	.48	.04	.22	.02	—	.66	—	—	29
30	—	X	.09	—	—	—	.64	.07	—	.06	—	.06	30
31	—	X	.05	X	—	X	.03	—	X	—	X	.01	31
99													
Total	1.39	1.03	2.41	1.71	2.49	2.81	3.52	4.58	1.77	4.29	0.78	1.20	28.00
Rain Days.	8	17	17	10	8	12	14	22	13	22	10	9	162

YEAR'S TOTAL

W. E. F. E. *copy in file*
REGISTER OF RAINFALL IN 1918

Kept at *Sewage Works Andover*

in the County of *Hampshire*

by *W. E. F. E.*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station *Andover Town*

Diameter of Funnel of Rain Gauge *8* in.

Height of top of Gauge above Ground *1'* ft. *0"* in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.43

Date	Jan.	Feb.	March.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18													
1	—	—	—	—	—	—	—	.10	—	—	.62	.05	1
2	—	.05	—	.24	—	—	—	.31	—	—	.15	.08	2
3	—	.07	—	.21	.35	—	—	.24	—	—	—	.02	3
4	—	.09	—	—	—	—	—	—	.07	—	.95	—	4
5	—	.06	—	—	.24	—	—	.09	.47	.10	—	.08	5
6	.19	.06	—	.28	—	—	—	.14	.23	.10	—	—	6
7	—	.16	—	.09	.45	—	—	.02	.26	.04	—	.02	7
8	—	.20	—	—	—	—	—	—	.07	.10	.24	.11	8
9	—	.07	—	.43	—	.21	.41	—	.40	.25	—	.24	9
10	—	—	—	.05	—	.02	.35	—	.04	.28	—	.37	10
11	—	—	—	—	—	—	.34	—	.04	.09	—	.06	11
12	—	.05	—	—	.24	—	.06	—	—	—	—	—	12
13	.07	—	—	—	.19	—	.24	—	.45	—	—	.05	13
14	.25	.05	—	—	—	.07	.17	—	.10	.15	—	.22	14
15	1.05	—	—	—	—	—	.25	—	—	—	—	.11	15
16	.12	—	—	.78	—	.15	.92	—	.18	—	—	.04	16
17	.56	—	—	.12	—	—	.86	.07	.15	—	—	.15	17
18	.80	—	—	—	—	.34	.24	—	.38	—	—	.07	18
19	.10	—	.08	—	—	—	.25	.03	.03	—	—	.05	19
20	.05	.11	—	.45	—	.03	.10	—	.19	.04	—	—	20
21	.15	.04	—	.01	—	—	.04	—	.50	.25	—	.06	21
22	.07	—	—	—	.16	—	.35	—	.15	—	—	—	22
23	.10	—	—	.01	.34	—	.49	—	—	—	—	—	23
24	—	.31	—	—	—	—	.43	—	.13	—	.49	—	24
25	—	—	—	—	—	—	.52	.53	—	—	—	—	25
26	—	—	—	—	—	—	.62	—	—	.03	.08	.13	26
27	—	.05	—	—	—	—	—	.17	.12	.02	.13	—	27
28	—	.02	.24	.05	—	—	—	—	—	—	.16	—	28
29	—	X	—	—	—	—	—	—	1.04	—	—	—	29
30	—	X	.43	—	—	—	—	—	—	—	.05	.05	30
31	—	X	—	X	—	X	—	—	X	.12	X	—	31
99													
Total	3.51	1.39	.75	2.72	1.97	.82	5.74	1.70	5.00	1.57	.287	1.96	30.00
Rain Days.	12	15	3	12	7	6	18	10	20	13	9	19	144

REGISTER OF RAINFALL IN 1919.

Kept at Swage works, Andover
in the County of Southampton
by Charles James

Lat. _____ Long. _____
Time of Observation 9.0 A.M.
Nearest Railway Station Andover Town
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	—	.08	—	.07	—	.15	—	—	.10	.05	1.15	1
2	.26	—	—	—	.03	—	.08	—	.70	—	.02	.10	2
3	.05	—	.03	—	.02	—	—	—	.36	—	—	.38	3
4	.15	.85	.59	—	—	.16	.16	—	.09	—	.04	.12	4
5	—	—	.64	—	.30	—	.18	—	.13	—	.07	.14	5
6	.17	—	.01	.05	—	—	—	—	—	—	.03	.15	6
7	.11	—	.43	—	—	—	—	—	—	—	—	—	7
8	.32	—	.01	—	.19	—	—	—	—	—	—	—	8
9	—	—	.04	—	.12	—	—	—	—	—	.19	—	9
10	.03	—	.28	.06	—	—	—	—	—	—	.07	.26	10
11	.05	—	.01	.10	—	—	.20	—	—	—	—	.03	11
12	—	—	—	.23	.06	—	.22	—	—	.12	—	—	12
13	.03	—	—	.49	—	—	—	—	—	—	—	.06	13
14	.38	.03	—	.34	—	—	.07	—	.45	—	—	.10	14
15	.43	.06	—	.03	—	—	—	—	—	.05	—	.83	15
16	.12	.80	—	—	—	—	—	—	—	—	.12	—	16
17	—	.14	—	—	—	—	—	—	—	—	.20	—	17
18	—	.03	.30	—	—	—	—	—	—	—	.09	.02	18
19	.23	.23	1.14	—	—	.12	.23	.15	.09	—	.05	.05	19
20	.23	.08	.21	—	—	.43	—	.16	—	—	—	.05	20
21	.02	.41	—	—	—	.05	—	—	—	—	.02	.07	21
22	—	—	—	—	—	—	.03	—	.15	—	—	.22	22
23	.05	—	—	—	—	—	.17	—	—	.16	—	.13	23
24	—	.02	—	.08	—	—	—	—	—	.40	.17	.25	24
25	—	.06	—	—	—	.03	—	.35	—	—	—	.16	25
26	.10	.10	.12	.09	—	—	.09	.05	—	—	—	.39	26
27	.13	—	—	.38	—	—	—	.41	.05	—	—	.03	27
28	—	—	.20	.02	—	—	—	.72	—	.14	.35	.40	28
29	—	X	—	—	—	—	—	.08	—	—	—	.06	29
30	—	X	—	.19	—	—	—	.30	—	—	.37	.62	30
31	—	X	—	X	—	X	.02	—	X	—	X	.10	31
99													YEAR'S TOTAL
TOTAL	3.29	2.81	4.09	2.06	.79	.79	1.60	2.22	2.02	.97	1.84	5.87	28.35
Days with .01 in. or more	19	12	15	13	7	5	12	8	8	6	15	25	144

REGISTER OF RAINFALL IN 1920.

Kept at Savage Walls Andover
in the County of Hampshire
by James Jerome

Lat. _____ Long. _____
Time of Observation 9.0 A.M.
Nearest Railway Station Andover Town
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.54	.20	—	.30	—	—	.36	.16	.43	1
2	.07	—	—	.06	—	—	.08	.62	.08	.04	—	.11	2
3	.05	.02	—	.04	—	—	.59	—	—	.47	—	.02	3
4	—	.12	—	—	—	—	.65	.20	—	.22	—	.03	4
5	—	—	.06	—	—	—	.85	.12	—	.67	—	.02	5
6	—	—	.14	—	.23	—	.42	—	—	.04	—	.10	6
7	.02	—	—	.22	.08	—	.48	—	—	—	—	—	7
8	—	.04	—	.17	.07	—	.41	—	—	—	—	—	8
9	.30	—	—	—	—	.07	.01	—	—	—	—	—	9
10	.34	.16	.05	1.02	—	.20	.27	—	—	—	—	—	10
11	.80	—	.08	.32	.12	.10	.16	—	—	—	—	—	11
12	.06	.02	—	.28	—	.75	.01	—	—	—	.05	—	12
13	.20	.02	.41	.08	—	—	.06	—	—	—	.04	—	13
14	—	—	.26	.40	—	—	.13	—	.17	.36	.50	—	14
15	.10	—	.03	.20	.04	—	—	—	.08	.35	.09	—	15
16	—	—	—	.13	—	.03	—	—	.05	.02	—	—	16
17	—	—	—	.05	.32	.30	.06	—	.65	—	—	—	17
18	—	—	—	.10	.06	.03	—	.50	.14	—	—	.02	18
19	.09	—	—	.30	—	.04	—	—	—	—	.03	—	19
20	.05	.12	—	.19	—	.53	—	—	—	—	—	.05	20
21	—	—	—	—	—	—	.38	—	.10	—	—	—	21
22	—	—	—	.16	—	—	.05	.03	.03	—	—	.31	22
23	—	—	—	—	—	—	.52	—	—	—	—	.42	23
24	.02	—	.13	—	—	—	—	—	—	—	.10	.04	24
25	.02	.12	.09	—	.05	—	.40	—	—	—	.02	—	25
26	.11	—	.15	—	—	—	—	—	—	—	.03	.10	26
27	.48	—	.03	.30	—	—	.04	—	—	—	.26	.44	27
28	.26	—	.02	.03	.13	.13	.06	—	—	—	—	.03	28
29	.35	—	.09	—	.06	.04	—	—	—	—	.21	.21	29
30	.07	~~—~~	—	—	.03	.06	.20	—	.16	—	.30	.20	30
31	.15	~~—~~	.34	~~—~~	—	~~—~~	.06	—	~~—~~	.69	~~—~~	.14	31
99													YEAR'S TOTAL
TOTAL	3.54	0.62	1.88	4.89	1.34	2.28	6.18	1.47	1.46	3.22	1.79	2.67	31.04
Days with ".01 in. or more	31	3	14	19	22	22	23	15	19	11	22	5	257
Days with ".04 in. or more	16	5	13	18	10	10	21	4	8	9	9	12	135

ASHMANSWORTH

MANOR HSE

HANTS

1920

ANIZATION.

O.

3 JAN 1921

Kept at Manor House

in the County of

by B.C. Thorne

IMPORTANT NOTE

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	-	-	.58	.38	-	.41	-	-	.35	.12	.39	1
2	-	-	.02	.17	-	-	.32	.65	.10	.04	-	.17	2
3	.08	.12	-	.08	-	-	1.05	-	.01	.48	-	.04	3
4	-	-	.02	.02	-	-	.29	.34	-	.25	-	-	4
5	-	-	.05	.13	-	-	.79	.07	-	.73	-	.05	5
6	-	-	.25	-	.24	-	.61	-	-	.11	-	.01	6
7	.05	-	.01	.33	.04	-	.25	-	-	.07	-	-	7
8	-	.07	-	.24	.17	-	.35	.06	-	-	-	-	8
9	.5	.02	-	.07	-	.03	-	-	-	-	-	-	9
10	.69	.22	.11	-	-	.17	.46	-	-	-	.03	-	10
11	.32	-	.1	.35	.16	.11	.18	-	-	-	-	.02	11
12	.06	.07	-	.36	-	.41	-	-	-	-	.09	.01	12
13	.12	.03	.36	.15	-	-	-	-	-	-	.1	.01	13
14	.04	.02	.48	.72	-	.06	.13	-	.19	.22	.56	.03	14
15	-	.05	.03	.36	-	.06	.11	-	.08	.25	.16	-	15
16	.05	-	-	.16	.02	-	-	-	.06	.02	.05	-	16
17	.01	-	.05	.08	.42	-	.05	-	.66	-	-	-	17
18	.14	-	-	.08	-	.04	-	.57	.11	-	-	.02	18
19	.05	-	-	.3	-	.07	-	.03	-	-	.02	-	19
20	.05	.19	-	.29	-	.68	-	-	-	-	.01	.11	20
21	-	-	-	.04	-	-	.40	-	.31	-	-	.13	21
22	.06	-	-	.22	-	-	.05	.03	-	-	.01	.42	22
23	.01	-	-	-	-	-	1.40	.04	-	-	-	.54	23
24	.03	-	.19	-	-	-	-	-	-	-	.05	.14	24
25	-	.06	.12	-	.04	-	.60	-	-	-	-	-	25
26	.18	-	.25	.02	-	-	.19	-	-	-	.01	.13	26
27	.47	.03	.02	.22	-	.25	.16	-	-	-	.14	.45	27
28	.5	.03	.03	-	.1	.03	.25	-	-	-	.02	.04	28
29	.36	-	.04	.02	.16	.03	-	-	-	-	.3	.41	29
30	.07	~~X~~	~~X~~	.02	.14	.14	.23	-	.4	.88	.35	.35	30
31	.08	~~X~~	.16	~~X~~	-	~~X~~	.03	-	~~X~~	~~X~~	~~X~~	.25	31
TOTAL	3.97	0.89	2.29	5.01	1.87	2.08	8.31	1.79	1.92	3.40	2.02	3.72	YEAR'S TOTAL
Days with 0.1 in. or more	23	12	18	24	11	13	22	8	9	11	16	21	188

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Manor House, Ashmansworth
in the County of Hampshire
by B.C. Thomasset

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Woodhay G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	-	-	.58	.38	-	.41	-	-	.38	.12	.39	1
2	-	-	.02	.17	-	-	.32	.65	.10	.04	-	.17	2
3	.08	.12	-	.08	-	-	1.05	-	.01	.48	-	.04	3
4	-	-	.02	.02	-	-	.29	.34	-	.25	-	-	4
5	-	-	.05	.13	-	-	.79	.07	-	.73	-	.05	5
6	-	-	.28	-	.24	-	.61	-	-	.11	-	.01	6
7	.05	-	.01	.33	.04	-	.25	-	-	.07	-	-	7
8	-	.07	-	.24	.17	-	.35	.06	-	-	-	-	8
9	.5	.02	-	.07	-	.03	-	-	-	-	-	-	9
10	.69	.22	.11	-	-	.17	.46	-	-	-	.03	-	10
11	.32	-	.1	.35	.16	.11	.18	-	-	-	-	.02	11
12	.06	.07	-	.36	-	.41	-	-	-	-	.09	.01	12
13	.12	.03	.36	.15	-	-	-	-	-	-	.1	.01	13
14	.04	.02	.48	.72	-	.06	.13	-	.19	.22	.56	.03	14
15	-	.05	.03	.36	-	.06	.11	-	.08	.25	.16	-	15
16	.05	-	-	.16	.02	-	-	-	.06	.02	.05	-	16
17	.01	-	.05	.08	.42	-	.05	-	.66	-	-	-	17
18	.14	-	-	.08	-	.04	-	.57	.11	-	-	.02	18
19	.05	-	-	.3	-	.07	-	.03	-	-	.02	-	19
20	.05	.19	-	.29	-	.68	-	-	-	-	.01	.11	20
21	-	-	-	.04	-	-	.40	-	.31	-	-	.13	21
22	.06	-	-	.22	-	-	.05	.03	-	-	.01	.42	22
23	.01	-	-	-	-	-	1.40	.04	-	-	-	.54	23
24	.03	-	.19	-	-	-	-	-	-	-	.05	.14	24
25	-	.06	.12	-	.04	-	.60	-	-	-	-	-	25
26	.18	-	.25	.02	-	-	.19	-	-	-	.01	.13	26
27	.47	.03	.02	.22	-	.25	.16	-	-	-	.14	.45	27
28	.5	.03	.03	-	.1	.03	.25	-	-	-	.02	.04	28
29	.36	-	.04	.02	.16	.03	-	-	-	-	.3	.41	29
30	.07	X	-	.02	.14	.14	.23	-	.4	.88	.35	.35	30
31	.08	X	.16	X	-	X	.03	-	X	-	X	.25	31
TOTAL	3.97	0.89	2.29	5.01	1.87	2.08	8.31	1.79	1.92	3.40	2.02	3.72	YEAR'S TOTAL
Days with "01 in. or more	23	12	18	24	11	13	22	8	9	11	16	21	188

Kept at *Moody's*
in the County of *...*
by *H. J. Gar*

BARTON STACEY
"MOODY'S DOWN"
HANTS.
1911 - 1920

FORM A2
BRITISH RAINFALL
23 JAN 1912
5 in.
e Ground 1 ft. 3
Sea Level 230 ft.

Name
Distance Direction
the result entered to the

IMPORTANT
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.34								.04	1
2	.02			.10	.25					.03	.13	.20	2
3					.22			.05			.08	.06	3
4		.01	.06	.03						.15	.10	.49	4
5				.01				.02		.27	.09		5
6	.33		.13								.06	.68	6
7	.03		.01							.03	.38	.04	7
8	.13		.28								.20	.54	8
9	.08		.03	.02							.02	.33	9
10		.18	.28		.05						.01	1.02	10
11	.42				.03						.92	.02	11
12			.72		.09						.12	.21	12
13			.01		.08							.48	13
14		.02			.05				.49		.02	.63	14
15		.03				.01					.26		15
16					.03	.14					.43	.29	16
17						.19					.38	.70	17
18		.12	.04	.05		.10				.05	.21	.65	18
19						.60			.19	.08		.17	19
20	.02		.08					.05	.20	.05		.67	20
21		.19	.03					.07	.01	.52		.04	21
22	.03		.31			.06				.05		.41	22
23		.07	.04			.14			.10	.02	.08	.20	23
24		.18				.36		.06		.62		.15	24
25		.01		.06	.33	.04		.30	.04			.18	25
26				.26	1.80	.02				.17	.03	.36	26
27		.54	.19	.19	.07			.02			.09	.19	27
28		.26		.36				.11	.04		.03		28
29				.69		.25	.03		.18	.45			29
30					.12	.03		.33		.24		.02	30
31										.04			31
Total	1.07	1.61	2.21	2.11	3.12	1.94	.03	1.01	1.25	2.77	3.64	8.77	TOTAL for year 29.53
No. of Rain Days	9	11	14	11	12	12	1	9	8	15	20	26	148

Kept at Moody's Down, Barton Stacey
in the County of Hampshire 4
by H. J. Gardiner

RAIN GAUGE

Diameter 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 230 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

FORM A2.
BRITISH RAINFALL.
23 JAN 1910

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.34								.04	1
2	.02			.10	.25					.03	.13	.20	2
3					.22			.05			.08	.06	3
4		.01	.06	.03						.15	.10	.49	4
5				.01				.02		.27	.09		5
6	.33		.13								.06	.68	6
7	.03		.01							.03	.38	.04	7
8	.13		.28								.20	.54	8
9	.08		.03	.02							.02	.33	9
10		.18	.28		.05						.01	1.02	10
11	.42				.03						.92	.02	11
12			.72		.09						.12	.21	12
13			.01		.08							.48	13
14		.02			.05				.49		.02	.63	14
15		.03				.01					.26	-	15
16					.03	.14					.43	.29	16
17						.19					.38	.70	17
18		.12	.04	.05		.10				.05	.21	.65	18
19						.60			.19	.08		.17	19
20	.02		.08					.05	.20	.05		.67	20
21		.19	.03					.07	.01	.52		.04	21
22	.03		.31			.06				.05		.41	22
23		.07	.04			.14			.10	.02	.08	.20	23
24		.18				.36		.06		.62		.15	24
25		.01		.06	.33	.04		.30	.04			.18	25
26				.26	1.80	.02				.17	.03	.36	26
27		.54	.19	.19	.07			.02			.09	.19	27
28		.26		.36				.11	.04		.03	-	28
29				.69		.25	.03		.18	.45		-	29
30					.12	.03		.33		.24		.02	30
31										.04		-	31
Total	1.07	1.61	2.21	2.11	3.12	1.94	.03	1.01	1.25	2.77	3.64	8.77	29.53
No. of Rain Days	9	11	14	11	12	12	1	9	8	15	20	26	148

Wrote for Set 1.
✓ 7 II 13 J.C.

REGISTER OF RAINFALL IN 1912

Form A2.
BRITISH RAINFALL.

Kept at Moody's Down, Barton Stacey
in the County of Hampshire 4
by H. J. Gardiner

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			08			51	09		03	52		26	1
2			12			12	40	07					2
3			08			22		34			03	02	3
4	12		68		10	35		05			15		4
5	29	08	06					46			01	09	5
6	45	05	01		05			39				05	6
7		10			11	69		06				15	7
8	30	40	46	01		08		09				03	8
9		17	16	01		34	02	07				45	9
10		06				04		17			09	28	10
11	22	12									01	02	11
12	05	47	12		53	19	06	05			02		12
13		02	02				02	12		01			13
14	09		11					03					14
15	03	08	11		02	44						44	15
16	10	01	21					08		10	02		16
17	82		25			06		62					17
18	37		43					14				10	18
19	05	11	29			02	10	53		03	02		19
20	02		42				04	21		41	04		20
21		10	50		29			02		08			21
22	21	30	12		02			16				02	22
23	22	38	32					41		04	22	12	23
24	41	02	01			15		21		03		52	24
25	10					23		67		04	06	59	25
26		06				02	42	17		40	80	27	26
27						13	29			62		25	27
28		10				12	14	44	18	76	52	48	28
29		11				45	16	17	126	23		01	29
30					02	07	01		68	23			30
31			54				20	16		04			31
Total	385	274	510	02	114	423	195	589	215	354	199	445	TOTAL 3705
No. of Rain Days.	17	19	22	2	8	19	13	26	4	15	13	19	177

REGISTER OF RAINFALL IN 1913

Kept at Barton Stacey, Moody's Town
in the County of Hampshire
by H. J. Gardiner

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

BRITISH RAINFALL FORM A. 99
22 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.16	.14	.06		.01			.84		.10	.12	1
2		.09					.05		.08	.21	.08		2
3	.02		.03	.08	.42					.08		.08	3
4	.50		.02		.29		.06		1.22	.42	.07	.07	4
5	.14					.05	.06		.22		.01	.07	5
6	.02	.06	.12		.10	.10	.73		.02	.67		.55	6
7		.36	.02		.25	.05	.35	.01		1.29	.12		7
8	.01	.04			.24	.04				.07		.04	8
9		.12					.06	.04	.14		.01		9
10	.05			.08	.06		.17	.04			.54		10
11	.76			.30	.04					.25	.44		11
12		.02			.30						.22		12
13	.12		.09						.04	.08	.17		13
14	.24	.01	.07	.02				.08	.16		.08		14
15	.14	.02	.34	.46			.17		.15		.04		15
16	.15		.31	.14									16
17	.02	.07	.04			.19	.07				.02		17
18	.01		.40	.08	.02		.02				.03	.02	18
19	.88		.03				.11		.32	.01			19
20	.13		.14	.06						.83			20
21			.16	.10	.01					.08	.81		21
22	.38		.32	.05				.16	.21				22
23						.06		.02				.65	23
24	.02			.18				.05					24
25		.02		.20				.16				.08	25
26				.38						.38		.11	26
27			.33	.06						.03			27
28	.20		.06	.26						.19			28
29	.06		.32	.64	.32			.04		.21			29
30	.49				.07					.33			30
31	.06		.06		.03			.52		.01			31
Total	4.43	.97	3.00	3.15	2.15	.50	1.85	1.12	3.40	5.14	2.74	1.79	30.24
Rain Days.	22	11	19	17	13	7	11	10	11	17	15	10	163

82
with 100 ft
to I-15

REGISTER OF RAINFALL IN 1914

63
FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at Moody's Down, Barton Stacey
in the County of Hampshire
by H. J. Gardiner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02	08				-	32			13	05	1
2	03						12	07			49	22	2
3			21	10	32		11	12			09	08	3
4	04		06	22	05		-	50			40	36	4
5	04		08	35	76		12	68			36	04	5
6		18	02	20	04	05	-	03			14	26	6
7		69	13	17	10	22	22	04				16	7
8	05	18	42	06	02	04	-	16				02	8
9	11		49	27	03	26	-	02	08			89	9
10		26		04	21		-		31				10
11		33	53				44		04		08	33	11
12		13	13		01	06	-		34	20		83	12
13		35	26				-		19	02	07	61	13
14		24	29				17	04		36	21	27	14
15	06		17				08	47		01	16		15
16							04		10				16
17		63	14				02		09			44	17
18		01	27				06					55	18
19		08	32				1.14				13	16	19
20		57	19			05	-					17	20
21		81	05				-			16		02	21
22		13	22		07	08	12			46			22
23		32	16		05		02			10		02	23
24	02	09	13		06		-				19		24
25	04		12				-	21		31	02	24	25
26			05				-	03		06	27	60	26
27	05						-				11	33	27
28		06	02		11		-				24	45	28
29	13		15				-			29	21		29
30			08				-			09	74	71	30
31	05						04			28		06	31
Total	62	5.08	4.77	1.41	1.83	.76	2.70	2.69	1.15	2.34	4.04	7.87	35.26
Rain Days.	11	18	26	8	13	7	14	13	7	12	18	25	172

81
✓
25/2/16

REGISTER OF RAINFALL IN 1915

Kept at Barlow Stacey, Moody's Down
in the County of Hampshire
by H. J. Gardiner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

728
82
BRITISH RAINFALL
FORM A.
16 MAR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.77	.14			.04				.14	.22	.02	.22	1
2	.25	.15	.19	.05		.03		.75		.09		.45	2
3	1.08		.10	.10	.16			.04				.23	3
4	.01											.24	4
5	.02	.63						.06				.47	5
6	.60	.24		.41			.46	.05				.26	6
7	.27	.44	.02		.03		.26	.02				.20	7
8	.04	.62		.02				.04					8
9	.03	.07		.09							.41	.64	9
10	.12	.02	.01									.14	10
11	.05		.05	.02							.60	.04	11
12	.06	.29		.14	.42				.11		.41		12
13	.02	.98			1.03			.01				.01	13
14	.01						1.26	.32	.03			.67	14
15	.06				.08			.06			.11	.26	15
16	.03	.82			.42		.92	.18				.36	16
17		.36			1.60								17
18		.26	.04		.22								18
19		.02			.02		.12						19
20	.16			.02								.14	20
21		.26			.55		.12					.10	21
22	.46	.46	.32				.74		.03	.04		.21	22
23		.04	.15				.49		.19	.34		.24	23
24							.19		1.35	.35		.50	24
25			.02	.01			.05			.01		.26	25
26		.05				.02	.18					.72	26
27		.02				.26	.02			.52		.02	27
28		.07				.11			1.09	.02			28
29						.21	.12	.06			.10	.04	29
30	.15	X				.04				.60	.59	.26	30
31	.04	X		X		X			X	1.10	X	.40	31
Total	4.23	5.94	.90	.86	4.57	.67	4.93	1.59	2.94	3.29	2.34	7.08	39.34
Rain Days.	20	20	9	9	11	6	13	11	7	10	7	25	148

REGISTER OF RAINFALL IN 1916

Kept at *Moody's Down, Barton Stacey*
in the County of *Hampshire*
by *H. J. Gardiner*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A
BRITISH RAINFALL
1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.10	.05	—	.18	.01			.46	.26	.51		1
2	.19	.18	.07		.16					.90	.07		2
3		1.34	.04		.02				.06	.49	.54		3
4	.07	.40				.30			.31		.68		4
5	.02	.02			.21	.17				.04	.84		5
6		.07	.06		.02	.01				.11	.74		6
7	.02	.10	.30		.09	.03	.98			.04	.78	.07	7
8		.02	.02		.18	.04	.26					.24	8
9					.11	.18				.06		.19	9
10		.41	.02	.06		.08	.10			.02			10
11	.08	.04	.02	.03		.02						.34	11
12	.05	.05		.04	.09		.10	.02		.09			12
13		.23					.02	.14					13
14		.45		.12	.04			.05		.02			14
15		.16	.18					.64					15
16		.06	.27	.14	.03		.19	.50					16
17	.16	.30		.04				.08	.41	.60			17
18		.08		.06				.02	.22	.02	.25	.07	18
19	.05		.04	.20					.05		.60		19
20	.15		.54								.01	1.35	20
21			.36				.18				.02	.37	21
22					.05					.11		.49	22
23	.02	.06	.02	.02		.04		.24		.06	.09	.03	23
24					.09	.08		.04		.39	.10	.32	24
25		.65	.15					.31	.04	.04	.11	.02	25
26		.29				.25		.05	.11	.54			26
27		.02	.77			.02		.68	.12	.14			27
28		.33	.04					.06	.06	.36	.02	.24	28
29		.40	.03					.70	.14	.52	.03	.21	29
30		X				.29		.01		.24			30
31		X		X		X		.04	X	.12	X	.10	31
Total	.90	5.76	2.98	.71	1.27	1.52	1.82	3.58	1.98	5.17	5.39	4.04	35.12
Rain Days.	11	23	18	9	13	14	7	16	11	22	16	14	174

REGISTER OF RAINFALL IN 1917

Kept at *Moody Down, Barton Stacey*
in the County of *Hampshire*
by *H. J. Gardiner*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

687
73
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12	16		02		1.16	05		02		1
2				32		06					16		2
3	01			13			71	18		15	05		3
4		11	07				01	11		21		03	4
5	27		04	36		09		03	14	26	07		5
6			24			03				04	02	05	6
7	21						05			29			7
8	19			06			42	07	09	21	14	40	8
9			12		10		10	08	04		04		9
10	23		27	35				10		13		01	10
11		02	45	12				01	48	21			11
12	{08}		05					14		26	01		12
13	{04}		12	07				23	06	02		01	13
14	{02}			10				09	02	05			14
15							16	85		08		08	15
16		10		14	06	16	04			1.06		72	16
17				10	24	17	34	14	56	26			17
18	01	03				02	16	02	42	05	02		18
19	02	28	06					03	30				19
20		08	23		94	04		01	02				20
21			08							02	01		21
22			02					07		06			22
23		20			04			06				03	23
24		10				02	08	07		20	02	06	24
25		05	03				22		03	08			25
26					03			46	04	04	07		26
27					54	07		96					27
28			07			2.15		10				04	28
29			04		54	07	86	02		56		06	29
30		X	16				90	08		08	01		30
31		X	08	X		X	08	02	X	02	X		31
Total	1.08	97	2.25	1.90	2.49	2.90	4.13	5.09	2.25	4.34	64	1.49	YEAR'S TOTAL
Rain Days.	10	9	18	11	8	12	14	25	13	23	13	11	29.53
													167

REGISTER OF RAINFALL IN 1918

Kept at Moody's Down, Barton Stacey
in the County of Hampshire
by H. J. Gardiner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02			08				14	-		66	05	1
2		06	02	13				28		01	16	10	2
3		06		21	32			12	01	02	12		3
4		11	01					04	07		86	04	4
5		12	04		28			15	08	11		02	5
6	22	06		24				19	04	08	27	06	6
7		21		08	50			01	22	06	03	02	7
8		14							21	09		04	8
9		03		36		20	19		50	20		35	9
10				08			35		08	30	01	44	10
11	04						1.04		14	15	04	04	11
12		03			26		28		02			02	12
13		02			14		26		34	02			13
14	22		04		01	31	11		17	10		24	14
15	(1.16)			66		02	18			01		19	15
16	06		01	24		16			12			04	16
17	30			11		08	99		26			19	17
18	75					38	01	02	42			16	18
19	09		12				21	03	08	05		04	19
20	08	10		49		04	09	02	27	03	01		20
21	14	07		01			13		60	09		08	21
22	09				10		27		16			17	22
23	08				15		76	04	07		11		23
24		36				04	31		15		23		24
25				01			21	44		03			25
26							60				06	16	26
27		06	05				01	18	05		13		27
28		03	20	02		02					15	01	28
29			02						1.03			02	29
30		X	25							02	06	02	30
31	01	X	12	X		X			X	11	X		31
Total	(3.26)	1.46	.88	2.72	1.76	1.25	6.00	1.66	5.09	1.48	2.90	2.50	30.96
Rain Days	14	15	17	14	8	9	18	13	23	18	15	23	181

84
REGISTER OF RAINFALL IN 1919

Kept at *Moody's Down, Barton Stacey*
in the County of *Hampshire*
by *H. J. Gardiner*

641
FORM A.
BRITISH RAINFALL

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	49		04	04	05		18			06	08	1.21	1
2	28				02		04		75		04	07	2
3	41		49		01		02		32		02	08	3
4	10	02	73			07	11	04	10		10	42	4
5	02	36	64				18		41		11	11	5
6	38		07		24						02		6
7	08		56									01	7
8	27		15		21						01		8
9	05		04	08	12				01		18		9
10	12		48	09						02		26	10
11	09		12	28	09		24					07	11
12			03			01	21			10	06		12
13	04			40								05	13
14	32			34			08		92			09	14
15	49	11		05						05		84	15
16	03	68						07			10		16
17		09									18	02	17
18		04	23					01	01		09	01	18
19	20	24	94			13	24	15	05		05	06	19
20	39	08	22			41	01	16				04	20
21	02	52				04	05		01		03	06	21
22		01					22		16		01	21	22
23										14	04	11	23
24		03		14						36	09	09	24
25	06	12						48		01		16	25
26	08	15	11	09			10	19	08		02	42	26
27	10			36				60				10	27
28	02		30					66			35	37	28
29			01					10		19	12	08	29
30		X		20		21		30	X	02	30	75	30
31		X		X		X					X	16	31
Total	4.04	2.45	5.16	2.07	.74	.87	1.68	2.76	2.82	.95	2.00	5.85	31.39
Rain Days	22	13	17	11	7	6	13	11	11	9	21	26	167

REGISTER OF RAINFALL IN 1920.

Kept at Barton Stacey, Moody's Down
in the County of Hampshire
by H. J. Gardiner

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06			60	15		25						1
2	09			09	01		24	62					2
3	14	08		06			46						3
4		07	02	01			27	19					4
5		01	15				78	17					5
6			28		16		41						6
7	03		02	19	01		25						7
8	05	04		11	07		36	06					8
9	26	02		04	01	10							9
10	35	21	06	01		22	24						10
11	38	02	08	38	11	04	19						11
12	06	05	04	34		76	03						12
13	09	01	46	22									13
14		02	35	33			02						14
15	03	06	03	20	02								15
16		02		11		07							16
17	01			01	18	10	09						17
18	10			06	03	06	01	67					18
19	03			18		03							19
20	05	18		23		52							20
21							40						21
22	02			17				04					22
23							44	01					23
24	03		14										24
25		03	18		06		25						25
26	14		27	03			05						26
27	48	02	02	18	03	10	08						27
28	46			03	08		10						28
29	38		04		16								29
30	05			02	03	11	15						30
31	18		38										31
TOTAL	3.67	84	2.52	3.60	1.11	2.11	5.07	1.76					YEAR'S TOTAL
Days with 0.1 in. or more	23	15	16	23	15	11	21	7					

R

BASINGSTOKE

QUEENS SCH.

HANTS

1911-157 1919-20

Kept at *Queen's Sch*

in the County of *Hants*

by *A. M.*

don

in.

and 1 ft.

Level 290 ft.

Basingstoke

ance Direction

the result entered to the

Jan. 1, following.

IMPORTANT NOTE. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.18			.01					.01	1
2	.01			.12	.21			+			.19	.17	2
3		.01			.25						.11	.15	3
4	.02	.01	.05	.01						.13	.25	.55	4
5	.01	+		.01				.01		.12	.17		5
6	.37		.12								.09	.71	6
7	.02		.01	.01						.33	.42	.06	7
8	.08		.20								.21	.43	8
9	.09			.02							.02	.20	9
10	+	.16	.19		.41							1.01	10
11	.49		+		.43						.91	.02	11
12			.49		.01				+		.23	.03	12
13			.03		.16				.36	.06		.57	13
14		.02	+		.17					.01		.50	14
15		.01	.04									.02	15
16	+	.02	+			.03				+	.40	.17	16
17		+	+			.22				+	.50	.65	17
18		.25	.12	.03	.02	.20				.04	.34	.62	18
19	+	.01	+			.47			.17	.09	.08	.18	19
20	.01	.04	.05					+	.18	.04		.65	20
21	.01	.21	+					.80		.50	+	.07	21
22	.03		.29			.03				.29		.43	22
23		.29	+			.17			.08	.01	.03	.18	23
24	+	.17	+			.23		.08		.90		.15	24
25	.03	.02	+	.10	.55	.11		+	.04		+	.02	25
26		.02	+	.26	.03	+	+	+		.10	.01	.24	26
27		.37	.21	.12			.04	.01	.11		.04	.17	27
28		.29	+	.32				.04		+	.01		28
29				.26		.26	.03		.16		.01		29
30				+	.02	.08			.01	.36	+	+	30
31										.06			31
Total	1.17	1.88	1.82	1.44	2.26	1.75	.08	.94	1.11	3.04	4.02	7.96	TOTAL for year
No. of Rain Days	12	16	13	12	11	10	3	5	8	15	19	26	150

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.
25 JAN 1912

Kept at Queen's School Basingstoke
in the County of Hampshire
by A. M. Picken

Pattern Snowdon
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 290 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Basingstoke
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.62	.18			.01					.01	1
2	.01			.12	.21			+			.19	.17	2
3		.01			.25						.11	.15	3
4	.02	.01	.05	.01						.13	.25	.55	4
5	.01	+		.01				.01		.12	.17		5
6	.37		.12								.09	.71	6
7	.02		.01	.01						.33	.42	.06	7
8	.08		.20								.21	.43	8
9	.09			.02							.02	.20	9
10	+	.16	.19		.41							1.01	10
11	.49		+		.43						.91	.02	11
12			.49		.01				+		.23	.03	12
13			.03		.16				.36	.06		.57	13
14		.02	+		.17					.01		.50	14
15		.01	.04									.02	15
16	+	.02	+			.03				+	.40	.17	16
17		+	+			.22				+	.50	.65	17
18		.25	.12	.03	.02	.20				.04	.34	.62	18
19	+	.01	+			.47			.17	.09	.08	.18	19
20	.01	.04	.05					+	.18	.04		.65	20
21	.01	.21	+					.80		.50	+	.07	21
22	.03		.29			.03				.29		.43	22
23		.27	+			.17			.08	.01	.03	.18	23
24	+	.17	+			.23		.08		.90		.15	24
25	.03	.02	+	.10	.55	.11		+	.04		+	.02	25
26		.02	+	.26	.03	+	+	+		.10	.01	.24	26
27		.37	.21	.12			.04	.01	.11		.04	.17	27
28		.29	+	.32				.04		+	.01		28
29				.26		.26	.03		.16		.01		29
30				+	.02	.03			.01	.36	+	+	30
31										.06			31
Total	1.17	1.88	1.82	1.44	2.26	1.75	.08	.94	1.11	3.04	4.02	7.96	TOTAL for year
No. of Rain Days	12	16	13	12	11	10	3	5	8	15	19	26	150

REGISTER OF RAINFALL IN 1912

Kept at Queen's School, Basingstoke
in the County of Hants
by The Staff

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 289 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Basingstoke
Distance 3 Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	+	.06	+	.01	.18	.17	-	.01	.50	-	.25	1
2	-	+	.15	-	-	.08	.44	.08	-	.01	+	+	2
3	+.23	+	.10	-	-	.17	+	.44	.01	-	+	.03	3
4	.20	+	.72	-	.12	.35	-	.06	-	+	.16	+	4
5	.32	.05	.09	-	-	-	-	.40	-	+	+	.03	5
6	.37	.10	.01	-	.01	.03	-	.37	+	+	-	.14	6
7	+	-	+	-	-	.89	-	.06	-	+	-	.14	7
8	.30	.32	.44	.03	-	.02	.23	.08	-	+	-	.01	8
9	-	.23	.07	.05	-	.53	.01	.04	-	+	-	.30	9
10	-	.09	+	-	-	.02	-	.17	-	+	.10	.26	10
11	.07	.08	+	-	-	.02	-	-	-	+	.01	.44	11
12	.01	.35	.16	-	.62	.21	.06	.12	-	+	.02	+	12
13	+	.03	+	-	-	+	.31	.05	-	+	.01	.04	13
14	.01	+	.10	-	.04	-	-	.25	-	+	-	.09	14
15	.01	.03	.11	-	.06	.42	-	+	-	-	+	.44	15
16	.11	+	.14	-	.23	.01	-	.10	-	.05	.02	-	16
17	.85	+	.21	-	-	.02	-	.31	-	-	+	.01	17
18	.16	+	.35	-	-	-	-	.14	-	.02	+	.07	18
19	.02	.07	.13	-	-	-	.15	.30	-	+	+	+	19
20	.01	+	.26	-	+	-	.05	.26	-	.52	.03	-	20
21	+	.06	.74	-	.36	-	-	.04	-	.08	+	-	21
22	.16	.31	.06	-	.06	-	-	.18	-	.03	+	.04	22
23	.29	.49	.35	-	-	-	-	.37	+	.08	.23	.19	23
24	.56	.02	+	-	-	.05	-	.15	-	+	+	.24	24
25	.19	+	-	-	-	.27	-	.74	-	.05	.23	.66	25
26	+	.06	-	-	-	-	.16	.27	-	.45	.80	.41	26
27	-	+	+	-	-	.07	.20	-	-	.47	-	.35	27
28	-	.08	-	-	-	.18	.11	.53	.12	.80	.56	.78	28
29	-	.07	-	-	-	.77	.35	.25	1.72	.15	.04	+	29
30	-	+	-	-	.13	+	.01	.02	.92	.45	-	-	30
31	-	-	.45	-	-	-	.15	.10	-	.01	-	.01	31
Total	3.64	2.44	4.70	.08	1.64	4.31	2.40	5.88	2.78	3.67	2.21	4.99	TOTAL for year 38.44
No. of Rain Days	17	17	20	2	10	19	14	27	5	15	12	22	180

REGISTER OF RAINFALL IN 1913

Kept at Queen Mary's School, Bearpottle
in the County of Hampshire
by J. V. Philpott M.A.

Lat. 51°16' N. Long. 1° 6' W.
Time of Observation 9 am.
Nearest Railway Station L. W. R.
Diameter of Rain Gauge 5" in. (Snowdon Pattern)
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 289 ft.

FORM A.
BRITISH RAINFALL
1- JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	+	.26	.14	.14	-	.40	-	-	.66	-	.18	.17	1
2	.02	.14	.02	.04	-	-	.05	-	.04	.24	.15	.02	2
3	.05	Trace	.01	.08	.54	-	Trace	-	-	Trace	Trace	.09	3
4	.55	-	.09	.01	.30	-	-	-	.58	.09	.04	.08	4
5	.18	Trace	Trace	-	Trace	.19	.09	-	.36	Trace	.03	.03	5
6	+	.03	.15	-	.05	.08	.06	-	.04	.81	.05	.28	6
7	-	.35	-	-	.12	.05	.14	.01	-	.36	.10	Trace	7
8	-	.07	-	-	.21	.13	Trace	-	-	.21	Trace	.02	8
9	-	.08	Trace	.01	Trace	Trace	Trace	.01	.20	-	Trace	.04	9
10	.04	-	.03	.03	-	-	.29	-	-	-	.51	-	10
11	.41	Trace	-	.38	.26	-	-	-	-	.26	.43	Trace	11
12	-	.01	Trace	-	.17	-	-	-	-	Trace	.20	-	12
13	.07	Trace	.13	-	-	-	-	.01	.03	Trace	.22	-	13
14	.19	.01	.14	.03	-	-	.62	.07	.04	.08	.07	Trace	14
15	.12	.08	.50	.52	-	-	.33	-	.06	-	.02	-	15
16	.14	Trace	.46	.20	-	.08	-	-	Trace	-	.02	-	16
17	-	.03	.07	.06	-	.16	.14	-	-	-	Trace	.06	17
18	-	-	.29	.16	-	Trace	Trace	-	-	-	.06	-	18
19	.73	-	.08	-	Trace	-	.15	-	.15	Trace	Trace	-	19
20	.10	-	.12	.05	Trace	.02	-	-	-	.65	.07	Trace	20
21	Trace	-	.10	.05	Trace	-	Trace	-	-	.07	.76	Trace	21
22	.35	-	.41	.02	Trace	-	Trace	.10	.19	.02	-	-	22
23	Trace	Trace	Trace	-	-	.04	-	-	Trace	-	Trace	.53	23
24	Trace	-	Trace	.10	-	-	-	Trace	-	Trace	Trace	-	24
25	-	.01	Trace	.19	-	-	Trace	-	-	Trace	-	.01	25
26	Trace	Trace	.04	.30	-	-	-	.11	-	.50	Trace	.16	26
27	Trace	.03	.17	.10	-	-	-	-	-	.07	-	-	27
28	.14	Trace	.19	.20	-	-	-	-	Trace	.27	-	Trace	28
29	.03	-	.17	.87	.50	-	-	.07	-	.29	Trace	.04	29
30	.57	-	Trace	Trace	-	-	-	.25	-	.33	Trace	-	30
31	Trace	-	.02	-	-	-	-	.51	-	Trace	-	-	31
Total	3.99	1.10	3.38	3.54	2.15	1.15	1.87	1.14	2.35	4.25	3.21	1.53.	29.61
* Rain Days.	16	12	21	21	8	8	9	6	10	15	16	13	160

* Rain days counted only when amount .04 and more.

** Snow.

REGISTER OF RAINFALL IN 1914

Kept at Queen Mary's School, Basingstoke
in the County of Hampshire
by The Staff

Lat. 51° 16' N. Long. 1° 6' W.
Time of Observation 9 am.
Nearest Railway Station L and S. W. Rly
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 289 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.03	.08	—	—	—	—	.18	—	—	.14	.10	1
2	—	.02	Trace	—	Trace.	Trace.	.24	.11	—	—	.22	.28	2
3	.06	Trace.	.14	.03	.31	—	.26	.08	—	—	.05	.09	3
4	.04	—	.03	.24	Trace	—	Trace	.22	—	—	.31	.58	4
5	.05	—	.08	.42	.13	.04	.20	.41	—	—	.10	.05	5
6	—	.16	.01	.24	Trace	.03	Trace	.04	—	—	Trace	.29	6
7	Trace.	.95	.21	.13	.15	Trace.	.15	Trace.	—	—	Trace	.32	7
8	.04	.25	.64	Trace.	.01	.04	.05	.20	—	—	—	Trace	8
9	.19	Trace.	.60	.34	Trace	.14	—	.02	.16	—	—	1.34	9
10	.02	.21	.01	.04	.14	—	—	.01	.26	—	—	Trace	10
11	—	.35	.60	—	.04	.02	.15	—	.05	—	.12	.35	11
12	Trace	.16	.11	—	—	.03	.16	—	.28	.15	Trace	.56	12
13	—	.46	.24	—	—	—	—	—	.16	.02	.03	.46	13
14	Trace.	.34	.32	—	—	Trace.	.12	.02	Trace	.42	.13	.30	14
15	.06	.01	.14	—	—	—	Trace	.19	Trace	.02	.09	Trace	15
16	Trace.	—	Trace.	—	—	—	Trace	—	.10	—	—	Trace	16
17	.02	.85	.14	—	—	—	Trace	—	.04	—	—	.51	17
18	—	Trace	.13	—	—	—	.02	—	—	—	—	.62	18
19	—	.04	.34	—	—	—	1.30	—	—	Trace.	.14	.18	19
20	—	.42	.28	—	—	Trace.	—	—	—	—	—	.14	20
21	—	.52	.08	—	—	—	.10	.09	—	.14	—	.04	21
22	—	.21	Trace.	—	.09	.08	.10	Trace.	—	.34	—	Trace	22
23	—	.34	.19	—	.02	—	.01	—	Trace	.04	—	Trace	23
24	—	Trace.	.02	—	.23	Trace.	—	—	Trace.	.04	.12	—	24
25	.05	—	.10	—	—	—	—	.10	—	.32	.01	.24	25
26	—	—	Trace.	—	—	—	.03	.02	—	.10	.24	.61	26
27	.06	—	Trace	—	—	—	—	—	—	Trace	.05	.23	27
28	Trace.	.05	Trace.	—	.12	—	—	—	—	Trace	.40	.45	28
29	.13	X	.14	—	—	—	—	—	—	.33	.28	.01	29
30	.03	X	.11	—	—	—	—	—	—	.15	.88	.64	30
31	.03	X	—	X	.05	X	.10	—	X	.10	X	.05	31
Total	.81	5.46	4.83	1.44	1.32	.41	2.98	1.69	1.05	2.23	3.34	8.80	34.36
* Rain Days.	13	18	24	7	11	4	14	14	4	13	14	24	169

REGISTER OF RAINFALL IN 1915

Kept at Queen Mary's Grammar School
in the County of Hampshire
by The Staff (W.H. Pick BSc FCS)

Lat. 51° 16' N Long. 1° 6' W
Time of Observation 9h
Nearest Railway Station Basingstoke
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 289 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.81	.13	.11	-	.09	-	-	.05	.23	.11	.04	.31	1
2	.21	.30	.20	.04	-	.01	-	1.25	.04	.14	-	.21	2
3	.90	trace	.10	.11	.06	trace	-	.01	trace	-	-	.34	3
4	.04	-	-	-	-	-	-	.19	-	-	trace	.30	4
5	.03	.63	-	-	-	-	-	.02	-	trace	-	.40	5
6	.42	.09	trace	.42	-	-	.48	trace	-	-	trace	.30	6
7	.21	.44	.03	-	.11	-	.31	trace	-	-	-	.30	7
8	.04	.80	trace	-	-	-	.16	.08	-	-	trace	trace	8
9	.05	.02	-	.16	-	.02	-	.12	-	-	.39	.45	9
10	.19	-	-	-	-	-	-	trace	-	-	trace	.14	10
11	.05	trace	.02	-	-	-	.01	.09	-	trace	.66	-	11
12	.03	.19	trace	.30	.40	-	-	.20	-	.01	.28	-	12
13	.08	.84	-	-	1.45	-	-	trace	.03	-	-	-	13
14	.04	.02	-	-	-	-	.55	.14	trace	-	-	1.04	14
15	.15	-	-	-	.04	-	.09	.12	trace	-	.10	.24	15
16	trace	.46	-	-	.18	-	1.00	-	-	trace	-	.50	16
17	-	.49	trace	-	1.44	-	trace	.10	-	-	-	trace	17
18	-	.38	.08	-	.12	-	-	-	-	-	.03	.04	18
19	-	trace	-	-	.02	-	.10	-	-	trace	-	-	19
20	.21	-	-	.02	.01	-	-	-	-	trace	-	.17	20
21	.03	.10	-	-	.24	-	.06	-	-	trace	-	.04	21
22	.52	.38	.28	trace	-	-	.91	-	trace	.23	-	.20	22
23	.02	.03	.05	-	-	.03	.38	-	-	.24	-	.14	23
24	trace	-	.02	-	-	trace	.19	-	1.44	trace	-	.62	24
25	-	-	-	.01	-	.25	.40	-	.04	-	-	.65	25
26	-	.08	-	-	-	.04	.16	-	trace	.50	-	.36	26
27	trace	.08	-	-	-	.30	trace	-	.09	.04	-	-	27
28	-	.09	-	-	-	.10	-	-	1.45	trace	trace	-	28
29	trace	X	-	-	-	trace	.14	.12	trace	.26	.16	.04	29
30	.10	X	-	-	-	-	-	-	-	2.04	.48	.15	30
31	.03	X	-	X	-	X	-	-	X	-	X	.45	31
Total	4.19	5.88	.89	1.09	4.25	.75	4.94	2.49	3.38	3.60	2.44	4.81	YEAR'S TOTAL 41.41 ins
Rain Days.	25	22	13	8	12	10	14	14	13	18	13	25	193 days

REGISTER OF RAINFALL IN 1919.

Kept at Basingstoke [M.O.]
in the County of Hampshire
by The Head master

Lat. 51° 16' Long. 1° 16' W
Time of Observation 9h G.M.T.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 28.9 ft.

10 MAR 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1					6.2	0.9	6.5	-	-				1
2					3.2	-	0.2	-	9.5				2
3					-	-	0.9	-	7.2				3
4					0.2	1.2	-	1.1	2.4				4
5					-	0.1	0.9	-	23.3				5
6					1.9	-	-	-	-				6
7					0.1	-	-	-	-				7
8					0.75	-	-	-	-				8
9					0.85	-	-	-	-				9
10					-	-	-	-	-				10
11					-	-	3.5	-	-				11
12					-	0.8	4.0	-	-				12
13					-	-	-	-	-				13
14					-	-	3.6	-	23.4				14
15					-	-	0.1	-	-				15
16					-	-	-	-	-				16
17					-	-	-	-	-				17
18					-	-	-	0.5	-				18
19					-	4.1	5.1	5.4	-				19
20					-	10.0	3.8	2.8	-				20
21					-	-	2.5	-	-				21
22					-	-	5.0	-	-				22
23					-	0.8	-	-	-				23
24					-	1.4	-	0.2	-				24
25					-	-	-	11.4	-				25
26					-	-	-	1.2	4.0				26
27					-	-	-	10.6	-				27
28					-	-	-	22.8	-				28
29					-	-	-	4.8	-				29
30					-	4.0	-	6.0	-				30
31					-	-	0.1	-	-				31
TOTAL					13.2	23.3	36.2	66.8	69.8	-	-	-	YEAR'S TOTAL
Days with 0.2 mm. or more					6	8	11	11	6	-	-	-	

REGISTER OF RAINFALL IN 1920.

Kept at Basingstoke
in the County of Hampshire
by The Head Master (Queen's Sch.)

Lat. 51° 16' N Long. 1° 16' W
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 289 ft.

4 MAR 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.6		-	16.0	4.6	-	7.7	-	-	11.1	0.8	8.2	1
2	0.9		0.1	2.0	-	-	8.4	20.2	1.8	-	-	3.3	2
3	-		0.3	0.6	-	-	1.9	-	-	-	-	-	3
4	-		0.2	7.1	-	-	10.6	3.2	-	6.7	-	0.7	4
5	-		2.3	1.5	-	-	18.8	3.4	-	3.5	-	2.1	5
6	-		7.2	0.2	3.4	-	9.8	-	-	0.9	-	0.5	6
7	1.1		-	2.5	-	-	10.8	-	-	-	-	-	7
8	-		-	3.5	1.8	-	11.5	1.2	-	0.2	-	-	8
9	-		-	1.2	2.6	0.8	3.0	-	-	-	-	-	9
10	0.9		1.9	0.3	-	-	5.1	-	-	-	-	-	10
11	5.2		0.9	5.1	0.9	3.2	-	-	-	-	-	-	11
12	4.0		0.3	6.5	-	16.9	0.3	-	-	-	1.0	-	12
13	1.0		5.0	4.3	-	-	3.0	-	-	-	1.1	-	13
14	0.5	0.5	9.2	11.0	-	0.5	0.4	-	5.3	1.0	14.8	0.9	14
15	-	0.4	0.8	6.9	1.9	1.5	0.4	-	4.9	2.1	2.6	-	15
16	-	0.9	0.2	7.1	-	0.7	-	-	1.5	0.5	-	-	16
17	-	-	0.2	0.2	6.4	-	0.7	-	8.2	-	-	-	17
18	3.4	-	-	0.5	-	0.6	0.4	13.2	-	-	-	0.5	18
19	2.0	-	-	8.5	-	0.9	-	-	5.3	-	0.2	-	19
20	1.1	-	-	6.4	-	9.4	-	-	2.0	-	0.3	1.9	20
21	0.3	4.0	-	0.4	-	-	12.2	-	-	-	-	3.9	21
22	0.5	-	-	4.6	-	-	1.3	0.1	-	-	-	10.3	22
23	0.9	-	-	-	-	-	8.4	2.4	-	-	-	8.7	23
24	-	-	3.9	-	-	-	-	-	-	-	0.5	2.3	24
25	0.6	0.2	3.3	-	0.2	-	7.4	-	-	-	-	-	25
26	4.5	0.2	5.1	0.4	-	-	4.4	-	-	-	-	2.4	26
27	13.4	-	-	5.3	-	2.1	0.3	-	-	-	11.2	-	27
28	20.5	0.3	0.3	0.3	5.8	-	2.9	-	-	-	-	0.7	28
29	11.5	0.3	0.2	-	1.8	-	-	-	-	-	3.8	6.2	29
30	2.0	~~X~~	-	1.1	-	1.1	4.5	-	3.3	0.2	6.9	6.6	30
31	0.5	~~X~~	1.4	~~X~~	-	~~X~~	-	-	~~X~~	24.3	~~X~~	3.8	31
TOTAL	75.4	(12.8)	42.8	103.5	29.4	37.7	134.2	43.7	32.3	50.5	43.2	63.0	YEAR'S TOTAL 668.5
Days with 0.2 in. or more	21	(14)	18	26	10	11	24	6	8	10	11	17	176

made
Upper Wotton

Corby
R

BASINGSTOKE
"UPPER WOTTON"
HANTS
1911

9 am
6 JAN 1912
245 ft

Date	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
1.												.04	1
2.											.20	.21	2
3.	.05											.12	3
4.		.04	.08								.20	.53	4
5.	.36										.14	.65	5
6.			.14								.03		6
7.	.04										.30		7
8.	.08		.21								.23	.37	8
9.	.09										.03	.37	9
10.		.15	.16									.89	10
11.			.07								1.04		11
12.			.50								.31	.10	12
13.												.54	13
14.		.02	.07									.45	14
15.		.03									.22	.05	15
16.		.02				.30					.42	.49	16
17.						.10					.29	.64	17
18.			.11	.01		.31		.32	.11	.28	.70	.18	18
19.					.03	.48			.09	.10	.27	.19	19
20.		.05	.04				.06	.24	.02		.70	.20	20
21.		.35					1.60		.75		.10	.21	21
22.	.07	.15	.25			.08	.01		.08		.55	.22	22
23.		.23	.09			.39		.11	(.01)	.25	.23		23
24.		.18		.08		.22			.66	.13	.24		24
25.	.03	.03		.82	.11		.06	.06	.02	.02	.25		25
26.		.04	.24	.05			.10	.12	.05	.26	.26		26
27.		.35	(.29)	.24			.03	.12		.24	.27		27
28.		.24		.32					.10	.01	.28		28
29.			.27		.23	.01		.18	.31	.01	.29		29
30.			.01	.12	.05				.24	.01	.02	.30	30
31.									.08		.01	.31	31
	.72	1.88	2.04	1.53	2.16	2.27	.01	2.00	1.55	3.11	3.97	.84	1
	7	14	13	12	9	10	1	9	7	15	19	.27	2

Height of Rain gauge above
ground 1 ft 4.5 in

W. Roberts Thomson
Upper Wotton
Basingstoke

Wm Roberts Thomson

Rainfall for year 29.65
Rain fell on 143 days

made

with you

Rega

Upper Wootton. Bar.

6 JAN 1912

9 am

6 JAN 1912
200 ft

Date	Jan	Feb	Inch
1.			.03
2.			
3.	.05		
4.		.04	.08
5.	.36		
6.			.14
7.	.04		
8.	.08		.21
9.	.09		
10.		.15	.16
11.			.07
12.			.50
13.			
14.		.02	.07
15.		.03	
16.		.02	
17.			
18.			.11
19.			
20.		.05	.04
21.		.35	
22.	.07	.15	.25
23.		.23	.09
24.		.18	
25.	.03	.03	
26.		.04	
27.		.35	
28.		.24	
29.			
30.			
31.			
	.72	1.88	2.04
	7	14	13

nearest Ry. Station

Distance 3 miles

Direction S by W

Height of Rain gauge above ground 1 ft 4.5 in

W. Roberts Thomson

Upper Wootton

Basingstoke

Nov	Dec	Jan
	.04	1
.20	.21	2
	.12	3
.20	.53	4
.14	.65	5
.03		6
.30		7
.23	.37	8
.03	.37	9
	.89	10
1.04		11
.31	.10	12
	.54	13
	.45	14
.22	.05	15
.42	.49	16
.29	.64	17
.32	.11	.28
.09	.10	.27
.06	.24	.02
1.60	.75	.10
.01	.08	.55
	.11	.25
	.66	.13
.06	.06	.02
.10	.12	.05
.03	.12	.24
	.18	.31
.24	.01	.02
.08		.01
2.00	1.55	3.11
2.27	.01	2.00
.01	2.00	1.55
9	7	15
10	1	9
12	.05	.24
13	.01	.08
14	.01	.01
15	.01	.01
16	.01	.01
17	.01	.01
18	.01	.01
19	.01	.01
20	.01	.01
21	.01	.01
22	.01	.01
23	.01	.01
24	.01	.01
25	.01	.01
26	.01	.01
27	.01	.01
28	.01	.01
29	.01	.01
30	.01	.01
31	.01	.01
1.53	2.16	2.27
12	9	10
13	1	9
14	1	9
15	1	9
16	1	9
17	1	9
18	1	9
19	1	9
20	1	9
21	1	9
22	1	9
23	1	9
24	1	9
25	1	9
26	1	9
27	1	9
28	1	9
29	1	9
30	1	9
31	1	9
1.53	2.16	2.27
12	9	10
13	1	9
14	1	9
15	1	9
16	1	9
17	1	9
18	1	9
19	1	9
20	1	9
21	1	9
22	1	9
23	1	9
24	1	9
25	1	9
26	1	9
27	1	9
28	1	9
29	1	9
30	1	9
31	1	9

Wm Roberts Thomson

Rainfall for year 29.65
Rain fell on 143 days

made

copy from

Register of Rainfall in 1911

Upper Wootton. Basingstoke

Diameter of Lip 5 in
Sea Level 500 ft

9 am

6 JAN 1912

date	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	date
1.			.03	.21				.01				.04	1
2.				.12	.22						.20	.21	2
3.	.05				.26			.04				.12	3
4.		.04	.08								.20	.53	4
5.	.36							.09		.38	.14	.65	5
6.			.14	.02							.03		6
7.	.04									.21	.30		7
8.	.08		.21	.02							.23	.37	8
9.	.09			.02							.03	.37	9
10.		.15	.16		.42							.89	10
11.			.07		0.01						1.04		11
12.			.50								.31	.10	12
13.									.52	.02		.54	13
14.		.02	.07		.23							.45	14
15.		.03								.02	.22	.05	15
16.		.02				.30					.42	.49	16
17.						.10					.29	.64	17
18.			.11	.01		.31			.32	.11	.28	.70	18
19.					.03	.48				.09	.10	.27	19
20.		.05	.04					.06	.24	.02		.70	20
21.		.35						1.60		.75		.10	21
22.	.07	.15	.25			.08		.01		.08		.55	22
23.		.23	.09			.39			.11		(.01)	.25	23
24.		.18		.08		.22				.66		.13	24
25.	.03	.03			.82	.11		.06	.06	.02		.02	25
26.		.04		.24	.05			.10		.12	.05	.26	26
27.		.35	(.29)	.24				.03	.12			.24	27
28.		.24		.32							.18	.01	28
29.				.27		.23	.01		.18	.31	.01		29
30.				.01	.12	.05				.24	.01	.02	30
31.										.08		.01	31
	.72	1.88	2.04	1.53	2.16	2.27	.01	2.00	1.55	3.11	3.97	8.41	
	7	14	13	12	9	10	1	9	7	15	19	27	

Wm Roberts Thomson

Rainfall for year 29.65
Rain fell on 143 days

R

BASINGSTOKE

Kept at Basingstoke

W. W.

in the County of Hants

HANTS

by E. Phipps, A.M.

1911-1920

FORM A2.
BRITISH RAINFALL.
6-JAN-1912

in.

and — ft. 6 in.

Level 320 ft.

at Basingstoke

elevation 1200 Direction E.

result entered to the

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	.20	—	—	—	—	—	—	—	.02	1
2	.03	—	—	.13	.17	—	—	—	—	—	.22	.16	2
3	—	.01	—	—	.19	—	—	—	—	—	.09	.14	3
4	.03	.02	.08	.02	—	—	—	—	—	.13	.22	.47	4
5	.02	—	—	.02	—	—	—	.04	—	.14	.17	—	5
6	.02	—	.13	—	—	—	—	—	—	—	.07	.58	6
7	.02	—	—	.01	—	—	—	—	—	.30	.36	.05	7
8	.09	—	.21	—	—	—	—	—	—	—	.20	.37	8
9	.09	—	—	—	—	—	—	—	—	—	.02	.19	9
10	.02	.15	.16	—	.40	—	—	—	—	—	—	.82	10
11	.39	—	—	.03	.22	—	—	—	—	—	.85	.02	11
12	—	—	.49	—	.01	—	—	—	—	—	.25	.04	12
13	—	—	.06	—	.14	—	—	—	.37	.04	—	.54	13
14	—	.03	—	—	.17	—	—	—	—	.02	—	.46	14
15	—	.01	.07	—	—	—	—	—	—	.02	.15	.04	15
16	—	.01	—	.02	—	—	—	—	—	—	.36	.16	16
17	—	—	—	—	—	.20	—	—	—	—	.40	.56	17
18	—	.17	.14	—	.04	.18	—	—	—	.05	.33	.54	18
19	—	—	—	—	—	.45	—	—	.16	.09	.10	.18	19
20	—	.06	.06	—	—	—	—	—	.18	.05	—	.62	20
21	.02	.13	—	—	—	—	—	.80	—	.44	—	.09	21
22	.04	—	.33	—	—	.03	—	—	—	.38	—	.42	22
23	—	.17	—	—	—	.16	—	.01	.17	—	.05	.16	23
24	.61	.16	—	—	—	.22	—	—	—	.87	—	.14	24
25	.03	.01	—	.09	.48	.11	—	—	.05	—	—	.03	25
26	—	.02	.03	.23	.03	.01	—	.04	—	.10	—	.23	26
27	—	.27	.26	.13	—	—	.02	.05	.11	—	.05	.18	27
28	—	.18	—	.27	—	—	—	—	—	—	—	—	28
29	—	—	—	.22	—	.25	—	—	.16	.24	.02	—	29
30	—	—	—	—	.02	.04	—	—	—	.30	—	—	30
31	—	—	—	—	—	—	—	—	—	.06	—	—	31
Total	1.12	1.40	2.02	1.37	1.87	1.65	.02	.94	1.20	3.23	3.91	7.21	TOTAL for year
No. of Rain Days.	14	15	12	12	11	10	1	5	7	16	18	26	25.94 147

Kept at Basingstoke Waterworks
in the County of Hampshire
by E. Phipps, A.M. Inst. C.E., Boro' Engineer

Pattern Symon's
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 320 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Basingstoke
Distance 1.500 Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	.20	—	—	—	—	—	—	—	.02	1
2	.03	—	—	.13	.17	—	—	—	—	—	.22	.16	2
3	—	.01	—	—	.19	—	—	—	—	—	.09	.14	3
4	.03	.02	.08	.02	—	—	—	—	—	.13	.22	.47	4
5	.02	—	—	.02	—	—	—	.04	—	.14	.17	—	5
6	.02	—	.13	—	—	—	—	—	—	—	.07	.58	6
7	.02	—	—	.01	—	—	—	—	—	.30	.36	.05	7
8	.09	—	.21	—	—	—	—	—	—	—	.20	.37	8
9	.09	—	—	—	—	—	—	—	—	—	.02	.19	9
10	.02	.15	.16	—	.40	—	—	—	—	—	—	.82	10
11	.39	—	—	.03	.22	—	—	—	—	—	.85	.02	11
12	—	—	.49	—	.01	—	—	—	—	—	.25	.04	12
13	—	—	.06	—	.14	—	—	—	.37	.04	—	.54	13
14	—	.03	—	—	.17	—	—	—	—	.02	—	.46	14
15	—	.01	.07	—	—	—	—	—	—	.02	.15	.04	15
16	—	.01	—	.02	—	—	—	—	—	—	.36	.16	16
17	—	—	—	—	—	.20	—	—	—	—	.40	.56	17
18	—	.17	.14	—	.04	.18	—	—	—	.05	.33	.54	18
19	—	—	—	—	—	.45	—	—	.16	.09	.10	.18	19
20	—	.06	.06	—	—	—	—	—	.18	.05	—	.62	20
21	.02	.13	—	—	—	—	—	.80	—	.44	—	.09	21
22	.04	—	.33	—	—	.03	—	—	—	.38	—	.42	22
23	—	.17	—	—	—	.16	—	.01	.17	—	.05	.16	23
24	.01	.16	—	—	—	.22	—	—	—	.87	—	.14	24
25	.03	.01	—	.09	.48	.11	—	—	.05	—	—	.03	25
26	—	.02	.03	.23	.03	.01	—	.04	—	.10	—	.23	26
27	—	.27	.26	.13	—	—	.02	.05	.11	—	.05	.18	27
28	—	.18	—	.27	—	—	—	—	—	—	—	—	28
29	—	—	—	.22	—	.25	—	—	.16	.24	.02	—	29
30	—	—	—	—	.02	.04	—	—	—	.30	—	—	30
31	—	—	—	—	—	—	—	—	—	.06	—	—	31
Total	1.12	1.40	2.02	1.37	1.87	1.65	.02	.94	1.20	3.23	3.91	7.21	TOTAL for year
No. of Rain Days.	14	15	12	12	11	10	1	5	7	16	18	26	25.94 147

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
JAN 1913

Kept at Basingstoke Waterworks.

in the County of Hampshire.

by F. E. Shipp, A.M. Inst. C.E., Boro' Engineer.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Basingstoke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Déc.	Date.
1	—	—	·06	—	·02	·21	·20	—	·02	·50	—	·22	1
2	—	—	·11	—	—	·09	·39	·11	—	·01	—	—	2
3	·02	—	·10	—	—	·18	—	·39	—	—	—	·04	3
4	·03	—	·64	—	·14	·30	—	·03	—	—	·15	·03	4
5	·22	·06	·10	—	—	—	—	·33	—	—	—	—	5
6	·44	·07	—	—	·02	·02	—	·38	—	—	—	·10	6
7	·08	—	—	—	·06	·85	—	·06	—	—	—	·15	7
8	·26	·28	·39	·04	—	·02	·12	·16	—	—	—	·01	8
9	—	·24	·06	·06	—	·46	·01	·05	—	—	—	—	9
10	—	·10	—	—	—	·04	—	·20	—	—	·10	·55	10
11	·10	·09	—	—	—	·03	—	—	—	—	·02	·35	11
12	·04	·32	·15	—	·59	·26	·06	·11	—	—	·03	—	12
13	—	·05	—	—	—	·01	·29	·05	—	—	—	·05	13
14	·01	—	·11	—	·05	—	—	·28	—	—	—	·08	14
15	·02	·05	·10	—	·06	·42	—	—	—	—	—	·39	15
16	·14	·01	·14	—	·22	—	—	·10	—	·06	·04	—	16
17	·77	—	·18	—	—	·05	—	·30	—	—	—	—	17
18	·15	—	·34	—	—	—	—	·14	—	·03	—	·07	18
19	·03	·07	·15	—	—	—	·14	·26	—	—	—	—	19
20	·08	—	·22	—	·01	—	·05	·24	—	·47	·05	—	20
21	·08	·06	·60	—	·33	—	—	·04	—	·09	—	—	21
22	·17	·28	·06	—	·05	—	—	·17	—	—	—	·04	22
23	·34	·48	·34	—	—	—	—	·35	—	·10	·21	·16	23
24	·52	·02	—	—	—	·06	—	·14	—	—	—	·17	24
25	·19	—	—	—	—	·25	—	·70	—	·08	·21	·57	25
26	—	·06	—	—	—	—	·08	·25	—	·42	·65	·30	26
27	—	—	—	—	—	·08	·20	—	—	·40	—	·30	27
28	—	·07	—	—	—	·17	·11	·45	·14	·68	·47	·75	28
29	—	·08	—	—	—	·78	·30	·20	1·55	·12	·05	·00	29
30	—	—	—	—	·14	—	·03	·03	·90	·31	—	—	30
31	—	—	·50	—	—	—	·13	·10	—	·02	—	—	31
Total	3·60	2·39	4·35	·10	1·69	4·28	2·11	5·62	2·61	3·29	1·98	4·33	36·35
Rain Days.	20	18	19	2	12	19	14	27	4	14	11	19	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 19/3

Kept at Barnstoke Corp. Waterworks
in the County of Southampton
by F.R. Phipps, A.M. Inst. C.E., F.S.I. Bristol

Lat. 51° 16' Long. 1° 6' W.
Time of Observation 9 a.m.
Nearest Railway Station Barnstoke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 320 ft.

BRITISH RAINFALL FORM A.
21 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.27	.13	.13	—	.25	—	—	.87	—	.15	.18	1
2	.03	.12	.03	.04	—	—	.06	—	.03	.28	.12	.03	2
3	.04	—	—	.09	.56	—	—	—	—	—	—	.08	3
4	.47	—	.12	.02	.30	—	—	—	.56	.11	.04	.09	4
5	.16	.01	—	—	—	.19	.09	—	.37	—	.04	.04	5
6	—	.03	.12	—	.07	.08	.07	—	.05	.74	.05	.23	6
7	—	.25	—	—	.14	.05	.15	.02	—	.50	.10	—	7
8	—	.06	—	—	.20	.11	—	—	—	.22	—	.03	8
9	—	.09	—	.01	—	.01	—	.01	.19	—	.02	.05	9
10	.04	—	.05	.04	—	—	.28	—	—	—	.49	—	10
11	.70	—	—	.36	.31	—	—	—	—	—	.60	—	11
12	—	—	—	—	.17	—	—	—	—	—	.17	—	12
13	.07	—	.11	—	—	—	—	.02	.05	—	.20	—	13
14	.17	—	.13	.14	—	—	.62	.08	.05	.08	.07	—	14
15	.10	.11	.40	.46	—	—	.30	—	.06	—	.03	—	15
16	.14	—	.40	.13	—	.24	—	—	.02	—	.02	—	16
17	—	—	.08	.07	—	.06	.16	—	—	—	.01	.06	17
18	—	—	.25	.17	—	—	—	—	—	—	—	—	18
19	.60	—	.16	—	—	—	.16	—	—	—	.05	—	19
20	.10	—	.11	.05	—	.04	—	—	.15	.60	.06	—	20
21	—	—	.11	.06	.02	—	.07	—	—	.07	.68	—	21
22	.33	—	.33	—	—	—	—	.12	.19	.01	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	.53	23
24	—	—	—	.11	—	—	—	—	—	—	—	—	24
25	—	—	—	.17	—	—	—	—	—	—	—	—	25
26	—	—	.04	.28	—	—	—	.13	—	.49	—	.15	26
27	—	.07	.16	.09	—	—	—	—	—	.06	—	—	27
28	.16	—	.18	.27	—	—	—	—	—	.21	—	—	28
29	.04	—	.17	.81	.50	—	—	.09	—	.18	.02	.05	29
30	.46	—	—	—	—	—	—	.27	—	.26	—	—	30
31	—	—	.03	—	—	—	—	.53	—	—	—	—	31
Total	3.61	1.01	3.11	3.50	2.27	1.03	1.90	1.27	2.59	3.81	2.92	1.55	25.57
Rain Days.	16	9	20	20	9	9	10	9	12	14	19	12	159

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Basingstoke
in the County of Southampton
by S. R. Phipps

Lat. 51° 16' Long. 1° 6' W
Time of Observation 9 A.M.
Nearest Railway Station Basingstoke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 320 ft.

FORM A.
BRITISH RAINFALL
8 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.07	—	—	—	—	.19	—	—	.16	.07	1
2	.05	—	—	—	—	—	.30	.08	—	—	.23	.22	2
3	—	—	.15	.03	.24	—	.27	.15	—	—	.08	.07	3
4	.05	—	.05	.17	—	—	—	.27	—	—	.33	.44	4
5	—	—	.10	.37	.10	.04	.18	.42	—	—	.10	—	5
6	—	.14	—	.22	.01	.04	—	.05	—	—	—	.25	6
7	—	.63	.19	.12	.14	—	.22	—	—	—	—	.25	7
8	.12	.20	.77	—	.02	.08	.03	.16	—	—	—	—	8
9	.18	—	.70	.28	.01	.13	—	.04	.13	—	—	1.41	9
10	.02	.16	—	.04	.14	—	—	—	.23	—	—	—	10
11	—	.26	.48	—	.04	.03	.11	—	.05	—	.14	.33	11
12	—	.12	.10	—	—	.02	.23	—	.37	.15	—	.54	12
13	—	.34	.20	—	—	—	—	—	.15	.02	.04	.46	13
14	—	.26	.25	—	—	—	.07	.23	—	.48	.10	.29	14
15	.07	—	.12	—	—	—	.03	.20	—	—	.09	—	15
16	—	—	—	—	—	—	—	—	.09	—	—	—	16
17	.03	.68	.11	—	—	—	—	—	.03	—	—	.41	17
18	—	—	.12	—	—	—	.02	—	—	—	—	.53	18
19	—	.07	.21	—	—	—	1.16	—	—	—	.12	.16	19
20	—	.34	.34	—	—	.02	—	—	—	—	—	.15	20
21	—	.41	.10	—	—	—	—	.11	—	.14	—	.03	21
22	—	.17	—	—	.06	.06	.11	—	—	.29	—	.02	22
23	—	.40	.15	—	.04	.01	.01	—	—	.07	—	—	23
24	—	—	.04	—	.24	—	—	—	—	.03	.11	—	24
25	.06	—	.11	—	—	—	—	.10	—	.26	.02	.18	25
26	—	—	—	—	—	—	.04	.02	—	.09	.24	.45	26
27	.06	—	—	—	—	—	—	—	—	—	.05	.19	27
28	—	.05	—	—	.13	—	—	—	—	—	.42	.66	28
29	.12	X	.14	—	—	—	—	—	—	.36	.19	—	29
30	.04	X	.09	—	—	—	—	—	—	.15	.66	.52	30
31	.04	X	—	X	.04	X	.08	—	X	.09	X	.05	31
Total	.79	4.23	4.59	1.23	1.21	.43	2.86	1.82	1.05	2.13	3.08	7.68	31.10
Rain Days.	11	15	22	7	13	9	15	13	7	12	17	23	164

YEAR'S TOTAL

and J.W. REGISTER OF RAINFALL IN 1915

Kept at Basinstoke Waterworks
in the County of Amto
by 7 Reginald Shippo

Lat. 51° 16' Long. 1° 6' W.
Time of Observation 9 a.m.
Nearest Railway Station Basinstoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 320 ft.

829
FORM A.
BRITISH RAINFALL
2-FEB-1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.59	.13	.11	—	.10	—	—	.09	.24	.12	.05	.31	1
2	.18	.22	.07	.07	—	.02	—	1.14	.07	.13	—	.19	2
3	.88	—	.09	.11	.07	—	—	.02	—	—	—	.33	3
4	.05	—	—	—	—	—	—	.22	—	—	—	.28	4
5	.04	.67	—	—	—	—	—	.01	—	—	—	.33	5
6	.41	.10	—	.33	—	—	.47	.01	—	—	—	.24	6
7	.21	.33	.05	—	.13	—	.29	.01	—	—	—	.27	7
8	.05	.59	—	—	—	—	.15	.06	—	—	—	—	8
9	.07	.02	—	.18	—	—	—	.09	—	—	.35	.75	9
10	.16	—	—	—	—	—	—	—	—	—	—	.18	10
11	.04	—	—	—	—	—	.01	.08	—	—	.64	—	11
12	.03	.17	—	.31	.41	—	—	.26	—	.02	.30	.07	12
13	.08	.68	—	—	1.52	—	—	—	.03	—	—	—	13
14	.04	.02	—	—	—	—	.58	.11	.01	—	—	.90	14
15	.09	—	—	—	.07	—	.07	.10	.01	—	.12	.17	15
16	—	.56	—	—	.20	—	.82	—	—	—	—	.49	16
17	—	.36	—	—	1.50	—	—	.06	—	—	—	—	17
18	—	.36	.12	—	.16	—	—	—	—	—	—	.02	18
19	—	—	—	—	.03	—	.10	—	—	—	—	—	19
20	.19	—	—	.04	—	—	—	—	—	—	—	.15	20
21	.09	.10	—	—	.23	—	.07	—	—	.02	—	.08	21
22	.55	.46	.29	.02	—	—	.82	—	—	—	—	.20	22
23	.02	.06	.04	—	—	.06	.27	—	.16	.20	—	.16	23
24	.02	—	.03	—	—	—	.19	—	1.38	.25	—	.47	24
25	—	—	—	.03	—	.23	.42	—	.04	—	—	.15	25
26	—	.05	—	—	—	.05	.17	—	—	—	—	.66	26
27	—	.08	—	—	—	.26	—	—	.13	.46	—	.06	27
28	—	.08	—	—	—	.11	—	—	1.50	.03	—	—	28
29	—	~~.11~~	—	—	—	—	.28	.12	—	—	.15	.04	29
30	.09	~~.11~~	—	—	—	—	—	—	—	.30	.74	.12	30
31	—	~~.11~~	—	~~.11~~	—	~~.11~~	—	—	~~.11~~	1.61	~~.11~~	.35	31
Total	3.88	4.84	.90	1.09	4.42	.73	4.71	2.38	3.57	3.14	2.35	6.97	38.98
Rain Days.	21	19	8	8	11	6	15	15	10	10	7	25	155

REGISTER OF RAINFALL IN 19 16

Kept at BASINGSTOKE WATER WORKS

in the County of HAMPSHIRE

by F. Reginald Phipps

Lat. 51-16.N Long. 1-6 W.

Time of Observation 9 a.m.

Nearest Railway Station Basingstoke

Diameter of Funnel of Rain Gauge 5 ins. in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.02	.02	-	.11	.03	-	-	.37	.14	.46	-	1
2	.29	.04	.13	.19	-	.40	-	-	.03	.69	.05	-	2
3	.04	.16	1.16	.10	-	.02	-	-	.06	.43	.27	-	3
4	.02	.11	-	-	-	.41	-	-	.18	.02	.32	-	4
5	-	-	-	-	.17	.11	-	-	-	.05	.67	-	5
6	.05	.14	.11	.03	.05	.04	.80	-	-	.09	.55	-	6
7	-	-	.46	-	.14	-	.34	-	-	.09	.76	.04	7
8	.05	-	.02	-	.16	.13	-	-	-	-	-	.26	8
9	-	-	.02	-	.09	.02	-	-	-	.14	-	.17	9
10	.09	.30	.07	.05	-	.25	-	-	-	.01	-	.03	10
11	.06	-	.06	.07	-	.04	-	-	-	-	-	.06	11
12	-	.09	-	.03	.10	.10	.09	.06	-	.04	-	-	12
13	-	.28	.13	.12	-	-	-	.21	.04	.01	-	-	13
14	-	.34	.04	-	.02	-	-	.15	-	.10	-	.05	14
15	.03	.25	.39	-	-	-	-	.54	-	.02	-	-	15
16	.26	.04	.42	.13	-	-	.19	.82	-	-	-	-	16
17	-	.19	-	-	-	-	.01	.15	.34	.40	-	-	17
18	.10	.10	.05	.02	-	-	-	.03	.18	.02	.46	.08	18
19	.11	-	.05	.38	-	.06	-	-	.12	-	.30	.05	19
20	-	-	.49	-	-	-	-	-	-	-	.01	.90	20
21	-	-	.34	-	-	-	-	-	-	-	-	.24	21
22	.03	-	.02	-	.07	-	-	-	-	.24	-	.47	22
23	-	.16	-	-	-	.05	-	.03	-	.02	.06	.03	23
24	-	.05	-	-	.13	.08	-	.04	-	.30	.05	.28	24
25	-	1.15	.13	-	-	-	-	.13	.21	.04	.15	.06	25
26	.03	-	.09	-	-	.19	-	.24	.17	.28	-	-	26
27	-	-	1.12	-	-	-	-	.19	.02	.66	-	-	27
28	-	.55	.22	-	-	.04	-	.06	.15	.08	.02	.17	28
29	-	.23	-	-	-	.31	-	1.65	.06	.39	.01	.24	29
30	-	X	-	-	-	-	-	.07	-	.39	-	.01	30
31	-	X	-	X	-	X	-	.08	X	.17	X	.04	31
Total	1.45	5.29	4.54	.83	1.46	1.86	1.43	4.45	1.93	4.82	4.14	3.18	35.38
Rain Days.	15	18	22	8	12	15	5	16	13	25	15	18	182

YEARS TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Basingstoke
in the County of Hampshire
by W. A. D. M. (Acting Borough Surveyor)

Lat. 51-16 Long. 1-6 W.
Time of Observation 9 a.m.
Nearest Railway Station Basingstoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 320 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07	.12	.26	—	.01	—	1.16	.06	—	.05	—	1
2		—	—	.45	—	.16	—	—	—	—	.08	—	2
3	.25	—	—	.02	—	—	.95	.31	—	.28	—	—	3
4		.14	.07	—	—	—	—	.11	—	.26	—	.04	4
5		—	.04	.38	—	.01	—	—	.10	.44	.11	—	5
6	—	—	.20	.03	—	.04	—	—	.08	.03	.05	—	6
7	.21	—	—	—	—	—	.13	—	—	.20	—	.09	7
8	.14	—	—	.06	—	—	.48	.07	.19	.24	.16	.45	8
9	—	—	.10	—	.03	—	.13	.20	.13	—	.04	.03	9
10	.15	—	.19	.28	.03	—	—	.15	—	—	—	—	10
11	.11	—	.43	.11	—	—	—	—	.64	.22	—	—	11
12	.08	—	.04	.05	—	—	—	.11	—	.59	—	.02	12
13	.05	—	.09	.03	—	—	—	.16	.04	.02	—	.01	13
14	—	—	—	.10	—	—	—	.05	—	—	—	—	14
15	—	—	—	—	.08	—	.16	.15	—	.08	—	.04	15
16	—	.17	—	.08	.04	—	.02	.05	—	.88	—	.50	16
17	—	—	—	.16	.19	.02	.34	.16	.53	.32	—	—	17
18	.04	.04	—	.02	—	.15	.17	.09	.42	.02	—	—	18
19	.03	.15	.16	—	—	.02	—	—	.35	—	—	—	19
20	—	.09	.12	—	.59	—	—	.01	.02	—	—	—	20
21	—	—	.13	—	—	.18	—	—	—	.03	—	—	21
22	—	—	.03	—	—	—	—	.10	—	.06	—	—	22
23	—	.16	—	—	.09	.04	—	.12	—	.01	.04	—	23
24	—	.04	—	—	—	.03	.03	—	—	.22	.02	—	24
25	—	.07	.07	—	—	—	—	—	.02	.02	—	—	25
26	—	—	—	—	—	—	—	.28	.08	—	.08	—	26
27	—	—	—	—	.70	—	—	.85	—	—	—	—	27
28	—	—	.05	—	—	1.69	—	.18	—	—	—	—	28
29	—	.12	.03	—	.02	.12	.70	.01	—	.34	—	—	29
30	—	X	.13	—	—	—	1.36	.11	—	.06	.02	—	30
31	—	X	.07	X	—	X	.14	.02	X	.02	X	—	31
Total	1.06	.93	.207	2.03	1.77	2.47	4.61	4.45	2.66	4.34	.63	1.16	25.23
Rain Days.	12	9	15	14	9	12	12	22	13	21	10	5	160

REGISTER OF RAINFALL IN 1918.

Kept at BASINGSTOKE.

in the County of HAMPSHIRE.

by W. A. DRUMMOND.
(Acting Borough Surveyor)

Lat. 51.16. Long. 1.6.W.

Time of Observation 9 a.m.

Nearest Railway Station Basingstoke.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
-

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.02	-	.02	-	-	-	.04	-	-	.72	.10	1
2	-	.04	-	.09	-	-	-	.55	.01	.02	.22	.25	2
3	-	.01	.06	.37	.24	-	-	.06	.02	.03	.18	.02	3
4	-	.13	.04	-	-	-	-	.02	.41	-	.88	.03	4
5	-	.11	.02	-	.19	-	-	.08	.02	.15	-	-	5
6	.22	.15	-	.44	.02	-	-	-	.01	-	-	.09	6
7	-	.17	-	.08	.36	-	-	.03	.32	.08	.25	.03	7
8	.02	.15	-	-	-	-	-	-	.22	.07	.04	-	8
9	-	.06	-	.12	-	.15	.30	-	.41	.21	-	.36	9
10	-	-	-	.15	-	.08	.55	-	.09	.08	-	.48	10
11	-	-	-	.01	-	-	.23	-	.07	.22	.09	.04	11
12	-	.06	-	-	.17	-	.08	-	.02	-	-	-	12
13	-	.02	-	-	.21	-	.14	-	.31	.04	-	-	13
14	.24	-	-	-	-	.15	.04	-	.25	.17	-	.32	14
15	1.44	-	-	-	-	.07	.09	-	-	-	-	.14	15
16	-	-	-	1.26	-	-	-	-	.42	-	-	-	16
17	.64	-	-	.19	-	-	1.44	-	.02	-	-	.24	17
18	.84	-	-	-	-	.26	.16	-	.36	-	-	.10	18
19	.10	-	.11	.03	-	.01	.21	-	.02	-	-	.05	19
20	.07	.14	-	.44	-	.04	.35	-	.17	.16	-	-	20
21	.11	.10	-	.02	-	.01	-	-	.66	.02	-	.04	21
22	.07	.01	-	-	.05	-	.33	-	.17	-	-	.22	22
23	.12	-	-	-	.13	-	.55	.03	-	-	-	-	23
24	-	.35	-	-	-	.06	.26	-	.11	-	.19	-	24
25	-	-	-	-	-	-	.35	.35	-	-	-	-	25
26	-	-	-	-	-	-	.63	-	.02	.02	-	.13	26
27	-	.07	.06	-	-	-	.12	.21	.09	-	.06	.03	27
28	-	-	.24	.07	-	-	-	-	-	-	.13	.05	28
29	-	X	.02	-	-	-	-	-	1.22	-	-	.04	29
30	-	X	.31	-	-	-	-	.04	.04	-	-	.07	30
31	-	X	.07	X	-	X	-	-	X	.18	X	-	31
Total	3.07	1.59	.93	3.29	1.37	.83	5.83	1.41	5.46	1.45	2.76	2.83	31.62
Rain Days.	11	16	9	14	8	9	17	10	25	14	10	21	164

REGISTER OF RAINFALL IN 1919.

Kept at Basingstoke.

in the County of Hampshire.

by F. Reginald Phipps.

Lat 51. 16'. Long 1. 6. W.

Time of Observation 9 a.m.

Nearest Railway Station Basingstoke.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 6 in.

Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	-	.04	-	.05	.03	.20	-	-	-	.05	1.30	1
2	.28	-	-	-	.04	-	.02	-	-	.08	.06	.06	2
3	.40	-	.37	-	.01	-	.04	-	-	-	.02	.10	3
4	.10	-	.52	-	-	.06	.07	.06	-	-	.07	-	4
5	-	-	.65	-	-	-	.05	-	-	-	.06	.12	5
6	.31	-	.08	.03	.07	-	-	-	-	-	-	.37	6
7	.06	-	.57	-	-	-	-	-	-	-	.04	-	7
8	-	-	.11	-	.05	-	-	-	-	-	-	-	8
9	.31	-	.02	.04	.03	-	-	-	-	-	.10	-	9
10	.16	-	.34	.06	-	-	-	-	-	-	-	.15	10
11	.08	-	.07	.30	.06	-	.21	-	-	-	-	.09	11
12	-	-	.09	-	-	.03	.14	-	-	.09	-	-	12
13	.05	-	-	.50	-	-	-	-	-	-	-	.03	13
14	.39	-	-	.46	-	-	.16	-	1.23	-	-	.04	14
15	.47	-	.04	-	-	-	-	-	-	-	-	1.09	15
16	.04	.26	-	-	-	-	-	-	-	-	.12	-	16
17	-	-	-	-	-	-	-	-	-	-	.21	-	17
18	-	.39	.23	-	-	-	-	-	.01	-	.07	.05	18
19	.25	.14	.65	-	-	.15	.21	-	-	-	.12	.02	19
20	.35	.05	.20	-	-	.40	.01	-	-	-	-	.08	20
21	-	.41	-	-	-	.02	.01	-	-	-	-	.08	21
22	-	.03	-	-	-	-	.19	-	.14	-	.01	.33	22
23	-	-	-	-	-	.03	-	-	-	.15	.05	.07	23
24	-	-	-	-	-	.05	-	-	-	.48	.09	.19	24
25	-	.06	-	-	-	-	-	-	-	.01	-	.04	25
26	-	.36	.11	.10	-	-	-	-	.09	-	-	.39	26
27	-	-	-	.47	-	-	-	-	-	-	-	.03	27
28	-	-	.41	-	-	-	-	-	-	-	.13	.29	28
29	-	-	.42	-	-	.02	-	-	-	.15	.06	.07	29
30	-	X	-	.25	-	.10	-	-	-	.02	.46	.61	30
31	-	X	.06	X	-	X	.03	-	X	-	X	.07	31
TOTAL	3.69	1.70	4.98	2.21	.31	.89	1.34	(2.68)	(2.22)	.98	1.72	5.67	YEAR'S TOTAL
Days with "01 in. or more	15	8	19	9	7	10	13	(12)	(6)	7	17	24	(47)

REGISTER OF RAINFALL IN 1920.

Kept at Basingstoke Waterworks
in the County of Hampshire
by S. S. Drew

Lat. 51° 16' N Long. 1° 6' W
Time of Observation 9 a.m.
Nearest Railway Station Basingstoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 6 in.
" " " " Sea Level 320 ft.

18 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(.07)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.07	-	.08	.05	-	.08	-	-	.14	.91	.23	1
2	.03	-	-	.60	.19	-	.28	-	-	.42	.02	.28	2
3	.03	-	.02	.08	-	-	.40	.79	.09	.12	-	.11	3
4	-	.13	-	.04	-	-	.09	-	.01	.35	-	.02	4
5	.02	.05	-	.06	-	-	.51	.11	-	.26	-	.02	5
6	-	-	.13	.10	-	-	.73	.13	-	.23	-	.09	6
7	-	-	.26	-	.17	-	.41	-	-	.04	-	-	7
8	.05	-	-	.12	-	-	.37	-	-	-	-	-	8
9	-	.02	-	.13	.14	-	.46	.06	-	-	-	-	9
10	.30	.03	-	.05	-	.03	-	-	-	-	-	-	10
11	.58	.19	.09	.02	-	.15	.15	-	-	.01	.01	-	11
12	.31	.02	.07	.22	.05	-	.22	-	-	-	-	-	12
13	.05	.04	.02	.28	-	.63	.02	-	-	-	-	-	13
14	.18	.03	.19	.22	-	-	-	-	-	-	.03	-	14
15	.02	.01	.36	.37	-	.02	.02	-	.20	.06	.54	.05	15
16	.04	.03	.06	.26	.08	.07	.04	-	.24	.07	.09	-	16
17	-	-	.02	.23	-	-	-	-	.07	.02	-	-	17
18	.02	-	-	-	.25	.01	.04	-	.32	-	-	.02	18
19	.11	-	-	-	.04	-	.02	.52	.15	-	-	.03	19
20	.08	-	-	.33	-	.03	-	-	-	-	-	.07	20
21	.04	.17	-	.24	-	.41	-	-	-	-	.01	.14	21
22	-	-	-	.02	-	-	.45	-	.25	-	-	.39	22
23	.02	-	-	.19	-	-	-	-	.11	-	-	-	23
24	-	-	-	-	-	-	.50	.12	-	-	-	.29	24
25	.05	-	.16	-	-	-	-	-	-	-	-	.10	25
26	.02	-	.15	-	-	-	.25	-	-	-	-	-	26
27	.19	-	.22	.02	-	-	.11	-	-	-	-	.10	27
28	.48	.03	-	.21	-	.10	.04	-	-	-	.40	.25	28
29	.44	-	.02	.02	.41	-	.12	-	-	-	-	.03	29
30	.48	~~X~~	.08	~~X~~	.08	-	-	-	-	-	.13	.25	30
31	.06	~~X~~	-	~~X~~	.06	~~X~~	.18	-	~~X~~	-	~~X~~	.25	31
TOTAL	3.61	.82	1.85	3.89	1.52	1.45	5.49	1.73	4.44	1.72	2.14	2.72	28.44
Days with .01 in. or more	24	7	12	23	10	10	23	6	10	11	9	19	44
Days with .04 in. or more	17	5	12	19	11	6	20	6	9	9	5	14	31



J. H. DREW, M. INST. C. E. I.,
M. INST. M. & C. Y. E.,
M. R. SAN. I.

BOROUGH SURVEYOR
AND
WATERWORKS ENGINEER.

*Borough Surveyor's Office,
Town Hall, Basingstoke.*

March 5th. 1921.

Dear Sir,

Rainfall at Basingstoke Waterworks 1920.

I thank you for your letter of the 4th. inst.
and agree your correction.

Yours faithfully.

Borough Surveyor &c.

The Superintendent,
British Rainfall Organization,
62 Camden Square,
London. N.W.1.

REG

BASING PARK GDNS.

FORM A.
BRITISH RAINFALL
13 JAN 1915Kept at Basing Parkin the County of Hantsby Thomas S. H.

HANTS

1914

in.

und ft. in.

Level ft.

result entered to the

IMPORTANT NOTE

previous day. If an Observer is unable to observe on the day specified, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			7					14				13	1
2	1						4	4				28	2
3			12	2				8				17	3
4			8	31	55		4	20				27	4
5	21		10	53	7		7	30					5
6	2	20½	26	15	18		13½	11				62	6
7		124	57	8½	5	3	32	4				19	7
8		35	86	18	12	15		48					8
9	1	1	58	4	1	6						227	9
10		36	15½	9½	23								10
11	20	70½							31			74	11
12	8	19				2	85		48				12
13		74	30				10		27				13
14		64	29			49	7		2		70	141	14
15			23				1	48					15
16										93	22		16
17		97	9									76	17
18		2	19									52	18
19		13	67				19½				20	31	19
20		49	39									32	20
21		70	10			1		12					21
22		4	1		9	2				31			22
23		48½	17			2		5		33			23
24			10							2			24
25	9		12½					35		42	30	36	25
26										14	31	69	26
27	5										12	41	27
28	7	9	3		9½		19			7	100	76	28
29	34		24							40	11		29
30	2	X	16½		6		2			20	77	91	30
31	10	X		X	4	X	30		X		X	29	31
Total	120	736½	590½	141	149½	80	236	239	108	282	373	1149	4196½
Rain Days.	12	17	25	8	11	8	13	12	4	9	9	19	146

REGISTER OF RAINFALL IN 1915

Kept at Basing Park Gardens
 in the County of Alton **5**
 by Thomas S. H. Down

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			7					14				13	1
2	1						4	4				28	2
3			12	2				8				17	3
4			8	31	55		4	20				27	4
5	21		10	53	7		7	30					5
6	2	20½	26	15	18		13½	11				62	6
7		124	57	8½	5	3	32	4				19	7
8		35	86	18	12	15		48					8
9	1	1	58	4	1	6						227	9
10		36	15½	9½	23								10
11	20	70½							31			74	11
12	8	19				2	85		48				12
13		74	30				10		27				13
14		64	29			49	7		2		70	141	14
15			23				1	48					15
16										93	22		16
17		97	9									76	17
18		2	19									52	18
19		13	67				19½				20	31	19
20		49	39									32	20
21		70	10			1		12					21
22		4	1		9	2				31			22
23		48½	17			2		5		33			23
24			10							2			24
25	9		12½					35		42	30	36	25
26										14	31	69	26
27	5										12	41	27
28	7	9	3		9½		19			7	100	76	28
29	34		24							40	11		29
30	2	X	16½		6		2			20	77	91	30
31	10	X		X	4	X	30		X		X	29	31
Total	120	73½ 7365	590½ 5905	141	149½	80	236	239	108	282	373	1149 1141	4496½ 4496
Rain Days.	12	17	25	8	11	8	13	12	4	9	9	19	146

13 JAN 1915

Basing Park Gardens
Alton

Hants

Jan 11. 1915

To Dr H.R. Mill.

Dear Sir

I am not quite certain that all 93 points of
rain fell on the 16th of Oct & the readings for
March should be 6th °1 7th °26. 8th °5-7
9th °86. 10th °58. 12th °15½

Your obedient servant

Thomas S. H. Down

BISHOPS WALTHAM

THE PALACE HSE

HANTS

1911 - 20

FORM A2.
BRITISH RAINFALL.
11 JUN 1912

Sept at The Palace
in the County of Bis
by Arthur F.H.

in.
nd 1 ft. 3 in.
Level 116 ft.
Bishops Waltham
nce 1/4 mile Direction North
result entered to the

IMPORTANT NOTE.
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.03	-	-	-	.08	1
2								-	-	-	.16	.23	2
3								.07	-	-	.25	.14	3
4								-	-		-	.41	4
5								.04	-		.22	-	5
6								-	-			1.10	6
7								-	-	.41		.10	7
8								-	-		1.65	.90	8
9								-	-			.22	9
10								-	-			.80	10
11								-	-	-		-	11
12								-	-	-	.10	.15	12
13								-	-	-	-	.65	13
14								-	.18	-	-	.50	14
15								-	-	-	.15	-	15
16								-	-	-	.50	.35	16
17								-	-	-	.51	.47	17
18								-	-	.05	.42	.64	18
19								-	.33	.19	-	-	19
20								-	-	-	-	.87	20
21								.06	.11	.83	-	.15	21
22								-	-	.42	-	.50	22
23								-	-	.27	-	.35	23
24								.06	.15	1.15	-	.36	24
25								.08	.05	.02	-	.16	25
26								-	-	.28	-	.37	26
27								-	-	.18	.15	.19	27
28								.22	.09	-	-	-	28
29								-	-	-	-	-	29
30								.10	.16	.35	-	-	30
31								-	-	-	-	-	31
Total								.66	1.07	4.21	4.11	9.69	TOTAL for year
No. of Rain Days.								8	7			23	

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
11 JUN 1912

Sept at The Palace House
Bishop's Waltham
in the County of Hants
by Arthur Hardy

Pattern Howard
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 116 ft.
Time of Observation 8.30 am
Nearest Railway Station { Name Bishop's Waltham
Distance 1/4 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.03	—	—	—	.08	1
2								—	—	—	.16	.23	2
3								.07	—	—	.25	.14	3
4								—	—		—	.41	4
5								.04	—		.22	—	5
6								—	—			1.70	6
7								—	—			.10	7
8								—	—			.90	8
9								—	—			.22	9
10								—	—			.80	10
11								—	—			—	11
12								—	—		.10	.15	12
13								—	—		—	.65	13
14								—	.18	—	—	.50	14
15								—	—		.15	—	15
16								—	—		.50	.35	16
17								—	—		.51	.47	17
18								—	—	.05	.42	.64	18
19								—	.33	.19	—	—	19
20								—	—	—	—	.87	20
21								.06	.11	.83	—	.15	21
22								—	—	.42	—	.50	22
23								—	—	.27	—	.35	23
24								.06	.15	1.15	—	.36	24
25								.08	.05	.02	—	.16	25
26								—	—	.28	—	.37	26
27								—	—	.18	.15	.19	27
28								.22	.09	—	—	—	28
29								—	—	—	—	—	29
30								.10	.16	.35	—	—	30
31								—	—	—	—	—	31
Total								.66	1.07	4.26	4.11	9.69	TOTAL for year
No. of Rain Days.								8	7			23	

✓ *W.F.C. and for anthe 6.11.13*
REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
8-JAN-1913

Kept at *Bishops Waltham*
in the County of *Hampshire* 5
by *Arthur F Hardy Esq*

Pattern ✓
RAIN GAUGE { Diameter of top *5* in.
Height of top above Ground *1* ft. *3* in.
" " " Sea Level *116* ft.
Time of Observation *8.30 am*
Nearest Railway Station { Name *Bishops Waltham*
Distance *1/4 mi* Direction *N*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.15	—	.05	.30	.07	—	.02	.75	—	.33	1
2	—	—	.18	—	—	.04	.41	.06	—	—	—	—	2
3	.03	—	.07	—	—	.33	—	.64	.01	—	.02	—	3
4	.15	—	.76	—	—	.20	—	.08	—	—	.14	—	4
5	.30	.12	.25	—	—	—	—	.54	—	—	.05	—	5
6	.55	.13	.02	—	.07	—	.03	.25	.01	—	—	—	6
7	—	—	—	—	.27	1.30	—	.18	—	—	—	.04	7
8	.53	.36	.38	—	—	.13	—	.06	—	—	—	.14	8
9	—	.27	.10	.04	—	.08	.03	.15	—	—	—	.02	9
10	—	.08	—	—	—	—	—	.20	—	—	.05	.30	10
11	.10	.20	—	—	—	—	—	.01	—	—	.01	.34	11
12	.02	.15	.10	—	.25	.49	.06	.18	—	.01	—	.37	12
13	—	.05	.06	—	—	—	.02	.25	—	—	.06	.06	13
14	.07	—	.05	—	.03	—	—	.17	—	.04	—	—	14
15	—	.10	.19	—	—	.54	—	—	—	—	—	.35	15
16	.10	—	.21	—	.05	.06	—	.23	—	.10	.03	—	16
17	.72	—	.13	—	—	.08	—	.31	—	—	—	.22	17
18	.05	—	.26	—	—	—	—	.17	—	.04	—	.06	18
19	.05	.04	.20	—	—	—	.15	.29	—	—	.01	—	19
20	—	.01	—	—	—	.03	—	.05	—	.53	.04	—	20
21	—	.15	.50	—	.25	—	—	.07	—	—	—	—	21
22	.07	.54	—	—	—	—	—	.20	—	.19	—	.05	22
23	.46	.24	.27	—	—	.03	—	.43	—	.08	.19	.18	23
24	.37	.05	—	—	—	—	—	.34	—	—	.22	.17	24
25	.18	—	—	—	—	.49	—	.75	—	.04	—	.70	25
26	—	.04	—	—	—	.01	.16	.16	—	.50	.44	.29	26
27	—	—	—	—	—	.14	.25	—	—	.36	—	.51	27
28	—	.13	—	—	—	.13	.33	.23	.15	.70	.87	.25	28
29	—	.04	—	—	—	.03	.39	.14	1.55	.20	.02	—	29
30	—	—	—	—	.07	—	.06	.08	1.13	.22	—	—	30
31	—	—	.22	—	—	—	.39	.07	—	.08	—	.06	31
Total	3.75	2.75	4.10	0.04	1.04	4.46	2.35	6.29	2.87	3.74	2.20	4.44	38.03
No. of Rain Days.	16	18	20	1	8	18	13	28	6	15	14	19	38.03

TOTAL 38.03
176

REGISTER OF RAINFALL IN 1914

Kept at The Palace House Bishop's Waltham

in the County of Hampshire

by Arthur F Hardy

Lat. 50° 57' 0" N Long. 1° 10' 18" W

Time of Observation 8.30 am

Nearest Railway Station Bishop's Waltham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Sea Level 116 ft.

FORM A.
BRITISH RAINFALL
4-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.36	.18	.07	-	.06	-	-	.85	-	.23	.09	1
2	.02	.12	.01	-	.04	-	-	-	.04	.40	.07	-	2
3	.02	-	.03	.13	.43	-	.05	-	-	.01	-	.12	3
4	.52	-	.07	-	.40	-	.06	-	.61	.21	.10	.05	4
5	.37	.04	.01	-	-	.08	.16	-	.37	-	.10	.02	5
6	.04	.07	.07	-	.08	.18	.25	-	-	.80	.05	.54	6
7	-	.33	.06	-	.25	.10	.17	.03	-	.42	.13	-	7
8	-	.05	-	-	.27	.02	-	.64	-	.13	-	.05	8
9	-	.08	-	-	.02	-	.07	.15	.06	-	.03	-	9
10	.03	-	-	.02	.01	.01	.41	.29	-	-	.65	-	10
11	1.15	-	-	.33	.05	-	-	-	-	.50	.54	.01	11
12	-	.02	-	-	.72	-	-	-	.02	-	.43	-	12
13	.18	-	.04	-	-	-	-	.03	.15	-	.12	-	13
14	.31	.01	.12	-	-	-	-	.01	.01	.01	.14	-	14
15	.19	.04	.33	.43	-	-	.17	-	.23	-	.01	-	15
16	.17	-	.44	.13	-	-	.02	-	.10	-	-	-	16
17	.27	-	.02	.04	-	-	.02	-	-	-	.03	-	17
18	-	-	.26	.12	-	-	.05	-	-	-	.06	-	18
19	.66	-	.06	-	.01	.03	.06	-	.24	-	-	-	19
20	.09	-	.36	.14	-	-	-	-	-	.35	.02	-	20
21	-	-	.23	.15	-	-	-	-	-	.18	1.01	-	21
22	.38	-	.25	-	-	-	-	.04	.27	.07	-	-	22
23	-	.02	.04	-	-	.03	-	.07	-	-	.01	.82	23
24	.08	-	-	.13	-	-	-	-	-	-	.01	-	24
25	-	.03	-	.22	-	-	-	-	-	-	.01	-	25
26	-	.01	-	.20	-	-	-	.19	-	.48	-	.28	26
27	-	-	.31	.02	-	-	-	-	-	.07	-	-	27
28	.21	-	.10	.11	-	-	-	-	-	.18	-	-	28
29	.09	-	.27	*.74	.67	-	-	.02	-	.70	-	.04	29
30	.67	-	.25	-	-	-	-	.01	-	.27	-	-	30
31	.03	-	.04	-	-	-	-	.72	-	.07	-	-	31
Total	5.56	1.18	3.40	3.23	2.95	.51	1.49	2.20	2.45	4.85	3.75	2.02	YEAR'S TOTAL 34.09
Rain Days.	21	13	22	17	12	8	12	12	12	17	20	10	176

* all fell in one hour

REGISTER OF RAINFALL IN 1914

Kept at The Palace House Bishop's Cleeve
in the County of Glants 5
by Arthur Hardy

Lat. 50° 57' 0" N Long. 1° 10' 18" W
Time of Observation 8.30 am
Nearest Railway Station Ap W 1/4 mile N
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 116 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	03	-	-	-	-	32	-	-	11	09	1
2	-	-	-	-	-	-	05	01	-	-	25	27	2
3	01	-	13	04	45	-	09	03	-	-	15	01	3
4	02	-	09	27	05	-	01	16	-	-	26	21	4
5	03	01	-	40	19	05	25	49	-	-	16	-	5
6	-	23	13	13	04	-	08	06	-	-	-	41	6
7	-	64	40	05	02	02	20	01	-	-	-	23	7
8	06	29	71	02	03	01	-	19	-	-	-	13	8
9	07	01	09	36	-	-	-	-	15	-	-	2 03	9
10	09	32	05	10	23	-	-	-	18	-	-	-	10
11	-	51	54	-	09	-	72	-	22	-	05	67	11
12	-	16	19	-	-	-	04	-	38	08	-	88	12
13	-	46	15	-	-	-	-	-	25	18	08	89	13
14	-	37	25	-	-	10	23	10	-	31	25	40	14
15	-	-	23	-	-	-	02	42	01	03	29	-	15
16	-	-	-	-	-	-	11	-	14	-	-	-	16
17	-	65	09	-	-	-	-	-	14	-	-	44	17
18	-	-	28	-	-	-	04	-	-	-	-	54	18
19	-	07	54	-	-	-	1 27	-	-	-	18	25	19
20	-	23	18	-	-	04	-	-	-	-	-	23	20
21	-	56	04	-	-	-	-	-	-	18	-	03	21
22	-	-	-	-	06	01	11	05	-	21	-	-	22
23	-	05	20	01	-	16	-	-	-	13	-	-	23
24	-	-	04	-	-	-	-	-	-	05	11	-	24
25	06	-	15	-	-	-	03	23	-	33	03	16	25
26	-	-	-	-	-	-	10	24	-	09	18	68	26
27	08	01	-	-	-	-	-	-	-	-	07	35	27
28	-	04	-	-	38	-	25	-	-	22	45	62	28
29	19	-	23	14	-	-	-	-	-	28	24	-	29
30	-	X	09	-	-	-	-	-	-	12	77	60	30
31	02	X	-	X	02	X	06	-	X	22	X	04	31
Total	63	4 71	4 83	1 52	1 56	39	3 66	2 31	1 47	2 43	3 63	10 16	YEAR'S TOTAL 37 30
Rain Days.	10	17	23	10	11	7	18	13	8	14	17	23	171

REGISTER OF RAINFALL IN 1915-

Kept at *The Palace House Bishop's Walkham*
 in the County of *Hamp*
 by *Arthur Hardy Esq*

Lat. *52° 57' 0N* Long. *1° 10' 18 W*
 Time of Observation *8.30 am*
 Nearest Railway Station *Bishop's Walkham*
 Diameter of Funnel of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *3* in.
 " " " " Sea Level *116* ft.

768
 FORM A.
 BRITISH RAINFALL
 12 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.67	.24	-	-	.04	-	-	.03	.21	.10	.02	.32	1
2	.20	.28	.30	.04	-	.02	-	.24	.03	.20	-	.23	2
3	1.18	-	.12	.17	.07	-	-	-	-	-	-	.46	3
4	-	-	-	.02	-	-	-	.07	-	-	-	.52	4
5	.02	.41	-	-	-	-	-	.09	-	-	-	.47	5
6	.67	.29	.02	.59	-	-	.45	.11	-	-	-	.15	6
7	.24	.59	.02	.02	-	-	.28	.02	-	-	.01	.39	7
8	.01	.64	-	-	-	-	.06	.03	-	-	-	.01	8
9	.01	.06	-	.10	-	.02	-	.02	-	-	.58	.75	9
10	.17	.03	.01	-	-	-	-	-	-	.01	-	.22	10
11	-	.02	.10	-	-	-	.01	-	-	-	.81	.02	11
12	.08	.33	-	.24	.49	-	-	.01	-	.02	.41	-	12
13	-	.46	-	-	1.37	-	-	-	.17	-	-	-	13
14	.02	-	-	-	-	-	.26	.35	.05	-	-	.77	14
15	.05	-	-	-	.09	-	-	.04	-	-	.04	.46	15
16	.03	.95	-	-	.37	-	1.30	.10	-	-	-	.31	16
17	-	.33	-	-	.59	-	-	.01	-	-	-	-	17
18	-	.31	-	-	.11	-	-	-	-	-	-	-	18
19	-	.17	-	-	.08	-	.10	-	-	-	-	-	19
20	.38	-	-	.03	.01	-	-	-	-	-	.02	.11	20
21	-	.03	-	-	-	-	.03	-	-	.42	-	.16	21
22	.61	.68	.21	.51	-	-	1.06	-	-	-	-	.25	22
23	.01	.04	.15	-	-	.02	.46	-	.22	.41	-	.33	23
24	-	-	.06	-	-	-	.45	-	1.85	.45	-	.53	24
25	-	-	.03	.04	-	-	-	-	.01	-	-	.17	25
26	-	.04	-	-	-	.24	.06	-	.32	-	-	.90	26
27	-	.01	-	-	-	.48	-	-	-	.46	-	.05	27
28	-	.08	-	-	-	.33	-	-	.29	.08	-	-	28
29	-	-	-	-	-	.45	.02	.16	-	-	.45	.04	29
30	.11	X	-	-	-	.03	-	-	-	.67	.90	.17	30
31	-	X	-	X	-	X	-	.23	X	1.18	X	.40	31
Total	4.46	5.99	1.02	1.26	3.22	1.59	4.54	1.51	3.35	4.00	3.24	8.16	42.34
Rain Days.	17	21	10	10	10	8	13	15	9	11	9	25	158
YEAR'S TOTAL													158

REGISTER OF RAINFALL IN 1916

Kept at The Palace House Bishopscote Waltham
in the County of Hampshire
by Arthur Hardy

Lat. 50° 57' 0" N Long. 1° 13' 0" W
Time of Observation 8.30 am
Nearest Railway Station Bishopscote Waltham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 116 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.08	.06	-	.24	.02	-	-	.41	.26	.28	-	1
2	.30	.09	.02	-	.12	-	.01	-	.05	.63	.13	-	2
3	.02	.77	.10	-	.01	-	-	-	.01	.72	.48	-	3
4	.18	.18	-	-	-	.39	-	-	.34	.02	.35	-	4
5	.03	.09	-	-	.16	.17	.09	-	-	.08	.72	-	5
6	-	.13	.09	.02	.03	.05	.45	-	-	.16	.67	-	6
7	.01	-	.38	-	.06	.21	.03	-	-	.04	.83	.08	7
8	-	-	.03	-	.23	.01	-	-	-	-	-	.67	8
9	-	-	.02	-	.30	.01	-	-	-	-	-	.21	9
10	-	.57	.02	.05	.03	.08	.15	-	-	.04	.03	.09	10
11	.05	.05	.02	.15	-	.02	-	-	-	-	-	.15	11
12	.04	.04	.01	.02	.05	.01	.12	.06	-	.05	.01	-	12
13	-	.31	.01	-	-	.01	-	.02	-	.03	-	-	13
14	-	.58	-	-	.03	-	-	.03	-	.04	-	-	14
15	-	.07	.17	-	-	-	-	.50	-	-	-	-	15
16	.03	.03	.25	.20	-	-	.15	.16	-	.06	-	-	16
17	.27	.32	-	.13	-	-	-	.40	.26	.77	-	-	17
18	.07	.10	.08	.11	-	-	-	.02	.30	.09	.46	-	18
19	.15	-	.09	.01	-	-	-	-	.01	-	.36	.10	19
20	.12	-	.53	.07	-	-	-	-	-	-	.04	1.05	20
21	-	-	.26	-	-	-	.07	-	-	-	.01	.29	21
22	-	.01	-	-	.01	-	-	-	-	.23	.01	.62	22
23	.02	.23	-	-	-	.20	-	.03	-	.20	.08	-	23
24	-	-	-	-	.13	-	-	.04	-	.51	.18	.36	24
25	-	.78	.18	-	-	-	-	.24	.01	.02	.07	-	25
26	.01	.32	.09	-	-	.29	-	(.19)	.19	.50	-	-	26
27	-	-	1.05	-	-	.05	-	.09	.18	.39	-	-	27
28	-	.49	.10	.01	-	-	-	.20	.20	.26	.01	.24	28
29	-	.26	.02	-	-	.42	-	.80	.37	.35	-	.32	29
30	-	X	-	-	.17	-	-	.03	-	.38	-	.01	30
31	-	X	-	X	-	X	-	.05	X	.17	X	.07	31
Total	1.43	3.50	3.88	.77	1.57	1.94	1.07	2.86	2.33	6.00	4.72	4.26	36.33
Rain Days.	15	21	22	10	14	15	8	16	12	24	18	14	189

YEAR'S TOTAL

1917
REGISTER OF RAINFALL IN 1918

Kept at *The Palace House*
in the County of *Bishop's Cleeve*
by *Arthur Fordey*

Lat. *52-57-0* Long. *1-13-0 W*
Time of Observation *8.30 am*
Nearest Railway Station *Bishop's Cleeve*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *3* in.
" " " " Sea Level *116* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.18	.195	-	.03	-	1.19	.03	-	.05	-	1
2	-	-	.09	.475	-	-	-	.01	.05	.03	.19	-	2
3	.01	-	-	.225	-	-	.80	.22	-	.07	.08	-	3
4	-	.135	.22	-	-	-	-	.12	-	.41	-	.02	4
5	.22	-	.05	.29	-	.08	-	.10	.14	.49	.09	-	5
6	-	-	.37	-	-	-	-	-	.03	.05	.11	-	6
7	.26	-	-	-	-	-	.01	-	-	.44	-	.03	7
8	.36	-	.085	.06	-	-	.28	.07	.01	.22	.24	.39	8
9	-	-	.065	-	-	-	.02	.01	.02	.01	.04	.01	9
10	.21	-	.29	.27	.10	-	-	.19	-	.04	-	-	10
11	.15	-	.28	.20	-	-	-	-	.11	.38	-	-	11
12	.13	-	.01	-	.03	-	-	.32	-	.34	-	-	12
13	.03	-	.25	.05	-	-	-	.05	.04	.12	-	.01	13
14	-	-	-	.14	-	-	-	.02	.01	-	-	-	14
15	-	-	-	-	-	-	-	.71	-	.20	-	.06	15
16	-	.14	-	.12	.04	-	.06	.02	-	1.52	-	.61	16
17	-	.01	-	.16	.08	-	.38	.05	.51	.24	-	-	17
18	-	.02	-	.01	.02	.03	.20	.06	.45	.03	-	-	18
19	-	.25	.14	-	-	.04	-	.28	.24	-	-	-	19
20	.01	.10	.23	-	.95	.05	-	.02	-	-	-	-	20
21	-	-	.065	-	-	-	.01	-	-	.03	-	-	21
22	-	-	.045	-	-	.05	-	.07	-	.10	-	-	22
23	-	.29	-	-	.11	-	-	.21	-	.06	-	-	23
24	-	.19	-	-	-	.09	.13	.03	.01	.25	.05	.06	24
25	-	.07	.06	-	-	-	.02	.01	-	.01	-	-	25
26	-	-	.02	-	.01	.05	-	.29	.09	-	.12	-	26
27	-	-	-	-	.61	.02	-	1.23	-	-	-	-	27
28	-	.01	.05	-	.01	2.45	-	.20	-	-	-	.03	28
29	-	~~X~~	.02	-	.05	.04	.67	.11	-	.45	-	.07	29
30	-	~~X~~	.565	-	-	-	.75	.17	-	-	-	-	30
31	-	~~X~~	.085	~~X~~	-	~~X~~	.09	.02	~~X~~	.03	~~X~~	.03	31
Total	1.38	1.21	3.14	2.18	2.04	2.43	3.42	5.78	1.74	5.52	.97	1.32	YEAR'S TOTAL 31.60
Rain Days.	9	10	21	12	11	11	13	27	14	23	9	11	171

5 = snow

REGISTER OF RAINFALL IN 1918

93

Rep. at The Palace House Bishops Cleeve
in the County of Hampshire
by Arthur F Hardy

Lat. 50° 57' 0" Long. 1° 13' 0" W
Time of Observation 9.0 am
Nearest Railway Station Bishops Cleeve
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 116 ft.



IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.04	-	-	-	.13	-	-	.46	.06	1
2	-	.09	-	.02	-	-	-	.67	-	-	.24	.24	2
3	-	.02	.01	.18	.39	-	-	.25	-	.03	.09	.02	3
4	-	.20	.02	.01	-	-	-	.11	.11	-	.92	.06	4
5	-	.06	.08	-	.08	-	-	.15	.04	.17	-	.02	5
6	.19	.10	-	.27	-	-	-	.43	.01	.02	-	.12	6
7	-	.14	-	.13	.41	-	-	.02	.26	.12	.29	.03	7
8	-	.20	-	-	-	-	-	-	.12	.06	.08	.04	8
9	.01	-	-	.28	-	.15	.18	-	.54	.29	-	.48	9
10	.01	-	-	.06	-	.07	.40	-	.13	.04	.02	.45	10
11	.02	-	-	-	-	-	.21	-	.02	.13	.02	.07	11
12	-	.12	-	-	.27	-	.64	-	.07	-	-	.02	12
13	.27	-	-	-	.29	-	.33	-	.43	-	-	.03	13
14	.25	-	.03	-	.02	.12	.05	-	.30	.25	-	.14	14
15	1.39	-	-	.33	-	.03	.30	-	.02	-	-	.17	15
16	.43	-	-	.10	-	.04	-	-	.58	.04	-	.01	16
17	.12	-	-	.10	-	-	.53	-	.04	.08	-	.19	17
18	.57	-	-	-	-	.60	-	~~.5~~	.78	-	-	.14	18
19	.61	-	.05	-	-	.02	.40	.01	.02	.02	-	.02	19
20	.04	.15	-	.44	-	.02	.03	-	.39	.02	-	-	20
21	.17	.05	-	-	-	-	.57	-	.42	.06	-	.11	21
22	.12	-	-	-	.09	-	.54	-	.38	-	-	.19	22
23	.13	-	-	-	.05	-	.35	.03	.02	-	-	-	23
24	-	.31	-	-	-	.02	-	-	.22	-	.21	-	24
25	.01	-	-	-	-	-	.07	.35	-	.03	-	-	25
26	-	-	-	.01	-	-	.74	-	.04	.01	.05	.20	26
27	-	.10	.05	.01	-	-	-	.16	.10	.02	.11	-	27
28	-	-	.18	.02	-	-	-	-	-	.01	.12	.02	28
29	.01	~~X~~	.02	.02	-	-	-	-	1.05	-	-	.02	29
30	-	~~X~~	.51	-	-	-	-	-	.02	.03	.06	.02	30
31	.01	~~X~~	.04	~~X~~	-	~~X~~	-	-	~~X~~	.15	~~X~~	-	31
Total	3.86	1.54	.99	2.02	1.60	1.07	5.41	2.31	6.11	1.58	2.67	2.87	YEAR'S TOTAL 32.03
Rain Days.	18	12	10	16	8	9	15	11	25	20	13	25	182

REGISTER OF RAINFALL IN 1919.

Kept at The Palace House
 in the County of Bishop's Cleeve
 by William F. Hardy

Lat. 50° 57' 0" Long. 1° 13' 0"
 Time of Observation 9 am
 Nearest Railway Station Bishop's Cleeve
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	43	—	09	02	—	—	16	—	—	08	02	137	1
2	38	—	02	—	15	—	—	—	20	—	03	02	2
3	55	—	53	—	04	—	—	—	03	—	—	22	3
4	24	01	53	—	—	02	01	05	07	—	11	07	4
5	—	40	122	—	—	—	52	—	26	—	10	19	5
6	38	—	09	—	13	—	—	—	—	—	—	11	6
7	09	—	57	—	—	—	—	—	—	—	—	—	7
8	38	—	20	06	01	—	—	—	—	—	—	—	8
9	14	—	07	15	11	—	—	—	02	—	12	—	9
10	72	—	30	07	—	—	—	—	—	01	—	40	10
11	15	—	06	25	10	—	08	—	—	—	—	03	11
12	—	—	02	06	—	—	16	—	—	07	509	—	12
13	04	—	—	63	—	—	—	—	—	—	—	06	13
14	38	02	—	30	—	—	07	—	33	—	—	15	14
15	31	13	—	07	—	—	—	—	—	02	—	140	15
16	07	80	—	—	—	—	—	—	—	—	10	—	16
17	—	13	—	—	—	—	—	—	—	—	05	02	17
18	—	13	23	—	—	—	—	02	01	—	08	01	18
19	36	44	111	—	—	10	36	16	01	—	07	01	19
20	76	17	14	—	—	45	—	19	—	—	—	—	20
21	02	65	—	—	—	—	07	—	—	—	01	02	21
22	—	—	—	—	—	—	17	—	49	—	—	85	22
23	—	—	—	—	—	—	—	—	03	10	04	03	23
24	—	05	—	—	—	02	—	01	—	26	14	08	24
25	04	04	—	01	—	04	—	31	—	—	—	07	25
26	—	16	10	16	—	—	02	03	10	—	22	43	26
27	14	—	—	544	—	—	—	61	—	—	10	03	27
28	506	—	50	—	—	—	—	96	—	—	51	42	28
29	—	X	—	—	—	—	—	35	—	09	—	03	29
30	—	X	—	20	—	12	—	60	—	—	65	67	30
31	—	X	04	X	—	X	—	—	X	01	X	15	31
TOTAL	564	313	576	242	054	075	162	329	155	064	244	614	YEAR'S TOTAL
Days with 01 in. or more	20	13	18	13	6	6	10	11	11	8	17	25	158

REGISTER OF RAINFALL IN 1921

Kept at The Palace House,
Bishop's Cleeve,
in the County of Staffs.
by Arthur F Hardy

Lat. 52° 57' 0" Long. 1° 13' 0"
Time of Observation 9 am
Nearest Railway Station Bishop's Cleeve
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	.03	.38	.18	-	.43	-	-	.85	.28	.37	1
2	.09	-	.03	.10	.01	-	.30	.43	.06	.12	-	.13	2
3	.16	-	-	.04	.04	-	.42	-	-	.40	-	.04	3
4	-	.06	.01	-	-	-	.37	.30	-	.36	-	.02	4
5	-	-	.11	.15	-	-	.90	.25	-	.54	-	.04	5
6	-	-	.18	-	.37	-	.50	-	-	.05	.01	.02	6
7	.05	.01	.01	.22	.02	-	.28	-	-	-	-	-	7
8	.02	-	-	.07	.07	-	.47	-	-	-	-	-	8
9	.27	.04	.02	.02	.06	.05	.07	-	-	-	-	-	9
10	.71	.22	.04	-	-	.25	.27	-	-	-	-	-	10
11	.27	-	.07	.58	.07	.81	.36	-	-	-	-	-	11
12	.07	.06	.08	.27	-	1.07	-	-	-	-	.04	.06	12
13	.15	.02	.30	-	-	-	-	-	-	-	.04	-	13
14	-	.01	.45	.50	-	-	-	-	.13	.29	.69	-	14
15	.05	.01	.03	.31	.07	-	-	-	.35	.26	.08	-	15
16	-	-	-	.07	-	.01	-	-	.37	.02	-	-	16
17	.01	-	-	.03	.27	-	.02	-	.56	-	-	-	17
18	.13	-	-	.02	.07	.09	-	.46	.22	-	-	.01	18
19	.04	-	-	.21	-	-	-	-	.17	-	.02	-	19
20	.08	.03	-	.28	-	.80	-	-	-	-	-	.06	20
21	-	-	-	-	-	-	.68	-	.05	-	-	.17	21
22	.03	-	-	.31	-	-	.01	.03	.17	-	-	.33	22
23	-	-	-	-	-	-	.24	.01	-	-	-	.45	23
24	.02	.02	.18	.01	-	-	-	-	-	-	.04	.13	24
25	.02	.03	.01	-	.18	-	.46	-	-	-	.01	-	25
26	.07	-	.23	-	.01	.03	-	-	-	-	.01	.07	26
27	.61	.02	.01	.20	-	.07	.01	-	-	-	.34	.30	27
28	.49	.01	.02	.01	.07	.01	.15	-	-	-	-	.03	28
29	.57	-	.06	.07	.08	-	-	-	-	-	.21	.34	29
30	.07	~~X~~	-	-	-	.03	.05	-	.27	-	.42	.23	30
31	.07	~~X~~	.28	~~X~~	-	~~X~~	-	-	~~X~~	.67	~~X~~	.20	31
TOTAL	4.09	0.54	2.15	3.85	1.57	2.42	5.99	1.48	2.35	3.56	2.19	3.00	YEAR'S TOTAL
Days with "01 in. or more	24	13	20	21	15	11	19	6	10	10	13	19	33.24
Days with ".04 in. or more	19	4	11	16	12	8	16	4	10	9	9	15	33.19

BISTERNE

HANTS

1920

Kept at Bislerne
in the County of Hants
by Major J. D.

7 a.m.
Rain Gauge 8 in.
above Ground 1 ft. 2 in.
Sea Level 45 ft.
entered to the previous day.

requested to add
at the end of
of rain gauges,
"all Observers,"
62, Camden

Jan. 1, following:

IMPORTANT NOTE

If an Observer prefers not
the reading at 9 a.m. on 1st
this paragraph. Full instru
and particulars as to the
sent post-free on applicati
Square, London, N.W. 1.

RECORDS TAKEN IN THE MONTH OF JANUARY 1920

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.11	.15	~~.11~~				.20	.10	.45	1
2	.15			.10			.45	.35		.15		.19	2
3		.08		.24			.45			.50			3
4			.06				.36	.35		.29			4
5			.28	.28			.60	.35		.49			5
6			.09		.23	~~.23~~	.30						6
7	.05			.23			.30						7
8		.10		.05	.08	~~.08~~							8
9	.48	.03	.07	.05			.20						9
10	.85	.06	.10	.23	.16	~~.16~~	.15						10
11	.11		.08	.55		.10	.55						11
12	.15			.11		.85							12
13	.22		.49								.04		13
14	.10		.43	.60		.20			.22	.37	.45		14
15	.05		.06	.27	.09	~~.09~~			.11	.62	.07		15
16			.03						.32				16
17				.18	.42	~~.42~~			.37				17
18	.12			.04	.05	.14		.40					18
19				.19		.19			.18				19
20				.20		.65						.35	20
21							.75					.10	21
22	.08	.68		.28								.41	22
23							.25					.55	23
24			.23								.05	.07	24
25			.07		.25	~~.25~~	.46				.04		25
26	.09		.33			.04	.05					.15	26
27	.53			.09		.05						.28	27
28	.55						.15					.05	28
29	.76		.16								.25	.38	29
30	.10	~~X~~				.17			.32		.32	.58	30
31		~~X~~	.13	~~X~~		~~X~~			~~X~~	.50	~~X~~	.23	31
TOTAL	4.45	.35	2.60	3.80	1.43	2.92	5.02	1.45	1.52	3.12	1.32	3.79	YEAR'S TOTAL
Days with '01 in. or more	17	5	15	18	8	10	14	4	6	8	8	13	31-77
Days with '04 in. or more	17	4	14	18	8	10	14	4	6	8	8	13	126

RE

Kept at Bisland W. Ringwood

in the County of Hampshire

by Major J. D. Mills

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Ringwood
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 45 ft.

6 MAY 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.11	.15	~~.15~~				.20	.10	.45	1
2	.15			.10			.45	.35		.15		.19	2
3		.08		.24			.45			.50			3
4			.06				.36	.35		.29			4
5			.28	.28			.60	.35		.49			5
6			.09		.23	~~.23~~	.30						6
7	.05			.23			.30						7
8		.10		.05	.08	~~.08~~							8
9	.48	.03	.07	.05			.20						9
10	.85	.06	.10	.23	.16	~~.53~~	.15						10
11	.11		.08	.55		.10	.55						11
12	.15			.11		.85					.04		12
13	.22		.49										13
14	.10		.43	.60					.22	.37	.45		14
15	.05		.05	.27	.09	.20			.11	.62	.07		15
16			.03			~~.09~~			.32				16
17				.18	.42	~~.14~~			.37				17
18	.12			.04	.05	.14		.40					18
19				.19		.19			.18				19
20				.20		.65						.35	20
21							.75					.10	21
22	.08	.68		.28								.41	22
23							.25					.55	23
24			.23								.05	.07	24
25			.07		.25	~~.25~~	.46				.04		25
26	.09		.33			.04	.05					.15	26
27	.53			.09		.05						.28	27
28	.55						.15					.05	28
29	.76		.16								.25	.38	29
30	.10	~~X~~				.17			.32		.32	.58	30
31		~~X~~	.13	~~X~~		~~X~~			~~X~~	.50	~~X~~	.23	31
TOTAL	4.45	.35	2.60	3.80	1.43	2.92	5.02	1.45	1.52	3.12	1.32	3.79	YEAR'S TOTAL
Days with ".01 in. or more	17	5	15	18	8	10	14	4	6	8	8	13	126
Days with ".04 in. or more	17	4	14	18	8	10	14	4	6	8	8	13	124

BLACKMOOR
KINGSHOLT
HANTS

Kept at *Kin*
in the County of *S.*
by *M. Chas*

IMPORTANT
previous day. If an
requested to add the
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

in.
und 1 ft. 7 in.
Level 325 ft.
69-30 to 104 ft.
e *Lys*
nce 3 Direction S.W
result entered to the
al rule, he is earnestly
n the space provided

Jan. 1, following.

none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.24	.02							.11	1
2	.07			.05	.36			.04			.26	.27	2
3		.03			.18			.10			.23	.10	3
4			.04	.09					.01	.4	.28	.56	4
5						.19		.02		.24	.09	.18	5
6	.32		.12	.03						.02	.06	.52	6
7	.03									.36	.45	.05	7
8	.08	0	.07								.18	.69	8
9	.13	0		.03							.03	.21	9
10		.12	.17									.78	10
11	.43		.03								1 .05	.01	11
12			.64						.02		.22	.08	12
13					.33				.20		.02	.54	13
14		.04			.15							.58	14
15		.03	.06								.12		15
16						.01				.01	.61	.24	16
17						.38					.52	.56	17
18		.24	.08			.18				.02	.40	.79	18
19		.02				.18			.80	.20	.06	.32	19
20		.03	.07			.18			.05	.02		.94	20
21		.16				.03			.04	.30		.13	21
22	.18		.29			.32		.07		.65	.01	.58	22
23		.15				.35		.02	.09	.20		.23	23
24		.19				.24		.06		1 .21		.38	24
25	.03	.03	.01		1.75	.07	.61	.60	.06	.06		.16	25
26			.03	.36			.05	.02		.23		.37	26
27		.36	.41	.16			.13		.07		.10	.19	27
28		.28		.35			.18						28
29				.29		.20	.11	.02	.19	.71			29
30				.05		.02		.67		.40	.04		30
31										.06			31
Total	1.23	1.68	2.25	1.65	2.80	2.35	.90	1.80	1.53	4.73	4.73	9.57	TOTAL for year 35.24
No. of Rain Days	8	13	13	10	6	13	4	11	10	17	19	26	150

Kept at Kings Hall
in the County of Southampton 6
by Mr. Chase Parr

RAIN GAUGE { Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. 7 in.
" " " Sea Level 325 ft.
Time of Observation about 9-30 to 10 A.M.
Nearest Railway Station { Name Lymington
Distance 3 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.24	.02							.11	1
2	.07			.15	.36			.04			.26	.27	2
3		.03			.18			.10			.23	.10	3
4			.04	.09					.01	.4	.28	.56	4
5						.19		.02		.24	.09	.18	5
6	.32		.12	.03						.02	.06	.52	6
7	.03									.36	.45	.05	7
8	.08	0	.07								.18	.69	8
9	.13	0		.03							.03	.21	9
10		.12	.17									.78	10
11	.43		.03								1 .05	.01	11
12			.64						.02		.22	.08	12
13					.33				.20		.02	.54	13
14		.04			.15							.58	14
15		.03	.06								.12		15
16						.01				.01	.61	.24	16
17						.38					.52	.56	17
18		.24	.08			.18				.02	.40	.79	18
19		.02				.18			.80	.20	.06	.32	19
20		.03	.07			.18			.05	.02		.94	20
21		.16				.03			.04	.30		.13	21
22	.18		.29			.32		.07		.65	.01	.58	22
23		.15				.35		.02	.09	.20		.23	23
24		.19				.24		.06		1 .21		.38	24
25	.03	.03	.04		1.75	.07	.61	.60	.06	.06		.16	25
26			.03	.36			.05	.02		.23		.37	26
27		.36	.41	.16			.13		.07		.10	.19	27
28		.28		.35				.18					28
29				.29		.20	.11	.02	.19	.71			29
30				.05		.02		.67		.40	.04		30
31										.06			31
Total	1.23	1.68	2.25	1.65	2.80	2.35	.90	1.80	1.53	4.73	4.73	9.57	TOTAL for year 35.26
No. of Rain Days	8	13	13	10	6	13	4	11	10	17	19	26	150

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Kings Hall
in the County of Southampton
by W. Chase Parr

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 7 in.
Sea Level 325 ft.
Time of Observation 9.30
Nearest Railway Station { Name Shys
Distance 3 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.19		.06	.21	.23			.68	.35	.25	1
2			.23			.06	.33	.09					2
3	.04		.06		.02	.31	.03	.49				.02	3
4	.20		.53		.02	.19					.15		4
5	.38		.22					.67			.03	.04	5
6	.41	.19	.02		.11	.02	.05	.20				.04	6
7	.42	.45	.02		.15	.75		.27				.15	7
8	.40	.45	.38			.07		.10				.01	8
9	.02	.28	.17			.03		.24				.37	9
10	.01	.10	.07								.08	.33	10
11	.07	.23	.33					.17			.02	.30	11
12	.03	.16	.11		.09	.33		.20			.03	.01	12
13		.05	.02				.35	.09			.09	.10	13
14	.03		.05			.02		.07		.04			14
15	.02	.04	.14			.64		.03				.48	15
16	.10	.01	.22		.10	.01		.24		.11			16
17	.61		.38		.22	.04		.25		.06		.29	17
18	.23		.32			.33		.14				.10	18
19	.10	.08	.11			.04	.07	.53			.03		19
20	.05	.02	.46			.03		.11		.47	.03		20
21	.02	.11	.11		.56			.16		.22			21
22	.12	.51	.09		.07			.18		.01		.12	22
23	.65	.44	.32					.45		.05	.22		23
24	.29	.08	.01			.40		.34				.48	24
25	.20	.02				.66		.70		.10	.23	.80	25
26		.02						.36		.60	.52	.30	26
27						.16	.20			.57		.36	27
28		.08				.22	.48	.10	.80	.67	.69	.31	28
29		.09				.32	.40	.34	.32	.57	.01		29
30			.08			.01	.08	.02	.35	.37			30
31					.25		.32	.13		.03		.02	31
Total	3.98	2.06	4.64	none	1.65	4.52	2.54	6.69	3.47	4.55	2.13	4.88	42.01
No. of Rain Days.	21	19	25		10	21	11	27	3	15	13	21	187

REGISTER OF RAINFALL IN 1913

Kept at *King's Holt*
in the County of *Southampton*
by *W. Chase Parr*

Lat. *51° 4' 30"* Long. *53° 5'*
Time of Observation *about 9.30 a.m.*
Nearest Railway Station *Lymington*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *7* in.
Sea Level *325* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.72	.16	.16	.09				1.0		.26	.11	1
2	.11	.16	.02	.05			.08		.10		.69		2
3	.17		.04	.20	.72				~~5.84~~			.15	3
4	.49		.10	.01	.31				<u>1.84</u>	.25	.11	.07	4
5	.19	.06	.03				.08		.26	.02	.08	.06	5
6	.02	.15	.14		.06	.10	.59			.57	.11	.24	6
7		.35	.06		.26		.14			.36	.15	.01	7
8		.04			.27	.08	.01			.17		.02	8
9		.07		.01	.04				.15	.01	.08		9
10	.10			.02	.01	.13	.26			.01	.30		10
11	.86			.37	.01					.75	.30	.02	11
12					.63					.02	.46		12
13	.25		.08					.02	.13		.22		13
14	.34		.20				.48	.07			.25		14
15	.32	.09	.35	.50			.06		.11		.03		15
16	.22		.48	.11					.15				16
17	.07		.04	.07			.12		.01		.02	.02	17
18			.26	.14			.05				.07		18
19	.58		.12		.01		.20		.28				19
20	.15		.34	.09		.06			.01	.48	.11		20
21			.26	.12						.16	.73		21
22	.34		.28						.21				22
23	.01		.14			.02		.24	.01		.01	.85	23
24				.10				.09					24
25		.01		.19									25
26		.01	.05	.20				.23		.59	.03	.30	26
27			.34	.19						.11			27
28	.10		.16	.11						.27			28
29	.35		.08	.77	.35			.16		.27	.01	.09	29
30				.04				~~.74~~		.24			30
31	~~.32~~							.74					31
Total	~~5.67~~	1.66	3.73	3.45	2.69	.39	2.02	1.55	4.26	4.38	3.42	1.94	34.06
Rain Days.	18	10	22	20	12	5	11	7	12	16	20	12	165

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
JAN 1915

Kept at Kings Holt
in the County of Hampshire
by W. Chase Paver

Lat. _____ Long. _____
Time of Observation 9-30
Nearest Railway Station Lymington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 7 in.
" " " " Sea Level 825 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07				.95				.17	.08	1
2							.08	.05			.26	.26	2
3			.12	.28	.39		.05	.05			.01	.04	3
4	.05		.02		.04		.04	.20			.09	.36	4
5	.04		.09	.52	.27		.24	.25			.30		5
6			.02	.19	.17	.12	.23	.05				.44	6
7		1.20	.16	.30	.03		.26					.34	7
8	.06	.48	.46	.02	.02	.08		.30				.16	8
9	.10		.91	.29	.03				.26			1.95	9
10	.03	.32	.04	.10	.15							.02	10
11		.50	.65		.03	.07			.35			.59	11
12		.23					.84		.39		.21	.79	12
13		.53	.38						.36	.14	.02	.95	13
14		.46	.29			.40	.05			.43	.26	.35	14
15		.02	.20				.05	.22		.02	.34	.01	15
16									.25				16
17		.78	.13									.61	17
18			.32									.63	18
19		.13	.46				1.21			.01	.19	.28	19
20		.76	.31			.03							20
21		.41	.08			.02		.02		.34		.36	21
22		.03	.02				.13			.22			22
23		.34	.19		.06		.02			.03			23
24			.06								.26		24
25	.04	.85	.10							.35	.04	.29	25
26								.30		.09	.23	.61	26
27	.05										.21	.36	27
28		.07					.03			.12	.38	.82	28
29	.22				.13					.31	.27		29
30	.02		.22	.03						.23	.76	.72	30
31	.04						.25			.17		.13	31
Total	.65	6.26	5.30	1.73	1.32	.72	3.48	1.44	1.61	2.44	4.00	11.15	29.90
Rain Days.	10	15	23	8	11	6	14	9	5	13	17	24	155

March 10, 1915

REGISTER OF RAINFALL IN 1915

Kept at Kings Holt Blackmore
in the County of Southampton
by Mr. Chase Parr

Lat. 51° 4' 30" Long. 0° 53'
Time of Observation 9-30 AM
Nearest Railway Station Lymington L.S.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.31	.18	.06		.01			.08	.41		.15	.42	1
2	.36	.29	.24	.15		.03		.25	.15	.11		.23	2
3	.55	.02	.11	.10	.10			.08		.08		.36	3
4	.07											.60	4
5	.02	.67		.03				.15					5
6	.60	.15		.60			.88	.04				.50	6
7	.45	.48	.02				.14	.01				.49	7
8	.04	.90					.13	.08			.04	.02	8
9	.06	.09		.15		.20						.72	9
10	.26										.45	.23	10
11	.10		x07								.73		11
12	.06	.58		.23							.54		12
13	.10	.45			1 .08				.07				13
14	.05	.03			.08		.22	.29	.04			.87	14
15	.13						.14	.75				.37	15
16		.84			.40		1 .10	.08					16
17		.54			1 .05			.04					17
18		.29	x03		.15								18
19		.13			.08		.06				.10		19
20	.36			.03	.08							.32	20
21					.26		.07			.26		.05	21
22		.38x	.13				1 .12					.25	22
23	1 .08	.09	.06	.01	.05		.36		.57	.36		.43	23
24			.01				.04		.75	.33		.51	24
25				.04		.27						.15	25
26		.08				.22	.07					1 .04	26
27		.04				.20	.17			.46			27
28		.12				.30							28
29						.02	.21	.11			.47	.04	29
30	.16	X				.30				.50	.81	.03	30
31		X		X		X			X	1 .39	X	.59	31
Total	4 .76	6 .35	.73	1 .34	4 .19	1 .53	4 .71	1 .93	1 .99	3 .49	3 .29	8 .22	41 .48
Rain Days.	18	20	9	9	10	8	14	12	6	8	8	21	143

W. 8,000. X. 14. Jan. 22 snow fell early in the morning snow ceased in the day - Feb. 22 snow March melted snow - 18 1/2 in. 42.53.

REGISTER OF RAINFALL IN 1916

Kept at

in the County of

by

Lat. $51^{\circ}4'30''$ Long. $0^{\circ}53'$

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

Form A.
BRITISH RAINFALL

6 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.06	.06						.61	.45	.30		1
2	.41	.08	.11		.64					.84			2
3	.03	.81	.17						.12	.59	.68		3
4		.20				.37			.20	.02			4
5	.17	.08		.01	.17	.17				.10	1.27		5
6	.05	.15			.04	.15	.65			.20	.77		6
7		.02			.10	.14				.02	.37	.04	7
8			.54		.31						.01	.37	8
9	.01				.25	.04						.10	9
10		.46		.09	.02	.14					.02	.11	10
11	.08	.04	.15	.13		.07							11
12	.05	.08	.05		.06	.09	.13	.01		.09			12
13		.30	.08	.10		.04	.01	.04	.01				13
14		.47	.05		.05			.02		.07			14
15		.12	.36	.10				.97					15
16	.02	.06	.26	.11			.10	1.08					16
17	.32	.19	.02	.11				.22	.23	.78			17
18	.06	.12	.01					.06	.27	.03	.50		18
19	.27		.17	.39		.02			.03				19
20	.17		.68	.06							.29	1.11	20
21	.01		.20									.25	21
22			.03							.13		.73	22
23	.01					.33		.03		.11	.11	.02	23
24					.20			.03		.34	.11	.37	24
25		.96	.17						.40	.02	.09		25
26			.03						.40	.52			26
27	.02	.30	.93			.05		.27	.24	.41			27
28		.36	.04	.03				.50	.18	.18		.22	28
29		.28				.38		.65	.07	.15	.03	.38	29
30			.01							.65			30
31										.24		.05	31
Total	1.67	5.14	4.12	1.13	1.84	1.99	.91	3.88	2.35	5.97	4.55	3.73	37.38
Rain Days.	16	20	21	10	10	13	4	12	11	21	13	12	163

FORM A.
BRITISH RAINFALL

Lat. 51° 4' 30" Long. 0 53'
Time of Observation 9-30
Nearest Railway Station Lynn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15	~~.34~~ ^x		.01		1.31	.25				1
2				.23 ^x				.03		.03			2
3							.80	.28		.14			3
4				.20 ^x			.03	.21		.31			4
5	.43		.24	.40 ^x		.02			.13	.25	.36		5
6						.01			.07		.11		6
7	.27						.05			.43		.06	7
8	.31		^x	.09			.53	(.08)	.01	.30	.24	.40	8
9			.11	.03			.04			.01	.10	.08	9
10			.47	.27 ^x	.06			.14					10
11	.30		.32	.11 ^x				.06		.48			11
12	.04		.04	.02		.06		.04		.37			12
13	.08	.12	.12	.21				.10	.20	.08			13
14				.11				.25				.01	14
15							.14	.07		.28		.30	15
16		.13		.10	.10					.30			16
17				.14	.25			.17	.63	.15			17
18					.01		.42	.17	.50	.15			18
19		.26	.15			.01		.17	.15				19
20		.06			.66			.08	.05				20
21													21
22			.10 ^x			.09				.11			22
23		.18	.04		.10	.05		.55					23
24		.11				.09		.02		.45		.26 ^x	24
25		.04					.11		.02	.07	.10		25
26			.09 ^x					.38	.07	.03	.19		26
27					.21	.11		1.70					27
28			.07			1.89		.18					28
29			.12		.67	.10	.41	.04		.38			29
30			.42 ^x				1.60	.13					30
31			.06 ^x				.13	.02		.04			31
Total	1.43	.40	.50	.234	.206	.244	.437	.618	.208	5.31	1.10	1.11	30.82
Rain Days.	6	7	15	13	8	11	12	22	11	20	6	6	137

BLENDWORTH LODGE

HANTS

1912 - 1915

Kept at Blendworth
in the County of Hants
by Mr Lou

FORM A2.
BRITISH RAINFALL
9-JAN-1913

n.
d. ft. 10
level 2.17 ft.
Rowlands Castle
ce. 2 1/2 miles Direction East
result entered to the

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.19		.03	.75	.34		.02	.85		.34	1
2			.39	.02	.02	.04	.48	.04					2
3	.03		.05			.25	.02	.76	.05		.04	.03	3
4	.26	.04	1.02			.29		.10			.23		4
5	.33	.08	.24					.56					5
6	.69	.09			.08	.01	.04	.46			.05	.04	6
7		.02	.03		.35	.99		.30				.11	7
8	.73	.36	.26			.14		.13				.13	8
9	.03	.21	.18	.05			.05	.12				.02	9
10		.08						.33				.26	10
11	.09	.29	.06					.02			.03	.45	11
12	.03	.21	.15		.13	.32	.13	.22			.06	.30	12
13		.11	.06					.19			.02		13
14	.05		.03		.03		.09	.15			.07	.17	14
15	.03	.15	.18		.09	.65		.02				.07	15
16	.16	.02	.38		.01	.05		.35		.13	.11	.44	16
17	.65		.38		.01	.08		.33				.29	17
18	.08		.25					.08		.04		.12	18
19	.09	.08	.14			.02	.06	.91					19
20	.05	.04	.46			.15		.12		.48	.09		20
21	.02	.24	.22		.55			.33		.18			21
22	.10	.74	.03					.38				.08	22
23	.61	.31	.34			.10		.61		.04	.29	.13	23
24	.16	.11				.01		.40				.23	24
25	.17		.02			.47		.95		.06	.32	.80	25
26		.08					.08	.27		.68	.44	.27	26
27		.04	.01			.18	.20			.28		.73	27
28		.08				.07	.74	.35	.11	.82	.52	.32	28
29		.11				.06	.46	.31	.77	.38	.04		29
30			.01		.22	.02	.12	.08	.44	.36			30
31			.12				.36	.12		.05		.04	31
Total	4.36	3.49	5.20	.07	1.52	4.72	3.17	9.00	3.39	4.40	2.31	5.37	TOTAL for year
No. of Rain Days	20	22	25	2	11	21	14	29	5	14	14	22	199

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
9 JAN 1913

Kept at Blendworth Lodge
in the County of Hants
by Mrs Long

Pattern _____
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground _____ ft. 10
" " " Sea Level 217 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Rowlands Castle
Distance 2 1/2 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.19		.03	.75	.34		.02	.85		.34	1
2			.39	.02	.02	.04	.48	.04					2
3	.03		.05			.25	.02	.76	.05		.04	.03	3
4	.26	.04	1.02			.29		.10			.23		4
5	.33	.08	.24					.56			.05	.04	5
6	.69	.09			.08	.01	.04	.46				.11	6
7		.02	.03		.35	.99		.30				.13	7
8	.73	.36	.26			.14		.13				.02	8
9	.03	.21	.18	.05			.05	.12				.26	9
10		.08						.33			.03	.45	10
11	.09	.29	.06			.07		.02			.06	.30	11
12	.03	.21	.15		.13	.32	.13	.13			.02		12
13		.11	.06				.09	.19			.07	.17	13
14	.05		.03		.03			.15		.07		.07	14
15	.03	.15	.18		.09	.65		.02				.44	15
16	.16	.02	.38		.01	.05		.35		.13	.11		16
17	.65		.38		.01	.00		.33				.29	17
18	.08		.25					.08		.04		.12	18
19	.09	.08	.14			.02	.06	.01					19
20	.05	.04	.46			.15		.12		.48	.09		20
21	.02	.24	.22		.55			.33		.18			21
22	.10	.74	.03					.38				.08	22
23	.61	.31	.34			.10		.61		.04	.29	.13	23
24	.16	.11				.01		.40				.23	24
25	.17		.02			.47		.95		.06	.32	.86	25
26		.08					.08	.27		.68	.44	.27	26
27		.04	.01			.18	.20			.28		.23	27
28		.08				.07	.74	.35	.11	.87	.52	.32	28
29		.11				.06	.46	.31	.77	.38	.04		29
30			.01		.22	.02	.12	.08	.44	.36			30
31			.12				.36	.12		.05		.04	31
Total	4.36	3.49	5.20	.07	1.52	4.72	3.17	9.00	3.39	4.40	2.31	5.37	47.00
No. of Rain Days	20	22	25	2	11	21	14	29	5	14	14	22	199

REGISTER OF RAINFALL IN 1913

FORM A
BRITISH RAINFALL
12 JAN 1914

Kept at Blendworth Lodge
in the County of Hants
by Nos Long

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Rowlands Castle S.W.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.52	.26	.06	.02	.16			.73		.27	.14	1
2	.06	.15	.03	.05			.05		.10	.47	.10	.03	2
3	.07		.05	.40	.58					.08		.31	3
4	.40		.10		.51		.06		.74	.12	.19	.10	4
5	.72	.15	.05			.20	.08		.49		.20	.04	5
6	.08	.08	.08		.16	.19	.61			.79	.14	.42	6
7		.32	.12		.23	.11	.20	.11		.25	.20	.02	7
8	.01	.08			.35	.02		.02		.17		.15	8
9		.12			.02	.02	.13	.04	.10		.08	.01	9
10	.06			.03		.01	.38	.05		.02	.47		10
11	.14			.46	.05					.68	.46	.03	11
12		.02			1.22				.05		.48		12
13	.34		.16					.02	.08	.17	.21		13
14	.33		.16	.02			.03	.03	.03	.02	.16		14
15	.31	.07	.31	.54			.21		.14		.02	.01	15
16	.26		.52	.22		.19	.02		.23				16
17	.23		.03	.07			.05				.09		17
18	.02		.25	.15			.06				.11		18
19	.47		.11		.02	.14	.06		.27				19
20	.16		.49	.18		.01				.68	.06		20
21			.27	.26						.33	.55		21
22	.50		.30					.18	.27			.02	22
23	.02		.11			.03		.03			.02	.03	23
24	.10			.10				.03			.04		24
25		.04		.24							.03	.02	25
26			.05	.07				.22		.55		.32	26
27			.34	.16						.06			27
28	.19		.14	.15						.16			28
29	.08		.17	.57	.83			.03		.10	.02	.10	29
30	.73			.10				.12		.20			30
31			.04					1.21					31
Total	6.32	1.55	4.14	3.83	3.99	1.08	2.94	2.09	3.23	4.80	3.98	2.55	40.42
Rain Days.	23	10	23	19	11	11	13	13	12	17	21	16	189

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at Blenworth Lodge
in the County of Hants
by Jess Long

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Rowlands Castle S.W.B.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.23			.06	.07	1
2								.11			.11	.18	2
3			.17	.05	.43		.05	.03				.04	3
4	.03		.03	.29	.20		.03	.37			.32	.28	4
5	.06		.12	.44	.21	.02	.23	.03			.08		5
6		.20	.03	.21	.17	.02		.05				.54	6
7	.03	.71	.20	.15	.03	.01	.30	.02				.33	7
8	.09	.47	.46	.23	.03	.06	.01	.29				.02	8
9	.10	.02	.88	.12		.14		.03	.10			2.35	9
10	.11	.22	.03	.13	.26				.11			.02	10
11		.62	.65		.09	.01	.66		.38		.08	.80	11
12		.22	.25				.10		.54	.06	.04	.52	12
13		.55	.18						.26	.10	.10	.94	13
14		.40	.22			1.00	.05	.10		.33	.28	.28	14
15		.04	.22				.02	.49		.03	.56	.02	15
16							.13		.25		.02	.04	16
17		.70	.12				.01		.08			.47	17
18		.04	.42									.49	18
19		.17	.56				1.57				.18	.22	19
20		.41	.27			.02				.01		.30	20
21		.64	.09			.02				.27		.04	21
22		.03	.10		.08		.17	.08		.26		.01	22
23		.34	.30			.39				.04		.02	23
24			.10				.03				.18		24
25	.06		.20					.55		.42	.04	.16	25
26			.56				.08	.20		.16	.20	.81	26
27	.07									.01	.16	.38	27
28	.03		.03		.14		.01			.23	.49	.77	28
29	.23		.27							.28	.18	.02	29
30	.02		.16	.13						.18	.79	.51	30
31	.04	.06			.04		.13			.14		.05	31
Total	87	5.04	6.	1.75	1.68	1.69	3.52	2.58	1.72	2.52	3.87	10.70	42.75
Rain Days.	12	18	25	9	11	10	16	14	7	15	18	29	184

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Bladworth Lodge
in the County of Gloucestershire
by Mrs Long

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Rowlands Castle
Diameter of Rain Gauge eight in.
Height of top of Gauge above Ground 10 ft. 0 in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.64	.28	.02		.06		.06	.13	.71	.23	.07	.62	1
2	.41	.28	.36	.08	.02	.03	.10	.12	.04	.17		.30	2
3	.04		.19	.18	.22	.01		.02				.50	3
4	.02							.07				.63	4
5	.05	.38		.03		.01		.09				.63	5
6	.90	.40		.66			.76	.02				.39	6
7	.24	.70	.02	.02			.10	.01			.01	.52	7
8	.02	.98					.09	.03			.63	.03	8
9	.02	.09		.12		.07		.14			.47	.96	9
10	.25	.34	.02							.01		.25	10
11			.09					.01		.05	1.01	.03	11
12	.09	.42		.28	.55			.02			.50		12
13	.02	.45			1.76				.15				13
14	.06	.03					.15	.58	.06			1.09	14
15	.49				.08		.09	.24	.02		.08	.38	15
16	.05	.84			.42		1.36					.14	16
17		.42			.67		.03	.13					17
18		.22			.8		.01				.04		18
19		.15			.15		.08						19
20	.36			.02	.02					.02		.13	20
21	.04			.06			.06			.45		.20	21
22	1.12	.50	.21				.91					.26	22
23		.06	.19			.03	.33		.42	.49		.93	23
24			.14				.07		.90	.55		.44	24
25			.02	.05			.30					.15	25
26	.01	.09				.13	.25					.98	26
27		.02				.40				.50		.02	27
28		.11				.14			.81	.09			28
29						.54	.02	.17			.58	.06	29
30	.17	X				.05				.73	.59	.04	30
31	.01	X		X		X		.55	X	1.35	X	.80	31
Total	5.71	6.76	1.26	1.50	4.03	1.44	4.61	2.33	3.11	4.64	3.38	10.08	48.85
Rain Days.	21	20	10	10	11	10	16	16	8	12	10	25	169

REC

BORDEN

Kept at Borden
in the County of Hants
by D. O

HANTS

1914

30" W.
FORM A.
BRITISH RAINFALL
JAN 1915

Low (L.S.W.R.)
in.
ound 1 ft. 0 in.
a Level 265 ft.

result entered to the
rule, he is earnestly
the space provided

Jan. 1, following.

IMPORTANT NOTICE
previous day. If an observer is requested to add the reading at 9 a.m. on 1st January of the following year in for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07					.14			.12	.12	1
2						.03	.04	.11			.33	.20	2
3			.07		.32		.06					.07	3
4					.03		.03	.24			.46	.26	4
5	.10		.07	.26	.30	.05	.23	.67			.03	.14	5
6				.58	.06	.07	.09	.02			.06	.18	6
7		.75		.24	.08	.06	.17	.01				.27	7
8	.05	1.28	.65	.14		.07		.21				.06	8
9	.16		.73	.07	.02	.04		.02	.19			1.76	9
10		.24		.29	.11				.23			.01	10
11		.48	.50	.07		.07	.28		.06		.11	.60	11
12		.24	.10				.68		.40	.08	.01	.56	12
13			.35			.02			.18	.04	.07	.90	13
14		.5				1.00	.04			.56	.22	.60	14
15	.02	.5	.36				.03	.12		.01	.32	.01	15
16									.10		.01		16
17		.58	.14				.05		.12			.48	17
18			.14									.41	18
19		.15	.13				.92			.01	.19	.27	19
20		.47	.31			.01						.38	20
21		.49								.25		.06	21
22		.35			.06	.11	.16	.01		.23			22
23		.31	.30			.01	.01			.03			23
24			.18							.04	.17		24
25	.04							.14		.29	.01	.14	25
26							.01	.11		.01	.25	.66	26
27	.03									.06	.09	.30	27
28					.17					.01	.35	.91	28
29	.16		.10							.29	.29		29
30		X								.07	.68	.68	30
31		X		X	.05	X	.07		X	1.80	X	.05	31
Total	.56	5.44	4.20	1.65	1.20	1.54	2.87	1.80	1.28	3.78	3.77	10.08	YEAR'S TOTAL 38.17
Rain Days.	7	13	16	7	10	12	16	12	7	16	19	26	161

REC

Kept at

Bordon

in the County of

Hampshire

by

D. O. R. E.

Lat. 51-7-23 N. Long. 0-51-30 W.

Time of Observation 9 A.M.

Nearest Railway Station Bordon (L.S.W.R.)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07					.14			.12	.12	1
2						.03	.04	.11			.33	.20	2
3			.07		.32		.06					.07	3
4					.03		.03	.24			.46	.26	4
5	.10		.07	.26	.30	.05	.23	.67			.03	.14	5
6				.58	.06	.07	.09	.02			.06	.18	6
7		.75		.24	.08	.06	.17	.01				.27	7
8	.05	1.28	.65	.14		.07		.21				.06	8
9	.16		.73	.07	.02	.04		.02	.19			1.76	9
10		.24		.29	.11				.23			.01	10
11		.48	.50	.07		.07	.28		.06		.11	.60	11
12		.24	.10				.68		.40	.08	.01	.56	12
13			.35			.02			.18	.04	.07	.90	13
14		.5				1.00	.04			.56	.22	.60	14
15	.02	.5	.36				.03	.12		.01	.32	.01	15
16									.10		.01		16
17		.58	.14				.05		.12			.48	17
18			.14									.41	18
19		.15	.13				.92			.01	.19	.27	19
20		.47	.31			.01						.38	20
21		.49								.25		.06	21
22		.35			.06	.11	.16	.01		.23			22
23		.31	.30			.01	.01			.03			23
24			.18							.04	.17		24
25	.04							.14		.29	.01	.14	25
26							.01	.11		.01	.25	.66	26
27	.03									.06	.09	.30	27
28					.17					.01	.35	.91	28
29	.16		.10							.29	.29		29
30		X								.07	.68	.68	30
31		X		X	.05	X	.07		X	1.80	X	.05	31
Total	.56	5.44	4.20	1.65	1.20	1.54	2.87	1.80	1.28	3.78	3.77	10.08	YEAR'S TOTAL 38.17
Rain Days.	7	13	16	7	10	12	16	12	7	16	19	26	161

BOSSINGTON HSE

HANTS

1916, 1920

FORM A.
BRITISH RAINFALL
2 JAN 1917

Kept at Bossington
in the County of Salisbury
by W. D. D.

rebuild
uge 8 in.
round ft. 9 in.
ea Level 98 ft.
e result entered to the
al rule, he is earnestly
in the space provided

IMPORTANT
previous day. If requested to add the reading at 9 a.m. on 1st January for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.21	.04		.33	.05			.56	.13	.39		1
2	.24	.23	.04		.16		.01			.82	.09		2
3	.04	1.25	.03		.01				.03	.55	.49		3
4	.13	.13			.01	.31			.31		.60		4
5	.02	.07			.12	.08				.07	.70		5
6		.15	.03		.03	.04	.80			.20	.87		6
7	.02	.03	.27		.06	.04	.38			.06	.69	.08	7
8		.03			.25	.33	hail				.01	.25	8
9			.01		.11	.01				.04		.16	9
10		.48	.03	.05	.02	.04	.01				.01		10
11	.02		.03	.04		.13						.19	11
12	.06	.04	.05	.03	.10	.02	.07	.02		.07			12
13		.21	.11				.01	.08					13
14		.46		.02	.05			.03		.07			14
15		.16	.22	.01				.09		.03			15
16	.01	.03	.15	.21			.17	.62		.02			16
17	.15	.35		.07				.09	.47	.52			17
18	.01	.07	.02	.13				.09	.03	part S .37		.15	18
19	.12		.14	.07				.07		hail .38		.01	19
20	.16	.01	.65	.04							.06	1.32	20
21	.02		.34		.05							.36	21
22		.01			.04					.24		.46	22
23	.01	.04		.04		.05		.12		.15	.13	.03	23
24		.06		.01	.16	.22		.04		.41	.13	.36	24
25		.59	.08					.44	.12	.03	.14		25
26		.12				.19		.15	.02	.70			26
27	.01	.02	.83			.13		.75	.12	.28			27
28		.57	.06					.13	.18	.15	.01	.23	28
29		.28	.02			.32		1.10	.14	.29	.01	.24	29
30		X								.70		.02	30
31		X		X		X		.04	X	.32	X	.07	31
Total	1.18	6.75 5.57	9.90 3.15	10.62 .72	12.12 1.52	14.08 1.96	15.43 1.35	19.12 3.70	21.24 2.11	27.42 6.18	31.50 5.08	26.45 3.93	YEAR'S TOTAL 36.43
Rain Days.	16	25	20	12	15	15	7	14	11	23	17	15	190

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

2 JAN 1917

Kept at Bosington House
in the County of Southampton
by W. D. Dorell

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Horsebridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.21	.04		.33	.05			.56	.43	.39		1
2	.24	.23	.04		.16		.01			.82	.09		2
3	.04	1.25	.03		.01				.03	.55	.49		3
4	.13	.13			.01	.31			.31		.60		4
5	.02	.07			.12	.08				.07	.70		5
6		.15	.03 ⁸		.03	.04	.80			.20	.87		6
7	.02	.03	.27 ⁸		.06	.04	.58			.06	.69	.08	7
8		.03			.25	.33 ^{hail}					.01	.25	8
9			.01		.11	.01				.04		.16	9
10		.48	.03	.05	.02	.04	.01				.01		10
11	.02		.03	.04		.13						.19	11
12	.06	.04	.05	.03	.10	.02	.07	.02		.07			12
13		.26	.11				.01	.08					13
14		.46		.02	.05			.03		.07			14
15		.16	.22	.01				.09		.03			15
16	.01	.03	.15	.21			.17	.62		.02			16
17	.15	.35		.07				.09	.47	.52			17
18	.01	.07	.02	.13					.09	.03	part S .37	.15 ³⁰	18
19	.12		.14	.07					.07		part S .38	.01	19
20	.16	.01	.65	.04							.06	1.32	20
21	.02		.34		.05							.36	21
22		.01 ⁵			.04					.24		.46	22
23	.01	.04 ⁵		.04		.05		.12		.15	.13	.03	23
24		.06 ⁵		.01	.16	.22		.04		.41	.13 ³⁰	.36	24
25		.59 ⁵	.08					.44	.12	.03	.14		25
26		.12 ⁵				.19		.15	.02	.70			26
27	.01	.02 ⁵	.83			.13		.75	.12	.28			27
28		.57 ⁵	.06					.13	.18	.15	.01	.23	28
29		.28	.02			.32		1.10	.14	.29	.01	.24	29
30		X								.70		.02	30
31		X		X		X		.04	X	.32	X	.07	31
Total	1.18	6.75 ⁵ 5.57	9.90 ⁵ 3.15	10.62 ⁵ .72	12.11 ⁵ 1.50	14.08 ⁵ 1.96	15.13 ⁵ 1.35	16.13 ⁵ 3.70	21.28 ⁵ 2.11	27.47 ⁵ 6.18	32.58 ⁵ 5.08	30.13 ⁵ 3.93	YEAR'S TOTAL 36.43
Rain Days.	16	25	20	12	15	15	7	14	11	23	17	15	190

REGISTER OF RAINFALL IN 1920.

Kept at Bossington House
in the County of Hampshire
by W. H. Deverell & M. C. Mansel-Jones

Lat 51° 41' 30" Long 1° 31' 20" W
Time of Observation 9.2.14
Nearest Railway Station Bosseybridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10		.01	.56			.33	.02		.30	.64	.44	1
2	.16			.05	.14		.14	.47		.06	.37	.15	2
3	.12	.09		.03			.42			.57		.03	3
4		.07					.37	.24		.23			4
5				.02			.87	.18		.59		.03	5
6			.17	.03	.03		.43						6
7	.02		.17	.28	.26		.32						7
8	.02	.03	.05	.13	.05		.26	.03					8
9	.28	.07	~~.02~~	.08		.07							9
10	.58	.31	.02	.02		.25	.32						10
11	.39	.02	.06	.38	.10	.04	.18					.01	11
12	.10	.04	.09	.26		<u>1.01</u>	.01				.04		12
13	.08	.02	.02	.10					.24		.04	.01	13
14		.02	.46	.34					.12	.12	.56	.01	14
15	.04	.04	.35	.18		.02	.01		.05	.51	.11		15
16			.04	.07	.08	.01			.12				16
17	.01		.03	.03			.05		.07			.01	17
18	.07			.09	.26	.06		.53	.29				18
19	.03			.28	.01	.13					.01		19
20	.04	.20		.27		.57					.01	.06	20
21				.03	.03		.44		.05			.19	21
22	.03			.16			.01	.05	.02			.34	22
23							.40					.38	23
24	.02			.01							.26	.07	24
25		.10	.16		.08		.33						25
26	.09		.15	.01			.03				.04	.09	26
27	.48		.24	.19		.11	.01				.08	.27	27
28	.46	.03	.02	.02	.04		.09					.04	28
29	.39		.01		(.02)						.23	.26	29
30	.06	~~X~~	.10	.03		.09	.11		.23		.41	.21	30
31	.12	~~X~~	.35	~~X~~		~~X~~	~~X~~ (.01)	~~X~~	~~X~~		~~X~~	.23	31
TOTAL	3.69	1.04	2.50	3.65	1.10	2.30	5.14	1.52	1.19	2.38	2.80	2.83	YEAR'S TOTAL
Days with ".01 in. or more	23	13	19	26	12	11	22	7	9	7	13	19	30.14
Days with ".04 in. or more	17	8	13	16	8	9	16	5	8	7	11	13	131

REG

Kept at Botley Hill
in the County of Southampton
by Lady Jenkyns

BOTLEY HILL HANTS

1911 - 1920

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

in.
round 1 ft.
a Level 36 ft.

m.
me Botley LSWR
stance 3 miles Direction N.E.
he result entered to the
rsal rule, he is earnestly
in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. -02	in.	in. -01	in. -33	in. -01	in.	in.	in. -04	in.	in.	in. -03	in. -07	1
2	-02			-09	-42						-18	-23	2
3					-21			-08			-28	-15	3
4	-01		-04	-07	-01				-04	-07	-26	-33	4
5	-01			-02				-05		-16	-01		5
6	-44		-10								-05	-91	6
7	-07			-01						-17	-34	-07	7
8	-03		-27							-01	-32	-77	8
9	-16		-02								-03	-20	9
10	-01	-11	-31								-01	-72	10
11	-44		-03		-34						1-00		11
12	-01		-86		-08						-07	-09	12
13			-01		-15				-01	-02		-55	13
14		-09			-04				-12			-43	14
15		-02	-02			-03					-16	-02	15
16						-25					-52	-30	16
17						-21					-50	-44	17
18	-01	-18	-04	-04	-01	-02				-05	-45	-55	18
19		-08				-16			-36	-20	-01	-17	19
20	-05	-02	-13			-01		-04	-09	-01		-95	20
21	-02	-19	-02						-02	-71		-14	21
22	-18		-24	-01		-22		-03		-41	-01	-50	22
23	-01	-22	-01			-31			-14	-44	-03	-38	23
24	-02	-16				-27		-06		1-12		-40	24
25		-09	-01	-10	-93	-06	-04	-30	-06	-03		-12	25
26		-01	-01	-37	-25	-03				-25		-37	26
27		-40	-11	-13					-09	-15	-19	-21	27
28		-26	-01	-34			-01	-19			-02		28
29				-21		-18	-08		-16	-31			29
30				-18	-07	-06		-05		-37		-02	30
31										-01			31
Total	1-57	1-83	2-25	1-90	2-52	1-83	0-13	-84	1-09	4-49	4-47	9-09	31-95
No. of Rain Days	17	13	19	13	12	13	3	9	10	18	21	26	174

REG

Kept at Botley Hill, Botley
 in the County of Southampton
 by Lady Jenkins

Pattern
 RAIN Gauge Diameter of top 5 in.
 Height of top above Ground 1 ft.
 " " " Sea Level 36 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Botley LSWR
 Distance 3 miles Direction N.E.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	^{in.} ·02	^{in.}	^{in.} ·01	^{in.} ·33	^{in.} ·01	^{in.}	^{in.}	^{in.} ·04	^{in.}	^{in.}	^{in.} ·03	^{in.} ·07	1
2	·02			·09	·42						·18	·23	2
3					·21			·08			·28	·15	3
4	·01		·04	·07	·01				·04	·07	·26	·33	4
5	·01			·02				·05		·16	·01		5
6	·44		·10								·05	·91	6
7	·07			·01						·17	·34	·07	7
8	·03		·27							·01	·32	·77	8
9	·16		·02								·03	·20	9
10	·01	·11	·31								·01	·72	10
11	·44		·03		·34						1·00		11
12	·01		·86		·08						·07	·09	12
13			·01		·15				·01	·02		·55	13
14		·09			·04				·12			·43	14
15		·02	·02			·03					·16	·02	15
16						·25					·52	·30	16
17						·21					·50	·44	17
18	·01	·18	·04	·04	·01	·02				·05	·45	·55	18
19		·08				·16			·36	·20	·01	·17	19
20	·05	·02	·13			·01		·04	·09	·01		·95	20
21	·02	·19	·02						·02	·71		·14	21
22	·18		·24	·01		·22		·03		·41	·01	·50	22
23	·01	·22	·01			·31			·14	·44	·03	·38	23
24	·02	·16				·27		·06		1·12		·40	24
25		·09	·01	·10	·93	·06	·04	·30	·06	·03		·12	25
26		·01	·01	·37	·25	·03				·25		·37	26
27		·40	·11	·13					·09	·15	·19	·21	27
28		·26	·01	·34			·01	·19			·02		28
29				·21		·18	·08		·16	·31			29
30				·18	·07	·06		·05		·37		·02	30
31										·01			31
Total	1·57	1·83	2·25	1·90	2·52	1·83	0·13	·84	1·09	4·49	4·47	9·09	31·95
No. of Rain Days	17	13	19	13	12	13	3	9	10	18	21	26	174

Contd from with 6-11-13

REGISTER OF RAINFALL IN 1912

Kept at Botley Hill

in the County of Southampton 5

by Lady Jenkyns

Lat. N. 50° 57' Long. W. 1° 13'

Nearest Railway Station Botley LSWR

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Sea Level 36 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14		.03	.23	.06		.01	.86		.31	1
2			.17	.01		.03	.34	.19		.01			2
3	.01		.06			.26	.01	.79	.02		.03	.01	3
4	.15		.78		.01	.25		.07			.24		4
5	.36	.17	.25					.50			.02	.03	5
6	.52	.10			.13	.02	.11	.16				.04	6
7	.01	.03	.01		.24	.82	.02	.11				.13	7
8	.50	.32	.32	.04		.20		.14	.02			.02	8
9	.02	.24	.15	.10		.03	.08	.19				.28	9
10		.08						.27			.14	.36	10
11	.10	.17				.02		.05			.02	.38	11
12	.03	.11	.12		.27	.64	.05	.26				.01	12
13	.08	.05	.04				.04	.12		.01	.05	.09	13
14	.03		.08		.07			.05					14
15		.12	.15		.05	.55						.39	15
16	.17	.01	.22					.24		.10	.05	.01	16
17	.71	.01	.18			.08		.31				.25	17
18	.09		.19					.22		.03	.01	.05	18
19	.05	.08	.20			.01	.16	.20				.01	19
20	.01	.01	.42			.18		.08		.47	.05		20
21		.16	.08		.30			.14		.17			21
22	.08	.50	.03					.24			.01	.05	22
23	.42	.17	.26			.11	.01	.42		.05	.22	.20	23
24	.46	.03				.01		.26			.01	.20	24
25	.20					.39		.81		.04	.29	.62	25
26		.05				.04	.39	.36		.42	.46	.30	26
27		.02				.15	.35			.41		.60	27
28		.11				.11	.37	.28	.07	.65	.91	.26	28
29		.08				.09	.44	.12	1.29	.33	.02		29
30					.08		.17	.06	1.10	.21		.01	30
31			.23				.28	.09		.02		.07	31
Total	4.00	2.62	4.08	.15	1.18	4.22	2.88	6.73	2.51	3.78	2.53	4.68	TOTAL for year 39.36
No. of Rain Days	20	22	21	3	9	21	16	28	6	15	16	25	202

REGISTER OF RAINFALL IN 1913

Kept at Botley Hill, Botley
in the County of Southampton
by Lady Jenkyns

Lat. N. 50° 57' Long. W. 1° 13'

Time of Observation 9 a.m.

Nearest Railway Station Botley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 3.6 ft.

FORM A.
BRITISH RAINFALL
2 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.37	.19	.16					.77		.29	.07	1
2	.01	.10	.01		.03		.04		.03	.26	.08		2
3	.04		.03	.11	.39					.03		.14	3
4	.45		.08		.35	.01	.14		.60	.10	.13	.01	4
5	.38	.05	.02			.07	.11		.32	.02	.21	.04	5
6	.06	.14	.06		.10	.17	.35			.96	.09	.53	6
7		.36	.09		.25	.08	.03	.58		.41	.13	.01	7
8	.05	.07			.24	.02		.29		.15		.06	8
9		.08			.01		.07	.12	.05		.03		9
10	.03			.06			.18	.08		.04	.61		10
11	<u>1.09</u>			.35	.09				.01	.80	.44	.01	11
12					.52				.01		.45		12
13	.28	.02	.12						.18		.18		13
14	.27		.16				.01	.07	.11	.01	.17		14
15	.17	.05	.29	.49			.15		.27		.01		15
16	.09		.43	.15		.03			.09		.01		16
17	.34		.01	.05			.03				.02		17
18	.01		.27	.14			.04				.08		18
19	.56		.07			.11	.03		.22				19
20	.09		.36	.16						.34	.05		20
21			.24	.16						.17	.90		21
22	.35		.32					.10	.35	.05		.02	22
23			.08			.03					.02	.80	23
24	.08			.10				.01					24
25		.03		.22							.04		25
26		.01		.15				.19		.46		.31	26
27			.32	.04						.04			27
28	.29	.01	.04	.12						.21			28
29	.11		.27	.53	.79			.10		.44	.01	.07	29
30	.65		.01	.12				.01		.21			30
31			.04					.96		.10			31
Total	5.45	1.29	3.51	3.11	2.77	.52	1.18	2.51	3.01	4.80	3.95	2.07	34.17
Rain Days.	22	12	23	17	10	8	12	11	13	19	21	12	180

REGISTER OF RAINFALL IN 1914

Kept at Botley Hill, Botley
in the County of Southampton
by Lady Jenkins

Lat. N. 50° 57' Long. W. 1° 13'

Nearest Railway Station

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Sea Level 36 ft.

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·05					·32			·09	·09	1
2							·05	·06			·28	·25	2
3			·10	·07	·42		·14	·03				·02	3
4	·04		·02	·23	·10		·03	·19			·44	·29	4
5	·05		·10	·45	·26		·30	·09			·15		5
6		·20	·01	·17	·07	·04	·07	·10				·47	6
7		·56	·14	·11	·02	·06	·17					·22	7
8	·07	·32	·42	·01		·13	·01	·18				·03	8
9	·06	·01	·71	·31	·05				·16			1·71	9
10	·08	·32		·09	·26				·30			·01	10
11		·41	·54		·08		·28		·06		·13	·71	11
12		·16	·23				·02		·36	·11		·93	12
13		·49	·15			·01			·25	·15	·08	·82	13
14		·42	·27			·09	·13	·21		·27	·23	·40	14
15		·02	·25				·02	·43	·03	·02	·31		15
16							·16		·24				16
17		·54	·10						·10			·45	17
18			·32				·04					·61	18
19		·10	·57				1·05		·02		·17	·33	19
20		·24	·32			·06						·14	20
21		·64	·04							·18		·06	21
22		·01	·01		·04	·02	·08	·11		·16		·01	22
23		·04	·19		·04	·19				·14			23
24			·03				·02			·03	·14		24
25	·07		·19					·31		·32	·04	·12	25
26			·04				·12	·28		·07	·18	·65	26
27	·08		·01								·06	·33	27
28	·01	·05	·04		·23		·19			·16	·35	·67	28
29	·20		·20	·21						·27	·26	·51	29
30	·01		·10	·03						·11	·75		30
31	·03				·04		·06			·19		·05	31
Total	·70	4·54	5·15	1·68	1·61	·60	2·94	2·31	1·52	2·18	3·66	9·88	TOTAL for year 36·77
No. of Rain Days	11	18	27	10	12	8	19	12	9	14	16	25	181

REGISTER OF RAINFALL IN 1915

Kept at Botley Hill, Botley
in the County of Southampton
by Lady Jenkins

Lat. $N. 50^{\circ} 57'$ Long. $W. 1^{\circ} 13'$
Time of Observation 9 a.m.
Nearest Railway Station Botley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 36 ft.

763
FORM A.
BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
99

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.61	.20			.04			.01	.36	.12		.26	1
2	.19	.31	.20	.03		.02		.19	.07	.18		.37	2
3	.92	.01	.13	.24	.17					.01		.41	3
4	.02		.01	.03				.02				.55	4
5	.01	.35						.11				.49	5
6	.72	.21	.02	.59		.01	.54	.04				.24	6
7	.22	.56	.03	.03	.01		.18	.01				.40	7
8	.02	.67					.17	.03			.06	.02	8
9	.02	.07		.11		.01		.02			.61	.79	9
10	.16	.03								.02		.23	10
11			.10	.03							.95	.05	11
12	.09	.39		.22	.55			.02			.35		12
13		.30			1.35			.81	.15				13
14	.04	.01					.28		.07			.74	14
15	.18	.88			.12		.03	.07		.03	.08	.34	15
16		.31			.33		1.24	.34				.40	16
17					.88		.02	.03				.43	17
18		.25			.14		.01				.02		18
19		.11			.12		.07						19
20	.34			.06	.01							.09	20
21	.07	.04					.06			.60		.14	21
22	.47	.54	.26				.99					.27	22
23	.02	.04	.14			.11	.37		.28	.49		.43	23
24			.08				.39		2.17	.41		.35	24
25			.03	.06			.03		.01			.25	25
26	.01	.05				.22	.07					.91	26
27		.04				.17			.72	.54		.01	27
28		.10				.23	.01			.04			28
29						.39	.04	.14			.46	.04	29
30	.15	X				.17				.66	1.03	.18	30
31	.04	X		X		X		.25	X	1.32	X	.37	31
Total	4.30	5.47	1.00	1.40	3.72	1.33	4.50	2.09	3.83	4.42	3.56	8.76	44.38
Rain Days.	20	22	10	10	11	9	17	15	8	12	8	26	168

REGISTER OF RAINFALL IN 1916

Kept at Botley Hill
in the County of Southampton
by Lady Jenkyns

Lat. N. 50° 57' Long. W. 1° 13'

Time of Observation 9 a.m.

Nearest Railway Station Botley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.10	.08		.21	.01	.02		.45	.22	.30		1
2	.32	.10	.01		.09					.55	.08		2
3	.03	.62	.08		.01					.75	.36		3
4	.20	.17			.01	.40			.35	.04	.35		4
5	.05	.11			.10	.15	.05			.09	.71		5
6	.01	.09	.41		.03	.10	.40			.17	.58		6
7	.03				.03	.26					.92	.06	7
8					.25							.69	8
9					.23							.21	9
10		.61	.06	.07	.02	.13	.35			.06	.03	.14	10
11	.02	.04	.02	.15	.01	.01						.09	11
12		.08	.01	.03	.05	.01	.12	.03		.04			12
13		.28	.01					.01		.01	.01		13
14		.62		.01	.03			.02		.02			14
15		.10	.12					.28		.04			15
16	.08		.20	.19			.14	.31		.02			16
17	.22	.37		.12				.17	.37	.70			17
18	.08	.08	.09	.09				.05	.10	.09	.44	.13	18
19	.17		.11	.02		.07			.01	.01	.32		19
20	.14		.91	.09							.10	1.02	20
21		.02	.25				.09					.25	21
22						.02				.11	.01	.66	22
23	.04	.17				.17		.05		.17	.11		23
24					.11			.06		.41	.20	.37	24
25		.60	.11					.21	.18	.02	.06		25
26	.03	.17	.02			.22		.29	.01	.42			26
27		.01	1.05					.09	.17	.36			27
28		.49	.10					.08	.69	.37	.01	.29	28
29		.28				.42		1.24	.26	.29		.33	29
30			.03		.28			.01		.47		.02	30
31								.05		.18		.03	31
Total	1.51	5.11	3.67	.77	1.46	1.97	1.17	2.95	2.59	5.61	4.59	4.29	YEAR'S TOTAL 35.69
Rain Days.	15	21	19	9	15	13	7	16	10	25	17	14	181

REGISTER OF RAINFALL IN 1917

Kent at Botley Hill
in the County of Southampton
by Lady Jenkins

Lat. *N. 50° 57'* Long. *W. 1° 13'*

Time of Observation *9 a.m.*

Nearest Railway Station *Botley*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *6* in.

" " " " Sea Level *36* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.27	snow .25		.03		1.09	.02		.05		1
2			.06	snow .86				.01	.01	.05	.17		2
3	.02	snow .12		snow .25			.50	.22		.11	.10		3
4			snow .20	.37				.08		.27		.03	4
5	.19		.04			.13		.25	.16	.43	.08		5
6			.35					.01	.01	.09	.14	.01	6
7	.25			.04			.06			.36		.05	7
8	.33			.02			.21	.10	.03	.18	.19	.45	8
9			snow .17		.10			.01		.02	.04	.01	9
10	.23		.30	.29				.17		.05			10
11	.12		.31	.17				.02	.07	.35			11
12	.15		.03		.04			.35	.01	.35	.01		12
13			.26	.01				.09	.05	.12			13
14				.10				.02	.02			.01	14
15							.19	.55	.01	.18		.07	15
16		.11		.17	.10			.02		1.62		.47	16
17		.06		.15	.03		.37	.13	.46	.18			17
18		.04				.02	.18		.46	.02			18
19		.25	.18					.42	.24				19
20		.11	snow .33		.87	.06		.10	.05		.02		20
21		.01	snow .07		.04		.02			.02			21
22					.01	.01		.09		.14			22
23		.23			.12			.23		.01		.05	23
24		.22				.09	.10		.01	.16	.09		24
25		.08	.10				.02		.02		.01		25
26					.05	.07		.24	.09	.03	.12		26
27					.49	.10		1.21					27
28		.01	.05		.31	3.45		.10					28
29			.05		.15	.03	.79	.01		.45		.10	29
30		X	snow .50				.65	.17					30
31		X	.07	X		X	.12	.02	X	.05	X	.04	31
Total	1.29	1.26	3.34	2.68	2.31	3.99	3.21	5.71	1.72	5.24	1.02	1.29	YEAR'S TOTAL 33.06
Rain Days.	7	12	18	12	12	10	12	26	17	23	12	11	172

REGISTER OF RAINFALL IN 1918

Kept at Botley Hill
 in the County of Southampton HANTS
 by Lady Jenkyns

Lat. N. 50° 57' Long. W. 1° 13'
 Time of Observation 9 a.m.
 Nearest Railway Station Botley
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 36 ft.

Jan. 1, following.

41

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.01	.06			.73			.42	.08	1
2		.13		.03				.31			.25	.21	2
3		.05	.01	.21	.38			.42	.04	.03	.07	.03	3
4		.18	.01					.10	.19		.78	.08	4
5		.07	.07		.05			.25	.15			.02	5
6	.19	.12		.20	.05			.09	.07	.19		.11	6
7		.15		.17	.49			.03	.24	.11	.28	.02	7
8		.20							.12	.12		.07	8
9	.01			.32		.11	.30		.78	.23		.42	9
10	.02			.07		.02	.40		.23	.07	.03	.55	10
11				.12			.15		.04	.12	.02	.07	11
12		.10			.33				.13			.02	12
13					.12		.45		.44			.04	13
14	.57		.03		.02	.11	.05		.35	.24		.11	14
15	1.55			.30			.30		.01			.16	15
16	.56			.12		.05			.48	.05			16
17	.06			.25			.69		.35			.17	17
18	.52					.61			.69			.20	18
19	.09		.08				.35		.02			.06	19
20		.15		.44		.03		.02	.43	.07			20
21	.19	.09		.01			.26		.47	.05	.01	.11	21
22	.15	.01			.10		.65		.29			.08	22
23	.10				.05		.36	.03	.06			.03	23
24		.34							.23		.16		24
25	.01						.11	.30					25
26							.65		.04	.04	.06	.17	26
27		.09	.06				.03	.13	.08	.02	.15	.01	27
28			.20						1.15		.20	.03	28
29			.02						.01				29
30			.48							.04	.10	.02	30
31	.01		.05							.17		.01	31
Total	4.03	1.68	1.01	2.25	1.65	.93	4.75	2.41	7.09	1.55	2.53	2.88	YEARS TOTAL 76
Rain Days.	14	13	10	13	10	6	14	11	26	15	13	26	171

REGISTER OF RAINFALL IN 1919

Kept at Botley Hill
in the County of Southampton
by Lady Jenkins

Lat. N. 50° 57' Long. W. 1° 13'.
Time of Observation 9 a.m.
Nearest Railway Station Botley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 3.6 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.41		.10		.01		.22			.08		1.18	1
2	.39		.01		.04		.06		.30		.28	.03	2
3	.39		.62		.05		.02					.23	3
4	.26	.06	.55			.02	.01	.05	.07		.12	.05	4
5	.01	.46	.73				.02		.40		.12	.18	5
6	.35		.10		.13							.20	6
7	.12		.49	.01									7
8	.29		.26	.07	.03								8
9	.26		.06	.21	.17						.19		9
10	.63		.34	.04								.37	10
11	.14		.06	.23	.10		.05					.03	11
12	.02		.03	.07			.11			.11 snow	.11		12
13	.04			.88								.07	13
14	.38	.03		.26			.07		.52	.07		.15	14
15	.24	.16		.04	.02					.02		1.43	15
16	.11	.78									.12	.01	16
17		.15									.08	.03	17
18		.13	.25					.05	.01		.10	.02	18
19	.40	.48	1.15			.12	.48	.12			.04	.01	19
20	.66	.09	.11			.45	.01	.20				.01	20
21	.04	.57					.02				.02	.07	21
22		.01	.01				.18		.45			.16	22
23										.08	.03	.11	23
24		.07		.02		.03	.03			.32	.12	.21	24
25		.03		.07		.02		.28				.18	25
26	.09	.12	.09					.03	.12		.36	.45	26
27	.09			.38				1.05				.03	27
28	.13		snow .48					.43			.54	.49	28
29	.02							.35				.05	29
30		X		.21		.09		.63			.71	.63	30
31		X	snow .10	X		X		.01	X		X	.20	31
Total	5.47	3.14	5.54	2.49	0.55	0.73	1.28	3.20	1.87	0.68	2.94	6.68	YEAR'S TOTAL 34.57
Rain Days.	23	14	19	13	8	6	13	11	7	6	15	27	162

From Lady Jenkyns, Botley, Hants.
31 Mar 1920

I am very sorry to have given you
so much trouble. I am sure there
was no error in entering the daily
values: & I see by the duplicate form
I keep that it was my fault in
the addition, for the month of December.

Madalene S. Jenkyns

POST



CARD



The Superintendent
British Rainfall Organization
62 Camden Square
London N.W. (1)

REGISTER OF RAINFALL IN 1920

Kept at Botley Hill
 in the County of Southampton
 by Lady Jenkins

Lat. N. 50° 57' Long. W. 1° 13'

Time of Observation 9 a.m.

Nearest Railway Station Botley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.05	.28	.18		.34	.01		.63	.34	.35	1
2	.09		.02	.09	.01		.29	.35	.06	.08		.19	2
3	.04	.01		.15	.13		.17			.35		.03	3
4		.03	.01				.27	.36		.34			4
5			.14	.25			.97	.32		.57			5
6			.11	.01	.34		.33			.02			6
7	.06			.15			.26						7
8		.01		.07	.24								8
9	.27	.04	.02	.02	.01	.10	.20						9
10	.68	.18	.05			.20	.29						10
11	.26		.08	.57	.06	.06	.43					.13	11
12	.09	.09	.06	.22		.87					.04		12
13	.24	.02	.33	.01			.01				.01		13
14		.02	.42	.47					.18	.19	.75		14
15	.06		.05	.32	.07	.02			.30	.32	.13		15
16	.01	.02	.01	.06					.21	.04			16
17	.01			.06	.25		.02		.59				17
18	.14			.02	.09	.19		.47	.05			.03	18
19	.02			.34		.10			.07		.01		19
20	.05	.06		.09		.64			.06			.02	20
21				.02			.75		.05			.27	21
22	.03			.32			.02	.04				.35	22
23							.24					.42	23
24	.02		.20	.02	.01						.03	.15	24
25	.01		.01		.21		.41						25
26	.04		.21		.01	.04	.05				.03	.11	26
27	.55	.03	.01		.01	.06	.17				.22	.29	27
28	.47	.01		.21	.07		.11				.01	.04	28
29	.62		.04	.05							.17	.37	29
30	.08	~~X~~				.02	.01		.31	.01	.46	.25	30
31	.06	~~X~~	.33	~~X~~		~~X~~			~~X~~	.81	~~X~~	.20	31
Total	3.96	0.52	2.15	3.80	1.69	2.30	5.34	1.55	1.88	3.36	2.20	3.20	31.95
Rain Days.	24	12	19	23	15	11	20	6	10	11	12	16	179

Kept at Hedge
in the County of Hants
by T H Ph

BOTLEY
HEDGE END
HANTS
1911 - 1916

Jan: 5. 1912
BOWCOTE,
HEDGE END,
BOTLEY,
Hants

IMPORTANT NOTE

previous day. If an Observer prefers not to com-
requested to add the reading at 9 a.m. on 1st Jan
for it at the end of this paragraph. Full instr
the selection and placing of rain gauges, and
Organization are given in "Rules for Rainfall Obs
Dr. H. R. MILL, 62, Camden Square, London, N.

Date	Jan.	Feb.	March.	April.	May.	June.								
1	.02	—	—	.35	—	—								
2	.01	—	—	.07	.37	—								
3	—	—	—	—	.21	—								
4	.02	—	.05	.09	—	—								
5	—	—	—	.03	—	—								
6	.42	—	.11	—	—	—								
7	.05	—	—	—	—	—								
25* 8	.02	—	.25	—	—	—								
9	.17	—	.02	—	—	—	—	—	—	—	.01	—	—	
10	—	.12	.33	—	—	—	—	—	—	—	.02	.78	—	
11	.42	—	—	—	.24	—	—	—	—	—	1.10	—	—	
12	—	.01	.02	—	.06	—	—	—	—	—	.14	.09	—	
13	—	.01	—	—	.35	—	—	—	.10	.01	—	.62	—	
14	.02	.09	.02	—	.04	—	—	—	—	—	—	.43	—	
15	.02	.02	.03	—	—	.03	—	—	—	—	.10	.02	—	
16	—	—	—	—	—	.30	—	—	—	—	.46	.34	—	
17	—	—	—	—	—	.34	—	—	—	—	.53	.48	—	
18	—	.19	.04	.02	—	.03	—	—	—	.06	.45	.60	—	
19	—	.09	—	—	—	.19	—	—	.34	.17	.01	.20	—	
20	.06	.02	.13	.01	—	—	—	.04	.05	—	—	.83	—	
21	.02	.21	.01	—	—	—	—	—	.08	.66	—	.14	—	
22	.17	—	.36	—	—	.18	—	—	—	.40	—	.50	—	
23	.02	.22	.01	—	—	.29	—	—	.17	.40	.05	.41	—	
24	.03	.17	—	—	—	.27	—	.07	—	1.34	—	.38	—	
25	—	.10	—	.10	.54	.09	.02	.34	.05	.01	—	.14	—	
26	—	—	—	.34	.14	.04	—	—	—	.26	—	.39	—	
27	—	.41	.12	.14	—	—	—	.01	.08	.13	.17	.20	—	
28	—	.26	—	.36	—	—	—	.20	—	—	.02	—	—	
29	—	—	—	.26	—	.16	.08	—	.16	.26	—	—	—	
30	—	—	—	.16	.08	.09	—	.07	—	.37	—	.02	—	
31	—	—	—	—	—	—	—	—	—	—	—	—	—	
Total	1.47	1.92	2.30	1.93	2.03	2.01	.10	.92	1.12	4.46	4.56	9.34	32.16	
No. of Rain Days.	15	14	14	12	9	12	2	9	9	15	19	27	157	

Kept at Hedge End, Botley

in the County of Hants

by T H Philpott

IMPORTANT NOTE.—Rain should be measured previous day. If an Observer prefers not to conform requested to add the reading at 9 a.m. on 1st Jan for it at the end of this paragraph. Full instructions the selection and placing of rain gauges, and Organization are given in "Rules for Rainfall Observations" Dr. H. R. MILL, 62, Camden Square, London, N. 1.

Jan: 5. 1912
BOWCOTE,
HEDGE END,
BOTLEY
Hants

Dear Sir,

I am sorry to send my Rainfall return with some erasures, tho' it is my third attempt! Also I have to acknowledge an error in the amt recorded on Dec: 6th. I examined the gauge on the eve of the 6th in the dusk. At 9 o'clock on the 7th I found that I

Date	Jan.	Feb.	March.	April.	May.	June.								
1	.02	—	—	.35	—	—								
2	.01	—	—	.07	.37	—								
3	—	—	—	—	.21	—								
4	.02	—	.05	.09	—	—								
5	—	—	—	.03	—	—								
6	.42	—	.11	—	—	—								
7	.05	—	—	—	—	—								
25 8	.02	—	.25	—	—	—								
9	.17	—	.02	—	—	—	—	—	—	—	—	.01	—	
10	—	.12	.33	—	—	—	—	—	—	—	—	.02	.78	
11	.42	—	—	—	.24	—	—	—	—	—	—	1.10	—	
12	—	.01	.82	—	.06	—	—	—	—	—	—	.14	.09	
13	—	.01	—	—	.35	—	—	—	.18	.01	—	.62	—	
14	.02	.09	.02	—	.04	—	—	—	—	—	—	.43	—	
15	.02	.02	.03	—	—	.03	—	—	—	—	~~.18~~	.18	.02	
16	—	—	—	—	—	.30	—	—	—	—	—	.46	.34	
17	—	—	—	—	—	.34	—	—	—	—	—	.53	.48	
18	—	.19	.04	.02	—	.03	—	—	—	.06	.45	.60	—	
19	—	.09	—	—	—	.19	—	—	.34	.17	.01	.20	—	
20	.06	.02	.13	.01	—	—	—	.04	.05	—	—	.83	—	
21	.02	.21	.01	—	—	—	—	—	.08	.66	—	.14	—	
22	.17	—	.36	—	—	.18	—	—	—	.40	—	.50	—	
23	.02	.22	.01	—	—	.29	—	—	.17	.40	.05	.41	—	
24	.03	.17	—	—	—	.27	—	.07	—	1.34	—	.38	—	
25	—	.10	—	.10	.54	.09	.02	.34	.05	.01	—	.14	—	
26	—	—	—	.34	.14	.04	—	—	—	.26	—	.39	—	
27	—	.41	.12	.14	—	—	—	.01	.08	.13	.17	.20	—	
28	—	.26	—	.36	—	—	—	.20	—	—	.02	—	—	
29	—	—	—	.26	—	.16	.08	—	.16	.26	—	—	—	
30	—	—	—	.16	.08	.09	—	.07	—	.37	—	.02	—	
31	—	—	—	—	—	—	—	—	—	—	—	—	—	
Total	1.47	1.92	2.30	1.93	2.03	2.01	.10	.92	1.12	4.46	4.56	9.34	32.16	
No. of Rain Days.	15	14	14	12	9	12	2	9	9	15	19	27	157	

Kept at Heage End, Botley

in the County of Hants

by T H Philpott

Pattern Gauge
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 178 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bursledon
Distance 1 1/2 m. Direction S.P.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	—	.35	—	—	—	.05	—	—	.04	.09	1
2	.01	—	—	.07	.37	—	—	—	—	—	.19	.24	2
3	—	—	—	—	.21	—	—	.09	—	—	.27	.13	3
4	.02	—	.05	.09	—	—	—	—	.01	.07	.28	.35	4
5	—	—	—	.03	—	—	—	.05	—	.20	—	.01	5
6	.42	—	.11	—	—	—	—	—	—	—	.05	.88?	6
7	.05	—	—	—	—	—	—	—	—	.12	.27	.07	7
25 8	.02	—	.25	—	—	—	—	—	—	—	.32	.79	8
9	.17	—	.02	—	—	—	—	—	—	—	.01	.21	9
10	—	.12	.33	—	—	—	—	—	—	—	.02	.78	10
11	.42	—	—	—	.24	—	—	—	—	—	1.10	—	11
12	—	.01	.02	—	.06	—	—	—	—	—	.14	.09	12
13	—	.01	—	—	.35	—	—	—	.18	.01	—	.62	13
14	.02	.09	.02	—	.04	—	—	—	—	—	—	.43	14
15	.02	.02	.03	—	—	.03	—	—	—	~~.18~~	.18	.02	15
16	—	—	—	—	—	.30	—	—	—	—	.46	.34	16
17	—	—	—	—	—	.34	—	—	—	—	.53	.48	17
18	—	.19	.04	.02	—	.03	—	—	—	.06	.45	.60	18
19	—	.09	—	—	—	.19	—	—	.34	.17	.01	.20	19
20	.06	.02	.13	.01	—	—	—	.04	.05	—	—	.83	20
21	.02	.21	.01	—	—	—	—	—	.08	.66	—	.14	21
22	.17	—	.36	—	—	.18	—	—	—	.40	—	.50	22
23	.02	.22	.01	—	—	.29	—	—	.17	.40	.05	.41	23
24	.03	.17	—	—	—	.27	—	.07	—	1.34	—	.38	24
25	—	.10	—	.10	.54	.09	.02	.34	.05	.01	—	.14	25
26	—	—	—	.34	.14	.04	—	—	—	.26	—	.39	26
27	—	.41	.12	.14	—	—	—	.01	.08	.13	.17	.20	27
28	—	.26	—	.36	—	—	—	.20	—	—	.02	—	28
29	—	—	—	.26	—	.16	.08	—	.16	.26	—	—	29
30	—	—	—	.16	.08	.09	—	.07	—	.37	—	.02	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.47	1.92	2.30	1.93	2.03	2.01	.10	.92	1.12	4.46	4.56	9.34	TOTAL for year 32.16
No. of Rain Days.	15	14	14	12	9	12	2	9	9	15	19	27	157

REGISTER OF RAINFALL IN 1912

Kept at Hedge End, Botley
 in the County of Hampshire
 by J H Philpott

Lat. 50.44.33 Long. 1.18.25
 Time of Observation 9 a.m.
 Nearest Railway Station Bursledon
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft.
 " " " " Sea Level 178 ft.

FORM A.
 BRITISH RAINFALL
 2-JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.12	—	.02	.31	.07	—	—	.84	—	.29	1
2	—	.5.02	.16	.02	—	.05	.29	.14	—	—	—	—	2
3	.01	—	.07	—	—	.25	—	.70	.01	—	.02	—	3
4	.16	.5.03	.82	—	—	.26	—	—	—	—	.24	—	4
5	.36	.13	.23	—	.01	—	—	.50	—	—	.01	.03	5
6	.48	.12	—	—	.13	.02	.46	.16	—	—	—	.07	6
7	.01	.04	—	—	.24	.70	.07	.08	—	—	—	.14	7
8	.54	.34	.32	—	—	.53	—	.19	—	—	—	.02	8
9	.02	.25	.16	.07	—	.24	.02	.14	—	—	—	.29	9
10	—	.08	—	—	—	—	—	.21	—	—	.20	.38	10
11	.11	.16	—	—	—	.03	—	.03	—	—	.02	.38	11
12	.03	.15	.10	—	.35	.45	.05	.20	—	.01	—	—	12
13	—	.06	.07	—	—	—	—	.08	—	.01	.03	.10	13
14	.11	—	.10	—	.03	—	.09	.03	—	.02	—	.02	14
15	.02	.13	.18	—	.05	.54	—	—	—	—	—	.38	15
16	.26	.01	.23	—	—	.03	—	.21	—	.09	.04	—	16
17	.68	—	.19	—	—	.07	—	.40	—	.01	—	.15	17
18	.08	—	.22	—	—	—	—	.30	—	.02	—	.04	18
19	.04	.08	.21	—	—	—	.12	.18	—	—	.02	—	19
20	.01	—	.37	—	—	.09	.01	.06	—	.44	.05	—	20
21	.01	.19	.07	—	.45	—	—	.17	—	.16	—	—	21
22	.09	.49	.04	—	—	—	—	.21	—	—	—	.04	22
23	.42	.17	.25	—	—	.05	.10	.39	—	.05	.25	.20	23
24	.44	.04	—	—	—	—	—	.27	—	.01	—	.19	24
25	.23	—	—	—	—	.44	—	.58	—	.05	.30	.67	25
26	—	.05	—	—	—	.06	.32	.22	—	.46	.46	.37	26
27	—	.02	—	—	—	.12	.25	—	—	.45	—	.66	27
28	—	.10	—	—	—	.11	.32	.38	.06	.77	.74	.29	28
29	—	.09	—	—	—	.04	.43	.05	1.40	.28	—	—	29
30	—	—	—	—	.10	—	.11	.07	1.08	.26	—	—	30
31	—	—	.24	—	—	—	.40	.09	—	.03	—	.05	31
Total	4.11	2.75	4.15	.09	1.38	4.39	3.11	6.04	2.55	3.96	2.38	4.76	39.67
Rain Days.	21	22	20	2	9	20	16	27	4	18	13	21	193

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL

7-JAN 1914

Kept at Hedge End
in the County of Hants
by Res: T H Philpott

Lat. 50.34.38 Long. 1.19
Time of Observation 9 a.m.
Nearest Railway Station Bursledon
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	38	18	13	—	03	—	—	—	—	30	08	1
2	03	10	02	—	05	—	02	—	05	20	09	—	2
3	06	—	04	07	35	—	—	—	—	02	—	12	3
4	53	—	09	—	37	—	15	—	57	10	12	01	4
5	38	06	02	—	—	06	10	—	35	05	19	—	5
6	14	16	07	—	13	16	49	—	—	84	08	56	6
7	—	37	09	—	26	08	03	57	—	34	16	—	7
8	04	06	—	—	30	03	—	20	—	31	—	07	8
9	—	09	—	—	—	03	13	13	07	—	03	—	9
10	04	01	—	14	02	—	41	10	—	02	63	—	10
11	1.07	02	—	35	11	—	—	—	—	78	42	01	11
12	—	—	—	—	57	—	—	—	03	01	37	—	12
13	30	—	12	—	—	—	—	03	06	—	16	—	13
14	29	02	18	01	—	—	01	03	23	02	18	—	14
15	28	07	37	47	—	—	14	—	^x 30	~~30~~	—	—	15
16	13	—	45	15	—	03	—	—	08	—	01	—	16
17	32	—	—	04	—	—	03	—	—	—	03	—	17
18	01	—	28	13	—	—	03	—	—	—	07	—	18
19	62	—	06	—	02	11	02	—	21	—	—	—	19
20	11	—	32	16	—	—	—	—	—	43	06	—	20
21	—	—	24	15	—	—	—	—	—	22	93	—	21
22	32	—	36	—	—	—	—	07	35	06	01	—	22
23	—	—	09	—	—	05	—	—	—	—	01	80	23
24	07	—	—	13	—	—	—	—	—	—	02	—	24
25	—	02	—	17	—	—	—	—	—	—	—	—	25
26	—	—	—	17	—	—	—	21	—	45	—	29	26
27	—	—	46	08	—	—	—	—	—	—	—	—	27
28	35	—	04	15	—	—	—	—	—	20	—	—	28
29	10	—	21	62	^T 77	—	—	04	—	69	01	^T 07	29
30	68	—	02	10	—	—	—	—	—	22	—	—	30
31	01	—	04	—	—	—	—	1.33	—	12	—	—	31
Total	5.94	1.36	3.75	3.22	2.95	5.58	1.56	2.71	2.30	5.08	3.88	2.01	YEAR'S TOTAL 35.34
Rain Days.	23	12	22	18	11	9	12	10	11	19	21	9	177

REGISTER OF RAINFALL IN 1914.

Kept at Hedge End, Botley
in the County of Hants
by Rev. J H Philpott

Lat. 50.54 Long. 1.19
Time of Observation 9 a.m.
Nearest Railway Station Bursledon
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 178 ft.

FORM A.
BRITISH RAINFALL.
7 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.04	—	—	—	—	.29	—	—	.12	.09	1
2	—	—	—	—	—	—	.02	.01	—	—	.27	.27	2
3	—	—	.10	.10	.42	—	.12	.03	—	—	.06	.01	3
4	.04	—	.02	.24	.09	—	.02	.28	—	—	.41	.31	4
5	.03	—	.11	.42	.20	—	.36	.12	—	—	.26	—	5
6	—	.19	.01	.16	.05	.02	.06	.11	—	—	.08	.51	6
7	—	.57	.14	.08	.03	.13	.17	.14	—	—	—	.28	7
8	.06	.30	.46	.04	.02	.10	—	—	—	—	—	.07	8
9	.04	—	.67	.38	—	.01	—	—	.13	—	—	1.54	9
10	.09	.38	.01	.10	.24	—	—	—	.27	—	—	.02	10
11	—	.44	.54	—	.11	—	.27	—	.05	—	.13	.73	11
12	—	.16	.22	.01	—	—	.01	—	.35	.17	—	.84	12
13	—	.52	.14	—	—	—	—	—	.24	.08	.08	.88	13
14	—	.41	.26	—	—	.05	.14	.25	—	.32	.27	.44	14
15	—	—	.26	—	—	—	.01	.45	.02	.03	.29	—	15
16	—	—	—	—	—	—	.15	—	.26	—	—	—	16
17	—	.51	.10	—	—	—	—	—	.16	—	—	.47	17
18	—	—	.23	—	—	—	.04	—	—	—	.02	.57	18
19	—	.10	.53	—	—	—	1.03	—	.02	—	.16	.27	19
20	—	.28	.28	—	—	.05	—	—	—	—	—	.13	20
21	—	.63	.03	—	—	—	—	—	—	.15	—	.06	21
22	—	—	—	—	.03	.02	.09	.07	—	.28	—	—	22
23	—	.07	.21	—	.04	.16	—	—	—	.17	.12	—	23
24	.02	.01	.02	—	—	—	.03	.01	—	.04	—	—	24
25	.06	.01	.20	—	—	—	.05	.30	—	.33	.03	.13	25
26	—	—	.03	—	—	—	.08	.47	—	.06	.17	.65	26
27	.06	.01	—	—	—	—	—	—	—	—	.09	.35	27
28	—	.05	.06	—	.13	—	.01	—	—	.38	.36	.65	28
29	.22	—	.18	.16	—	—	—	—	—	.25	.29	.01	29
30	.01	X	.11	—	—	—	—	—	—	.13	.73	.49	30
31	.05	X	—	X	.03	X	.07	—	X	.24	X	.06	31
Total	.68	4.64	4.96	1.69	1.39	.54	2.73	2.53	1.50	2.63	3.94	9.83	YEAR'S TOTAL 37.06
Rain Days.	11	17	26	10	12	8	19	13	9	14	19	25	183

REGISTER OF RAINFALL IN 1915.

Kept at Hedge End

in the County of Hants

by T H Philpott

Lat. 50.54.38 Long. 1.19

Time of Observation 9.20 a.m.

Nearest Railway Station Bursledon

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 178 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.58	.19	—	—	.05	—	—	—	.42	.12	—	.34	1
2	.13	.36	.18	.04	—	.02	—	.28	.11	.20	—	.34	2
3	1.06	—	.13	.17	.12	—	—	—	—	.01	—	.46	3
4	.04	—	—	.02	—	—	—	.10	—	—	—	.63	4
5	.01	.43	—	—	—	—	—	.09	—	—	—	.57	5
6	.74	.17	.02	.67	—	—	.39	.04	—	—	—	.23	6
7	.20	.64	.02	.04	.03	—	.25	—	—	—	—	.39	7
8	.02	.62	—	—	—	—	.21	.03	—	—	.03	.02	8
9	.02	.07	—	.05	—	—	—	.01	—	—	.63	.84	9
10	.16	.02	.01	—	—	—	—	—	—	—	—	.24	10
11	—	—	.08	.03	—	—	—	—	—	—	.96	.03	11
12	.10	.36	—	.19	.53	—	—	.02	—	.01	.37	—	12
13	—	.36	—	—	1.34	—	—	—	.14	—	—	—	13
14	.04	—	—	—	—	—	.28	.85	.08	—	—	.76	14
15	.14	—	—	—	.11	—	.02	—	—	—	.08	.38	15
16	—	.98	—	—	.30	—	1.34	.42	—	—	—	.44	16
17	—	.35	—	—	1.06	—	—	.16	—	—	—	—	17
18	—	.31	—	—	.17	—	.01	—	—	—	.02	—	18
19	—	.11	—	—	.11	—	.08	—	—	—	—	—	19
20	.37	—	—	.06	—	—	—	—	—	—	—	.08	20
21	.05	.07	—	—	—	—	.06	—	—	.58	—	.16	21
22	.42	.48	.24	.02	—	—	.88	—	—	—	—	.28	22
23	—	.03	.17	—	—	.08	.29	—	.22	.42	—	.41	23
24	—	—	.01	—	—	—	.38	—	1.81	.39	—	.55	24
25	—	—	.03	—	—	—	.03	—	—	—	—	.18	25
26	.03	.07	—	—	—	.13	.08	—	—	—	—	.93	26
27	—	.06	—	—	—	.21	—	—	—	.53	—	.01	27
28	—	.09	—	—	—	.36	.01	—	.83	.03	—	—	28
29	—	~~X~~	—	—	—	.59	.05	.18	—	—	.46	.03	29
30	.14	~~X~~	—	—	—	.26	—	—	—	.62	.77	.18	30
31	.06	~~X~~	—	~~X~~	—	~~X~~	—	.21	~~X~~	1.27	~~X~~	.39	31
Total	4.31	5.77	.89	1.29	3.82	1.65	4.36	2.39	3.61	4.18	3.32	8.87	YEAR'S TOTAL 44.46
Rain Days.	19	20	10	10	10	7	16	12	7	11	8	25	155

REGISTER OF RAINFALL IN 1916.

Kept at Hedge End
in the County of Hants
by T H Philpott

Lat. 50.14.38 Long. 1.19
Time of Observation 9 a.m.
Nearest Railway Station Bursledon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 178 ft.

745
FORM A.
BRITISH RAINFALL.
5 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.10	.08	—	.16	.01	—	—	.47	.22	.32	—	1
2	.33	.13	.02	—	.08	—	.01	—	—	.51	.08	—	2
3	.03	.71	.06	—	—	—	—	—	—	.76	.34	—	3
4	.23	.07	—	—	.02	.45	—	—	.34	.03	.41	—	4
5	.08	.12	—	—	.13	.19	.02	—	—	.09	.77	—	5
6	—	.10	.06	.02	.01	—	.45	—	—	.16	.69	—	6
7	.02	—	.35	—	.03	.24	—	—	—	—	.90	.08	7
8	—	—	.02	—	.34	.02	—	—	—	—	—	.77	8
9	—	—	—	—	.18	—	—	—	—	—	—	.18	9
10	—	.56	.02	.05	.02	.12	.32	—	—	.07	.02	.06	10
11	.03	.02	.02	.19	—	.01	—	—	—	—	—	.22	11
12	.03	.08	.05	.05	.07	—	.13	.09	—	.04	—	—	12
13	—	.29	—	.01	—	—	.02	—	.02	—	—	—	13
14	.01	.63	—	—	.03	—	—	.05	—	.06	—	—	14
15	—	.12	.14	—	—	—	—	.38	—	—	—	—	15
16	.05	.02	.21	.19	—	—	.12	.46	—	.02	—	—	16
17	.25	.35	—	.12	—	—	—	.18	.37	.70	.01	—	17
18	.11	.09	.08	.09	—	—	—	.06	.06	.12	.42	.11	18
19	.17	—	.20	.03	—	.01	—	—	—	—	.34	.02	19
20	.18	—	.89	.12	—	—	—	—	—	—	.07	1.07	20
21	—	.02	.28	—	—	—	.01	—	—	—	—	.30	21
22	.01	—	—	—	—	.06	—	—	—	.11	.02	.66	22
23	.02	—	—	—	—	.16	—	.05	—	.41	.13	—	23
24	—	.19	—	—	.18	—	—	.05	—	.45	.21	.36	24
25	—	.64	—	—	—	—	—	.35	.12	—	.04	—	25
26	.01	.13	—	—	—	.19	—	.33	—	.45	.01	—	26
27	—	.02	1.19	—	—	.09	—	.08	.19	.31	—	—	27
28	—	.54	.07	—	—	—	—	.09	.68	.23	.01	.31	28
29	—	.30	—	—	—	.36	—	1.10	.23	.39	—	.34	29
30	—	X	.02	—	.18	—	—	—	—	.41	—	.02	30
31	—	X	—	X	—	X	—	.07	X	.19	X	.02	31
Total	1.68	5.23	3.76	.87	1.43	1.91	1.08	3.64	2.48	5.73	4.79	4.52	37.12
Rain Days.	17	22	18	10	13	13	8	14	9	21	18	15	178

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Hedge End. Botley

in the County of Hants

T.H. 2 by C. A. Philpott

Lat. 50.54.38 Long. 1.19

Time of Observation 9 a.m.

Nearest Railway Station Bursledon

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 148 ft.

" " " " Sea Level 148 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.23	S. 54	—	.01	—	1.03	.01	—	.06	—	1
2	—	—	.09	S. 1.14	—	—	—	—	—	—	.05	—	2
3	.03	—	—	S. 48	—	—	.52	.21	—	.04	.13	—	3
4	—	S. 09	.23	—	—	—	—	.04	—	.14	.06	.03	4
5	.14	—	.06	S. 34	—	—	—	.29	.12	.26	.09	—	5
6	—	—	.39	—	—	.11	—	—	.01	.38	.14	—	6
7	.26	—	—	—	—	—	.12	—	—	.09	—	.06	7
8	.32	—	S. 10	S. 06	—	—	.23	.11	.03	.29	.16	.39	8
9	—	—	S. 14	S. 02	.05	—	.03	.01	.01	(.19)	.06	—	9
10	.23	—	.36	S. 29	—	—	—	.14	—	.01	—	.01	10
11	.14	—	.31	.22	—	—	—	.01	.04	.05	.01	—	11
12	.14	—	—	—	.03	—	—	.54	—	.34	.01	—	12
13	.01	—	.31	.02	—	—	—	.11	—	.34	—	—	13
14	—	—	—	.11	—	—	—	.06	.05	.06	—	.01	14
15	—	—	—	—	—	—	.04	.16	.01	—	.01	.06	15
16	—	.19	—	.10	.11	—	—	.02	—	.20	—	W.S. 40	16
17	—	.02	—	.16	.02	—	.35	.13	—	1.56	—	—	17
18	—	.04	—	—	—	—	.19	—	.48	.19	—	—	18
19	—	.29	.20	—	—	—	—	.41	.44	.02	—	—	19
20	—	.11	S. 36	—	.94	—	—	.01	.25	—	.02	—	20
21	—	—	S. 05	—	.02	—	.09	—	.06	—	.01	—	21
22	—	—	S. 03	—	—	.01	—	.02	—	.02	—	—	22
23	—	.24	—	—	.09	—	—	.23	—	.14	—	.03	23
24	—	.22	—	—	—	.08	.11	—	—	—	.06	—	24
25	—	.09	.08	—	—	—	.05	—	—	.20	—	—	25
26	—	—	.03	—	.04	.08	—	.26	.03	.01	.11	—	26
27	—	—	—	—	.52	.04	—	1.38	.09	.04	—	.04	27
28	—	—	.04	—	.44	2.90	—	.12	—	—	—	.03	28
29	—	—	.04	—	.04	.05	.62	—	—	—	—	.06	29
30	—	X	.60	—	—	—	.41	.21	—	.53	—	—	30
31	—	X	.11	X	—	X	.09	.04	X	.01	X	S. 04	31
Total	1.30	1.29	3.46	3.21	2.36	3.31	3.15	5.54	1.63	5.06	1.01	1.16	YEAR'S TOTAL 32.81
Rain Days.	8	9	20	12	11	8	13	23	14	23	15	12	168

REGISTER OF RAINFALL IN 1918

Kept at Hedge End

in the County of Hampshire

by W. Philpott

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Bursledon

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Sea Level Jan-June 1918 ft. July-Dec 200-220

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	.01	—	.02	—	—	—	.51	—	—	.46	.11	1
2	—	.14	—	.03	—	—	—	.45	—	—	.24	—	2
3	—	.08	.01	.24	.34	—	—	.42	.05	—	.08	.23	3
4	—	.20	.01	—	—	—	—	.12	.22	—	.86	.08	4
5	—	.04	.04	—	.04	—	—	.29	—	.21	—	—	5
6	.20	.14	—	.20	.03	—	—	.10	.08	.01	—	—	6
7	—	.10	—	.19	.49	—	—	.03	.22	.14	.30	.16	7
8	—	.20	—	.30	—	—	—	—	.12	.08	—	.09	8
9	.01	—	—	—	—	.16	.28	—	.50	.24	—	.54	9
10	.04	—	—	.04	—	.06	.38	—	.40	.04	—	.24	10
11	.02	—	—	—	—	—	.24	—	.02	.09	—	.08	11
12	—	.12	—	—	.30	—	.06	—	.12	—	—	—	12
13	.34	.02	—	—	.13	—	.44	—	.40	.03	—	—	13
14	.25	—	.03	—	.02	.13	.04	—	.35	.25	—	.15	14
15	.49	—	—	.29	.01	—	.18	—	.01	.10	—	.19	15
16	.46	.01	—	.11	—	.08	—	—	.29	.01	—	—	16
17	.16	—	—	.28	—	—	.42	—	.06	—	—	.19	17
18	.54	—	—	—	—	.40	—	—	.55	—	—	.23	18
19	.10	—	.04	—	—	—	.46	.04	.01	.02	—	.05	19
20	.03	.15	—	.44	—	.02	.03	—	.34	.05	—	—	20
21	.15	.08	—	—	—	.02	.18	—	.48	.08	—	.13	21
22	.14	—	—	—	.06	—	.58	—	.30	—	.28	.10	22
23	.11	—	—	—	.05	.01	.25	.03	—	—	.08	.03	23
24	—	.30	—	—	—	.02	—	—	.21	—	.16	—	24
25	.01	.01	—	.20	—	—	.12	.41	—	.02	—	—	25
26	—	—	—	—	—	—	.45	—	.03	.03	—	—	26
27	—	.12	.06	—	—	—	.03	.13	—	.02	—	.14	27
28	.01	.01	.21	—	—	—	—	—	—	.01	.19	.05	28
29	.01	—	.04	.03	—	—	—	—	1.22	—	—	—	29
30	.02	X	.50	—	—	—	—	—	.01	.05	.08	.03	30
31	.01	X	.06	X	—	X	—	—	X	.14	X	—	31
Total	4.16	1.46	1.06	2.43	1.53	1.20	4.44	2.53	6.02	1.43	2.46	2.85	32.44
Rain Days	20	14	10	13	10	9	16	11	23	20	10	19	178

Kept at Nellong
in the County of C
by M. J. P.

BOURNEMOUTH
C.G. STATION
HANTS
1915 - 16

53' W
m
mouth West
age 5" in.
round 1 ft. in.
ea Level 100 ft.

FORM A.
BRITISH RAINFALL
1-MAR-1916

IMPORTANT

previous day. If an observer is requested to add the reading at 9 a.m. on 1st January of the following year for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

the result entered to the
al rule, he is earnestly
in the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.23	0.18	—	—	0.01	—	—	—	0.32	0.40	—	0.20	1
2	0.20	0.20	0.20	0.02	—	0.03	—	0.10	—	0.31	—	0.32	2
3	0.48	0.01	0.10	0.06	0.14	—	—	—	—	0.23	—	0.49	3
4	0.01	—	—	0.02	—	—	—	—	—	—	—	0.52	4
5	0.05	0.32	—	0.01	—	—	—	0.17	—	—	—	0.51	5
6	0.64	0.48	—	0.31	—	0.01	0.43	0.92	—	—	—	0.30	6
7	0.11	0.45	0.01	0.07	—	—	0.08	—	—	—	—	0.28	7
8	0.03	0.52	—	—	—	—	0.02	0.06	—	—	0.05	0.07	8
9	—	0.13	—	0.13	—	—	—	—	—	—	0.43	0.71	9
10	0.19	0.13	0.01	0.01	—	—	—	—	—	—	—	0.16	10
11	0.04	0.03	0.07	0.05	—	—	—	—	—	0.01	0.85	0.01	11
12	0.13	0.23	—	0.19	0.53	—	—	0.03	—	0.04	0.62	—	12
13	0.01	0.01	—	—	1.12	—	—	—	0.10	0.01	0.06	—	13
14	0.05	0.42	—	—	—	—	0.12	—	0.04	—	0.01	0.60	14
15	0.06	0.01	—	—	0.10	—	0.36	0.04	—	—	0.05	0.11	15
16	—	0.52	—	—	0.33	—	0.74	0.04	—	—	—	0.26	16
17	—	0.27	—	—	0.25	—	0.01	0.05	0.01	—	—	—	17
18	—	0.38	0.01	—	0.03	—	—	—	—	—	—	—	18
19	—	0.02	—	—	0.13	—	0.06	—	—	—	—	—	19
20	0.22	—	—	0.14	0.12	—	—	—	—	—	—	0.05	20
21	—	0.33	—	—	—	—	0.08	—	0.02	0.46	—	0.15	21
22	0.33	0.26	0.26	—	—	—	0.48	—	0.01	—	—	0.20	22
23	—	0.01	0.17	—	—	—	0.02	—	0.16	0.45	—	0.63	23
24	—	—	0.01	0.03	—	—	0.23	—	0.72	1.64	—	0.74	24
25	—	—	—	0.03	—	0.06	—	—	0.01	0.01	—	0.21	25
26	—	0.08	—	—	—	0.10	0.20	—	—	—	—	0.94	26
27	—	0.01	—	—	—	0.03	—	—	—	1.22	—	0.01	27
28	—	0.08	—	—	—	0.30	0.08	0.02	0.54	0.04	—	0.02	28
29	—	X	—	—	—	0.32	—	0.03	—	0.13	0.23	0.04	29
30	0.21	X	—	—	—	0.31	—	—	—	0.26	0.82	0.14	30
31	—	X	—	X	—	X	—	0.13	X	0.74	X	0.22	31
Total	2.99	5.08	0.84	1.07	2.76	1.16	2.91	1.59	1.93	5.95	3.12	7.89	37.29
Rain Days.	17	24	9	13	10	22	14	11	10	15	9	26	166

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL
1-MAR-1916

Kept at *Coastguard Station*
Nellington House Bournemouth
in the County of *Hampshire*
by *Messrs Primarisi Bros*

Lat. *50°48'N* Long. *1°53'W*
Time of Observation *9 AM*
Nearest Railway Station *Bournemouth West*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. — in.
" " " " Sea Level *100* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.23	0.18	—	—	0.01	—	—	—	0.32	0.40	—	0.20	1
2	0.20	0.20	0.20	0.02	—	0.03	—	0.10	—	0.31	—	0.32	2
3	0.48	0.01	0.10	0.06	0.14	—	—	—	—	0.23	—	0.49	3
4	0.01	—	—	0.02	—	—	—	—	—	—	—	0.52	4
5	0.05	0.32	—	0.01	—	—	—	0.17	—	—	—	0.51	5
6	0.64	0.48	—	0.31	—	0.01	0.43	0.92	—	—	—	0.30	6
7	0.11	0.45	0.01	0.07	—	—	0.08	—	—	—	—	0.28	7
8	0.03	0.52	—	—	—	—	0.02	0.06	—	—	0.05	0.07	8
9	—	0.13	—	0.13	—	—	—	—	—	—	0.43	0.71	9
10	0.19	0.13	0.01	0.01	—	—	—	—	—	—	—	0.16	10
11	0.04	0.03	0.07	0.05	—	—	—	—	—	0.01	0.85	0.01	11
12	0.13	0.23	—	0.19	0.53	—	—	0.03	—	0.04	0.62	—	12
13	0.01	0.01	—	—	1.12	—	—	—	0.10	0.01	0.06	—	13
14	0.05	0.42	—	—	—	—	0.12	—	0.04	—	0.01	0.60	14
15	0.06	0.01	—	—	0.10	—	0.36	0.04	—	—	0.05	0.11	15
16	—	0.52	—	—	0.33	—	0.74	0.04	—	—	—	0.26	16
17	—	0.27	—	—	0.25	—	0.01	0.05	0.01	—	—	—	17
18	—	0.38	0.01	—	0.03	—	—	—	—	—	—	—	18
19	—	0.02	—	—	0.13	—	0.06	—	—	—	—	—	19
20	0.22	—	—	0.14	0.12	—	—	—	—	—	—	0.05	20
21	—	0.33	—	—	—	—	0.08	—	0.02	0.46	—	0.15	21
22	0.33	0.26	0.26	—	—	—	0.48	—	0.01	—	—	0.20	22
23	—	0.01	0.17	—	—	—	0.02	—	0.16	0.45	—	0.63	23
24	—	—	0.01	0.03	—	—	0.23	—	0.72	1.64	—	0.74	24
25	—	—	—	0.03	—	0.06	—	—	0.01	0.01	—	0.21	25
26	—	0.08	—	—	—	0.10	0.20	—	—	—	—	0.94	26
27	—	0.01	—	—	—	0.03	—	—	—	1.22	—	0.01	27
28	—	0.08	—	—	—	0.30	0.08	0.02	0.54	0.04	—	0.02	28
29	—	X	—	—	—	0.32	—	0.03	—	0.13	0.23	0.04	29
30	0.21	X	—	—	—	0.31	—	—	—	0.26	0.82	0.14	30
31	—	X	—	X	—	X	—	0.13	X	0.74	X	0.22	31
Total	2.99	5.08	0.84	1.07	2.76	1.16	2.91	1.59	1.93	5.95	3.12	7.89	YEAR'S TOTAL 37.29
Rain Days.	17	24	9	13	10	22	14	11	10	15	9	26	37.29 180 166

REGISTER OF RAINFALL IN 1916

Kept at *Coastguard Station Wellington House Bournemouth*
in the County of *Hampshire*
by *Primavesi Bros*

Lat. *50° 48' N* Long. *1° 53' W*
Time of Observation *9 A.M.*
Nearest Railway Station *Bournemouth*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
" " " " Sea Level *100* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.09	0.05	0.14	—	0.85	0.02	—	—	0.46	0.13	0.20	—	1
2	0.23	0.15	0.05	—	0.11	—	0.01	—	0.01	0.16	0.13	—	2
3	0.03	0.36	0.04	—	0.01	—	—	—	—	0.48	0.08	—	3
4	0.19	0.04	—	—	0.04	0.22	—	—	0.22	0.03	0.11	—	4
5	0.05	0.05	0.02	—	0.13	0.27	—	—	0.01	0.08	0.24	—	5
6	—	0.04	0.05	—	0.01	0.26	0.45	—	—	0.02	0.34	—	6
7	0.02	—	0.45	—	0.06	—	—	—	—	0.03	0.82	0.14	7
8	—	0.02	0.04	—	0.21	—	—	—	—	—	0.08	0.37	8
9	—	—	—	—	0.01	0.01	—	—	—	—	—	0.24	9
10	—	0.59	0.01	~~0.01~~	0.03	—	—	—	—	—	0.02	0.08	10
11	0.01	0.01	0.02	0.10	—	0.07	0.03	0.02	—	—	0.01	0.06	11
12	0.04	0.10	0.08	0.05	0.09	—	0.05	—	—	0.03	—	—	12
13	—	0.16	0.06	0.02	—	—	—	—	—	0.01	0.01	—	13
14	0.01	0.45	—	0.02	0.05	—	—	—	—	0.02	—	—	14
15	—	0.43	0.08	—	—	—	—	—	—	0.02	—	—	15
16	0.09	0.07	0.02	0.09	—	—	0.01	0.42	—	0.04	—	0.24	16
17	0.12	0.12	—	0.06	—	—	—	0.08	0.25	0.36	0.42	—	17
18	0.01	0.04	0.11	0.02	—	—	—	0.23	0.09	0.04	0.20	0.20	18
19	0.15	—	0.41	0.03	—	—	—	—	0.01	—	0.24	0.03	19
20	0.16	0.30	0.40	0.02	—	—	—	0.01	—	—	0.08	1.32	20
21	0.01	0.19	0.34	0.02	0.02	—	0.10	—	—	—	0.08	0.12	21
22	—	—	—	—	0.01	—	—	—	—	0.11	0.01	0.70	22
23	0.02	0.05	—	—	—	0.11	—	0.04	—	0.13	0.28	0.01	23
24	—	0.05	—	0.01	0.17	—	—	0.06	—	0.16	0.10	0.04	24
25	—	0.60	0.09	—	—	—	—	0.41	0.05	0.04	—	0.01	25
26	0.03	0.22	—	—	—	0.07	—	0.04	0.16	0.14	0.11	0.02	26
27	—	0.03	0.69	—	—	0.42	—	0.03	0.53	0.19	—	0.03	27
28	0.01	0.30	0.02	—	—	—	—	0.08	0.21	0.11	—	0.30	28
29	—	0.69	0.03	—	—	0.26	—	2.02	0.45	0.18	—	0.46	29
30	—	X	0.01	—	0.03	—	—	6.02	—	0.50	—	0.03	30
31	—	X	—	X	—	X	—	0.05	X	0.27	X	0.01	31
Total	1.27	5.11	3.66	0.44	1.83	1.71	0.65	3.51	2.45	3.28	3.56	4.41	31.38
Rain Days.	18	25	22	11	16	10	6	14	12	24	20	20	198

YEARS TOTAL

613
13°
27. XI. 14

REG

Kept at Rodney House,
in the County of Hampc
by S. Hyla Gress

BOURNEMOUTH
RODNEY HSE
HANTS

IMPORTANT NOT
previous day. If an Ob
requested to add the read
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Cam

1911 — 1920

613
13°
Bournemouth West
5 in.
ve Ground 1 ft. 6 in.
Sea Level 145 ft.
the result entered to the
versal rule, he is earnestly
ar in the space provided
ment of rain,
ritish Rainfall
application to
Jan. 1, following.
NIL

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.01	.02	—	—	—	—	—	—	.02	.15	1
2	NIL	—	—	.28	.27	—	—	.02	—	.10	.17	.24	2
3	—	—	—	—	.17	—	—	—	.01	—	.14	.14	3
4	—	—	.07	.01	—	—	—	—	.11	.03	.28	.55	4
5	.02	—	—	.01	—	—	—	.06	—	.60	.10	—	5
6	.46	—	.10	—	—	—	—	—	—	.04	.34	1.01	6
7	.03	—	—	—	—	—	—	—	—	.01	.43	.01	7
8	.01	.01	.14	—	—	—	—	—	.05	—	.37	.65	8
9	.07	—	.01	.01	—	—	—	—	—	—	.07	.34	9
10	.03	.06	.40	—	.01	—	—	—	—	—	.01	.48	10
11	.38	.07	.02	—	—	—	—	—	—	—	1.35	—	11
12	—	.01	.93	—	.02	—	—	.25	—	—	.06	.19	12
13	—	—	—	—	—	—	—	—	.26	—	—	.34	13
14	—	.06	—	—	—	—	—	—	—	.02	—	.25	14
15	—	.02	.05	—	—	.03	—	—	—	—	.20	.02	15
16	—	—	—	—	—	.22	—	—	—	—	.35	.32	16
17	—	.04	.11	—	—	.15	—	—	—	—	.65	.48	17
18	—	.15	.06	.04	—	.15	—	—	—	.06	.21	.49	18
19	—	.03	—	—	—	.15	—	—	.34	.23	NIL	.28	19
20	.01	.02	.21	.02	—	—	—	.17	.08	.03	—	.77	20
21	.03	.24	.06	—	—	.01	—	—	.04	.47	—	.18	21
22	.17	.05	.04	—	—	.18	—	—	—	.31	—	.60	22
23	—	.09	—	—	—	.31	—	—	.15	.41	.12	.35	23
24	.02	.12	—	—	—	.33	—	.16	—	.69	—	.20	24
25	—	.01	.01	.06	—	.07	—	—	.04	.05	—	.11	25
26	—	.02	—	.28	—	—	—	—	—	.33	—	.28	26
27	—	.33	.06	.02	—	—	—	—	.09	.94	.13	.19	27
28	—	.21	—	.42	—	—	—	.18	—	—	.05	—	28
29	—	—	—	.32	.09	.19	.22	—	.09	.30	—	—	29
30	—	—	—	—	—	.02	—	.57	—	.37	.06	.01	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.24	1.50	2.28	1.49	.56	1.81	.22	1.41	1.26	4.99	5.11	8.63	30.50
Rain Days.	12	17	16	12	5	12	1	7	11	18	20	26	157
YEAR'S TOTAL													30.50

613
13°

REG

Kept at Rodney House, Bournemouth
in the County of Hampshire
by S. Hyla Green

Time of Observation 9 a.m.
Nearest Railway Station Bournemouth West
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 145 ft.

613
-9 MAR 1914
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

NIL

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	NIL	-	.01	.02	-	-	-	-	-	-	.02	.15	1
2	NIL	-	-	.28	.27	-	-	.02	-	.10	.17	.24	2
3	-	-	-	-	.17	-	-	-	.01	-	.14	.14	3
4	-	-	.07	.01	-	-	-	-	.11	.03	.28	.55	4
5	.02	-	-	.01	-	-	-	.06	-	.60	.10	-	5
6	.46	-	.10	-	-	-	-	-	-	.04	.34	1.01	6
7	.03	-	-	-	-	-	-	-	-	.01	.43	.01	7
8	.01	.01	.14	-	-	-	-	-	.05	-	.37	.65	8
9	.07	-	.01	.01	-	-	-	-	-	-	.07	.34	9
10	.03	.06	.40	-	.01	-	-	-	-	-	.01	.48	10
11	.38	.07	.02	-	-	-	-	-	-	-	1.35	-	11
12	-	.01	.93	-	.02	-	-	.25	-	-	.06	.19	12
13	-	-	-	-	-	-	-	-	.26	-	-	.34	13
14	-	.06	-	-	-	-	-	-	-	.02	-	.25	14
15	-	.02	.05	-	-	.03	-	-	-	-	.20	.02	15
16	-	-	-	-	-	.22	-	-	-	-	.35	.32	16
17	-	~~.04~~	.11	-	-	.15	-	-	-	-	.65	.48	17
18	-	.15	.06	.04	-	.15	-	-	-	.06	.21	.49	18
19	-	.03	-	-	-	.15	-	-	.34	.23	NIL	.28	19
20	.01	.02	.21	.02	-	-	-	.17	.08	.03	-	.77	20
21	.03	.24	.06	-	-	.01	-	-	.04	.47	-	.18	21
22	.17	.05	.04	-	-	.18	-	-	-	.31	-	.60	22
23	-	.09	-	-	-	.31	-	-	.15	.41	.12	.35	23
24	.02	.12	-	-	-	.33	-	.16	-	.69	-	.20	24
25	-	.01	.01	.06	-	.07	-	-	.04	.05	-	.11	25
26	-	.02	-	.28	-	-	-	-	-	.33	-	.28	26
27	-	.33	.06	.02	-	-	-	-	.09	.94	.13	.19	27
28	-	.21	-	.42	-	-	-	.18	-	-	.05	-	28
29	-	-	-	.32	.09	.19	.22	-	.09	.30	-	-	29
30	-	-	-	-	-	.02	-	.57	-	.37	.06	.01	30
31	-	-	-	-	-	-	-	-	-	-	-	-	31
Total	1.24	1.50	2.28	1.49	.56	1.81	.22	1.41	1.26	4.99	5.11	8.63	30.50
Rain Days.	12	17	16	12	5	12	1	7	11	18	20	26	157

REGISTER OF RAINFALL IN 1912

Kept at *Rodney House, Bournemouth*

in the County of *Hampshire* *2*

by *S. Hyla Jones*

Lat. *50° 30'* Long. *1° 12'*

Time of Observation *9 A.M.*

Nearest Railway Station *Bournemouth West*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *6* in.

" " " " Sea Level *145* ft.

BRITISH RAINFALL FORM A.
9 MAR 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.03	-	.01	.29	.19	.08	-	.85	-	.30	1
2	-	-	.14	.01	-	.03	.33	.02	-	-	.01	-	2
3	-	-	.08	-	-	.21	.05	.71	-	-	.02	.02	3
4	.16	.05	.63	-	-	.74	-	.01	-	-	.29	-	4
5	.42	.14	.17	-	-	-	-	.58	-	-	.02	.08	5
6	.77	.03	-	-	.17	.03	-	.41	-	-	-	.03	6
7	.02	.36	.10	-	.28	.56	-	.13	-	-	-	.06	7
8	.38	.24	.25	-	-	.04	-	.02	-	-	-	.01	8
9	.01	.06	.18	.04	-	.08	.01	.10	-	-	-	.23	9
10	.01	.07	-	-	-	.09	.01	.07	-	.01	.03	.48	10
11	.20	.13	.01	-	-	.39	-	.46	-	.01	-	.41	11
12	.08	.30	.07	.01	.57	.83	.07	.16	-	.01	.03	.01	12
13	-	.02	.01	-	-	-	.03	-	-	.03	.02	.08	13
14	.11	-	.12	-	.01	-	-	.14	-	.01	-	.01	14
15	.18	.21	.06	-	.03	.61	-	.05	-	-	-	.32	15
16	1.02	.01	.39	-	.14	.01	-	.14	-	.06	.27	-	16
17	.69	.01	.15	-	.01	.05	-	.60	-	-	-	.19	17
18	.04	-	.25	-	-	-	-	.22	-	.02	-	.03	18
19	.01	.06	.22	-	-	-	.06	.65	-	.01	.02	-	19
20	.03	.05	.39	-	.05	-	.04	.20	-	.41	.03	-	20
21	-	.17	.27	-	.27	-	-	.05	-	.14	-	-	21
22	.17	.41	.06	-	-	-	.21	.17	-	.02	.01	.05	22
23	.35	.17	.31	-	-	.01	.03	.52	-	.20	.12	.26	23
24	.48	.05	-	-	-	.06	.02	.10	-	-	-	.25	24
25	.15	.01	-	-	-	.46	-	.32	-	.17	.41	.68	25
26	-	.07	-	-	-	-	.32	.27	-	.42	.65	.35	26
27	-	.03	-	-	-	.14	.13	-	.04	.70	-	.45	27
28	-	.12	-	-	-	.11	.08	.42	2.07	.75	.38	.31	28
29	-	.15	-	-	-	-	.32	.01	2.17	.18	.03	.01	29
30	-	-	-	-	-	.05	-	-	.79	.21	-	-	30
31	-	-	.45	-	-	-	.16	.04	-	.03	-	.03	31
Total	5.28	2.92	4.34	.06	1.54	4.79	2.06	6.65	3.00	4.24	2.34	4.65	YEAR'S TOTAL 41.87
Rain Days.	20	24	22	3	10	20	17	28	3	20	16	24	207

REGISTER OF RAINFALL IN 1913

Kept at Rodney House, Poole Road, Bournemouth
in the County of Hampshire
by S. Hyla Greves

Lat. 50° 4' Long. 1° 34'
Time of Observation 9 a.m.
Nearest Railway Station Bournemouth West
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 145 ft.

20 FEB 1914
BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

NIL

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.05	—	.03	—	—	—	.01	.73	—	.08	—	1
2	.02	.44	.14	.27	—	.02	—	—	.54	—	.18	—	2
3	.11	.11	—	—	—	—	—	—	.01	.04	.06	.06	3
4	.15	~~.20~~ NIL	.03	.07	.33	—	—	—	NIL	.05	—	.15	4
5	.63	NIL	.11	—	.25	—	.03	—	.55	.59	.05	.03	5
6	.29	.20	.02	—	.06	.08	.05	—	.41	.09	.31	.15	6
7	.03	.10	.03	—	.04	.17	.04	—	—	.62	.04	.52	7
8	—	.35	.02	—	.30	.07	NIL	—	—	.33	.26	—	8
9	.02	.17	—	—	.15	.01	.02	.03	~~.50~~	—	—	.07	9
10	—	.09	—	—	—	—	.08	.55	.07	—	.13	—	10
11	.12	.01	—	.01	—	—	.16	.01	—	.02	.53	—	11
12	.95	.01	—	.21	.27	—	—	—	—	.06	.38	.01	12
13	~~—~~	—	—	—	.39	—	—	—	—	—	.36	—	13
14	.12	—	.06	—	—	—	—	—	.24	—	.15	—	14
15	.25	.01	.13	.01	.02	—	—	—	.06	.01	—	—	15
16	.25	.09	.32	.68	—	—	.90	—	.39	—	—	—	16
17	.12	—	.45	.10	—	.03	—	—	.08	—	—	—	17
18	.09	—	—	.23	—	—	—	—	—	—	.04	—	18
19	.01	—	.25	.10	—	—	—	—	—	—	.05	—	19
20	.66	—	.02	—	.04	.49	.01	—	.25	.04	—	—	20
21	.04	—	.38	.14	—	—	—	—	—	.55	.09	—	21
22	—	—	.18	.39	—	—	.03	—	—	.21	.62	.02	22
23	.47	—	.15	—	—	—	.01	.10	.24	.01	—	.12	23
24	.01	—	.04	—	—	.08	—	.02	—	.01	.04	.69	24
25	.08	.01	—	.17	—	.01	—	—	—	—	—	—	25
26	—	.13	—	.20	—	—	—	—	—	.02	.01	.01	26
27	—	.03	—	.34	—	—	—	.18	—	.12	—	.21	27
28	.04	—	.19	.02	—	—	—	—	—	—	—	—	28
29	.26	—	.04	.12	—	—	—	—	—	.29	—	—	29
30	.16	—	.20	.82	.35	—	—	.03	—	.29	—	~~.50~~	30
31	.59	—	~~.03~~	—	.03	—	—	—	—	.40	—	—	31
Total	5.50	1.80	2.76	3.91	2.23	.96	1.33	.93	3.57	3.75	3.38	2.04	YEAR'S TOTAL 32.16
Rain Days.	25	15	19	18	12	9	10	8	12	19	18	12	177

REGISTER OF RAINFALL IN 1914

Kept at RODNEY HOUSE
in the County of HAMPSHIRE
by STANLEY HYL A GREVES

Lat. 1.55 Long. 50.45
Time of Observation 9 A.M.
Nearest Railway Station B'MOUTH WEST
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 145 ft.

Form A.
BRITISH RAINFALL
8 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	.50	-	-	.28	.07	1
2	-	-	-	-	.01	.03	.09	-	-	-	.57	.39	2
3	-	-	.02	.08	.40	-	.01	.14	-	-	.24	.01	3
4	.07	-	.01	.28	.04	-	.07	.19	-	-	.40	.32	4
5	.05	-	.05	.17	.03	-	.43	.10	-	-	.23	.01	5
6	-	.16	.01	.23	.04	-	.07	.01	-	-	.02	.57	6
7	.02	.62	.09	.17	-	.01	.16	.01	.01	-	-	.32	7
8	.02	.33	.57	.14	.04	.05	-	.19	-	-	-	.36	8
9	.01	-	.66	.14	.01	-	-	-	.38	-	-	1.31	9
10	.03	.38	-	.10	.11	-	-	-	.32	-	-	-	10
11	-	.19	.45	-	.02	-	.38	-	-	-	.05	.61	11
12	-	.08	.17	-	-	-	-	-	.40	.13	.03	.71	12
13	-	.47	.35	-	-	-	-	-	.10	.01	.13	.50	13
14	-	.41	.27	-	-	.86	.31	.46	-	.42	.56	.32	14
15	-	-	.17	-	-	-	.27	.27	.01	.21	.36	-	15
16	.01	-	-	-	-	-	.06	-	.34	-	-	-	16
17	-	.55	.20	-	-	-	-	-	.03	-	-	.67	17
18	-	.01	.25	-	-	-	.09	-	.01	-	-	.71	18
19	-	.07	.70	-	-	-	.87	-	-	-	.09	.14	19
20	-	.54	.29	-	-	.01	-	-	-	-	-	.22	20
21	-	.52	.01	-	-	-	-	-	-	.18	-	.01	21
22	-	.02	.01	-	.17	.06	.10	.01	-	.19	-	-	22
23	-	.18	.34	-	-	.08	-	-	-	.08	-	-	23
24	-	.06	.01	-	-	-	-	-	-	.04	.08	.02	24
25	.03	.01	.20	-	-	-	.07	.20	-	.32	.03	.22	25
26	-	-	.07	-	-	-	.11	.03	-	.13	.25	.52	26
27	.03	-	-	-	-	-	-	-	-	-	.09	.38	27
28	.01	.06	.30	-	.06	-	.03	-	-	.18	.32	.46	28
29	.19	-	.14	.01	.10	-	-	-	-	.29	.27	.01	29
30	.01	X	.10	-	-	.05	-	-	-	.18	.89	.72	30
31	.04	X	-	X	-	X	.06	-	X	.60	X	.05	31
Total	.52	4.66	5.44	1.32	1.03	1.15	3.18	2.11	1.60	2.96	4.89	9.63	38.49
Rain Days.	13	18	25	9	12	8	17	12	9	14	19	26	182

REGISTER OF RAINFALL IN 1915

Kept at Rodney House, Bournemouth
in the County of Hampshire
by S. Hyla Greves

Lat. 50.45 Long. 1.55
Time of Observation 9 am
Nearest Railway Station Bournemouth West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 14.5 ft.

693
FORM A.
BRITISH RAINFALL
4. JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.21	—	—	.01	—	—	—	.44	.42	—	.19	1
2	.41	.26	.17	.04	—	.02	—	.18	—	.33	—	.34	2
3	.43	.01	.10	.06	.13	—	—	—	—	.33	—	.48	3
4	—	—	—	.02	—	—	—	—	—	—	—	.59	4
5	.06	.58	—	.01	—	—	—	.23	—	—	—	.58	5
6	.73	.11	—	.45	—	—	.32	.02	—	—	—	.34	6
7	.11	.59	—	.03	—	—	.12	—	—	—	—	.34	7
8	.02	.51	—	—	—	—	.02	.04	—	—	.03	.08	8
9	—	.07	—	.11	—	—	—	—	—	—	.44	.83	9
10	.21	.05	.01	.01	—	—	—	—	—	—	—	.22	10
11	.02	.03	.05	.06	—	—	—	—	—	—	1.15	—	11
12	.14	.39	—	.18	.58	—	—	.03	—	.05	.68	—	12
13	.01	.48	—	—	.18	—	—	—	.10	—	.05	—	13
14	.04	.01	—	—	—	—	.15	—	.04	—	—	.87	14
15	.05	.02	—	—	.09	—	.37	.01	—	—	.04	.21	15
16	—	1.14	—	—	.29	—	1.10	.05	—	—	—	.34	16
17	—	.36	—	—	.23	—	—	.05	—	—	—	.01	17
18	—	.26	—	—	.05	—	—	—	—	—	—	—	18
19	—	.02	—	—	.12	—	.05	—	—	—	—	—	19
20	.21	—	—	.12	.08	—	—	—	—	—	—	.05	20
21	.02	.34	—	—	—	—	.08	—	.02	.51	—	.13	21
22	.26	.20	.31	.01	—	—	.67	—	.01	.01	—	.26	22
23	—	.01	.12	—	—	—	—	—	.20	.60	—	.73	23
24	—	—	—	.02	—	—	.41	—	.72	1.76	—	.60	24
25	—	—	—	.04	—	.02	—	—	—	—	—	.32	25
26	—	.09	—	—	—	.06	.20	—	—	—	—	.93	26
27	—	.01	—	—	—	.02	—	—	—	.30	—	—	27
28	—	.05	—	—	—	.29	.04	.01	.58	.04	—	.02	28
29	—	X	—	—	—	.48	—	.01	—	.09	.26	.03	29
30	.20	X	—	—	—	.17	—	—	—	.44	.83	.21	30
31	—	X	—	X	—	X	—	.13	X	.94	X	.37	31
Total	3.22	5.80	.76	1.13	2.76	1.06	3.53	.76	2.11	5.82	3.48	9.07	39.50
Rain Days.	17	24	6	14	10	7	12	11	8	13	8	25	155

REGISTER OF RAINFALL IN 1916

Kept at RODNEY HOUSE, BOURNEMOUTH

in the County of HAMPSHIRE

by S. HYL A G REVES

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station BOURNEMOUTH W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.06	.14	—	.80	—	—	—	46	.18	.34	—	1
2	.30	.16	.04	—	.09	—	—	—	—	.18	.06	—	2
3	.03	.95	.01	—	—	—	—	—	—	.62	.22	—	3
4	.22	.02	—	—	.03	.27	—	—	.18	.01	.48	—	4
5	.05	.06	.01	—	.15	.14	—	—	—	.08	.62	—	5
6	—	.04	.04	—	.01	.24	.45	—	—	.02	.70	—	6
7	.01	—	.51	—	.06	.01	—	—	—	.05	.62	.10	7
8	—	.01	.06	—	.25	—	—	—	—	—	.02	.32	8
9	—	—	—	—	.02	.04	—	—	—	—	.01	.23	9
10	—	.67	.01	.04	.01	~~.04~~	.04	—	—	—	—	.01	10
11	—	.01	.02	.08	—	.08	—	—	—	—	—	.08	11
12	.04	.09	.05	.04	.08	—	.05	.02	—	.03	.01	.01	12
13	—	.20	.08	—	—	—	—	—	—	—	—	—	13
14	—	.56	—	.01	.03	—	—	—	—	.02	—	—	14
15	—	.29	.08	—	—	—	—	.03	—	.01	—	—	15
16	.10	.07	.01	.11	—	—	—	.47	—	.01	—	.08	16
17	.15	.13	—	.03	—	—	—	.08	.21	.51	.50	—	17
18	.01	.04	.10	—	—	—	—	.28	.11	.02	.15	.17	18
19	.20	—	.44	.01	—	—	—	—	.01	—	.19	.01	19
20	.14	.20	.35	.01	—	—	—	—	—	—	.05	1.35	20
21	—	.29	.29	.01	—	—	.10	—	—	—	—	.21	21
22	—	—	—	—	.01	—	—	—	—	.04	—	.75	22
23	.02	.11	—	—	—	.13	—	.04	—	.04	.10	—	23
24	—	.01	—	—	.23	—	—	.07	—	.22	.06	.38	24
25	—	.45	.12	—	—	—	—	.50	.02	.04	.06	.01	25
26	.04	.19	—	—	—	.08	—	.05	.23	.47	—	—	26
27	—	—	.84	—	—	.43	—	.01	.57	.31	—	—	27
28	—	.30	.01	—	—	—	—	.08	.25	.26	—	.27	28
29	—	.66	.02	—	—	.39	—	2.35	.46	.26	—	.41	29
30	—	X	.01	—	.01	—	—	—	—	.53	—	—	30
31	—	X	—	X	—	X	—	.04	X	.31	X	.01	31
Total	1.45	5.57	3.24	.34	1.78	1.81	.64	4.02	2.50	4.22	4.19	4.40	YEAR'S TOTAL 34.16
Rain Days.	14	24	22	9	14	10	4	13	10	23	17	17	177

82 ✓

REGISTER OF RAINFALL IN 1917

655
692
FORM A.
BRITISH RAINFALL.

Kept at Rodney House, Bournemouth
in the County of Hampshire
by S. H. Grevel

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			07	08		06		1.03	02		07		1
2			01	70				04	03	01	01		2
3	04			03			30	05		11	29		3
4			36							21			4
5	07		04	14		04		01	19	13	12		5
6			25							09	09	02	6
7	37						15	03		15		10	7
8	31		22	02			60	64	02	40	17	20	8
9			06	01	01				01	02	01		9
10	12		36	23				18					10
11	06		35	13					03	25			11
12	02		07		08			02		24	01		12
13	01		24					08	01	05			13
14			01	02									14
15					09			50	01	16		17	15
16		26		11	02					1.36		52	16
17		01		16	01	04	30	22	37	14			17
18		05			01	21	08		40	01			18
19		30	05			04			27				19
20		06	11		36								20
21	10	02	19			01				05			21
22	04		07			03		06		14			22
23	01	18			06			13		01		01	23
24		28				12	33			21			24
25		11	02				01		01				25
26			04		42			47	06	04	01		26
27					1.04	16		1.08					27
28		01	02		22	72		08				01	28
29			06		07	12	29			57		06	29
30		X	24				64	26					30
31		X	03	X		X	(05) 275	06	X	22	X	03	31
Total	1.10	1.28	2.87	1.63	2.39	1.55	2.75	4.94	1.43	4.57	78	1.12	26.46
Rain Days.	11	10	22	11	12	11	10	18	13	22	9	9	158

REGISTER OF RAINFALL IN 1918

Kept at Rodney House, Bournemouth
in the County of Hampshire
by S. H. Greaves

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
27-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07						.96			.34	.04	1
2	.02	.11		.01				.21			.27	.18	2
3		.08	.01	.27	.32			.04			.11	.04	3
4		.04		.01				.04	.05		.87	.07	4
5		.12	.17		.23			.27	.10	.22		.06	5
6	.15	.05		.20				.26	.05	.01		.09	6
7		.16		.02	.28	.01		.01	.26	.08	.21	.06	7
8		.05							.11	.13		.03	8
9				.21		.02	.20		.46	.21		.45	9
10	.03			.06		.02	.33		.09	.27		.31	10
11				.01			.09		.04	.04	.02	.08	11
12		.12			.32				.01				12
13	.15				.01		.37		.30			.04	13
14	.18					.04	.03		.47	.26		.11	14
15	1.37			.36		.10	.17					.07	15
16	.45		.02	.05		.17	.01		.28			.01	16
17	.14			.18			.63		.06			.24	17
18	.62					.59			.57			.11	18
19	.07		.12				.40			.01		.04	19
20	.01	.12		.22			.02		.42	.05			20
21	.18	.01							.50	.11		.15	21
22	.10				.07		.55		.17			.15	22
23	.12				.04		.35		.03		.29		23
24		.27							.16		.13		24
25				.07	.01		.09	.38			.06		25
26	.01	.01					.31			.04	.08	.31	26
27		.10	.03				.01	.05	.38	.03	.15	.01	27
28			.21	.01						.01	.03		28
29			.09	.05					1.37		.01	.02	29
30		X	.50						.01	.01	.08	.01	30
31		X	.04	X		X		.04	X	.17	X		31
Total	3.60	1.31	1.19	1.73	1.28	.95	3.56	2.26	5.89	1.65	2.65	2.68	28.75
Rain Days.	15	14	9	15	8	7	15	10	22	16	14	24	169

REGISTER OF RAINFALL IN 1919

Kept at Rodney House, Pournemouth
 in the County of Hampshire
 by S. Hyla Greves

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	40		05				06			06	01	1.23	1
2	39		01						85			05	2
3	83		71		07		20		13			10	3
4	87	18	27			05		04	08		08	07	4
5	01	46	36		10				01		08	16	5
6	30	14	09	01	09						02	05	6
7	13		47	06								02	7
8	18		25	08							04		8
9	35		04	20	01						29		9
10	28		20	07	02					07		28	10
11	12		05	20	06		15					01	11
12	10						05			10			12
13	05	12	04	40			02					08	13
14	63	04		11			04			03	01	08	14
15	15	15		08								55	15
16	01	94			01						15		16
17	09	19									11	03	17
18	01	04	56				04	01			14	01	18
19	65	32	65			15	1.28	14	07		24	03	19
20	22	01	08			42		31				02	20
21	01	75	01						02			03	21
22			01				09		23			09	22
23										09	03	02	23
24		03		01		23	12	01		69	11	23	24
25	04	04				03		47				17	25
26	04	18	08	03				04	09		15	47	26
27	11	01		27				88				03	27
28			50					62			50	45	28
29								16		03		07	29
30		X		10		10		71			99	84	30
31		X	02	X		X			X		X	39	31
Total	5.97	3.60	4.45	1.59	36	98	2.05	3.39	1.48	1.07	2.95	5.56	33.45
Rain Days.	24	16	20	13	7	6	10	11	8	7	16	27	165

No. 3 GAUGE. REGISTER OF RAINFALL IN 1920.

Kept at RODNEY HOUSE, BOURNEMOUTH.
in the County of HAMPSHIRE
by S. HYLARGREVES

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station BOURNEMOUTH WEST
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 14.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	...	.04	.18	.18	...	.35	.04	.03	.27	.27	.50	1
2	.12	...	.01	.12	...	...	.07	.24	.15	.11	...	.18	2
3	Trace	.02	...	.05	...	...	.48	...	.01	.34	...	.01	3
4	...	.05	.05	.01	...	...	.22	.35	...	.18	...	...	4
5	...	Trace	.24	.04	...	...	.47	.09	...	.41	...	.02	5
6	...	...	.08	...	.21	...	.17	...	...	...	...	.01	6
7	.03	...	...	.14	.09	...	.40	...	...	.03	...	...	7
8	.03	.07	...	.03	.05	...	.58	.01	...	Trace	...	...	8
9	.38	.01	.05	.04	.06	.04	.02	...	...	...	...	...	9
10	.82	.04	.06	.02	...	.42	.35	...	...	...	Trace	...	10
11	.19	...	.09	.39	.12	.09	.39	...	...	...	...	.02	11
12	.14	.06	Trace	.09	...	.65	...	...	...	Trace	.04	.17	12
13	.21	.01	.45	.01	...	...	...	...	...	...	.03	.01	13
14	.06	.02	.47	.46	...	...	...	...	.18	.20	.47	...	14
15	.03	.03	.04	.12	.08	.32	...	...	.10	1.23	.07	...	15
16	Trace	.02	.01	.02	...	.01	.01	...	.26	.01	Trace	...	16
17	.02	...	...	.25	.30	...	.04	...	.35	...	...	...	17
18	.11	.01	.02	.02	.09	.09	.02	.44	.04	...	...	...	18
19	.02	...	...	.20	...	.19	...	...	...	...	...	.03	19
20	.02	.11	...	.12	...	.69	...	...	...	...	...	.12	20
21	Trace	...	...	...	...	...	.72	...	.02	...	...	.08	21
22	.09	...	...	.20	...	...	.01	...	.01	Trace	...	.34	22
23	Trace	...	...	...	...	...	.30	...	...	...	...	.38	23
24	.03	...	.18	...	...	...	...	...	...	...	.06	.17	24
25	Trace	.04	.11	...	.08	...	.38	...	...	...	.01	.01	25
26	.08	...	.32	...	.01	.09	.04	...	...	...	.06	.14	26
27	.47	...	.01	.03	Trace	.03	.01	...	...	...	.05	.23	27
28	.57	.01	.01	.12	Trace	...	.07	...	...	...	...	.06	28
29	.63	.01	.14	.22	...	.05	...	...	...	...	.23	.31	29
30	.08	~~...~~	...	...	...	.10	.05	...	.35	...	.28	.45	30
31	.03	~~...~~	.12	~~...~~	...	~~...~~	...	...	~~...~~	.32	~~...~~	.26	31
TOTAL	4.21	.51	2.50	2.88	1.27	2.77	5.15	1.17	1.50	3.10	1.57	3.50	YEAR'S TOTAL 30.13
Days with .01 in. or more	23	15	20	23	11	13	22	6	11	10	11	21	138

REGISTER OF RAINFALL IN 1920.

Kept at Bournemouth, Rodney House
in the County of Hampshire
by S. Lyla Greaves

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06		04	17	17		35	04	03	25	26	52	1
2	11		01	12			06	24	14	10		18	2
3		02		05			47		01	31		01	3
4		05	05	01			22	34		17			4
5			23	03			46	09		40		02	5
6			07		21		16						6
7	02			13	07		39			02			7
8	02	06		03	04		55						8
9	37	01	04	04	05	04	01						9
10	81	03	06	02		41	35						10
11	18		08	39	12	08	39					01	11
12	13	06		08		65					04	16	12
13	20		44								03		13
14	06	02	46	46					17	19	48		14
15	03	03	03	10	07	31			09	123	07		15
16		02	01	01		01	01		24	01			16
17	02			25	30		03		33				17
18	11	01	02	02	07	09	02	44	03				18
19	02			18		18						02	19
20	02	11		12		69						12	20
21							71		01			08	21
22	08			21					01			34	22
23							30					38	23
24	03		17								04	16	24
25		04	10		08		37						25
26	07		32			09	03				05	13	26
27	48			02		03	01				04	23	27
28	56	01	01	12			06					05	28
29	62	01	14	20		04					24	31	29
30	08					09	05		34		27	45	30
31	03		11							33		26	31
TOTAL	4.11	.48	2.39	2.76	1.18	2.71	5.00	1.15	1.40	3.01	1.52	3.43	YEAR'S TOTAL 29.14
Days with 0.1 in. or more	23	14	19	22	10	13	21	5	11	10	10	18	176

Kept at Bournemouth

in the County of Hants

by L. Dales, Esq.

IMPORTANT NOTE.—

If an Observer prefers not to
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions
and particulars as to the British
sent post-free on application
Square, London, N.W. 1.

Record

Gauge.....in.
ve Ground.....ft.....in.
Sea Level.....14.5.....ft.

tered to the previous day.

sted to add
the end of
rain gauges,
Observers,"
32, Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06	-	0.04	0.17	0.18	-	0.38	0.05	0.04	0.17	0.27	0.46	1
2	0.12	-	0.03	0.13	-	-	0.10	0.24	0.19	0.09	-	0.18	2
3	0.01	0.02	-	0.06	-	-	0.55	-	0.01	0.25	-	0.04	3
4	-	0.07	0.06	0.02	-	-	0.17	0.33	-	0.16	-	-	4
5	-	-	0.23	0.05	-	-	0.32	0.09	-	0.40	-	0.01	5
6	-	0.01	0.09	-	0.21	-	0.24	-	-	-	-	0.01	6
7	0.02	-	-	0.16	0.11	-	0.18	-	-	0.04	-	-	7
8	0.02	0.08	0.01	0.04	0.08	-	0.55	0.02	-	-	-	-	8
9	0.28	0.01	0.05	0.05	-	-	0.03	-	-	-	-	-	9
10	0.89	0.04	0.07	0.03	-	0.03	0.31	-	-	-	-	-	10
11	0.17	-	0.09	0.36	0.13	0.46	0.35	-	-	-	-	0.02	11
12	0.14	0.05	-	0.10	-	0.03	-	-	0.01	-	0.02	0.15	12
13	0.20	0.01	0.45	0.03	-	0.69	-	-	-	-	0.06	0.01	13
14	0.05	0.06	0.41	0.49	-	-	-	-	0.16	0.17	0.47	-	14
15	0.06	0.03	0.06	0.14	0.07	-	-	-	0.09	1.20	0.06	-	15
16	0.01	0.02	0.01	0.01	-	0.33	0.02	-	0.26	0.01	-	-	16
17	0.02	-	-	0.25	0.32	0.01	0.04	-	0.30	-	-	-	17
18	0.08	0.01	0.01	0.04	0.08	-	0.02	0.43	0.03	-	-	-	18
19	0.02	-	-	0.15	-	0.10	-	-	0.02	-	-	0.02	19
20	0.02	0.11	-	0.13	-	0.18	-	0.01	-	-	-	0.08	20
21	-	-	0.01	-	-	0.71	0.62	-	0.02	-	-	0.02	21
22	0.09	-	-	0.20	-	-	0.01	-	0.02	-	-	0.36	22
23	-	-	-	-	-	-	0.27	-	-	-	-	0.38	23
24	0.04	0.01	0.18	-	-	-	0.01	0.01	-	-	0.10	0.12	24
25	-	0.04	0.09	-	0.10	-	0.30	-	-	-	-	0.01	25
26	0.08	-	0.34	-	-	-	0.05	-	-	-	0.06	0.11	26
27	0.44	-	0.01	0.03	-	0.10	0.02	-	-	-	0.06	0.24	27
28	0.53	0.01	-	0.15	0.01	0.05	0.08	-	-	-	-	0.06	28
29	0.58	0.01	0.45	0.20	-	-	-	-	0.01	-	0.24	0.25	29
30	0.09	~~X~~	-	-	-	0.04	0.06	-	0.32	-	0.31	0.42	30
31	0.03	~~X~~	0.12	~~X~~	-	~~X~~	-	-	~~X~~	0.34	~~X~~	0.22	31

TOTAL	4.05	0.59	2.51	2.99	1.29	2.73	4.68	1.18	1.48	2.83	1.65	3.17	29.15
Days with 01 in. or more	25	17	21	23	10	12	23	8	14	10	10	21	194

REGISTER OF RAINFALL IN 1920.

Kept at

Bournemouth (M.O.)

in the County of

Hampshire

by

L. Dales, Esq. for Corporation

Lat

50°43' N

Long

1°53' W

Time of Observation

9.45 A.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

ft.

in.

Sea Level

14.5

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06	-	0.04	0.17	0.18	-	0.38	0.05	0.04	0.17	0.27	0.46	1
2	0.12	-	0.03	0.13	-	-	0.10	0.24	0.19	0.09	-	0.18	2
3	0.01	0.02	-	0.06	-	-	0.55	-	0.01	0.25	-	0.04	3
4	-	0.07	0.06	0.02	-	-	0.17	0.33	-	0.16	-	-	4
5	-	-	0.23	0.05	-	-	0.32	0.09	-	0.40	-	0.01	5
6	-	0.01	0.09	-	0.21	-	0.24	-	-	-	-	0.01	6
7	0.02	-	-	0.16	0.11	-	0.18	-	-	0.04	-	-	7
8	0.02	0.08	0.01	0.04	0.08	-	0.55	0.02	-	-	-	-	8
9	0.28	0.01	0.05	0.05	-	-	0.03	-	-	-	-	-	9
10	0.89	0.04	0.07	0.03	-	0.03	0.31	-	-	-	-	-	10
11	0.17	-	0.09	0.36	0.13	0.46	0.35	-	-	-	-	0.02	11
12	0.14	0.05	-	0.10	-	0.03	-	-	0.01	-	0.02	0.15	12
13	0.20	0.01	0.45	0.03	-	0.69	-	-	-	-	0.06	0.01	13
14	0.05	0.06	0.41	0.49	-	-	-	-	0.16	0.17	0.47	-	14
15	0.06	0.03	0.06	0.14	0.07	-	-	-	0.09	1.20	0.06	-	15
16	0.01	0.02	0.01	0.01	-	0.33	0.02	-	0.26	0.01	-	-	16
17	0.02	-	-	0.25	0.32	0.01	0.04	-	0.30	-	-	-	17
18	0.08	0.01	0.01	0.04	0.08	-	0.02	0.43	0.03	-	-	-	18
19	0.02	-	-	0.15	-	0.10	-	-	0.02	-	-	0.02	19
20	0.02	0.11	-	0.13	-	0.18	-	0.01	-	-	-	0.08	20
21	-	-	0.01	-	-	0.71	0.62	-	0.02	-	-	0.02	21
22	0.09	-	-	0.20	-	-	0.01	-	0.02	-	-	0.36	22
23	-	-	-	-	-	-	0.27	-	-	-	-	0.38	23
24	0.04	0.01	0.18	-	-	-	0.01	0.01	-	-	0.10	0.12	24
25	-	0.04	0.09	-	0.10	-	0.30	-	-	-	-	0.01	25
26	0.08	-	0.34	-	-	-	0.05	-	-	-	0.06	0.11	26
27	0.44	-	0.01	0.03	-	0.10	0.02	-	-	-	0.06	0.24	27
28	0.53	0.01	-	0.15	0.01	0.05	0.08	-	-	-	-	0.06	28
29	0.58	0.01	0.05	0.20	-	-	-	-	0.01	-	0.24	0.25	29
30	0.09	~~X~~	-	-	-	0.04	0.06	-	0.32	-	0.31	0.42	30
31	0.03	~~X~~	0.12	~~X~~	-	~~X~~	-	-	~~X~~	0.34	~~X~~	0.22	31
TOTAL	4.05	0.59	2.51	2.99	1.29	2.73	4.68	1.18	1.48	2.83	1.65	3.17	YEAR'S TOTAL
Days with 0.1 in. or more	25	17	21	23	10	12	23	8	14	10	10	21	29.15
													194

BOURNEMOUTH

ATION.

DERBY RD.

HANTS

1920

Kept at Red House; Dan

in the County of Hants

by Mrs G Benn

IMPORTANT NOT

If an Observer prefers not to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.4	.02	.05	.12	.2	—	.14	—	.07	.24	.18	.43	1
2	.13	—	—	.13	—	—	.24	.27	.12	.09	—	—	2
3	.75	.04	—	.05	—	—	.64	—	—	.36	—	.16	3
4	—	.05	.05	—	—	—	.43	.35	—	.23	.02	—	4
5	—	—	.22	—	—	—	.34	.13	—	.39	—	.02	5
6	.05	—	.04	.04	—	—	.22	—	—	.03	—	.02	6
7	—	—	.04	.16	—	—	.05	—	—	—	—	—	7
8	.03	.06	—	.02	.16	—	.2	—	—	—	—	—	8
9	.35	.02	.03	.04	.14	.03	.16	—	—	—	—	—	9
10	.22	.05	.05	.04	.03	.33	.2	—	—	—	—	—	10
11	.12	—	.09	.50	.05	.1	.54	—	—	—	—	.06	11
12	.2	.06	—	.06	—	.62	.2	—	—	.01	.05	.1	12
13	.12	—	.38	.02	(.18)	—	.05	—	—	—	—	—	13
14	.08	.05	.47	.44	—	—	.15	—	.2	.17	.48	—	14
15	.04	.03	.07	.13	.08	.17	—	—	.1	1.20	.05	—	15
16	—	—	.01	—	—	—	.08	—	.25	.01	—	—	16
17	.03	—	—	.2	.3	.02	.03	—	.54	—	—	—	17
18	.12	—	—	.03	.11	.15	—	.38	.02	—	—	—	18
19	.04	.13	—	.18	—	.58	—	—	—	—	—	—	19
20	.03	.11	—	.13	—	—	—	—	—	—	—	.18	20
21	—	—	.01	.10	—	.06	.8	—	.01	—	—	.03	21
22	—	—	—	.11	—	—	.01	—	.03	—	—	—	22
23	—	—	—	—	—	—	.2	—	—	—	—	.33	23
24	.08	—	.16	—	—	—	—	—	—	—	.02	.42	24
25	.03	.02	.1	—	.10	—	.4	—	—	—	—	.15	25
26	—	—	.23	—	—	.06	.03	—	—	—	—	—	26
27	.3	—	.02	.42	—	.04	—	—	.04	—	.07	.14	27
28	.56	.01	.02	.02	.01	—	.1	—	—	—	—	.21	28
29	.67	—	.08	.03	.03	.02	—	—	—	—	.24	.05	29
30	.1	X	.13	—	—	.1	.06	—	.38	—	.24	.29	30
31	.03	X	.13	X	—	X	—	—	X	.39	X	(.45)	31
TOTAL	4.48	.65	2.38	2.97	1.31	2.28	5.22	1.13	1.76	3.12	1.35	3.04	29.79
Days with ".01 in. or more	23	13	21	22	12	13	22	4	11	11	9	16	177
Days with ".04 in. or more	18	8	16	17	8	10	19	4	9	8	7	13	136

REGISTER OF RAINFALL IN 1920.

✓ Kept at Red House; Daily R^r; Bournemouth
in the County of Hampshire
by Mrs G Bennett

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bournemouth Central
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 2 ft. _____ in.
" " " " Sea Level 102 ft.

8 MAR 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.4	.02	.05	.12	.2	—	.14	—	.07	.24	.18	.43	1
2	.13	—	—	.13	—	—	.24	.27	.12	.09	—	—	2
3	.75	.04	—	.05	—	—	.64	—	—	.36	—	.16	3
4	—	.05	.05	—	—	—	.43	.35	—	.23	.02	—	4
5	—	—	.22	—	—	—	.34	.13	—	.39	—	.02	5
6	.05	—	.04	.04	—	—	.22	—	—	.03	—	.02	6
7	—	—	.04	.16	—	—	.05	—	—	—	—	—	7
8	.03	.06	—	.02	.16	—	.2	—	—	—	—	—	8
9	.35	.02	.03	.04	.14	.03	.16	—	—	—	—	—	9
10	.22	.05	.05	.04	.03	.33	.2	—	—	—	—	—	10
11	.12	—	.09	.50	.05	.10	.54	—	—	—	—	.06	11
12	.2	.06	—	.06	—	.62	.2	—	—	.01	.05	.1	12
13	.12	—	.38	.02	(.10)	—	.05	—	—	—	—	—	13
14	.08	.05	.47	.44	—	—	.15	—	.2	.17	.48	—	14
15	.04	.03	.07	.13	.08	.17	—	—	.10	1.20	.05	—	15
16	—	—	.01	—	—	—	.08	—	.25	.01	—	—	16
17	.03	—	—	.2	.3	.02	.03	—	.54	—	—	—	17
18	.12	—	—	.03	.11	.15	—	.38	.02	—	—	—	18
19	.04	.13	—	.18	—	.58	—	—	—	—	—	—	19
20	.03	.11	—	.13	—	—	—	—	—	—	—	.18	20
21	—	—	.01	.10	—	.06	.8	—	.01	—	—	.03	21
22	—	—	—	.11	—	—	.01	—	.03	—	—	—	22
23	—	—	—	—	—	—	.2	—	—	—	—	.33	23
24	.08	—	.16	—	—	—	—	—	—	—	.02	.42	24
25	.03	.02	.1	—	.10	—	.4	—	—	—	—	.15	25
26	—	—	.23	—	—	.06	.03	—	—	—	—	—	26
27	.3	—	.02	.42	—	.04	—	—	.04	—	.07	.14	27
28	.56	.01	.02	.02	.01	—	.10	—	—	—	—	.21	28
29	.67	—	.08	.03	.03	.02	—	—	—	—	.24	.05	29
30	.1	X	.13	—	—	.10	.06	—	.38	—	.24	.29	30
31	.03	X	.13	X	—	X	—	—	X	.39	X	(.45)	31
TOTAL	4.48	.65	2.38	2.97	1.31	2.28	5.22	1.13	1.76	3.12	1.35	3.04	29.79
Days with "01 in. or more	23	13	21	22	12	13	22	4	11	11	9	16	177
Days with "04 in. or more	18	8	16	17	8	10	19	4	9	8	7	13	136

YEAR 1920

BOURNEMOUTH CLARENDON COURT

Kept at Clarendon Court

in the County of Hampshire

by G. Galpin

1911-12

FORM A2.
BRITISH RAINFALL
JAN 1912

1 ft. in.

vel 130 ft.

to Wm
mfl

2007 Direction n

result entered to the

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											0.07	0.06	1
2	0.02			0.31	0.24			0.01		0.10	0.15	0.13	2
3	0.04				0.17						0.11	0.23	3
4			0.08	0.01					0.14		0.26	0.13	4
5				0.01				0.06		0.61	0.10	0.57	5
6	0.44		0.10							0.02	0.42	0.93	6
7	0.03										0.36	0.07	7
8	0.07		0.13								0.36	0.62	8
9											0.06	0.33	9
10	0.03	0.06	0.38									0.41	10
11	0.36	0.08	0.02								1.32		11
12			1.00					0.20			0.04	0.17	12
13					0.01				0.18			0.33	13
14		0.05				~~0.02~~				0.07		0.23	14
15		0.03	0.05			0.02					0.19	0.07	15
16						0.23					0.35	0.32	16
17			0.11			0.13					0.71	0.43	17
18		0.14	0.06	0.03		0.14				0.06	0.14	0.43	18
19		0.03				0.14			0.30	0.21		0.53	19
20	0.03	0.02	0.21	0.07				0.17	0.06	0.06		0.53	20
21		0.23	0.06			0.17			0.04	0.41		0.16	21
22	0.17	0.06	0.04							0.30		0.63	22
23		0.07				0.30			0.12	0.45	0.10	0.33	23
24	0.01	0.12				0.32		0.14		0.68		0.22	24
25			0.07	0.05		0.06			0.03	0.12		0.13	25
26		0.03		0.26						0.23		0.24	26
27		0.37	0.05	0.02					0.08	0.96	0.14	0.19	27
28		0.11		0.39				0.17			0.04		28
29				0.33	0.09	0.18	0.22		0.07	0.27			29
30						0.01		0.54		0.37		0.07	30
31													31
Total	1.14	1.40	2.30	1.42	0.51	1.70	0.22	1.29	1.02	4.86	4.86	8.25	TOTAL for year
No. of Rain Days.	10	14	14	10	4	11	1	7	9	16	18	27	28.97

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at Clevedon Court Bournemouth

in the County of Hants

by G. Galpin

RAIN GAUGE { Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 130 ft.
Time of Observation 10 O'clock a.m.
Nearest Railway Station { Name Went
Distance 2000 Direction n

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											0.07	0.06	1
2	0.02			0.31	0.24			0.07		0.10	0.15	0.13	2
3	0.04				0.17						0.11	0.23	3
4			0.08	0.01					0.14		0.26	0.13	4
5				0.01				0.06		0.61	0.10	0.57	5
6	0.44		0.10							0.02	0.42	0.93	6
7	0.03										0.36	0.07	7
8	0.07		0.13								0.36	0.62	8
9											0.06	0.33	9
10	0.03	0.06	0.38									0.41	10
11	0.36	0.08	0.02								1.32		11
12			1.00					0.20			0.04	0.17	12
13					0.01				0.18			0.33	13
14		0.05				~~0.02~~				0.07		0.23	14
15		0.03	0.05			0.02					0.19	0.07	15
16						0.23					0.35	0.32	16
17			0.11			0.13					0.71	0.43	17
18		0.14	0.06	0.03		0.14				0.06	0.14	0.43	18
19		0.03				0.14			0.30	0.21		0.53	19
20	0.03	0.02	0.21	0.07				0.17	0.06	0.06		0.53	20
21		0.23	0.06			0.17			0.04	0.41		0.16	21
22	0.17	0.06	0.04							0.30		0.63	22
23		0.07				0.30			0.12	0.45	0.10	0.33	23
24	0.01	0.12				0.32		0.14		0.68		0.22	24
25			0.07	0.05		0.06			0.03	0.12		0.13	25
26		0.03		0.26						0.23		0.24	26
27		0.37	0.05	0.02					0.08	0.96	0.14	0.19	27
28		0.11		0.39				0.17			0.04		28
29				0.33	0.09	0.18	0.22		0.07	0.27			29
30						0.01		0.54		0.37		0.07	30
31													31
Total	1.14	1.40	2.30	1.42	0.51	1.70	0.22	1.29	1.02	4.86	4.86	8.25	TOTAL OF YEAR 28.97
No. of Rain Days.	10	14	14	10	4	11	1	7	9	16	18	27	28.97

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

10 JAN 1913

Kept at Clarendon Court Clarendon Road
Bournemouth 2
in the County of Hants
by E. Galpin

Pattern Round
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.
Time of Observation 10 a.m.
Nearest Railway Station { Name Wid. Station
Distance 200 ft Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2			0.01			0.30	0.15	0.04		0.85		0.28	2
3			0.13	0.01		0.02	0.34						3
4			0.08			0.20	0.05	0.59			0.01	0.01	4
5	0.15	0.05	0.59			0.76		0.04			0.30		5
6	0.54	0.15						0.57				0.07	6
7	0.63	0.02			0.25	0.05		0.38				0.02	7
8	0.02	0.41	0.14		0.20	0.62		0.16				0.04	8
9	0.35	0.18	0.16			0.01		0.08					9
10		0.05	0.18			0.10		0.19				0.22	10
11	0.05	0.06		0.03		0.05	0.07	0.41		0.01	0.02	0.47	11
12	0.14	0.12				0.85		0.36			0.01	0.38	12
13	0.08	0.28	0.08		0.56	0.39	0.07	0.22		0.01	0.03		13
14					0.02		0.03			0.01		0.06	14
15	0.11		0.18					0.18			0.07		15
16	0.17	0.19			0.02	0.62		0.06				0.30	16
17	1.04	0.01	0.28		0.15	0.02		0.20		0.05	0.26		17
18	0.70		0.24			0.03		0.60				0.17	18
19	0.05		0.15					0.18		0.01		0.02	19
20	0.02	0.05	0.23				0.05	0.09			0.07		20
21		0.06	0.36		0.04		0.04	0.31		0.40	0.03		21
22		0.19	0.27		0.27			0.10		0.14			22
23	0.16	0.34	0.09				0.24	0.18		0.03	0.01	0.05	23
24	0.36	0.15	0.23					0.59		0.19	0.10	0.24	24
25	0.48	0.05				0.20		0.09				0.22	25
26	0.15					0.31	0.07	0.32		0.28	0.40	0.66	26
27		0.05					0.32	0.20		0.29		0.31	27
28		0.02				0.13	0.13			0.26		0.43	28
29		0.12				0.09	0.22	0.44	0.03	0.73	0.41	0.28	29
30		0.15	0.04			0.08	0.40	0.06	1.13	0.16		0.01	30
31			0.41				0.03	0.04	0.01	0.17		0.03	31
Total	5.20	2.70	3.85	0.04	1.51	4.83	2.32	6.38	2.97	0.03	1.60	4.27	TOTAL for Year
No. of Rain Days.	18	21	19	2	8	19	15	6.38	3	17	13	21	39.69



BOURNEMOUTH

Kept at *Wellington*

in the County of *H*

by *Primas*

WELLINGTON HSE

1911 - 1914

FORM A2.
BRITISH RAINFALL

in. *1* ft. *100*
Level *100* ft.

Central Station

nce *1 mile* Direction *East*

result entered to the

IMPORTANT N
previous day. If an

requested to add the *reading* at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	—	0.01	0.03	—	—	—	—	—	—	0.02	0.12	1
2	—	—	—	0.26	0.21	—	—	0.01	—	0.10	0.16	0.18	2
3	—	—	—	—	0.15	—	—	—	—	—	0.11	0.16	3
4	—	—	0.08	—	—	—	—	—	0.16	0.03	0.25	0.33	4
5	0.01	—	—	0.02	—	—	—	0.05	—	0.54	0.10	—	5
6	0.31	—	0.11	—	—	—	—	—	—	0.06	0.07	0.40	6
7	0.03	—	—	—	—	—	—	—	—	0.01	0.70	0.02	7
8	0.03	0.02	0.12	—	—	—	—	—	—	—	0.45	0.53	8
9	0.08	—	—	0.01	—	—	—	—	—	—	0.08	0.10	9
10	0.03	0.07	0.29	—	—	—	—	—	—	—	0.01	0.40	10
11	0.30	0.07	0.02	—	—	—	—	—	—	—	0.98	0.01	11
12	—	—	0.95	—	0.03	—	—	0.06	—	—	0.11	0.13	12
13	—	—	—	—	0.01	—	—	—	0.13	0.01	—	0.34	13
14	—	0.07	0.05	—	—	—	—	—	—	0.02	—	0.19	14
15	—	0.02	—	—	—	0.03	—	—	—	—	0.15	0.02	15
16	—	—	0.09	—	—	0.22	—	—	—	—	0.30	0.20	16
17	0.01	—	0.10	—	—	0.08	—	—	—	—	0.61	0.29	17
18	—	0.16	—	0.02	—	0.13	—	—	—	0.06	0.29	0.34	18
19	—	0.05	0.22	—	—	0.13	—	—	0.30	0.22	0.01	0.18	19
20	0.01	0.03	0.07	0.04	—	—	—	0.15	0.09	0.02	—	0.66	20
21	0.02	0.24	0.13	—	—	0.01	—	—	0.05	0.33	—	0.24	21
22	0.19	0.05	—	—	—	0.13	—	—	0.01	0.30	—	0.60	22
23	0.02	0.08	—	—	—	0.41	—	—	0.11	0.45	0.10	0.21	23
24	0.02	0.15	0.02	—	—	0.35	—	0.16	—	1.01	—	0.30	24
25	0.01	0.02	—	0.07	—	0.07	—	—	0.05	0.05	—	0.12	25
26	—	0.02	0.05	0.26	—	—	—	—	—	0.21	—	0.27	26
27	—	0.25	—	0.03	—	—	—	0.02	0.08	0.96	0.12	0.20	27
28	—	0.18	—	0.35	—	—	—	0.16	—	—	0.06	—	28
29	—	—	—	0.34	0.12	0.18	0.21	—	0.09	0.21	—	0.01	29
30	—	—	—	—	—	0.02	—	0.42	—	0.30	0.03	0.01	30
31	—	—	—	—	—	—	—	—	—	0.01	—	—	31
Total	1.09	1.48	2.31	1.43	0.52	1.76	0.21	1.03	1.07	4.90	4.71	6.56	TOTAL for year
No. of Rain Days.	15	16	15	11	5	12	1	8	10	20	21	28	2707

Kept at Wellington House, Bournemouth
in the County of Hampshire
by Primaveri Bros.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 1 ft.
" " " Sea Level 100 ft.
Time of Observation 9 am
Nearest Railway Station { Name Central Station
Distance 1 mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	—	0.01	0.03	—	—	—	—	—	—	0.02	0.12	1
2	—	—	—	0.26	0.21	—	—	0.01	—	0.10	0.16	0.18	2
3	—	—	—	—	0.15	—	—	—	—	—	0.11	0.16	3
4	—	—	0.08	—	—	—	—	—	0.16	0.03	0.25	0.33	4
5	0.01	—	—	0.02	—	—	—	0.05	—	0.54	0.10	—	5
6	0.31	—	0.11	—	—	—	—	—	—	0.06	0.07	0.40	6
7	0.03	—	—	—	—	—	—	—	—	0.01	0.70	0.02	7
8	0.03	0.02	0.12	—	—	—	—	—	—	—	0.45	0.53	8
9	0.08	—	—	0.01	—	—	—	—	—	—	0.08	0.10	9
10	0.03	0.07	0.29	—	—	—	—	—	—	—	0.01	0.40	10
11	0.30	0.07	0.02	—	—	—	—	—	—	—	0.98	0.01	11
12	—	—	0.95	—	0.03	—	—	0.06	—	—	0.11	0.13	12
13	—	—	—	—	0.01	—	—	—	0.13	0.01	—	0.34	13
14	—	0.07	0.05	—	—	—	—	—	—	0.02	—	0.19	14
15	—	0.02	—	—	—	0.03	—	—	—	—	0.15	0.02	15
16	—	—	0.09	—	—	0.22	—	—	—	—	0.30	0.20	16
17	0.01	—	0.10	—	—	0.08	—	—	—	—	0.61	0.29	17
18	—	0.16	—	0.02	—	0.13	—	—	—	0.06	0.29	0.34	18
19	—	0.05	0.22	—	—	0.13	—	—	0.30	0.22	0.01	0.18	19
20	0.01	0.03	0.07	0.04	—	—	—	0.15	0.09	0.02	—	0.66	20
21	0.02	0.24	0.13	—	—	0.01	—	—	0.05	0.33	—	0.24	21
22	0.19	0.05	—	—	—	0.13	—	—	0.01	0.30	—	0.60	22
23	0.02	0.08	—	—	—	0.41	—	—	0.11	0.45	0.10	0.21	23
24	0.02	0.15	0.02	—	—	0.35	—	0.16	—	1.01	—	0.30	24
25	0.01	0.02	—	0.07	—	0.07	—	—	0.05	0.05	—	0.12	25
26	—	0.02	0.05	0.26	—	—	—	—	—	0.21	—	0.27	26
27	—	0.25	—	0.03	—	—	—	0.02	0.08	0.96	0.12	0.20	27
28	—	0.18	—	0.35	—	—	—	0.16	—	—	0.06	—	28
29	—	—	—	0.34	0.12	0.18	0.21	—	0.09	0.21	—	0.01	29
30	—	—	—	—	—	0.02	—	0.42	—	0.30	0.03	0.01	30
31	—	—	—	—	—	—	—	—	—	0.01	—	—	31
Total	1.09	1.48	2.31	1.43	0.52	1.76	0.21	1.03	1.07	4.90	4.71	6.56	TOTAL for year
No. of Rain Days.	15	16	15	11	5	12	1	8	10	20	21	28	27.07

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
13 FEB 1913

Kept at Mellington House
Bournemouth
in the County of Hampshire
by Messrs Purnell Bros

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 100 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bournemouth West
Distance 1/2 M Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.02	—	—	0.32	0.21	0.06	0.01	0.80	0.01	0.27	1
2	—	—	0.10	0.02	—	0.03	0.37	—	—	0.02	—	—	2
3	—	—	0.11	—	—	0.14	0.05	0.48	—	0.01	0.02	0.03	3
4	0.21	—	0.42	—	—	0.52	—	0.02	—	—	0.28	—	4
5	0.33	0.17	0.21	—	—	0.01	—	0.45	—	—	0.02	0.08	5
6	0.80	0.04	0.01	—	0.16	0.04	—	0.51	—	—	—	0.05	6
7	0.03	0.35	0.08	—	0.26	0.71	—	0.18	—	—	—	0.05	7
8	0.26	0.20	0.09	—	—	0.04	—	0.10	—	—	—	0.01	8
9	0.01	0.05	0.18	0.05	—	0.07	0.01	0.23	—	—	—	0.19	9
10	—	0.06	—	—	—	0.05	0.01	0.13	—	0.01	0.03	0.44	10
11	0.17	0.12	—	—	0.02	0.60	—	0.32	—	0.01	—	0.46	11
12	0.08	0.19	0.07	—	0.62	0.88	0.08	0.23	—	0.01	—	0.02	12
13	—	0.03	0.02	—	—	—	0.02	—	—	0.04	0.04	0.08	13
14	0.10	—	0.15	—	0.01	—	—	0.23	—	0.01	—	0.01	14
15	0.16	0.08	0.05	—	—	0.65	—	0.05	—	—	—	0.33	15
16	0.89	0.02	0.21	—	0.18	0.03	—	0.15	—	0.05	0.24	0.01	16
17	0.83	—	0.16	—	0.02	0.03	—	0.55	—	—	0.01	0.24	17
18	0.05	0.01	0.14	—	—	—	—	0.17	—	0.02	—	0.04	18
19	0.02	0.07	0.20	—	—	—	0.07	0.13	—	—	0.02	—	19
20	0.02	0.06	0.32	—	0.05	—	0.03	0.25	—	0.43	0.04	—	20
21	0.01	0.17	0.21	—	0.20	—	—	0.08	—	0.14	—	—	21
22	0.16	0.31	0.05	—	—	—	0.15	0.16	—	0.04	0.01	0.05	22
23	0.37	0.11	0.29	—	—	0.01	0.04	0.56	—	0.19	0.10	0.18	23
24	0.45	0.05	—	—	—	0.11	0.02	0.08	—	0.01	—	0.15	24
25	0.16	—	—	—	—	0.23	—	0.29	—	0.15	0.42	0.47	25
26	—	0.07	0.01	—	—	—	0.29	0.22	—	0.36	0.47	0.30	26
27	—	0.04	—	—	—	0.11	0.12	0.01	—	0.45	0.02	0.37	27
28	—	0.13	—	—	—	0.07	0.16	0.38	0.05	0.58	0.22	0.25	28
29	—	0.10	—	—	—	—	0.45	0.12	2.20	0.22	0.04	0.01	29
30	—	—	—	—	—	0.08	0.03	—	0.78	0.18	—	—	30
31	—	—	0.42	—	—	—	0.14	0.05	—	0.05	—	0.04	31
Total	5.11	2.53	3.52	0.07	1.52	4.73	2.25	6.19	3.04	3.78	1.99	4.13	TOTAL for year
No. of Rain Days.	20	22	23	2	9	21	18	28	4	22	17	25	38.86

REGISTER OF RAINFALL IN 1913

Kept at Bournemouth
in the County of Hampshire
by Primavera B.

Lat. 50° 48' N Long. 1° 53' W
Time of Observation 9 A.M.
Nearest Railway Station Bournemouth West
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

FORM A.
BRITISH RAINFALL
9 MAR 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	0.47	0.11	0.24	—	0.05	—	—	0.70	—	0.16	—	1
2	0.07	0.09	—	—	—	—	0.01	—	0.02	0.06	0.05	0.03	2
3	0.08	—	0.04	0.07	0.27	—	—	—	0.01	0.07	—	0.06	3
4	0.47	—	0.09	0.01	0.26	—	0.04	—	0.43	0.50	0.05	0.02	4
5	0.33	0.15	0.03	—	0.01	0.08	0.05	—	0.46	0.45	0.21	0.15	5
6	0.04	0.09	0.04	—	0.07	0.15	0.08	—	—	0.46	0.05	0.45	6
7	—	0.23	0.03	—	—	0.07	0.01	—	—	0.30	0.18	0.01	7
8	0.03	0.14	—	—	0.15	0.03	0.03	0.09	—	—	—	0.10	8
9	0.01	0.10	—	—	—	—	0.06	0.65	0.05	—	0.13	0.01	9
10	0.10	0.01	—	0.02	—	—	0.33	—	—	—	0.51	—	10
11	0.77	0.01	—	0.22	0.18	—	—	—	—	0.07	0.19	0.02	11
12	0.02	0.01	—	—	0.44	—	—	—	0.01	0.01	0.31	—	12
13	0.14	0.01	0.05	—	—	—	—	0.01	0.17	—	0.18	—	13
14	0.15	—	0.13	0.02	0.06	—	—	—	0.05	0.02	0.02	—	14
15	0.16	0.09	0.34	0.41	—	—	0.79	—	0.39	0.01	—	—	15
16	0.15	—	0.42	0.12	—	0.03	—	—	0.08	—	0.02	—	16
17	0.12	—	0.02	0.31	—	—	—	—	—	—	0.02	—	17
18	0.01	—	0.14	0.10	—	—	0.02	—	—	—	0.12	—	18
19	0.51	—	0.05	—	0.04	0.34	—	—	0.19	0.04	—	—	19
20	0.06	—	0.42	0.14	—	0.01	—	—	—	0.60	0.07	—	20
21	0.03	—	0.18	0.32	—	—	0.04	—	—	0.20	0.74	—	21
22	0.46	—	0.13	0.01	—	—	0.02	0.12	0.27	0.01	0.01	0.06	22
23	0.05	—	0.03	—	—	0.13	—	0.03	—	—	0.01	0.89	23
24	0.07	0.02	—	0.12	—	0.01	—	—	—	0.01	0.01	0.01	24
25	—	0.10	—	0.20	—	—	—	—	—	0.01	0.01	—	25
26	—	0.05	—	0.32	—	—	—	0.12	0.01	0.15	—	0.20	26
27	0.04	—	0.17	0.02	—	—	—	—	—	0.01	—	—	27
28	0.25	—	0.02	0.12	—	—	—	—	0.01	0.24	0.01	0.01	28
29	0.17	—	0.17	0.87	0.30	—	—	0.05	—	0.26	—	0.01	29
30	0.47	—	—	—	—	—	—	—	0.01	0.23	—	—	30
31	0.11	—	0.03	—	—	—	0.03	0.81	—	0.13	—	—	31
Total	4.91	1.57	2.64	3.64	1.78	0.90	1.51	1.88	2.86	3.54	3.06	2.03	YEAR'S TOTAL 30.32
Rain Days.	28	15	21	19	10	10	13	8	16	22	22	15	199

REGISTER OF RAINFALL IN 1914

Kept at Wellington House Bournemouth
in the County of ~~Bosch~~ Hants. 2
by Messrs Purnosi B^{proa} ..

Lat. $50^{\circ} 48' N$ Long. $1^{\circ} 53' W$

Time of Observation..... 9 Am

Nearest Railway Station Bournemouth

Diameter of Rain Gauge.....5".....in.

Height of top of Gauge above Ground ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	0.06	0.40	—	—	0.22	0.12	1
2	—	—	—	—	0.01	0.03	0.09	—	—	—	0.38	0.35	2
3	0.01	—	0.02	0.08	0.30	—	0.02	0.03	—	—	0.25	0.02	3
4	0.03	—	0.01	0.20	0.04	—	0.09	0.18	—	—	0.39	0.29	4
5	0.13	0.01	0.05	0.18	0.04	—	0.35	0.06	—	—	0.19	0.01	5
6	—	0.15	0.01	0.22	0.05	—	0.10	0.03	—	—	0.13	0.37	6
7	0.03	0.41	0.09	0.17	—	0.02	0.13	0.02	0.03	—	0.01	0.27	7
8	0.03	0.33	0.60	0.19	0.07	0.04	—	0.15	—	—	—	0.31	8
9	0.02	0.01	0.78	0.07	0.02	—	—	0.01	0.35	—	—	1.25	9
10	0.03	0.21	0.01	0.09	0.08	—	—	—	0.33	—	—	—	10
11	—	0.17	0.18	—	0.04	—	0.40	—	0.01	—	0.08	0.42	11
12	—	0.03	0.18	—	—	—	—	—	0.37	0.14	—	0.47	12
13	—	0.35	0.37	—	—	—	—	—	0.10	—	0.18	0.27	13
14	—	0.23	0.26	—	—	0.61	0.25	0.49	—	0.40	—	0.01	14
15	—	—	0.15	—	—	—	0.36	0.27	0.03	0.27	0.40	0.70	15
16	—	—	—	—	—	—	0.06	—	0.17	—	—	—	16
17	—	0.52	0.18	—	—	—	—	—	0.02	—	—	0.54	17
18	—	0.03	0.22	—	—	—	0.07	—	0.02	—	—	0.62	18
19	—	0.08	0.64	—	—	—	0.75	—	—	—	0.10	—	19
20	—	0.43	0.35	—	—	0.01	—	—	—	—	—	0.19	20
21	—	0.36	0.01	—	—	—	—	—	—	0.10	—	—	21
22	—	0.05	0.03	—	0.15	0.09	0.12	0.01	—	0.24	—	—	22
23	—	0.18	0.27	—	—	0.12	—	—	—	0.08	—	—	23
24	—	0.04	0.01	—	0.02	—	—	—	—	0.05	0.11	0.04	24
25	0.03	0.01	0.17	—	—	—	0.09	0.20	—	0.24	0.04	0.13	25
26	—	—	0.08	—	—	—	0.14	0.05	—	0.19	0.23	0.25	26
27	—	0.01	0.01	—	—	—	—	—	—	—	0.08	0.30	27
28	0.02	0.04	0.21	—	0.13	—	0.05	—	—	0.17	—	0.45	28
29	0.12	~~X~~	0.12	0.05	0.06	—	—	—	—	0.29	0.18	0.01	29
30	0.03	~~X~~	0.08	—	—	0.06	—	—	—	0.21	0.70	0.39	30
31	0.02	~~X~~	—	~~X~~	—	~~X~~	0.12	—	~~X~~	0.42	~~X~~	0.05	31
Total	0.50	3.65	5.09	1.25	1.01	0.98	3.25	1.90	1.43	2.80	3.64	7.83	YEAR'S TOTAL 33.33
Rain Days.	12	21	27	9	13	8	18	13	10	13	17	25	186

BOURNEMOUTH
WEST CLIFF

Kept at West Cliff

in the County of *Hants*

by *Rev. G. Rider*

1911 - 20

FORM A2.
BRITISH RAINFALL
17 JAN 1912

Level *190* ft.

Bournemouth West

Direction *SE*

result entered to the

IMPORTANT NOTE

previous day. If an observer in conformity with this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.04							.02	.13	1
2				.28	.28			.02		.11	.18	.26	2
3					.20				.15		.12	.14	3
4			.09							.03	.38	.62	4
5	.04							(.07)		.58	.11		5
6	.51		.12							.04	.35	.91	6
7	.04									.01	.43	.01	7
8	.04	.01	.15								.40	.65	8
9	.10		.01	.01							.08	.33	9
10	.04	.07	.38									.50	10
11	.35	.09	.04								1.81		11
12			.99					.22			.67	.19	12
13			.02		.03				.18			.35	13
14		.08								.01		.24	14
15		.03	.07			.08					.18	.02	15
16	.01					.25					.36	.23	16
17			.11			.80					.66	.48	17
18		.18	.07	.04		.15				.06	.24	.48	18
19		.06				.16			.33	.21	.01	.81	19
20	.02	.04	.22					.20	.06	.03		.46	20
21	.03	.26	.08	.02					.06	.43		.19	21
22	.18	.05	.07			.17		.22	.00	.31		.71	22
23		.11				.31			.11	.51	.11	.35	23
24	.08	.13				.34		.17		.80		.35	24
25		.03	.01	.07		.08			.04	.06		.11	25
26				.29						.31		.27	26
27		.32	.27	.03					.09	.94	.13	.20	27
28		.23		.41	.13			.18			.06		28
29				.37		.20	.25		.10	.30			29
30						.02		.42		.38	.03		30
31													31
Total	1.42	1.69	2.48	1.56	.64	1.81	.25	1.28	1.12	5.12	5.12	8.77	TOTAL 31.26
No. of Rain Days.	13	15	16	10	4	11	1	67	9	18	20	25	148

Kept at West Cliff. Bournemouth

in the County of Hants

by Rev. G. Rideout

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground /ft. in.
" " " Sea Level 190 ft.
Time of Observation 9.30 am
Nearest Railway Station { Name Bournemouth West
Distance 2 mi Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.04							.02	.13	1
2				.28	.28			.02		.11	.18	.26	2
3					.20				.15		.12	.14	3
4			.09							.03	.28	.52	4
5	.04							(.07)		.58	.11		5
6	.51		.12							.04	.35	.91	6
7	.04									.01	.43	.01	7
8	.04	.01	.15								.40	.65	8
9	.10		.01	.01							.08	.33	9
10	.04	.07	.38									.50	10
11	.35	.09	.04								1.31		11
12			.99					.22			.07	.19	12
13			.02		.03				.18			.35	13
14		.08								.01		.24	14
15		.03	.07			.08					.18	.02	15
16	.01					.25					.36	.23	16
17			.11			.00					.66	.48	17
18		.18	.07	.04		.15				.06	.24	.48	18
19		.06				.16			.33	.21	.01	.31	19
20	.02	.04	.22					.20	.06	.03		.45	20
21	.03	.26	.08	.02					.06	.43		.19	21
22	.18	.05	.07			.17		.22	.03	.31		.71	22
23		.11				.31			.11	.51	.11	.35	23
24	.08	.13				.34		.19		.80		.35	24
25		.03	.01	.07		.08			.04	.06		.11	25
26				.29						.31		.27	26
27		.32	.07	.03					.09	.94	.13	.20	27
28		.23		.41	.13			.18			.06		28
29				.37		.20	.25		.10	.30			29
30						.02		.42		.38	.03		30
31													31
Total	1.42	1.69	2.48	1.56	.64	1.81	.25	1.28	1.12	5.12	5.12	8.74	148
No. of Rain Days.	13	15	16	10	4	11	1	6	9	18	26	25	148

REGISTER OF RAINFALL IN 1912

20 JAN 1913
BRITISH RAINFALL
FORM A.

Kept at *West Cliff*
in the County of *Hants*
by *Rev. G. Rideout*

Lat. _____ Long. _____
Time of Observation *9.30 am*
Nearest Railway Station *Bournemouth*
Diameter of Rain Gauge *5 in.*
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level *130 ft.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.03	-	-	.35	.12	.04	-	.88	-	.31	1
2	-	-	.15	.02	-	.03	.32	-	-	-	-	-	2
3	-	-	.08	-	-	.22	.06	.59	-	-	.02	.02	3
4	.21	.09	.64	-	-	.82	-	.06	-	-	.31	-	4
5	.52	.15	.15	-	-	-	-	.61	-	-	-	.08	5
6	.74	.03	-	-	.22	.03	-	.43	-	-	-	.04	6
7	.02	.40	.12	-	.24	.64	-	.13	-	-	-	.06	7
8	.37	.22	.20	-	-	.03	-	.08	-	-	-	.01	8
9	.01	.06	.19	.05	-	.10	-	.21	-	-	-	.22	9
10	-	.08	-	-	-	.12	-	.13	-	-	.03	.47	10
11	.20	.12	-	-	-	.60	-	.40	-	-	-	.43	11
12	.08	.26	.07	-	.58	.64	.08	.21	-	.02	.02	-	12
13	-	.03	.03	-	-	-	.04	-	-	.03	.03	.09	13
14	.12	-	.15	-	-	-	-	.20	-	.01	-	-	14
15	.17	.23	.03	-	.03	.63	-	.04	-	-	-	.32	15
16	.94	.02	.29	-	.19	.02	-	.18	-	.06	.25	-	16
17	.78	-	.17	-	.03	.03	-	.62	-	-	-	.21	17
18	.05	-	.25	-	-	-	-	.18	-	.02	-	.03	18
19	.01	.06	.22	-	-	-	.07	.09	-	-	.01	-	19
20	.02	.05	.40	-	.05	-	.03	.25	-	.43	.04	-	20
21	-	.18	.26	-	.25	-	-	.11	-	.14	-	-	21
22	.18	.37	.10	-	-	-	.22	.17	-	.04	.01	.05	22
23	.34	.14	.27	-	-	.01	.05	.57	-	.19	.11	.29	23
24	.48	.07	.01	-	-	.17	.02	.11	-	-	-	.30	24
25	.16	-	-	-	-	.34	-	.31	-	.22	.41	.67	25
26	-	.07	-	-	-	-	.34	.18	-	.36	.66	.35	26
27	-	.03	-	-	-	.14	.14	-	-	.69	-	.41	27
28	-	.14	-	-	-	.10	.18	.45	.44	.78	.38	.30	28
29	-	.17	-	-	-	-	.42	.11	2.27	.22	-	.01	29
30	-	-	-	-	.02	.10	.03	-	.77	.19	-	-	30
31	-	-	.46	-	-	-	.23	.05	-	.06	-	.03	31
Total	5.35	2.97	4.27	0.07	1.61	5.12	2.35	6.51	3.08	4.33	2.28	4.64	42.58
Rain Days.	19	22	22	2	9	20	16	27	3	17	13	22	192

Cor. for alt. 23. II. 14.
REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL
16 FEB 1914

Kept at *Heri Cliff, Boumemaud*
in the County of *Hants*
by *Rev. G. Rideout*

Lat. _____ Long. _____
Time of Observation *9.30am*
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *130* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>03</i>	<i>44</i>		<i>28</i>		<i>03</i>			<i>55</i>		<i>19</i>		1
2	<i>12</i>	<i>11</i>							<i>02</i>	<i>07</i>	<i>06</i>	<i>07</i>	2
3	<i>16</i>		<i>04</i>	<i>06</i>	<i>30</i>					<i>06</i>		<i>12</i>	3
4	<i>64</i>		<i>12</i>		<i>27</i>		<i>04</i>		<i>54</i>	<i>62</i>	<i>06</i>	<i>07</i>	4
5	<i>36</i>	<i>18</i>	<i>03</i>		<i>07</i>	<i>08</i>	<i>06</i>		<i>38</i>	<i>12</i>	<i>26</i>	<i>12</i>	5
6	<i>03</i>	<i>11</i>	<i>04</i>		<i>05</i>	<i>16</i>	<i>06</i>			<i>58</i>	<i>04</i>	<i>52</i>	6
7		<i>35</i>	<i>03</i>		<i>30</i>	<i>06</i>				<i>35</i>	<i>29</i>		7
8	<i>03</i>	<i>18</i>			<i>16</i>	<i>03</i>	<i>04</i>	<i>03</i>				<i>10</i>	8
9		<i>06</i>					<i>11</i>	<i>59</i>	<i>07</i>		<i>13</i>		9
10	<i>23</i>	<i>01</i>		<i>01</i>			<i>16</i>			<i>03</i>	<i>54</i>		10
11	<i>91</i>			<i>20</i>	<i>27</i>					<i>06</i>	<i>41</i>		11
12					<i>41</i>						<i>32</i>		12
13	<i>13</i>	<i>02</i>	<i>06</i>						<i>24</i>		<i>14</i>		13
14	<i>26</i>		<i>14</i>		<i>04</i>				<i>08</i>	<i>01</i>		<i>02</i>	14
15	<i>27</i>	<i>09</i>	<i>36</i>	<i>71</i>			<i>90</i>		<i>38</i>				15
16	<i>12</i>		<i>46</i>	<i>07</i>		<i>04</i>			<i>08</i>				16
17	<i>12</i>			<i>28</i>							<i>04</i>		17
18	<i>01</i>		<i>26</i>	<i>11</i>							<i>06</i>		18
19	<i>67</i>		<i>04</i>		<i>05</i>	<i>35</i>	<i>02</i>		<i>26</i>	<i>05</i>			19
20	<i>04</i>		<i>42</i>	<i>13</i>			<i>05</i>			<i>56</i>	<i>13</i>		20
21			<i>20</i>	<i>37</i>						<i>21</i>	<i>65</i>		21
22	<i>49</i>		<i>18</i>					<i>09</i>	<i>26</i>	<i>02</i>	<i>05</i>	<i>11</i>	22
23	<i>03</i>		<i>04</i>			<i>08</i>		<i>04</i>				<i>68</i>	23
24	<i>08</i>	<i>02</i>		<i>16</i>						<i>02</i>			24
25		<i>13</i>		<i>19</i>						<i>02</i>	<i>01</i>	<i>01</i>	25
26		<i>05</i>		<i>29</i>				<i>19</i>		<i>12</i>		<i>20</i>	26
27	<i>06</i>		<i>22</i>	<i>02</i>								<i>01</i>	27
28	<i>27</i>		<i>03</i>	<i>12</i>				<i>01</i>		<i>29</i>		<i>01</i>	28
29	<i>16</i>		<i>21</i>	<i>77</i>	<i>34</i>			<i>04</i>		<i>31</i>			29
30	<i>61</i>				<i>03</i>					<i>41</i>			30
31	<i>06</i>		<i>04</i>					<i>80</i>		<i>07</i>			31
Total	<i>5.83</i>	<i>1.75</i>	<i>2.92</i>	<i>3.77</i>	<i>2.29</i>	<i>.83</i>	<i>1.44</i>	<i>1.79</i>	<i>2.86</i>	<i>3.98</i>	<i>3.38</i>	<i>2.04</i>	YEAR'S TOTAL <i>32.88</i>
Rain Days.	<i>25</i>	<i>13</i>	<i>19</i>	<i>18</i>	<i>12</i>	<i>8</i>	<i>9</i>	<i>8</i>	<i>11</i>	<i>20</i>	<i>17</i>	<i>13</i>	<i>1711</i>

REGISTER OF RAINFALL IN 1914

Kept at West Cliff, Brannemuir
in the County of Gloucester
by Rev. G. Ridout

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 145 ft.

FORM A.
BRITISH RAINFALL
15 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.02	-	-	-	-	.50	-	-	.34	.09	1
2	-	-	-	-	.01	.04	.12	-	-	-	.58	.59	2
3	-	-	.02	.08	-	-	.03	.14	-	-	.25	.02	3
4	.048	-	-	.28	.41	-	.08	.18	-	-	.41	.36	4
5	.05	-	.05	.18	.04	-	.41	.11	-	-	.28	-	5
6	-	.16	-	.23	.05	-	.10	.02	-	-	.03	.59	6
7	.02	.63	.10	.16	-	-	.16	.02	.03	-	-	.33	7
8	.04	.32	.54	.21	.07	-	-	.17	-	-	-	.56	8
9	.01	.03	.62	.12	.01	-	-	-	.39	-	-	1.14	9
10	.04	.34	-	.10	.10	.05	-	-	.33	-	.03	.01	10
11	-	.19	.45	-	.03	-	.41	-	.01	-	.07	.66	11
12	-	.06	.19	-	-	-	-	-	.41	.15	.08	.74	12
13	-	.51	.36	-	-	-	-	-	.11	.03	.10	.58	13
14	-	.41	.29	-	-	.7575	.32	.4875	-	.55	.60	.30	14
15	.01	-	.16	-	-	-	.25	.28	.04	.11	.40	-	15
16	-	-	-	-	-	-	.07	-	.32	-	-	-	16
17	-	.56	.22	-	-	-	-	-	.01	-	-	.74	17
18	-	.02	.26	-	-	-	.08	-	.01	-	-	.70	18
19	-	.05	.65	-	-	-	.91	-	-	-	.11	.15	19
20	-	.54	.29	-	-	.02	-	-	-	-	-	.25	20
21	-	.53	-	-	-	-	-	.01	-	.22	-	-	21
22	-	-	.02	-	.19	.10	.12	.02	-	.20	-	-	22
23	-	.18	.34	-	-	.12	.01	-	-	.11	-	-	23
24	-	.06	.03	-	-	-	.01	-	-	.04	.10	-	24
25	.04	-	.22	-	-	-	.10	.30	-	.33	.04	.27	25
26	-	-	.08	-	-	-	.14	.04	-	.15	.27	.47	26
27	.04	-	-	-	-	-	-	-	-	-	.10	.39	27
28	.01	.04	.32	-	.06	-	.06	-	-	.18	.30	.47	28
29	.16	X	.13	.02	.10	-	-	-	-	.30	.37	.02	29
30	.01	X	.11	X	-	.08	-	-	-	.21	.81	.74	30
31	.05	X	-	X	-	X	.07	-	X	.63	X	.12	31
Total	.56	4.69	5.50	1.38	1.07	1.16	3.45	2.27	1.64	3.21	5.27	10.12	40.34
Rain Days.	13	14	23	9	11	7	19	13	10	14	20	24	180

REGISTER OF RAINFALL IN 1895

Kept at West Cliff, Burnmouth in the County of North by Rev. G. Rideau
 Latitude _____ Time of Observation 9.30 am Diameter 5 in
 Longitude _____ Height of top above Ground 1 ft
 " " " Sea Level 145 ft

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SIMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.21	-	-	.02	-	-	-	.38	.45	-	.06	1
2	.42	.28	.17	.04	-	.03	-	.22	-	.34	-	.45	2
3	.42	.01	.11	-	.13	-	-	-	-	.29	-	.58	3
4	.02	-	-	.08	-	-	-	.24	-	-	-	.45	4
5	.08	.63	-	.01	-	-	-	-	-	-	-	.62	5
6	.73	.47	-	.46	-	-	.48	.03	-	-	-	.42	6
7	.11	.60	-	.03	-	-	.06	-	-	-	-	.33	7
8	.04	.31	-	-	-	-	.04	.06	-	-	.09	.13	8
9	-	.10	-	.14	-	-	-	-	-	-	.43	.82	9
10	.22	.07	.07	.02	-	-	-	-	-	-	-	.23	10
11	.04	.04	.01	.06	-	-	-	-	-	-	1.25	-	11
12	.15	.43	-	.20	.59	-	-	.03	-	.06	.58	-	12
13	.01	.49	-	-	1.14	-	-	-	.12	-	.07	-	13
14	.06	-	-	-	-	-	.24	.01	.04	-	-	.90	14
15	.07	.05	-	-	.10	-	.32	.03	-	-	.07	.21	15
16	-	1.27	-	-	.34	-	1.18	.03	-	-	-	.33	16
17	-	.34	-	-	.24	-	-	.03	-	-	-	-	17
18	-	.35	-	-	.05	-	-	-	-	-	-	-	18
19	-	-	-	-	.13	-	.06	-	-	-	-	-	19
20	.22	-	-	-	.08	-	-	-	-	-	-	.05	20
21	.03	.42	-	.13	-	-	.10	-	.02	.52	-	.14	21
22	.29	.23	.34	.01	-	-	.67	-	.01	.02	-	.29	22
23	-	.01	.14	-	-	-	-	-	.20	.65	-	.76	23
24	-	-	-	.03	-	-	.32	-	.75	1.75	-	.78	24
25	-	-	-	.04	-	.01	-	-	-	-	-	.31	25
26	-	.10	-	-	-	.10	.23	-	-	-	-	.97	26
27	-	-	-	-	-	.04	-	-	-	.34	-	-	27
28	-	.08	-	-	-	.33	.07	-	.60	.05	.02	.92	28
29	-	-	-	-	-	.34	-	.04	-	.12	.28	.14	29
30	.21	-	-	-	-	.20	-	-	-	.52	.99	.24	30
31	-	-	-	-	-	-	-	.17	-	.97	-	.39	31
Totals	3.42	6.39	.84	1.25	2.82	1.05	3.77	.89	2.12	6.08	3.78	9.62	42.03
Total from Jan. 1	18	21	6	13	10	7	12	11	8	13	9	24	152
	9.81	10.65	11.90	14.72	15.77	19.54	20.43	22.55	28.63	32.41	42.03		

REGISTER OF RAINFALL IN 1916

Kept at West Cliff, Bournemouth
in the County of Hants
by Rev. G. A. Rideout

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
6 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.05	.15	-	.78	-	-	-	.48	.18	.36	-	1
2	.31	.18	.05	-	.11	-	-	-	-	.19	.04	-	2
3	.04	.97	.04	-	-	-	-	-	-	.62	.25	-	3
4	.23	.03	-	-	.05	.28	-	-	.19	.03	.58	-	4
5	.04	.03	.02	-	.18	.27	-	-	-	.09	.59	-	5
6	-	.10	.075	-	.03	.28	.48	-	-	.03	.82	-	6
7	.02	-	.365	-	.07	.02	-	-	-	.05	.72	.10	7
8	-	.01	.235	-	.27	-	-	-	-	-	.04	.34	8
9	-	-	-	-	.02	.08	.05	-	-	-	.01	.25	9
10	-	.71	.02	.05	.04	-	-	-	-	-	-	.02	10
11	-	-	.04	.14	-	.10	-	-	-	-	-	.09	11
12	.05	-	.10	.03	.11	-	.07	.02	-	.04	-	-	12
13	-	.33	.07	.02	-	-	-	-	-	-	.01	-	13
14	.01	.60	-	.04	.05	-	-	-	-	.03	-	-	14
15	-	.48	.10	-	-	-	-	.06	-	.01	-	-	15
16	.12	.07	.02	.12	-	-	-	.37	-	.05	.55	.03	16
17	.15	.15	-	.07	-	-	-	.07	.23	.51	.07	-	17
18	.02	.03	.12	.03	-	-	-	.37	.13	.05	.36	.32	18
19	.24	-	.46	.02	-	-	-	-	-	-	.05	.02	19
20	.14	.32	.48	.03	-	-	-	.02	-	-	.02	1.38	20
21	.01	.22	.23	.03	.02	-	.10	-	-	-	.01	.25	21
22	-	-	-	-	-	-	-	-	-	.11	.24	.74	22
23	.03	.12	-	-	-	.20	-	.03	-	.08	-	.01	23
24	-	.025	-	-	.28	-	-	.10	-	.26	.07	.39	24
25	-	.365	.14	.03	-	-	-	.59	.02	.05	-	-	25
26	.05	.485	-	-	-	.08	-	.08	.32	.50	-	.03	26
27	.01	.055	.845	-	-	.43	-	.02	.47	.31	-	-	27
28	-	.275	.03	-	-	-	-	.15	.23	.29	-	.28	28
29	-	.67	.04	-	-	.38	-	2.26	.46	.32	-	.45	29
30	-	X	.02	-	-	-	-	-	-	.57	-	.01	30
31	-	X	-	X	-	X	-	.07	X	.25	X	.03	31
Total	1.57	6.24	3.62	.61	2.01	2.12	.70	4.21	2.53	4.62	4.79	4.74	37.76
Rain Days.	15	23	22	12	13	10	4	13	9	23	17	18	183

Dear Sir.

I am sorry to find that
I made a stupid error
in my 2nd fall return.

For Jan: last the total
as you will see should
be 1.54 instead of 1.26
and the Total of the
year 34.76 instead of
34.45.

Yours truly
G. A. Richards
Bournemouth West


4. Beacon Terrace
Torquay

Jan 12

POST CARD

TO BE USED FOR WRITTEN OR
PRINTED MATTER

ONLY THE ADDRESS TO BE
WRITTEN HERE



Doctor H. D. Hill
62, Camden Square
London.
H. W.

REGISTER OF RAINFALL IN 1917

Kept at Woodmanscote, West Cliff
in the County of Hants
by Rev. G. Rideout

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 145 ft.

FORM A.
BRITISH RAINFALL
15 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.11	.15	.07	.08	.12	1.08	.06		.07		1
2	.01		.03	.66				.08	.03	.01	.25		2
3	.06			.25			.32	.05		.13	.26		3
4			.37							.25			4
5	.08		.65	.02		.05		.02	.20	(.13)	.12		5
6		.7	.30	.02							.10	.02	6
7	.40			.02			.18	.03		.26		.12	7
8	.36						.55	.65	.03	.42	.19	.20	8
9			.31						.03	.02	.02		9
10	.13		.42	.16	.02			.20	.04				10
11	.06		.38	.18						.27			11
12	.03		.04		.11			.02		.18	.02		12
13			.30					.07	.03	.04		.01	13
14			.02	.02						.01			14
15					.11			.79		.20	.01	.38	15
16			.09	.04					.04	1.36	.01	.44	16
17		.30		.17	.03	.03	.31	.21	.36	.16			17
18		.08				.25	.08		.42	.01			18
19		.31	.11			.03			.27				19
20		.05	.12		.38				.01				20
21		.04	.19			.02				.06			21
22	.05		.08			.06		.06		.14			22
23	.02	.19			(.08)			.13		.01		.02	23
24		.27				.13	.44			.24	.01		24
25		.14	.04							.02			25
26			.04		.47			.48	.07	.04	.02		26
27					1.06	.17		1.14				.02	27
28			.03		.23	.73		.08				.03	28
29			.08		.10	.15	.32	.02		.58		.07	29
30		X	.24				.67	.26					30
31		X	.02	X		X	.06	.07	X	.22	X		31
Total	1.20	1.38	3.28	1.74	2.58	1.70	3.65	5.39	1.59	4.76	.83	1.31	YEAR'S TOTAL 28.81
Rain Days.	10	8	21	11	11	11	10	19	13	23	13	10	140

158

W m L and by own state
REGISTER OF RAINFALL IN 1918

18

Kept at West Cliff
Bournemouth
in the County of Hants
by Rev. G. Rideout

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 145 ft.

FORM A.
BRITISH RAINFALL
18.119

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.08	.01					1.02			.38	.05	1
2		.11	.01	.02				.21		.01	.34	.20	2
3		.09	.18	.28	.32			.04			.12	.05	3
4		.04		.01				.04	.06		.92	.07	4
5		.12			.24			.29	.13	.24		.06	5
6	.15	.07		.22				.27	.06	.05		.10	6
7		.15		.02	.30	.01			.27	.06	.22	.07	7
8		.06							.12	.16		.03	8
9				.21		.04	.22		.46	.21		.46	9
10	.04			.07		.03	.32		.09	.30		.32	10
11	.01			.02			.08		.04	.02	.04	.09	11
12					(.33)		.01		.04			.01	12
13	.14				.01		.38		.30			.04	13
14	.21					.04	.02		.46	.29		.11	14
15	1.46			.39		.08	.18		.02			.08	15
16	.47		.02	(.05)		.15	.01		.30	.01		.01	16
17	.15		.01	.19			.66		.06			.26	17
18	.64					.66	.01		.61			.12	18
19	.08		.13				.40			.01		.06	19
20	.01	.15		.21			.03		.41	.08			20
21	.20	.02		.02					.55	.14		.17	21
22	.10				.05		.53		.22			.15	22
23	.13				.04		.42		.04		.30		23
24		.29							.15		.18		24
25				.10	.02		.06	.37			.05		25
26		.01					.20		.02		.08	.32	26
27		.10	.03				.02	.05	(.43)	.04	.15	.01	27
28			.21	.02						.01	.03		28
29			.11	.06					1.48		.01	.03	29
30		X	.32						.01	.02	.09	.01	30
31		X	.04	X		X		.06	X	.18	X		31
Total	3.80	1.29	1.07	1.89	1.31	1.01	3.55	2.35	6.32	1.83	2.86	2.89	30.14
Rain Days.	15	13	11	16	8	7	17	9	24	17	14	25	146

REGISTER OF RAINFALL IN 1919.

Kept at West Cliff Road, Bournemouth
in the County of Hants
by Det. G. Rider

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	.01	.06	-	-	-	.04	-	-	.08	-	1.46	1
2	.40	-	.01	-	.04	-	.20	-	.82	-	.02	.05	2
3	.83	-	.74	-	.08	-	-	-	.18	-	-	.12	3
4	.88	.22	.26	-	-	.06	-	.05	.10	-	.06	.06	4
5	.01	.46	.38	-	.10	-	-	-	.01	-	.09	.16	5
6	.35	.15	.10	.01	.09	-	-	-	-	-	.03	.08	6
7	.15	-	.47	.07	.01	-	-	-	-	-	-	.01	7
8	.22	-	.27	.14	-	-	-	-	-	-	.03	-	8
9	.87	-	.02	.21	.01	-	-	-	-	-	.28	-	9
10	.22	-	.26	.02	.03	-	-	-	-	.08	-	(29)	10
11	.13	-	.05	.20	.07	-	.12	-	-	-	-	.01	11
12	.11	-	.02	-	.01	-	.11	-	.01	.11	.02	-	12
13	.06	.12	.05	.42	-	-	.02	-	-	-	-	.09	13
14	.64	.05	-	.12	-	-	.05	-	-	(.46)	-	.08	14
15	.17	.17	-	.02	-	-	-	-	-	-	-	.58	15
16	.04	.95	-	-	.01	-	-	.01	.01	-	.15	.01	16
17	.12	.24	-	-	-	-	-	-	-	-	.13	.04	17
18	.01	.04	.51	-	-	-	.02	.04	-	-	.14	.01	18
19	.68	.33	.63	-	-	.13	1.33	.15	.09	-	.07	.03	19
20	.22	.02	.12	-	-	.48	-	.32	-	-	-	.02	20
21	.02	.79	.02	-	-	-	.01	-	.04	-	.01	.03	21
22	-	-	.01	-	-	-	.10	-	.24	-	-	.10	22
23	-	-	.01	-	-	-	-	.01	-	.09	.04	.02	23
24	-	.04	-	.01	-	.32	.14	.01	-	.70	.14	.22	24
25	.05	.03	-	.01	-	-	-	.51	-	.01	.01	.17	25
26	.05	.19	.09	.04	-	-	-	.05	.10	-	.18	.50	26
27	.11	-	.01	.30	-	-	.01	1.01	-	-	.01	.03	27
28	-	.02	.52	-	-	-	-	.49	-	-	.50	.45	28
29	.02	-	-	-	-	-	-	.18	-	.03	-	.08	29
30	-	~~X~~	~~X~~	.11	-	.09	-	.80	-	-	1.03	.84	30
31	-	~~X~~	~~X~~	.04	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	.41	31
TOTAL	6.30	3.83	4.69	1.68	.45	1.08	2.15	3.63	1.60	1.16	2.94	5.86	35.37
Days with ≥ 1 in. or more	25	17	23	14	10	5	12	13	10	8	19	28	184

REGISTER OF RAINFALL IN 1920.

Kept at Bournemouth West Cliff

in the County of Hants

by Rev. G. Pidda

Lat. _____ Long. _____

Time of Observation 9.30 a.m.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	-	.04	.16	.18	-	.22	.04	.03	.27	.30	.51	1
2	.12	-	.01	.12	.01	-	.04	.26	.16	.11		.19	2
3	.01	.02	-	.07	-	-	.55	-	.03	.33		.02	3
4	.	.06	.05	.01	-	-	.22	.35	-	.18		.	4
5	-	-	.24	.03	-	-	.51	.09	-	.41		.02	5
6	-	-	.08	-	.22	-	.12	.01	-	.		.	6
7	.02	.	-	.13	.08	-	.22	-	-	.03		.	7
8	.06	.08	-	.04	.05	-	.72	-	-	.		.	8
9	.35	.01	.05	.04	.02	.04	.02	-	-	.		.	9
10	.86	.04	.07	.02	.	.46	.35	-	-	.		.	10
11	.22	.	.09	.37	.13	.02	.40	-	-	.		.	11
12	.13	.06	.01	.10	-	.70	-	-	-	.	.06	.06(5)	12
13	.20	.01	.45	.	-	-	-	-	-	.	.03	.	13
14	.05	.01	.49	.47	.	.	-	-	.18	.41	.50	.02	14
15	.04	.02	.03	.14	.10	.35	-	-	.11	1.17	.07	.	15
16	.01	.02	.01	.02	.	.02	.02	-	.25	.02	.	.	16
17	.02	.	.01	.26	.31	-	.04	-	.38	.	.01	.	17
18	.11	.02	.01	.01	.10	.09	.02	.45	.04	.		.01	18
19	.02	.	-	.19	-	.16	-	-	.01	.		.03	19
20	.02	.14	-	.13	-	.70	-	-	.	-		.18	20
21	-	-	-	.	-	-	.72	-	.02	-		.04	21
22	.10	-	-	.21	-	-	.01	-	.02	.		.36	22
23	-	-	-	.	-	-	.31	-	.	-		.39	23
24	.03	.01	.18	-	-	-	.01	(.01)	.	-	.06	.19	24
25	.	.05	.12	-	.09	-	.38	-	-	-	.01	.01	25
26	.09	-	.33	-	-	.81	.04	-	-	-	.06	.15	26
27	.47	-	.01	.03	.01	.03	.01	-	-	-	.05	.25	27
28	.57	.02	-	.09	.01	-	.08	-	-	-	.	.07	28
29	.64	.01	.16	.25	-	.06	-	-	-	-	.25	.33	29
30	.08	~~X~~	-	-	-	.12	.05	-	.36	-	.31	.52	30
31	.03	~~X~~	.12	~~X~~	-	~~X~~	-	-	~~X~~	.31	~~X~~	.25	31
TOTAL	4.31	.58	2.56	2.89	1.31	3.56	5.06	1.21	1.59	3.24	1.71	3.60	YEAR'S TOTAL
Days with .01 in. or more	25	16	21	22	13	13	23	7	12	10	12	20	31.62
Days with .04 in. or more	17	6	14	16	9	10	17	5	7	8	9	14	194

BRAISHFIELD
MANOR
HANTS

STATION

1 FEB 1921

Kept at Braishfield

in the County of Hants

by Alfred

1919-1920

a.m.

in

ge 5 in.

ound 1 ft. 2 in.

Level 206 ft.

to the previous day.

IMPORTANT NOTE

If an Observer prefers not to conform to this almost universal rule, he may add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'09	0	'01	'43	'15	0	'26	'01	0	'50	'40	'40	1
2	'12	0	0	'10	0	0	'49	'24	'06	'08	0	'18	2
3	'10	'05	0	'08	0	0	'56	0	0	'50	0	0	3
4	0	'05	'02	0	0	0	'29	'27	0	'25	0	0	4
5	0	0	'25	'11	'03	0	'89	'34	0	'54	0	'03	5
6	0	0	'18	0	'24	0	'51	0	0	'01	0	0	6
7	'03	0	'03	'25	'01	0	'30	0	0	0	0	0	7
8	'05	'04	0	'12	'08	0	'30	'01	0	0	0	0	8
9	'35	'09	'02	'08	0	'08	'01	0	0	0	0	0	9
10	'56	'26	'05	'02	0	'38	'27	0	0	0	'02	0	10
11	'30	0	'07	'42	'10	'04	'16	0	0	0	0	0	11
12	'10	'08	0	'27	0	'92	'01	0	0	0	'06	0	12
13	'10	'01	'46	'06	0	0	0	0	0	0	'01	0	13
14	0	'03	'34	'39	0	0	0	0	'25	'32	'51	'02	14
15	'05	'05	'04	'22	'07	0	0	0	'09	'48	'08	0	15
16	0	'01	'02	'01	0	'02	'01	0	'08	'02	0	0	16
17	'01	0	0	'05	'25	0	'10	0	'29	0	0	0	17
18	'13	0	0	'05	'02	'10	'05	'46	'04	0	0	0	18
19	'01	0	0	'19	0	'13	0	'01	0	0	'01	0	19
20	'06	'13	0	'25	0	'58	0	'01	0	0	'01	'08	20
21	0	0	0	'02	0	0	'63	'01	'10	0	0	'14	21
22	'04	0	0	'21	0	0	'03	'05	'15	0	0	'42	22
23	'01	0	0	0	0	0	'38	0	0	0	0	'36	23
24	'03	'01	'17	'01	0	0	0	0	0	0	0	'11	24
25	0	'04	'05	0	'10	0	'33	0	0	0	'01	'01	25
26	'09	0	'21	0	'01	'01	'04	0	0	0	'04	'10	26
27	'49	'03	'02	'20	0	'15	0	0	0	0	'30	'25	27
28	'43	'01	0	'04	'06	0	'16	0	0	0	0	'05	28
29	'47	'01	'08	0	'02	'02	0	0	0	0	'21	'25	29
30	'08	~~X~~	0	0	'01	'11	'12	0	'27	0	'21	'22	30
31	'09	~~X~~	'33	~~X~~	0	~~X~~	0	0	~~X~~	'63	~~X~~	'18	31
TOTAL	3.79	.89	2.35	3.58	1.15	2.55	5.90	1.39	1.33	3.33 ~~3.60~~	1.87 ~~1.88~~	2.80 ~~2.79~~	30.93 ~~31.20~~
Days with '01 in. or more	24	16	18	23	14	12	22	8	9	10	13	16	185
Days with '04 in. or more	19	9	12	19	8	9	18	5	9	8	8	13	137

REGISTER OF RAINFALL IN 1920

Kept at Braishfield Manor, Romsey
in the County of Hants
by Alfred C. King

Lat. Long.
Time of Observation 9.30 a.m.
Nearest Railway Station Romsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	0	.01	.43	.15	0	.26	.01	0	.50	.40	.40	1
2	.12	0	0	.10	0	0	.49	.24	.06	.08	0	.18	2
3	.10	.05	0	.08	0	0	.56	0	0	.50	0	0	3
4	0	.05	.02	0	0	0	.29	.27	0	.25	0	0	4
5	0	0	.25	.11	.03	0	.89	.34	0	.54	0	.03	5
6	0	0	.18	0	.24	0	.51	0	0	.01	0	0	6
7	.03	0	.03	.25	.01	0	.30	0	0	0	0	0	7
8	.05	.04	0	.12	.08	0	.30	.01	0	0	0	0	8
9	.35	.09	.02	.08	0	.08	.01	0	0	0	0	0	9
10	.56	.26	.05	.02	0	.38	.27	0	0	0	.02	0	10
11	.30	0	.07	.42	.10	.04	.16	0	0	0	0	0	11
12	.10	.08	0	.27	0	.92	.01	0	0	0	.06	0	12
13	.10	.01	.46	.06	0	0	0	0	0	0	.01	0	13
14	0	.03	.34	.39	0	0	0	0	.25	.32	.51	.02	14
15	.05	.05	.04	.22	.07	0	0	0	.09	.48	.08	0	15
16	0	.01	.02	.01	0	.02	.01	0	.08	.02	0	0	16
17	.01	0	0	.05	.25	0	.10	0	.29	0	0	0	17
18	.13	0	0	.05	.02	.10	.05	.46	.04	0	0	0	18
19	.01	0	0	.19	0	.13	0	.01	0	0	.01	0	19
20	.06	.13	0	.25	0	.58	0	.01	0	0	.01	.08	20
21	0	0	0	.02	0	0	.63	.01	.10	0	0	.14	21
22	.04	0	0	.21	0	0	.03	.05	.15	0	0	.42	22
23	.01	0	0	0	0	0	.38	0	0	0	0	.36	23
24	.03	.01	.17	.01	0	0	0	0	0	0	0	.11	24
25	0	.04	.05	0	.10	0	.33	0	0	0	.01	.01	25
26	.09	0	.21	0	.01	.01	.04	0	0	0	.04	.10	26
27	.49	.03	.02	.20	0	.15	0	0	0	0	.30	.25	27
28	.43	.01	0	.04	.06	0	.16	0	0	0	0	.05	28
29	.47	.01	.08	0	.02	.02	0	0	0	0	.21	.25	29
30	.08	X	0	0	.01	.11	.12	0	.27	0	.21	.22	30
31	.09	X	.33	X	0	X	0	0	X	.63	X	.18	31
TOTAL	3.79	.89	2.35	3.58	1.15	2.55	5.90	1.39	1.33	3.33	1.87	2.80	YEAR'S TOTAL 31.20
Days with .01 in. or more	24	16	18	23	14	12	22	8	9	10	13	16	185
Days with .04 in. or more	19	9	12	19	8	9	18	5	9	8	8	13	137

135- BRUSHFIELD

BRUSHFIELD MANOR,

ROMSEY,

HANTS.

19-3-21

Dear Sir

I must apologise
for my mistake in adding
up the figures in my re-
turn of the rainfall last
October. You are right in
thinking that there is no
mistake in the daily
entries.

yrs. faithfully
Alfred. King

C. Salter Esq.

REGISTER OF RAINFALL IN 1919.

Kept at Braishfield Manor, Romsey

in the County of Hants

by Alfred C. King

Lat. Long.

Time of Observation 9.30

Nearest Railway Station Romsey, 4 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 14 in.

Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	0	0	0	.02	0	.15	0	0	.07	.08	1.38	1
2	.36	0	.55	0	.03	0	0	0	.99	0	.03	.06	2
3	.58	0	.57	0	.04	.02	0	0	.11	0	.02	.20	3
4	.23	.11	.58	0	0	.10	0	.04	.11	0	.03	.10	4
5	.01	.32	.08	0	0	0	.60	0	.35	0	.16	.15	5
6	.43	0	.53	0	.12	0	0	0	0	0	.01	.16	6
7	.19	0	.26	0	0	0	0	0	0	0	0	0	7
8	.28	0	.04	0	.30	0	0	0	0	0	0	0	8
9	.09	0	.50	.01	.15	0	0	0	.01	0	.27	0	9
10	.11	0	.03	.13	0	0	0	0	0	0	0	.34	10
11	.08	0	.01	.07	.09	0	.16	0	0	.01	0	.05	11
12	.01	0	0	.29	0	0	.09	0	0	.12	.09	0	12
13	.05	0	0	.02	0	0	0	0	0	0	0	.06	13
14	.40	.04	.03	.55	0	0	.05	0	.29	0	0	.17	14
15	.32	.10	0	.19	.04	0	0	0	0	0	0	.99	15
16	.08	.68	0	.03	0	0	0	.09	0	0	.09	0	16
17	0	.08	.34	0	0	0	0	0	0	0	.09	.03	17
18	0	0	1.12	.01	0	0	.61	.02	.01	0	.10	0	18
19	.44	.38	.01	0	0	.10	.48	.26	.01	0	.09	.07	19
20	.34	.05	0	0	0	.45	0	.17	0	0	0	.02	20
21	.03	.54	0	0	0	0	.06	0	0	0	.03	.06	21
22	0	0	0	0	0	0	.20	.01	.30	0	.01	.17	22
23	0	.04	0	0	0	0	0	0	0	.12	.03	.06	23
24	0	.09	0	0	0	.02	.01	0	0	.37	.06	.17	24
25	.06	.18	0	.04	0	0	0	.29	0	0	.02	.10	25
26	.05	0	.31	.01	0	0	0	.05	.10	0	.08	.48	26
27	.07	0	.11	.07	0	0	0	.68	0	0	0	.04	27
28	0	.06	0	.31	0	0	0	.79	0	0	.37	.41	28
29	0		.37	0	0	0	0	.16	0	.13	0	.06	29
30	0		0	.16	0	.18	0	.70	0	.01	.65	.81	30
31	0		0		0		.02	0		0		.26	31
TOTAL	4.61	2.67	5.44	1.89	.79	.87	2.43	3.26	2.28	.83	2.33	6.39	28.53
Days with .01 in. or more	22	13	17	14	8	6	11	12	10	7	20	25	165

made
- by rain
- for WD

REC 718

Kept at Broadha
in the County of Sea
by Henry C. D.

BROAD HANGER

1912 -

FORM A.
BRITISH RAINFALL
30 JAN 1913

AAA

eterfield

5 in.

Ground 1 ft. in.

Sea Level 730 ft.

the result entered to the

Jan. 1, following.

(-)

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.43	1.27				1
2	.13		.31				.09		.22	.66	.03	.38	2
3	.25					.51	.32	.53					3
4			.33			.34			.03			.04	4
5			.90					.54					5
6	.47	.15	.30			.04		.44					6
7		.25			.05			.19				.11	7
8	.51		.54	.03		.03		.21					8
9	.48	1.03			.19		.05	.09					9
10	.03	.19		.07				.31				.81	10
11			1.35										11
12		.50						.03				.80	12
13	.05	.28	.23		.08	.33		.33					13
14			.04					.19					14
15			.11			.03	.41	.07			.11		15
16	.11	.09	.21					.02				.89	16
17	.20					.84		.37		.23			17
18			.80									.36	18
19	.70	.11	.31					.52		.11			19
20			.16			.18	.09	.63				.05	20
21	.11		.54					.10		.53			21
22		.26	.12		.71			.24					22
23	.08	.90	.11					.20		.12		.46	23
24	.77	.53						.72					24
25	.05		.34			.41		.29			.27		25
26		.03				1.04		.72				1.70	26
27			.53					.23			1.13	.80	27
28		.06				.22						.90	28
29						.04	.91	.65	1.11	2.25	.76		29
30						.23		.05	1.44	.65		.33	30
31			.09		.23			.14		.23		.06	31
Total	3.94	4.38	6.82	10	1.26	5.24	1.87	8.24	2.80	6.05	2.30	7.69	58.69
Rain Days.	14	13	19	2	5	13	6	26	4	9	5	14	130

made - by rain gauge - for W.D. REC

BRITISH RAINFALL FORM A. 30 JAN 1913

Kept at Broadhanger
in the County of Hants
by Henry C. Burnford pp
Mr R. H. Laufeld

Time of Observation 9.30 AM
Nearest Railway Station Petersfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(-)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.43	1.24				1
2	.13		.31				.09		.22	.66	.03	.38	2
3	.25					.51	.32	.53					3
4			.33			.34			.03			.04	4
5			.90					.54					5
6	.47	.15	.30			.04		.44					6
7		.25			.05			.19				.11	7
8	.51		.34	.03		.03		.21					8
9	.48	1.03			.19		.05	.09					9
10	.03	.19		.07				.31				.81	10
11			1.35										11
12		.50						.03				.80	12
13	.05	.28	.23		.08	.33		.33					13
14			.04					.19					14
15			.11			.03	.41	.07			.11		15
16	.11	.09	.21					.02				.89	16
17	.20					.84		.37		.23			17
18			.80									.36	18
19	.70	.11	.31					.52		.11			19
20			.16			.18	.09	.63				.05	20
21	.11		.54					.10		.53			21
22		.26	.12		.71			.24					22
23	.08	.90	.11					.20		.12		.46	23
24	.77	.53						.72					24
25	.05		.34			.41		.29			.27		25
26		.03				.04		.72				1.70	26
27			.53					.23			1.13	.80	27
28		.06				.22						.90	28
29						.04	.91	.65	1.11	2.25	.76		29
30						.23		.05	1.44	.65		.32	30
31			.09		.23			.14		.23		.06	31
Total	3.94	4.38	6.82	1.0	1.26	5.24	1.87	8.24	2.80	6.05	2.30	7.69	50.69
Rain Days.	14	13	19	2	5	13	6	26	4	9	5	14	130

82
Kept at Broughton
in the County of Hants
by W Steel

BROUGHTON
HANTS

1911 - 1920

FORM A2.
BRITISH RAINFALL
23 JAN 1912
1 ft. 3 in.
1125 ft.

IMPORTANT NOTE: The result entered to the previous day. If an Observer to this almost universal rule, he is earnestly requested to add the reading on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02			26							01	06	1
2				07	29			02		05	16	21	2
3				02	25			02			11	07	3
4	02		06							27	30	40	4
5								07		24	11		5
6	38		11								15	85	6
7	05		01							01	44	05	7
8	09		25								22	61	8
9	12			03							02	37	9
10	05	12	31		01						01	89	10
11	43		01		26						1.04	03	11
12			83		17						10	25	12
13			02		02				49		01	47	13
14		05			01							60	14
15		02				01				02	30	02	15
16						25					45	31	16
17					09	19					43	70	17
18		23	06	05		12				06	14	65	18
19		05				40			21	15	01	21	19
20	05	02	11					03	14	05		69	20
21	01	21	07					11	05	82		10	21
22	05		90			10				13		42	22
23		15	11			18			14	09	14	27	23
24	01	13				32		09		78		19	24
25		03		09	15	06		38	07	02		26	25
26		03		29	51	10		02		18	03	43	26
27		51	24	16				02	06		07	24	27
28		31		43				08			06		28
29				58		25	12		21	45	01		29
30				05		02		08		22		01	30
31					12					04			31
Total	1.28	1.86	3.09	2.03	1.88	2.00	12	92 86	1.37	3.58	4.32	9.36	TOTAL for year 31.81
No. of Rain Days	12	13	14	11	11	12	1	11	8	17	23	27	160

R

Kept at

Broughton

in the County of

Hampshire 4

by

W Steel Tomkins

RAIN
GAUGE

Diameter of top 5 in.

Height of top above Ground 1 ft. 3 in.

Sea Level 125 ft.

Time of Observation

Nearest Railway Station

Name

Distance

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 02	in.	in.	in. 26	in.	in.	in.	in.	in.	in.	in. 01	in. 06	1
2				07	29			02		05	16	21	2
3				02	25			02			11	07	3
4	02		06							27	30	40	4
5								07		24	11		5
6	38		11								15	85	6
7	05		01							01	44	05	7
8	09		25								22	61	8
9	12			03							02	37	9
10	05	12	31		01						01	89	10
11	43		01		26						1.04	03	11
12			83		17						10	25	12
13			02		02				49		01	47	13
14		05			01							60	14
15		02				01				02	30	02	15
16						25					45	31	16
17					09	19					43	70	17
18		23	06	05		12				06	14	65	18
19		05				40			21	15	01	21	19
20	05	02	11					03	14	05		69	20
21	01	21	07					11	05	82		10	21
22	05		90			10				13		42	22
23		15	11			18			14	09	14	27	23
24	01	13				32		09		78		19	24
25		03		09	15	06		38	07	02		26	25
26		03		29	51	10		02		18	03	43	26
27		51	24	16				02	06		07	24	27
28		31		43				08			06		28
29				58		25	12		21	45	01		29
30				05		02		08		22		01	30
31					12					04			31
Total	1.28	1.86	3.09	2.03	1.88	2.00	12	92 86	1.37	3.58	4.32	9.36	TOTAL for year 31.81
No. of Rain Days	12	13	14	11	11	12	1	11	8	17	23	27	160

88

Wrote for June
4 II 13

Ex J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Broughton
in the County of Hampshire 4
by W.S. Tomkins

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12			47	12		01	46		39	1
2			29	01		18	46	09					2
3	02		06			19	01	41	02		03	03	3
4	13		64		05	62		16			18		4
5	35	09	12					65				11	5
6	57	11	02		13		02	36				09	6
7		36	03	01	12	61		05				10	7
8	39	35	50	02		06	05	03				02	8
9		11	18	03		34	02	07				39	9
10		07				05		13			06	35	10
11	27	11	08			35					04	33	11
12	05	59	13		78	79	06	09			03		12
13		02	01				08	07			02	03	13
14	13		15		02			10				03	14
15	06	10	09		03	47		02			01	49	15
16	33		30			03		11		11	02		16
17	1.04		19			08		81					17
18	15		30					45		03		09	18
19	06	09	20				09	42		02	02		19
20	02		38		01	02	06	17		32	03		20
21	01	08	42		23			05		23			21
22	24	40	32		04			21		03		04	22
23	21	42	01					44			22	21	23
24	38	05				32		28		02		30	24
25	11					38		52		08	25	60	25
26		06				09	27	18		46	74	25	26
27		01				16	17			68		33	27
28		07				13	10	60	16	80	53	46	28
29		11	06			38	14	05	1.84	14			29
30						02	02		67	27			30
31			32		10		28	14		01		03	31
Total	4.52	3.20	4.92	07	1.51	5.74	1.95	6.66	2.70	3.66	2.18	4.67	TOTAL for year 41.78
No. of Rain Days.	19	19	24	4	10	21	16	27	5	15	14	21	195

REGISTER OF RAINFALL IN 1913

Kept at Broughton
in the County of Hampshire
by W. Steele Tompkins

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A. 98
22 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.26	.15	.05	.01	.03			.72		.12	.10	1
2	.06	.11	.01	.02					.03	.17	.13	.02	2
3	.06			.05	.46					.16		.11	3
4	.69		.09		.55		.07		.80	.26	.04	.09	4
5	.21	.03				.06	.29		.26		.06	.10	5
6	.02	.07	.14		.21	.15	.73			.50	.01	.62	6
7		.38	.02		.34	.09	.29	.09		.61	.16		7
8	.01	.04			.33	.01				.15		.03	8
9		.14				.01	.07	.15	.10		.07	.01	9
10	.02			.06	.02	.02	.13	.04		.05	.63		10
11	.76			.37	.05					.18	.31	.01	11
12					.31					.02	.36		12
13	.31		.13						.25		.23		13
14	.26		.10	.03				.03	.20	.01	.19		14
15	.22	.07	.38	.61			.20	.02	.26		.06		15
16	.42		.39	.10									16
17	.01	.05	.01	.06		.03	.03				.02	.01	17
18	.03		.49	.09			.03				.04		18
19	.70		.06				.05		.31				19
20	.14		.12	.09						.80	.05		20
21			.24	.17	.02					.05	.70		21
22	.40		.32	.02				.21	.27	.01			22
23			.07			.06						.80	23
24	.02			.20				.17			.03		24
25		.04		.12								.02	25
26				.46				.18		.29		.20	26
27			.32	.10						.09			27
28	.23		.11	.17						.25			28
29	.13		.29	.63	.28			.03		.62			29
30	.56			.01	.04					.42			30
31	.08		.05		.07			.47		.05			31
Total	5.35	1.19	3.49	3.41	2.69	.46	1.89	1.39	3.20	4.69	3.21	2.12	53.09
Rain Days.	23	10	20	20	13	9	10	10	10	19	18	13	175

22
W. 7,000, XI. 13

REGISTER OF RAINFALL IN 1914

62
28 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at Broughton
in the County of Hampshire
by H. Steele Tomkins

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04				14	46			09	10	1
2							20	04			93	17	2
3			24	11	33		07	03			06	05	3
4	08		02	24	09		01	31			37	36	4
5	05		12	38	17		23	42			42		5
6		22	02	23	04	03		03			17	31	6
7	01	75	15	23	07		29	03				22	7
8	04	18	59	04	05	08		25					8
9	05	02	41	29	05	23			20			85	9
10	02	30	02	04	22				37				10
11		39	44				55		03		10	46	11
12		17	19						30	18		56	12
13		46	30						19	02	10	46	13
14		27	27					19		38	24	38	14
15	05	01	23				16	49		06	16		15
16							03		22				16
17		55	31				05		07			70	17
18			21				06					62	18
19		05	64				148		02		12	13	19
20		57	07			05						28	20
21		87	05			06				18		02	21
22		08	03		14	04	10			24			22
23		10	20		05	01	01			16			23
24	02	03	07		01					01	34		24
25	06		17					28		36	03	28	25
26			03				06	09		08	31	71	26
27	07										16	29	27
28		09	10		06					01	32	81	28
29	14		16							37	39		29
30	01		12							14	89	86	30
31	10						04			27		09	31
Total	70	5.11	5.20	1.56	1.28	.50	3.48	2.62	1.40	2.46	5.20	8.71	38.22
Rain Days.	13	18	27	8	12	7	16	12	5	14	18	22	175

REGISTER OF RAINFALL IN 1915

Kept at

Broughton

in the County of

Hants

by

Spence Tomkins

Lat.

Long.

Time of Observation

9 am

Nearest Railway Station

Horsebridge

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft. 3 in.

" " " " Sea Level

125 ft.

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.63	.19	-	-	.04	-	.02	.01	.09	.20	-	.18	1
2	.50	.20	.22	.04	-	.03	-	.72	-	.34	-	.46	2
3	1.15	-	.12	.19	.06	-	-	.01	-	.01	-	.24	3
4	.01	-	-	-	-	-	-	.01	-	-	-	.29	4
5	.01	.68	-	-	-	-	-	.14	-	-	-	.50	5
6	.63	.16	-	-	-	-	.58	.09	-	-	-	.24	6
7	.31	.57	.03	.41	-	-	.38	.06	-	-	-	.21	7
8	.06	.59	.02	-	-	-	-	-	-	-	-	-	8
9	.04	.03	-	.11	-	-	-	-	-	-	.46	.70	9
10	.21	-	.01	-	-	-	-	-	-	-	-	.16	10
11	.02	-	.09	.05	-	-	.01	-	-	-	.68	.04	11
12	.09	.42	-	.26	.49	-	-	-	-	.02	.41	-	12
13	-	.89	-	-	.94	-	-	.01	.14	-	-	-	13
14	.06	-	-	-	-	-	1.56	.55	.06	-	-	.65	14
15	.10	-	-	-	.12	-	.06	.10	-	-	.09	.23	15
16	.01	.92	-	-	.20	-	1.14	.18	-	-	-	.27	16
17	-	.50	-	-	1.45	-	-	-	-	-	-	-	17
18	-	.11	.04	-	.29	-	-	-	-	-	-	-	18
19	-	.02	-	-	.07	-	.15	-	-	-	-	-	19
20	.15	-	-	.06	-	-	-	-	-	-	-	.06	20
21	.04	.22	-	-	.09	-	.09	-	.04	.10	-	.11	21
22	.32	.47	.41	.02	-	-	.98	-	.01	-	-	.27	22
23	-	.02	.12	-	-	-	.33	-	.18	.44	-	.30	23
24	-	-	.01	-	-	-	.36	-	1.02	.58	-	.60	24
25	-	-	.03	.01	-	.01	.03	-	-	.02	-	.31	25
26	-	.08	-	-	-	.13	.07	-	-	-	-	.75	26
27	-	.04	-	-	-	.82	.05	-	-	.57	-	.02	27
28	-	.16	-	-	-	.19	-	-	1.05	.01	.27	-	28
29	.09	-	-	-	-	.17	-	.07	-	-	.63	.06	29
30	.01	X	-	-	-	.19	-	-	-	.49	-	.38	30
31	-	X	-	X	-	X	-	-	X	1.23	X	.41	31
Total	4.44	6.27	1.10	1.15	3.75	1.54	5.81	1.95	2.59	4.01	2.54	7.44	42.59
Rain Days.	20	19	11	9	10	7	15	.12	8	12	6	24	153

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

712
77
FORM A.
BRITISH RAINFALL

Kept at Broughton
in the County of Hampshire
by W. Steele Tomkins

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	17	15	03		33	03			48	45	59		1
2	35	26	03		18					84	06		2
3	01	117	03		01	03			03	55	46		3
4	14	11				33			35	02	78		4
5	01	06			13	14				07	73		5
6		14	03		02	02	77			19	89		6
7	04	08	28		05		43			01	107	09	7
8		05	02		26	06						23	8
9					16	02				05		25	9
10		49	02	06	01	03	06						10
11	03	02	01	03		13						13	11
12	06	07	04	06	13	01	07			07			12
13		27	10					01					13
14		46		02	05			19					14
15		20	26							08			15
16	02	06	12	18	01		15	90					16
17	17	36		07				08	51	49			17
18	02	07	01	15					10	02	45	15	18
19	09		14	09					02		34		19
20	20	01	58								08	144	20
21	02		36		07							37	21
22		02			02					37		42	22
23		03		05		06		28		09	15		23
24		09			13	26		03		39	14	30	24
25		63	14					45	14	08	15	36	25
26		12				22		08	02	73			26
27		01	94			21		64	13	40			27
28		55	17					12	21	27	06	25	28
29		30	01			29		112	12	21		24	29
30		X								50			30
31		X		X		X		04	X	20	X	08	31
Total	1.33	5.78	3.32	.71	1.56	1.84	1.48	3.94	2.11	6.13	5.95	4.31	38.46
Rain Days.	14	26	20	9	15	15	5	12	11	22	14	13	176

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at *Broughton*
in the County of *Hampshire*
by *W. Steele Tomkins*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			19	12				1.23	05		02		1
2			04	1.00		05					11		2
3				02			79	15		13	05		3
4		06	17				05	13		31		02	4
5			05	37		08			05	39	09		5
6	21		56							06	04		6
7	21						05			22		07	7
8	42		07	07			41	19	10	18	19	32	8
9			15		16		08	03	04		14		9
10	22		33	34				17		04			10
11	06		42	10					43	23			11
12	13		01					08		36			12
13			10	16	05			24	06	02			13
14				13				38		06			14
15							28	54		12		07	15
16		16		24	07					1.18		89	16
17				15	15	03	44	20	62	22			17
18		05				18	20		48	04			18
19	02	33	10			02		02	25		02		19
20		09	34			02		04	02		02		20
21			12		70	47			07	03			21
22			04		01	08		05		04		05	22
23		31			06			11		04			23
24		15				01	06	09		24	05		24
25			03				27	04	02	08			25
26			02		02			72	07	01	05		26
27					80	11		1.08				01	27
28			06			3.65		08		64			28
29			10		33	09	41	02				09	29
30		X	14				82	16			01		30
31		X	10	X		X	13	03	X	03	X		31
Total	1.27	1.15	3.14	2.70	2.35	4.79	3.99	5.78	2.26	4.67	79	1.52	34.41
Rain Days.	7	7	21	11	10	12	13	23	13	23	12	8	160

REGISTER OF RAINFALL IN 1918

Kept at Broughton
in the County of Hampshire
by W Steele Jenkins

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
27.1.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					01			15			63		1
2		08		14				40			17		2
3		07	02	25	33			15		04	08	13	3
4		15		04				06	06		1.12		4
5		06	04		17			14	07	16			5
6	26	13		24				25	04	01	23	08	6
7		21		13	56			02	38	10		10	7
8		16							22	15		05	8
9		03		30		16	21		54	26		39	9
10	02			08		03	66		25	39		37	10
11							69		08	08			11
12		04			26		23		02				12
13	25				18		37		42	02			13
14	19		03		02	27	15		18	20		22	14
15	1.15			61		01	41					20	15
16	56		02	15		02	02		19	01		07	16
17	32			11		45	80		46			17	17
18	80						01		62			21	18
19	15		10			02	21		03	01		03	19
20	05	11		47			03	02	23	02			20
21	20	05					09		71	25		08	21
22	07				13		38		17			18	22
23	09				13		69				11	02	23
24		29				03	02		13		17		24
25							29	65		02			25
26							46				08	18	26
27		15	05				02	17	02	01	12		27
28			22	03		02					16		28
29			04						1.13			03	29
30		X	54	01				06			09	03	30
31		X	17	X		X			X	15	X		31
Total	4.11	1.53	1.23	2.56	1.79	1.01	5.74	2.07	5.95	1.88	2.96	2.54	33.37
Rain Days.	13	13	10	13	9	9	19	11	21	17	11	18	164

YEAR'S TOTAL

81
REGISTER OF RAINFALL IN 1919

Kept at Broughton

in the County of Hampshire

by W. Steele Tomkins

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40		.06		.03			.18		.08	.06	1.18	1
2	.22								.95			.04	2
3	.55		.53						.35			.26	3
4	.16		.85			.14	.08		.13		.03	.08	4
5		.46	.62		.10			.58	.12		.17	.12	5
6	.41		.08		.12						.02	.16	6
7	.07		.47										7
8	.36		.20		.06								8
9	.02		.03	.10	.08						.15		9
10	.05		.42	.05								.35	10
11	.11		.10	.26	.09			.22				.02	11
12			.02	.04				.13		.10	.03		12
13	.05			.58								.04	13
14	.40			.30				.05	.35			.15	14
15	.42	.14			.02							.91	15
16	.04	1.20				.06					.13		16
17		.04									.12		17
18		.02	.31								.06	.03	18
19	.31	.25	1.11			.11	.20	.39	.04		.10	.02	19
20	.32	.06	.03			.45	.16					.03	20
21		.63						.04	.02		.02	.04	21
22								.16	.20			.17	22
23										.14	.03	.10	23
24						.05		.02		.35	.09	.25	24
25	.04			.03			.44					.09	25
26		.29	.13	.14			.12	.05			.05	.50	26
27	.17			.31			.61					.02	27
28			.26				.62				.34	.40	28
29							.11			.10		.06	29
30		X		.18			.58				.50	.85	30
31		X		X		X			X		X	.20	31
Total	4.10	3.09	5.22	1.99	.50	.92	2.98	1.77	2.21	.77	1.90	6.07	31.52
Rain Days.	18	9	16	10	7	5	10	9	9	5	16	25	139

REGISTER OF RAINFALL IN 1920.

Kept at Droghda
in the County of Hampshire
by M. Steele Tomkins

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				5.6	18		32			35	40	40	1
2	20			07			13	53	03	05		15	2
3	18	10		02			46			52		03	3
4		04					43	26		22			4
5			14	03	02		78	19		57			5
6			18		29		46			03			6
7				22			41						7
8		06		12	06		25	02					8
9	32	06		08		09							9
10	48	30	12			29	35						10
11	27			34	11	02	22						11
12	09	04		32		1.02	02				06		12
13	08	02	62	11							02		13
14			40	31					26	1.32	45		14
15	03	07		21	07	02	03		13	52	15		15
16				08					05				16
17				06	26	25	04		32			02	17
18	07			06		05		55	10				18
19				27		13			04				19
20	04	15		29		53						08	20
21				03			34		04			13	21
22	03			16				04				28	22
23							44					39	23
24			19								20	08	24
25		06	15		07		42						25
26	10		18				03				05	08	26
27	51	03	02	20		12					05	37	27
28	47			02	03		08					03	28
29	34		11	03							24	25	29
30	05					09	12		20		53	27	30
31	14		29				03			65		19	31
TOTAL	3.40	.93	2.40	3.59	1.09	2.61	5.36	1.59	1.17	4.23	2.15	2.75	31.27
Days with 0.1 in. or more	17	11	11	22	9	11	20	6	9	9	10	15	150
	04	15	9	10	17	9	16	5	8	8	9	12	125

RI

BURGHCLERE

Kept at Tower Hillin the County of Hants TOWER HILL HSEby Dr. Reynia HANTS

1911-13-16.

IMPORTANT NOT

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .02	in.	in. .01	in. .20	in.	in.	in.	in. .02	in.	in.	in.	in. .04	1
2	.02			.12	.24					.06	.19	.21	2
3				.01	.27			.07			.10	.04	3
4	.02		.08	.02					.04	.22	.70	.25	4
5	.01	.04		.01				.09		.37	.76		5
6	.51		.10						~~.24~~	.01	.03	.57	6
7	.02		.07	.03						.22	.35	.04	7
8	.00		.23								.76	.40	8
9	.07			.03							.03	.26	9
10	.06	.16	.22		.50							<u>1.01</u>	10
11	.43		.02		.05						.88	.01	11
12			.64		.10				.01	.01	.57	.05	12
13			.03		.09				.39	.01		.57	13
14		.02	.01		.12					.01		.57	14
15		.03	.05			.01				.01	.21	.03	15
16		.01				.16					.37	.15	16
17		0				.76					.22	.60	17
18		.23	.06	.02		.10				.05	.16	.59	18
19				.01	.01	.52			.30	.15	.10	.23	19
20	.01	.05	.05	.01		.03		.55	.22	.02		.75	20
21	.01	.17				.01		.70	.01	.33		.08	21
22			.32			.75				.06		.72	22
23		.27				.13			.10	.02	.02	.81	23
24		.75				.17		.07		.60		.15	24
25	.03	.03	.01	.06	.86	.10		.13	.05			.01	25
26		.03		.27	.04			.02	.08	.15	.07	.20	26
27		.41	.29	.13			.01	.07			.08	.18	27
28		.27	.07	.29				.00			.04	.01	28
29				.76		.24	.03		.13	.26			29
30				.07	.14	.07				.22			30
31										.05			31
Total	1.29	1.87	2.14	1.38	2.42	1.05	0.04	1.78	1.33	2.03	4.53	8.24	TOTAL for Year
No. of Rain Days	13	14	17	16	11	13	2	10	10	20	19	27	29.70

n.
d. ft. 3
level 327 ft.1. Burghclere
ce 4.15 Direction W
result entered to the

RI

FORM A2.
BRITISH RAINFALL

Kept at Tower Hill House - Rump, Hereford
in the County of Hereford
by Dr. Reynold Maples

Pattern Hygrometric
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 3 ft.
" " " Sea Level 327 ft.
Time of Observation 4 A.M.
Nearest Railway Station { Name Burphole
Distance 4 1/2 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .02	in.	in. .01	in. .20	in.	in.	in.	in. .02	in.	in.	in.	in. .04	1
2	.02			.12	.24					.06	.11	.21	2
3				.01	.27			.07			.19	.04	3
4	.02		.08	.02					.04	.22	.70	.25	4
5	.01	.04		.01				.09		.37	.76		5
6	.51		.10						~~.24~~	.01	.03	.57	6
7	.02		.07	.03						.22	.35	.04	7
8	.00		.23								.76	.40	8
9	.07			.03							.03	.26	9
10	.06	.16	.22		.50							<u>1.01</u>	10
11	.43		.02		.05						.88	.01	11
12			.64		.10				.01	.01	.57	.05	12
13			.03		.09				.39	.01		.57	13
14		.02	.01		.12					.01		.51	14
15		.03	.05			.01				.01	.21	.03	15
16		.01				.16					.37	.15	16
17		0				.16					.22	.60	17
18		.23	.06	.02		.10				.05	.10	.59	18
19				.01	.01	.52			.30	.15	.10	.23	19
20	.01	.05	.05	.01		.03		.55	.22	.02		.75	20
21	.01	.17				.01		.70	.01	.33		.08	21
22			.32			.75				.06		.72	22
23		.27				.13			.10	.02	.02	.21	23
24		.75				.17		.07		.60		.15	24
25	.03	.03	.01	.06	.86	.10		.17	.05			.01	25
26		.03		.27	.04			.02	.08	.15	.07	.20	26
27		.41	.29	.13			.01	.07			.08	.18	27
28		.27	.01	.29				.00			.04	.01	28
29				.16		.24	.03		.13	.26			29
30				.07	.14	.07				.22			30
31										.05			31
Total	1.29	1.87	2.14	1.38	2.42	1.85	0.04	1.78	1.33	2.83	4.53	8.24	TOTAL for year 29.70
No. of Rain Days	13	14	17	16	11	13	2	10	10	20	19	27	172

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at Tower Hill House - Ruislip
in the County of Hants
by Dr. Reynold Maber

RAIN GAUGE { Pattern hypeth + Zamb
Diameter of top 5 in.
Height of top above Ground 3 ft.
" " " Sea Level 327 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Ruislip
Distance 4 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04		.01	.23	.05		.03	.62			1
2		.02	.11	.01		.17	.41	.02		.03			2
3	.02		.13			.16	.01	.46	.02		.01		3
4	.13	.02	.65		.11	.39		.21			.15		4
5	.27	.09	.06			.01		.56	.01			.10	5
6	.60	.07	.02		.03			.43				.08	6
7	.03	.07			.05	.64		.02				.18	7
8	.44	.13	.44			.07	.03	.14				.08	8
9	.01	.23	.07	.02		.55	.01	.03				.28	9
10	.02	.12				.02		.04			.12	.27	10
11	.29	.10				.02		.02					11
12	.03	.44	.17		.24	.13	.02				.05		12
13		.06	.01				.13	.02	.07			.02	13
14	.05				.02			.07				.03	14
15	.03	.05	.07		.14	.41		.07			.03	.37	15
16	.20	.02	.18		.15			.14	.15	.01			16
17	1.45		.18			.04		.65			.03	.01	17
18	.22	.01	.40					.25				.07	18
19	.04	.10	.20		.01		.08	.24					19
20	.02		.48				.09	.29		.34	.10		20
21	.02	.07	.36		.32			.05		.13			21
22	.43	.48	.03		.07			.19		.02		.07	22
23	.32	.31	.41				.10	.38		.12	.21	.23	23
24	.26	.03	.01			.24		.70		.02		.20	24
25	.22					.44		.82			.25	.55	25
26		.04				.01	.07	.19		.51	.51	.16	26
27		.01	.01			.10	.21			.55		.35	27
28		.05				.09	.13	.43	.23	.79	.54	.57	28
29		.10				.22	.14	.19	1.03	.16	.02		29
30			.03		.07	.01	.02		.73	.09	.38		30
31			.19		.08		.25	.06		.01		.04	31
Total	5.10	2.92	4.25	0.03	1.20	3.95	1.75	6.04	2.95	3.64	2.41	3.66	TOTAL for year
No. of Rain Days.	22	23	23	2	13	20	16	27	6	15	14	19	200

cont'd by C } 12-11-14
- for another

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A
2-JAN 1914

Kept at Tower Hill House
in the County of Southampton
by Dr. Reinald Napier

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Bournemouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level 327 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application, to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	.02	.26	.16	.10	.15				.73		.17	.28	1	
2		.19	.04				.07		.04	.29	.16	.07	2	
3	.03		.02	.07	.60					.01		.01	3	
4	.50	.02	.02		.12				.38	.22	.08	.13	4	
5	.19					.10	.12		.26			.04	5	
6		.06	.18		.18	.11	.28		.03	.43	.11	.34	6	
7		.27			.27	.10	.30	.05		.45	.10	.02	7	
8	.06	.09			.19	.05	.06			.37			8	
9	.16	.13	.09	.01				.10	.10		.93	.03	.05	9
10				.05	.04		.07				.60		10	
11	.78			.35	.08					.31	.36	.02	11	
12											.20		12	
13	.10		.08					.01	.09		.24	.02	13	
14	.20	.01	.11	.08			.33	.09	.03	.08	.03		14	
15	.29	.08	.16	.50			.13		.17		.04		15	
16	.13	.05	.43	.20					.01		.01		16	
17	.05		.10	.03		.05	.12	.01			.01	.01	17	
18	.01		.26	.20			.01				.04		18	
19	.65		.01		.01		.15		.30				19	
20	.14		.04	.07		.19				.70	.03		20	
21			.25	.07	.02		.02			.05	.67		21	
22	.45		.25					.12	.19			.01	22	
23						.05		.02			.03	.40	23	
24				.16				.01			.01		24	
25				.18			.01				.01		25	
26		.10		.36				.18		.41		.21	26	
27			.19	.09				.01		.08			27	
28	.25		.25	.18						.23	.01		28	
29	.13		.39	.94	.34			.03		.45	.02	.10	29	
30	.54				.01			.03		.41			30	
31	.06		.07					.59					31	
Total	4.74	1.26	3.09	3.64	2.01	.65	1.75	1.25	2.39	4.57	3.86	1.64	YEAR'S TOTAL 30.85	
Rain	20	11	20	18	12	7	13	13	12	15	22	15	178	

6.00 9.09 12.73 14.74 15.91 17.24 18.39 20.88 25.35 29.20 30.85 30.85

REGISTER OF RAINFALL IN 1914

Kept at Tower Hill House
in the County of Southampton
by Dr. R. J. M. M. C. C.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Bournemouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 3 in.
Sea Level 327 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12					.28			.45	.10	1
2						.02	.04	.14			.34	.12	2
3	.10		.16	.04	.21		.23	.03			.45	.10	3
4	.03		.05	.20	.13		.02	.48			.26	.41	4
5	.06			.12	.12	.07	.25	.27			.25	.01	5
6		.14	.04	.18	.05	.05	.05	.08			.28	.24	6
7		.38	.16	.20	.70	.04	.17					.26	7
8	.07	.10	.67	.03	.04	.17	.06	.17				.29	8
9	.14	.13	.48	.36	.03	.40			.07			.87	9
10		.10	.01	.08	.15				.25				10
11	.01	.37	.67		.04	.12	.40		.19		.12	.80	11
12		.14	.12				.05		.01	.12		.02	12
13		.40	.30							.04	.06	.54	13
14		.29	.36			.02	.13	.04		.37	.18	.15	14
15	.08	.01	.18					.35			.16		15
16			.16				.02		.05				16
17	.02	.79	.13						.17			.57	17
18			.17			.04	.07					.52	18
19		.08	.52				1.08				.14	.17	19
20		.45	.25			.05						.68	20
21		.57	.09			.02	.13	.18		.15		.08	21
22		.10	.02				.05			.50			22
23		.23	.23		.12	.04				.21			23
24		.04			.05					.30	.11		24
25			.13		.03			.19		.47		.22	25
26			.02			.05	.10			.18	.35	.58	26
27	.08									.13	.08	.24	27
28	.02	.09	.02		.22						.37	.80	28
29	.14		.19		.02					.20	.25		29
30	.02		.05					.02		.11	.81	.50	30
31	.04				.03		.08			.12		.02	31
Total	.81	4.41	5.80	1.30	1.94	1.09	2.93	2.28	.74	3.50	3.16	8.84	35.45
Rain Days.	13	18	26	8	15	13	17	12	6	13	13	24	178

REGISTER OF RAINFALL IN 1916

Kept at Ruspell
in the County of Southampton
by Dr. Reynold Mables

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Ruspell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. _____ in.
" " " " Sea Level 327 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08		.05		.19	.01			.28	.10	.60		1
2	.34	.19	.20		.57	.10				.64	.06		2
3	.06	1.10	.05		.03				.05	.45	.30		3
4	.12	.30				.43			.19	.04	.13		4
5		.04			.23	.18				.03	.65		5
6		.14	.04		.03	.14	.65			.14	.75		6
7	.10		.69				.09			.02	.71	.05	7
8					.22							.26	8
9					.19	.78				.10		.14	9
10		.42	.11	.04		.73							10
11	.08	.06				.02						.10	11
12		.08		.09	.16	.10	.08			.05			12
13		.38	.08	.14				.30	.05				13
14		.46						.59		.10			14
15		.36	.32					.12					15
16	.03	.08	.34				.07	.75					16
17	.16	.22		.14				.79	.25	.56			17
18		.05	.01	.05				.09	.08	.04	.41	.00	18
19	.17		.06	.45					.08		.52		19
20	.21		.56								.04	1.21	20
21			.51									.63	21
22					.10					.17		.58	22
23		.28				.05				.09	.00	.04	23
24		.16			.14	.32		.04		.35	.08	.27	24
25		.45	.08					.17	.27	.04	.12		25
26		.24	.10			.25		.02		.31			26
27	.02	.07	1.23			.01		.18	.18	.52			27
28		.16	.10			.09		.06	.53	.34	.56	.29	28
29		.30				.49		1.27	.10	.47	.04	.25	29
30		X	.03					.05		.31			30
31		X		X		X		.06	X	.22	X	.02	31
Total	1.57	5.24	4.56	.91	1.80	2.50	.89	4.49	1.79	4.77	4.80	3.90	37.22
Rain Days.	11	21	18	6	10	15	4	14	10	22	14	13	158

London 7.7.13

R

Kept at Park View
in the County of Southampton
by Rev. William

BURLEY MANOR
PARK VIEW
HANTS
1911 - 1912

FORM A2.
BRITISH RAINFALL
- 6 MAR 1913
in. ft. in.
Level ft.

IMPORTANT NOTE
previous day. If an Observer prefers not to come, the result entered to the
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.10								19	1
2				.5	.36			.3		.4	.23	26	2
3					.23						.27	16	3
4			.8							.6	.26	40	4
5	.4			.2 snow				.5		.22	.14		5
6	.53		.12							.5		1.12	6
7	.7									.3	.42	4	7
8			.27								.26	.60	8
9	.8			.3							2	.40	9
10	.4	.6	.51		.46							.40	10
11	.39	.2	.2		.3						1.15		11
12			.87					.10			.11	.20	12
13			.4		.2				.25	.5		.42	13
14		.6										.38	14
15		.3				.2					.19	2	15
16						.17					.40	.41	16
17			.3		.15	.12					.59	.43	17
18		.15	.7	.4		.24				.3	.29	.64	18
19		.10			.3	.20			.44	.28		.16	19
20	.4	.2	.10					.8	.4			.81	20
21	.2	.29	.5			.2			.19	1.00		.19	21
22	.13	.4				.24				.25		.53	22
23		.18				.17			.17	.49	.6	.46	23
24	.2	.16				.45		.12		1.17		.24	24
25		.9	.2	.16	.14	.9		.3	.5			.4	25
26				.39		.4			.7	.41		.43	26
27		.64	.5	.13						.58	.14	.14	27
28		.30		.48				.15			.5		28
29				.77		.17	.10		.15	.29			29
30				.4		.3		.66		.30		.1	30
31										.2			31
Total	1.36	2.14	2.23	2.21	1.42	1.86	1.0	1.22	1.36	5.27	4.57	8.00	32.93
No. of Rain Days						1.96					4.58	9.08	

bound 7. x 1.13

R

FORM A2.
BRITISH RAINFALL.
-6 MAR 1913

Kept at *Park View Barley Manor*
Ringwood
in the County of *Southern*
by *Rev. William Esdaile*

RAIN GAUGE Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.10								.79	1
2				.5	.36			.3		.4	.23	.26	2
3					.23						.27	.16	3
4			.8							.6	.26	.40	4
5	.4			.2 ^{snow}				.5		.22	.14		5
6	.53		.12							.5		1.12	6
7	.7									.3	.42	.4	7
8			.27								.26	.60	8
9	.8			.3							.2	.40	9
10	.4	.6	.51		.46							.40	10
11	.39	.2	.2		.3						1.15		11
12			.87					.10			.11	.20	12
13			.4		.2				.25	.5		.42	13
14		.6										.38	14
15		.3				.2					.19	.2	15
16						.17					.40	.41	16
17			.3		.15	.12					.59	.43	17
18		.15	.7	.4		.24				.3	.29	.64	18
19		.10			.3	.20			.44	.28		.16	19
20	.4	.2	.10					.8	.4			.81	20
21	.2	.29	.5			.2			.19	1.00		.19	21
22	.13	.4				.24				.25		.53	22
23		.18				.17			.17	.49	.6	.46	23
24	.2	.16				.45		.12		1.17		.24	24
25		.9	.2	.16	.14	.9		.3	.5			.4	25
26				.39		.4			.7	.41		.43	26
27		.64	.5	.13						.58	.14	.14	27
28		.30		.48				.15			.5		28
29				.77		.17	.10		.15	.29			29
30				.4		.3		.66		.30		.1	30
31										.2			31
Total	1.36	2.14	2.23	2.21	1.12	1.86	1.0	1.22	1.36	5.27	4.57	8.00	32.93
No. of Rain Days						1.96					4.58	9.08	

REGISTER OF RAINFALL IN 1912

Kept at *Pack View, Burley*
in the County of *Southampton*
by *Rev. W. Goddard*

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			5			18	10			85		27	2
3	1		12			28	36	3					3
4	11	3	3			1	70			2	3		4
5	43		60			38		3		22	22		5
6	56	4	24				78			3	3	7	6
7	2	45	2		17	2	52	26				3	7
8	58	30	12		25	49		7				8	8
9	2	15	40			2		3				3	9
10		14	5			8	2	10				38	10
11		10						40			8	44	11
12	11	16				89		14				35	12
13	3	20	12		44	1.30	23	15					13
14		2	2			2	2		5	4	5		14
15	15		18					31					15
16	14	29	6			63		3				24	16
17	80	3	49		12			26		10	8		17
18	90		20			9		90				11	18
19	3		33					33				3	19
20	4	7	13				8	53					20
21		2	42		2			17		45	3		21
22		19	24		30			24		9			22
23	8	50	9					22		2		7	23
24	44	24	24					71		14	26	31	24
25	51	5				5		23				23	25
26	14		2			52		41		8	27	68	26
27		8					16	15		46	57	41	27
28						10	16			62		45	28
29		16				12	12	49	11	81	44	48	29
30		16				2	30	8	1.82	36	4		30
31						3	26		82	22			31
Total	5.10	3.24	4.81	.05	1.30	5.20	2.76	7.84	2.75	4.28	2.09	4.83	44.25
No. of Rain Days	19	20	23	1	6	17	14	28	3	14	12	20	177

82 ✓

REGI

CADLAND

HANTS

Kept at Southampton
in the County of Hamp
by A B Drumm

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

in.
und ft.
Level ft.

ne
tance Direction
he result entered to the
sal rule, he is earnestly
in the space provided
t of rain,
h Rainfall
plication to

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Obser
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "Rules
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911-17, 20.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.23				.06			.03	.09	1
2	.01			.05	.35						.25	.23	2
3					.24			.06			.36	.08	3
4	.01			.06						.08	.28	.32	4
5			.05	.03				.05		.21	.01		5
6	.43		.10								.08	.76	6
7	.02									.15	.63	.05	7
8			.24								.39	.61	8
9	.07			.01								.15	9
10	.03	.12	.25		.04							.62	10
11	.43		.02								1.30		11
12			.95								.03	.13	12
13					.10				.24			.62	13
14		.06			.03							.32	14
15		.03	.01								.19	.03	15
16						.56					.61	.23	16
17						.11					.40	.33	17
18		.19		.01		.10				.05	.38	.56	18
19						.16			.27	.16	.01	.15	19
20	.03	.04	.05					.06	.15			.67	20
21	.02	.21							.12	.46		.24	21
22	.20		.11			.34				.22		.66	22
23		.27				.29			.20	.47	.04	.38	23
24	.02	.15	.11			.41		.07		1.16		.53	24
25		.06		.11	.40	.05	.01		.06	.06		.11	25
26				.35	.20	.09				.24		.46	26
27		.46	.12	.09				.01	.08	.33	.24	.25	27
28		.25		.31				.16			.01		28
29				.23		.21	.12		.17	.24			29
30					.35	.02		.39		.43		.01	30
31													31
Total	1.30	1.84	2.01	1.48	1.71	2.34	.13	.86	1.29	4.26	5.24	8.59	31.05
No. of Rain Days	12	11	11	11	8	11	2	8	8	14	18	26	140

REGI

FORM A2.
BRITISH RAINFALL
19 JAN 1922

Kept at Southampton Cadland
in the County of Hampshire
by A. B. Drummond J. A. Johnston

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 03	in.	in.	in. 23	in.	in.	in.	in. 06	in.	in.	in. 03	in. 09	1
2	01			05	35						25	23	2
3					24			06			36	08	3
4	01			06						08	28	32	4
5			05	03				05		21	01		5
6	43		10								08	76	6
7	02									15	63	05	7
8			24								39	61	8
9	07			01								15	9
10	03	12	25		04							62	10
11	43		02								1.30		11
12			95								03	13	12
13					10				24			62	13
14		06			03							32	14
15		03	01								19	03	15
16						56					61	23	16
17						11					40	33	17
18		19		01		10				05	38	56	18
19						16			27	16	01	15	19
20	03	04	05					06	15			67	20
21	02	21							12	46		24	21
22	20		11			34				22		66	22
23		27				29			20	47	04	38	23
24	02	15	11			41		07		1.16		53	24
25		06		11	40	05	01		06	06		11	25
26				35	20	09				24		46	26
27		46	12	09				01	08	33	24	25	27
28		25		31				16			01		28
29				23		21	12		17	24			29
30					35	02		39		43		01	30
31													31
Total	1.30	1.84	2.01	1.48	1.71	2.34	13	56	1.29	4.26	5.24	8.59	TOTAL for year
No. of Rain Days	12	11	11	11	8	11	2	8	8	14	18	26	140

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Southampton, Cadland
in the County of Hampshire 4
by J. A. Johnson

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 5.2 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.05
hanc.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01		.02	.09	.29	.20	.04	1.05	.01	-	1
2		.03	.13	.02		.03	.25	.01		.82		.34	2
3			.19	.01		.20		.03	.01			.01	3
4	.30	.04	.01			.11		.55			.02		4
5	.34	.15	.74					.04			.20		5
6	.61	.05	.28		.12	.02	*	.45		.01		.02	6
7		.07	.01		.26	.72	.05	.24			.02	.07	7
8	.58	.25	.03	.01		.17	.02	.06		.01		.08	8
9	.03	.23	.29	.06		.02		.17	.02			.02	9
10		.05	.10				.01	.13				.20	10
11		.10	.01			.02		.35		.01	.07	.47	11
12	.03	.09	.14	.01	.15	.66		.04		.01	.01	.31	12
13	.03	.04	.02				.05	.25		.01			13
14	.13		.10		.08		.15	.04			.02	.12	14
15	.02	.14	.14		.02	.57		.03	.01	.01		.01	15
16	.41		.30		.14	.01				.61		.31	16
17	.76		.20		.05	.09		.32		.18	.08		17
18	.12	.02	.16					.43		.01	.01	.28	18
19	.04	.04	.31					.38			.02	.03	19
20	.01		.16			.01	.12	.12					20
21		.18	.08		.40			.12		.55	.02		21
22	.05	.54	.11					.17		.10			22
23	.43	.16	.23				.04	.20		.01		.06	23
24	.54	.04				.08	.09	.41		.06	.21	.16	24
25	.21					.28		.30		.01		.24	25
26		.05				.02		.56			.26	.60	26
27		.03				.12	.37	.24		.44	.48	.26	27
28		.12				.13	.23			.18		.60	28
29		.08				.01	.41	.40	.03	.53	1.24	.28	29
30			.02		.03		.58	.31	1.25	.38	.03		30
31			.23				.22	.11		.33			31
Total	4.64	2.50	4.00	.11	1.27	3.36	2.88	6.66	1.05	4.63	2.70	4.47	TOTAL for year
No. of Rain Days	18	22	25	5	10	20	15	29	6	21	15	22	209

REGISTER OF RAINFALL IN 1913

Kept at Cadland, Fawley
in the County of Hampshire
by L. Smith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 5.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	38	24	07	09	01			35	01	26	04	1
2	03	11							05	05	18	09	2
3	03		05	15	06					05		21	3
4	38		05			01	15		44	14	13	01	4
5	25	17	01		60	05	01		75	14	17	06	5
6	05	10	05		20	15	40			34	09	50	6
7		29	07		10	06	03			44	12	01	7
8		05			22	01		05		02	01	09	8
9		07			27	02	19	06	09		04	07	9
10	06	01				01	17	02		05	60		10
11	76	01		15						28	62	02	11
12	01			01	20				30	01	32	01	12
13	24		13		32				06	01	14		13
14	31	01	20	52			01	02	15		17		14
15	26	05	30	20			11	01	12		04		15
16	09		42	05		25	01		05		01		16
17	23			11		02	02		01		02		17
18	01		20	07			02			01	08		18
19	57		10			20	04		22				19
20	13		45	15						47	06		20
21	01		19							18	51		21
22	28		30					09	30	07	01	01	22
23	01		25	14	01	05					02	82	23
24	06		01	17						01	09		24
25		01		10					01		01		25
26				05				25		39	01	33	26
27	01		07	07						05	01		27
28	32		20	15				05	01	14	01		28
29	11		15	1.35						65	02	04	29
30	55				64					15			30
31	01		04	09	01			(1.00)		15			31
Total	4.83	1.26	3.48	3.60	2.63	84	1.16	1.55	2.91	3.81	3.75	2.31	32.13
Rain Days.	26	12	20	18	12	12	12	9	15	23	27	15	201

REGISTER OF RAINFALL IN 1914

21 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at Cadland
in the County of Hampshire
by L. Smith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 5.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.09	.05		.08	.02		.13			.30	.78	1
2		.01						.25			.16	.08	2
3				.02	.01		.02	.21			.31	.21	3
4			.04	.08	.36		.16	.10			.02	.04	4
5			.01	.24	.16		.02	.15			.48	.34	5
6	.15	.01	.07	.30	.20	.01	.27	.09			.51		6
7		.20	.02	.20	.10	.05		.09			.04	.56	7
8	.01	.17	.22	.20	.02	.01		.01			.01	.32	8
9	.02	.50	.43	.04	.01	.02	.18	.20				.04	9
10	.01	.02	.80	.14	.02				.07		.01	1.80	10
11	.06	.32	.01	.09	.18				.30		.01	.01	11
12		.41	.70		.09		.45		.08		.06	.43	12
13		.10	.21		.01		.02		.43	.20	.01	.80	13
14		.40	.20	.01					.22	.10	.09	.71	14
15		.41	.21			.25	.09	.35		.32	.22	.43	15
16			.25				.20	.53	.06	.07	.38	.01	16
17							.15		.28				17
18		.58	.09						.09			.50	18
19		.02	.26				.10					.49	19
20		.10	.60				1.26				.14	.28	20
21		.23	.34			.00				.03		.10	21
22		.60	.02							.14			22
23		.02	.02		.07	.02	.08	.09		.15			23
24		.07	.25			.60	.01			.12		.01	24
25	.01	.01	.03				.04	.02		.05	.08		25
26	.06		.18				.02	.34	.01	.33	.04	.35	26
27	.01	.01					.04	.19		.10	.23	.46	27
28	.05	.02					.26			.02	.05	.28	28
29			.11		.07		.02			.77	.48	.63	29
30	.20		.14	.02						.32	.17	.01	30
31	.86	.05	.05	.08	.02		.13			.30	.78	.46	31
Total	.89	4.30	5.31	1.34	1.38	1.03	3.39	2.75	1.54	2.94	3.79	10.13	38.47
Rain Days.	.68	4.26	5.26	1.42	1.32	1.01	3.52	2.62	1.54	3.22	4.27	9.37	38.49
	12	22	25	12	14	8	20	14	9	16	22	26	200

REGISTER OF RAINFALL IN 1914

FORM A
BRITISH RAINFALL
13 MAR 1915

Kept at Fawley Island
in the County of Hampshire
by Mr L Smith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01						.25			.15	.08	1
2				.02	.01		.02	.21			.31	.21	2
3			.04	.08	.36		.16	.10			.02	.04	3
4			.01	.24	.16		.02	.15			.48	.34	4
5	.15	.01	.07	.30	.20	.01	.27	.09			.51		5
6		.20	.02	.20	.10	.05		.09			.04	.56	6
7	.01	.17	.22	.20	.02	.01		.01			.01	.32	7
8	.02	.50	.43	.04	.01	.02	.18	.20				.04	8
9	.01	.02	.80	.14	.02				.07		.01	1.80	9
10	.06	.32	.01	.09	.18				.30		.01	.01	10
11		.41	.70		.09		.45		.08		.06	.43	11
12		.10	.21		.01		.02		.43	.20	.01	.80	12
13		.40	.20	.01					.22	.10	.09	.71	13
14		.41	.21			.25	.09	.35		.32	.22	.43	14
15			.25				.20	.53	.06	.07	.38	.01	15
16							.15		.28				16
17		.58	.09						.09			.50	17
18		.02	.26				.10					.49	18
19		.10	.60				1.26				.14	.28	19
20		.23	.34			.05				.03		.10	20
21		.60	.02							.14			21
22		.02	.02		.07	.02	.08	.09		.15			22
23		.07	.25			.60	.01			.12		.01	23
24	.01	.01	.03				.04	.02		.05	.08		24
25	.06		.18				.02	.34	.01	.33	.04	.35	25
26	.01	.01					.04	.19		.10	.23	.46	26
27	.05	.02					.26			.02	.05	.28	27
28		.05	.11		.07		.02			.77	.48	.63	28
29	.20		.14	.02						.32	.17	.01	29
30	.01	X	.05	.08						.20	.78	.46	30
31	.09	X		X	.02	X	.13		X	.30	X	.02	31
Total	.68	4.26	5.26	1.42	1.32	1.01	3.52	2.62	1.54	3.22	4.27	9.37	38.49
Rain Days.	12	22	25	12	14	8	20	14	9	16	22	26	200

sl

Warr for W.D. 17.2.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
1. APR. 1916

Kept at Cadland
in the County of Hampshire
by L. Smith

4

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
15

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	01	06				30		80	01	1.01	85	1
2	60	20			02			01	26	11		43	2
3	20	35	22	04		02		17	01	18	02	40	3
4	90		12	11	06					01		60	4
5	05			02				01				55	5
6	02	30						20				52	6
7	72	20		47		01	47	05		01	01	32	7
8	25	50		04			13	04				42	8
9	05	81					20	07			02	04	9
10	01	07		04							42	90	10
11	16	39	01									28	11
12	02		09	03							90	03	12
13	08	33		23	47				14		40		13
14					1.40				07		04		14
15	04	01			01		21	06		01		85	15
16	07	85			11		04	16		01	16	27	16
17					31		1.35	08		01	01	47	17
18		30			1.01			11					18
19		15			12						02		19
20		09			17		07						20
21	25			08								03	21
22	04	13					06			25		13	22
23	50	60	20	09			1.12			01		29	23
24	01	03	18	01		05	02		22	40		94	24
25			06				13		2.01	43		50	25
26			01	05		01	20		01			11	26
27	01	08				15	18					72	27
28		05				07				60			28
29						29			1.05	07	02		29
30		~~06~~				1.07	12	07			46	03	30
31	19	~~01~~	~~01~~	~~01~~	~~01~~	~~01~~	~~01~~	~~01~~	~~01~~	42	~~01~~	28	31
Total	4.19	5.46	95	1.21	3.68	1.67	4.60	1.03	3.77	2.02	2.43	9.11	40.62
Rain Days.	4.18	5.50	89	1.21	3.68	1.97	4.30	1.83	3.78	3.53	3.28	6.26	43.41
	21	20	9	12	10	8	15	12	89	14	12	20	168
			8			9	14	13			13	24	

REGISTER OF RAINFALL IN 1916

Kept at Ladland
in the County of Hampshire
by L. Smith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

696
732
FORM A.
BRITISH RAINFALL
12 MAR 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.35				(.02)			.09	.30		1
2	.12	.08	.16		.06	.01			.39	.39	.43		2
3	.36	.12	.01		.16		.02			.03	.02		3
4	.01	.50	.04		.01	.02				.80	.28		4
5	.21	.16				.40			.37		.45		5
6	.02	.11			.11	.05				.07	.55		6
7		.06	.03		.06	.06	.44			.08	.41		7
8	.01		.32		.02	.38					.70	.07	8
9		.01	.03		.05					.02	.27	.83	9
10					.45	.02	.19					.10	10
11	.01	.62	.01	.04	.01					.01	.01	.05	11
12	.02	.03	.04	.08	.02	.15						.09	12
13	.02	.08	.02	.11		.02	.11	.04		.02	.01		13
14		.29	.04	.01	.08			.02		.01	.01		14
15		.53		.01	.01			.01					15
16		.13	.20	.03				.17					16
17	.06	.01	.17	.08			.07	.37					17
18	.20	.33		.16				.29	.27	1.12	.13	.20	18
19	.05	.08	.13	.09				.17	.12	.05	.46		19
20	.12		.14	.06						.01	.23	.02	20
21	.22	.04	.80	.04							.05	.84	21
22	.01	.08	.32								.03		22
23	.04		.01							.14	.01	.70	23
24	.01		.01	.01	.17	.21		.05		.30	.12	.02	24
25		.12				.02		.07		.43	.20	.30	25
26		.05	.08					.35	.09	.02	.05	.01	26
27	.04	.70				.17		.02		.37			27
28		.01	.90			.09			.25	.30			28
29		.52	.07					.07	.50	.30		.30	29
30		X				.47		1.30	.20	.20		.38	30
31		X		X		X		.02	X	.40	X	.03	31
Total	1.53	4.66	3.88	.72	1.21	2.09	.85	2.95	2.29	5.16	4.72	3.94	33.90
Rain Days.	18	28	22	12	13	15	5	14	8	22	20	15	189

REGISTER OF RAINFALL IN 1917

Kept at badland
in the County of Hampshire
by Mr Lewis Smith

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

669
FORM A.
BRITISH RAINFALL
12 APR 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	.05	.	.	.	.05	.20	.	.12	.	1
2	.02	.	.08	.14	.	.03	.	1.13	.01	.01	.03	.	2
3	.	.03	.20	.66	.	.	.	.	.	.	.04	.	3
4	.02	.	.	.44	.	.	.35	.32	.	.09	.02	.	4
5	.	.	.18	.01	.	.	.	.05	.	.04	.	.04	5
6	.12	.	.05	.13	.	.	.	.25	.07	.40	.	.	6
7	.	.	.36	.01	.	.07	.	.01	.	.05	.24	.01	7
8	.11	.	.	.	.	.	.45	.	.	.30	.02	.	8
9	.70	.	.03	.05	.	.	.13	.33	.04	.06	.18	.43	9
10	.	.	.09	.01	.09	.	.	.	.	.	.11	.01	10
11	.22	.	.29	.22	.	.	.	.03	.	.03	.01	.	11
12	.08	.	.20	.32	.	.	.	.	.	.05	.	.	12
13	.05	.	.02	.	.05	.	.	.27	.05	.54	.	.02	13
14	.02	.	.25	.	.	.	.	.	.	.16	.02	.	14
15	.	.	.06	.20	.	.	.	.20	.	1.04	.01	.	15
16	.	.	.	.06	.32	.	.	.30	.	.24	.	.20	16
17	.	.05	.	.21	.11	.	.	.	.04	1.75	.01	.15	17
18	.	.09	.	.13	.01	.06	.47	.06	.73	.18	.	.34	18
19	.	.04	.	.01	.	.	.15	.	.95	.	.	.	19
20	.	.30	.14	.	.	.	.	.25	.02	.	.01	.	20
21	.	.03	.47	.	.80	.	.	.04	.	.	.01	.	21
22	.	.09	.04	.	.01	.	.	.	.	.08	.02	.02	22
23	.	.02	.08	.	.	.	.	.04	.01	.30	.	.	23
24	.	.21	.	.	.07	.	.	.33	.	.	.	.03	24
25	.	.20	.	.	.	.15	.17	.	.01	.21	.05	.	25
26	.	.09	.03	.	.	.	.	.04	.	.03	.	.	26
27	.	.	.03	.	.09	.	.	.24	.13	.	.12	.	27
28	.	.	.	.	.41	.12	.	1.25	.	.01	.	.	28
29	.	.	.03	.	.11	1.70	.	.25	.	.03	.	.03	29
30	.	X	.03	.	.15	.05	1.25	.09	.	.54	.	.03	30
31	.	X	.46	X	.	X	.80	.	X	.03	X	.06	31
Total	1.34	1.15	3.12	2.98	2.22	2.18	3.74	5.53	2.26	5.53	1.08	1.34	32.53
Rain Days.	9	11	22	18	12	7	9	21	9	24	16	13	170

REGISTER OF RAINFALL IN 1920.

Kept at Badlandin the County of Hampshireby M. L. Smith

Lat. _____ Long. _____

Time of Observation 9 am

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

(20)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20			25	03		02			35	50	50	1
2	13				20		46			15	39	30	2
3	07		11				45	30		33		15	3
4	09						20			24		06	4
5		10					47	36		50			5
6			14	10	10	10	67	09	09	30			6
7				12	20		40			05			7
8			10		10		26						8
9				08	48		17						9
10	45	10		07		10	10						10
11	77	20	10	40	03	10	20						11
12	11		08	50		20	90			10			12
13	13	09	07	30	03	72					10		13
14	21		20	25	10				10				14
15		05	61	02					33		64	10	15
16			03	20		04			13	80	07		16
17				12					83				17
18	07			07	11		02		10				18
19	07		03	12		18		50	04				19
20		03		20		02							20
21	10	08		15		64	06		01				21
22							86		07			20	22
23	10			11			02	02				25	23
24							27	08				42	24
25			22		30								25
26	04						10						26
27			26	12							08	03	27
28	40						10				22		28
29	43			12	08		14					35	29
30	50						03				17		30
31	15												31
			25	03		02		10	35	50	50	42	
TOTAL	4.02	65	1.05	3.30	1.76	2.10	5.90	1.45	1.40	2.82	2.17	2.48	YEAR'S TOTAL
Days with 01 in. or more	3.82		2.20	3.08	1.73	2.12	5.88		2.05	2.97		2.48	30.60
Days with 04 in. or more	17	7	13	19	11	10	20	7	10	9	8	11	142
	17	6	11	17	9	8	17	6	9	9	8	10	134

320320

RI

Kept at Bourne
in the County of Ha
by b. Sales

BOURNEMOUTH (M O I)
HANTS
1919

609
FORM A.
BRITISH RAINFALL
53' W
G.M.T.

IMPORTANT N
previous day. If an
requested to add the
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	
1	-	0.01	0.06	-	-	-	0.07	-	-	0.07	0.02	1.25	1
2	0.42	-	0.01	-	0.04	-	-	-	0.77	-	-	0.05	2
3	0.36	-	0.76	-	0.08	-	0.19	-	0.17	-	0.01	0.11	3
4	0.84	0.16	0.22	-	-	0.06	0.01	0.04	0.09	-	0.08	0.08	4
5	0.85	0.49	0.35	0.01	0.09	-	-	-	0.01	-	0.09	0.16	5
6	0.01	0.17	0.10	-	0.09	-	0.01	-	-	0.01	0.02	0.07	6
7	0.45	-	0.46	0.09	0.01	-	-	-	-	-	-	0.02	7
8	0.13	-	0.28	0.11	-	-	-	-	0.0	-	-	-	8
9	0.20	-	0.01	0.20	0.01	-	-	-	0.0	-	-	-	9
10	0.37	-	0.20	0.06	0.02	-	-	-	-	-	-	0.26	10
11	0.24	-	0.06	0.21	0.07	-	0.10	-	0.01	-	-	0.01	11
12	0.12	-	0.02	-	0.01	-	0.12	-	-	-	-	-	12
13	0.16	0.08	0.06	0.36	-	-	0.02	-	-	-	-	0.09	13
14	0.05	0.10	-	0.12	-	-	0.05	-	0.01	-	-	0.18	14
15	0.63	0.14	-	0.04	-	-	-	-	-	-	-	0.14	15
16	0.20	0.91	-	-	0.02	-	-	0.01	-	-	-	-	16
17	0.04	0.17	-	-	-	-	-	-	0.01	-	-	0.04	17
18	0.10	0.05	0.55	-	-	-	0.01	0.03	-	-	0.14	0.01	18
19	0.01	0.35	0.58	-	-	0.16	1.28	0.16	0.08	0.01	0.03	0.03	19
20	0.55	0.01	0.10	-	-	0.43	-	0.30	-	-	0.03	0.01	20
21	0.27	0.65	0.02	-	-	-	0.02	-	0.04	-	0.01	0.04	21
22	0.02	-	0.01	-	-	-	0.11	-	0.26	-	-	0.10	22
23	-	-	0.01	-	-	-	-	0.01	-	0.11	0.04	0.01	23
24	-	0.04	-	0.02	-	0.26	0.14	0.01	-	0.70	0.09	0.25	24
25	-	0.03	-	-	-	0.04	0.01	0.52	-	-	-	0.17	25
26	0.06	0.18	0.10	0.05	-	-	-	0.04	0.12	-	0.16	0.49	26
27	0.05	-	0.01	0.30	-	-	-	0.96	-	-	0.01	0.03	27
28	0.12	-	0.55	-	-	-	-	0.67	-	-	0.47	0.47	28
29	0.01	-	-	-	-	-	-	0.14	0.01	0.04	-	0.09	29
30	-	X	-	0.10	-	0.11	-	0.75	-	-	0.74	0.82	30
31	-	X	0.02	X	-	X	0.01	0.01	X	-	X	0.42	31
Total	6.26	3.54	4.54	1.67	0.44	1.06	2.15	3.65	1.60	1.15	2.58	5.70	35.34
Rain Days	25	16	23	13	10	6	15	14	14	9	22	27	194

Same as 1909? NO

REGISTER OF RAINFALL

Kept at Bournemouth (M.O.)

in the County of Hampshire.

by B. Sales Esq. for Corporation

Lat. 50° 43' Long. 1° 53' W

Time of Observation 9 h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	<u>IN.</u>	
1	-	0.01	0.06	-	-	-	0.07	-	-	0.07	0.02	1.25	1
2	0.42	-	0.01	-	0.04	-	-	-	0.77	-	-	0.05	2
3	0.36	-	0.76	-	0.08	-	0.19	-	0.17	-	0.01	0.11	3
4	0.84	0.16	0.22	-	-	0.06	0.01	0.04	0.09	-	0.08	0.08	4
5	0.85	0.49	0.35	0.01	0.09	-	-	-	0.01	-	0.09	0.16	5
6	0.01	0.17	0.10	-	0.09	-	0.01	-	-	0.01	0.02	0.07	6
7	0.45	-	0.46	0.09	0.01	-	-	-	-	-	-	0.02	7
8	0.13	-	0.28	0.11	-	-	-	-	0.01	-	0.05	-	8
9	0.20	-	0.01	0.20	0.01	-	-	-	0.01	-	0.28	-	9
10	0.37	-	0.20	0.06	0.02	-	-	-	-	0.08	0.01	0.26	10
11	0.24	-	0.06	0.21	0.07	-	0.10	-	0.01	-	-	0.01	11
12	0.12	-	0.02	-	0.01	-	0.12	-	-	0.10	0.02	-	12
13	0.16	0.08	0.06	0.36	-	-	0.02	-	-	-	-	0.09	13
14	0.05	0.10	-	0.12	-	-	0.05	-	0.01	0.03	0.01	0.08	14
15	0.63	0.14	-	0.04	-	-	-	-	-	-	-	0.54	15
16	0.20	0.91	-	-	0.02	-	-	0.01	-	-	0.16	-	16
17	0.04	0.17	-	-	-	-	-	-	0.01	-	0.11	0.04	17
18	0.10	0.05	0.55	-	-	-	0.01	0.03	-	-	0.14	0.01	18
19	0.01	0.35	0.58	-	-	0.16	1.28	0.16	0.08	0.01	0.03	0.03	19
20	0.55	0.01	0.10	-	-	0.43	-	0.30	-	-	0.03	0.01	20
21	0.27	0.65	0.02	-	-	-	0.02	-	0.04	-	0.01	0.04	21
22	0.02	-	0.01	-	-	-	0.11	-	0.26	-	-	0.10	22
23	-	-	0.01	-	-	-	-	0.01	-	0.11	0.04	0.01	23
24	-	0.04	-	0.02	-	0.26	0.14	0.01	-	0.70	0.09	0.25	24
25	-	0.03	-	-	-	0.04	0.01	0.52	-	-	-	0.17	25
26	0.06	0.18	0.10	0.05	-	-	-	0.04	0.12	-	0.16	0.49	26
27	0.05	-	0.01	0.30	-	-	-	0.96	-	-	0.01	0.03	27
28	0.12	-	0.55	-	-	-	-	0.67	-	-	0.47	0.47	28
29	0.01	-	-	-	-	-	-	0.14	0.01	0.04	-	0.09	29
30	-	X	-	0.10	-	0.11	-	0.75	-	-	0.74	0.82	30
31	-	X	0.02	X	-	X	0.01	0.01	X	-	X	0.42	31
Total	6.26	3.54	4.54	1.67	0.44	1.06	2.15	3.65	1.60	1.15	2.58	5.70	35.34
Rain Days	25	16	23	13	10	6	15	14	14	9	22	27	194

RE

CADNAM

COPYTHORNE HSE
HANTS

1916-1920

Kept at *Copythorne Hse*
in the County of *Hants*
by *William M. Law*

IMPORTANT NO
previous day. If an O
requested to add the rea

for it at the end of the paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A.
BRITISH RAINFALL

5 in.
d 0 ft. 14 in.
level about 140 ft.
sult entered to the
ule, he is earnestly

Jan. 1, following.

04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.07	-	-	.15	.02	-	-	.05	-	.47	-	1
2	.23	.46	.07	-	.30	-	-	-	.59	.25	.38	-	2
3	-	.96	.02	-	-	-	-	-	-	.43	.08	-	3
4	.23	.27	-	-	-	.46	-	-	-	.70	.33	-	4
5	-.05	.13	-	-	.20	.49	.11	-	.32	.03	.54	-	5
6	-	.11	.05	-	.04	-	.75	-	-	.11	.85	-	6
7	-	-	.25	-	-	.08	-	-	-	.20	1.16	-	7
8	-	-	-	-	.27	.07	-	-	-	.05	.77	.09	8
9	-	-	-	-	.20	-	-	-	-	-	-	.38	9
10	-	.50	.02	.06	.02	.49	.09	-	-	-	-	.24	10
11	-	.04	.04	-	-	.07	-	-	-	.03	.02	.03	11
12	-	.05	-	.02	.05	-	.11	.05	-	-	-	.10	12
13	-	.29	.14	-	-	-	.08	.03	-	.04	-	-	13
14	-	.58	.25	-	-.03	-	-	.14	-	-	-	-	14
15	-	.12	.09	-	-	-	-	.70	-	-	-	-	15
16	.07	.04	-	.15	-	-	.03	.99	-	-	-	-	16
17	.24	.32	.05	.12	-	-	-	.12	.29	-	-	-	17
18	.08	.06	.32	.09	-	-	-	-	.10	.62	.26	-	18
19	.15	-	.72	-	-	-	-	-	.02	.08	.38	.25	19
20	.20	-	.26	.08	-	-	-	-	-	-	.30	.06	20
21	-	.04	-	-	-	-	.03	-	-	-	.10	1.64	21
22	-	-	-	-	-	-	-	-	-	-	-	.20	22
23	-	-	-	-	-	.16	-	#	-	.25	-	.60	23
24	-	-	.17	-	.26	.03	-	.06	-	.04	.21	.03	24
25	-	.74	.11	-	-	-	-	.04	.03	.55	.09	.32	25
26	-	.15	-	-	-	.16	-	.41	-	.01	.08	.02	26
27	-	.03	.93	-	-	.05	-	.07	-	.64	-	-	27
28	-	.51	.15	.05	-	-	-	.28	.26	.35	-	-	28
29	-	.48	-	-	-	.41	-	.10	.39	.34	-	.36	29
30	-	X	-	-	.06	.02	-	1.17	.18	.23	.02	.30	30
31	-	X	-	X	-	X	-	.05	-	.66	X	.03	31
Total	1.36	5.95	3.52	.57	1.58	1.91	1.20	4.16	2.23	5.61	5.84	4.65	38.67
Rain Days.	9	21	17	7	11	13	7	14	10	24	16	16	162

RE

FORM A.
BRITISH RAINFALL

Kept at *Copthorne House, Tadnam*
in the County of *Hampshire*
by *William Lawrence*

Time of Observation *9.24*
Nearest Railway Station *Totton*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *0* ft. *14* in.
" " " " Sea Level *about 140* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

'04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.07	-	-	.15	.02	-	-	.05	-	.47	-	1
2	.23	.46	.07	-	.30	-	-	-	.59	.25	.38	-	2
3	-	.96	.02	-	-	-	-	-	-	.43	.08	-	3
4	.23	.27	-	-	-	.46	-	-	-	.70	.33	-	4
5	-.05	.13	-	-	.20	.19	.11	-	.32	.03	.54	-	5
6	-	.11	.05	-	.04	-	.75	-	-	.11	.85	-	6
7	-	-	.25	-	-	.08	-	-	-	.20	1.16	-	7
8	-	-	-	-	.27	.07	-	-	-	.05	.77	.09	8
9	-	-	-	-	.20	-	-	-	-	-	-	.38	9
10	-	.50	.02	.06	.02	.19	.09	-	-	-	-	.24	10
11	-	.04	.04	-	-	.07	-	-	-	.03	.02	.03	11
12	-	.05	-	.02	.05	-	.11	.05	-	-	-	.10	12
13	-	.29	.14	-	-	-	.08	.03	-	.04	-	-	13
14	-	.58	.25	-	-.03	-	-	.14	-	-	-	-	14
15	-	.12	.09	-	-	-	-	.70	-	-	-	-	15
16	.07	.04	-	.15	-	-	.03	.99	-	-	-	-	16
17	.24	.32	.05	.12	-	-	-	.12	.29	-	-	-	17
18	.08	.06	.32	.09	-	-	-	-	.10	.62	.26	-	18
19	.15	-	.72	-	-	-	-	-	.02	.08	.38	.25	19
20	.20	-	.26	.08	-	-	-	-	-	-	.30	.06	20
21	-	.04	-	-	-	-	.03	-	-	-	.10	1.64	21
22	-	-	-	-	-	-	-	-	-	-	-	.20	22
23	-	-	-	-	-	.16	-	#	-	.25	-	.60	23
24	-	-	.17	-	.26	.03	-	.06	-	.04	.21	.03	24
25	-	.74	.11	-	-	-	-	.04	.03	.55	.09	.32	25
26	-	.15	-	-	-	.15	-	.41	-	.01	.08	.02	26
27	-	.03	.93	-	-	.05	-	.07	-	.64	-	-	27
28	-	.51	.15	.05	-	-	-	.28	.26	.35	-	-	28
29	-	.48	-	-	-	.41	-	.10	.39	.34	-	.36	29
30	-	~~X~~	-	~~X~~	.06	.02	-	1.17	.18	.23	.02	.30	30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	.05	-	.66	~~X~~	.03	31
Total	1.36	5.95	3.52	.57	1.58	1.91	1.20	4.16	2.23	5.61	5.84	4.65	38.67
Rain Days.	9	21	17	7	11	13	7	15	10	20	10	10	162
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Copy the rain gauge
in the County of Hants
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.11	.21	-	.04	-	1.12	-	-	.06	-	1
2	-	-	.03	.85	-	-	-	.01	-	.02	.03	-	2
3	.04	-	-	-	-	-	.58	.18	-	.16	.05	-	3
4	-	-	.30	-	-	-	.02	.04	-	.28	-	.03	4
5	.13	-	.10	.31	-	.21	-	.04	.09	.42	.13	-	5
6	-	-	.41	.01	-	-	-	-	-	.08	.11	.01	6
7	.35	-	-	-	-	-	.92	-	-	.32	-	.08	7
8	.38	-	.13	.08	-	-	.47	.20	.04	.24	.16	.36	8
9	.01	-	.06	.04	.06	-	.07	-	.09	-	.19	.01	9
10	.21	-	.40	.38	-	-	-	.17	-	-	-	-	10
11	.06	-	.34	.09	-	-	-	-	.69	.34	-	-	11
12	.04	-	.02	-	.07	-	-	.14	-	.26	.02	-	12
13	.01	-	.19	.05	-	-	-	.13	.04	.07	-	-	13
14	-	-	-	.08	.13	-	.01	.03	-	.05	-	-	14
15	-	-	-	-	.12	-	-	.15	-	.21	-	.12	15
16	-	.22	-	.13	.06	.11	.03	.03	-	1.33	-	.80	16
17	-	-	-	.17	-	.11	.35	.18	.64	.21	-	-	17
18	-	.04	-	-	.02	.04	.35	.01	.53	.01	-	-	18
19	-	.30	.75	-	-	.02	-	.24	.36	-	-	-	19
20	.01	.06	.32	-	.39	-	-	-	.05	-	.01	-	20
21	-	-	.14	-	-	-	-	-	-	.03	-	-	21
22	.03	-	.06	-	.02	-	-	.10	-	.13	-	-	22
23	-	.25	-	-	.10	-	-	.28	-	.07	-	.03	23
24	-	.18	-	-	-	.04	.10	.09	-	.20	.07	-	24
25	-	.05	-	-	-	-	.05	-	.04	.02	-	-	25
26	-	-	.05	-	.34	.05	-	.48	.08	-	.07	-	26
27	-	-	.25	-	.61	.19	-	1.25	-	-	-	.03	27
28	-	-	.08	-	.09	2.30	-	.18	-	-	-	.02	28
29	-	-	.06	-	.79	.24	.14	.01	-	.72	-	.12	29
30	-	X	.32	-	-	-	.07	.20	-	.03	-	-	30
31	-	X	.14	X	-	X	.06	.11	X	.09	X	.03	31
Total	1.27	1.10	3.38	2.40	2.80	3.33	4.22	5.37	2.65	5.29	.89	1.64	34.36
Rain Days.	11	11	20	12	13	11	14	24	11	23	11	12	169

REGISTER OF RAINFALL IN 1918

Kept at *Copythorne House*
in the County of *Hants*
by *William Lawrence*

Lat. *50.52* Long. *1.40*
Time of Observation *9.2 M*
Nearest Railway Station *Totton*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *1* in.
" " " " Sea Level *130* *above* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	'04	-	-	-	'47	-	-	'51	'03	1
2	-	'15	-	'09	-	-	-	'83	-	-	'19	'19	2
3	-	'14	'02	'35	'33	-	-	'17	'02	~~'02~~	'08	'02	3
4	-	'16	'02	'04	-	-	-	'08	'06	'02	~~1.55~~	'08	4
5	-	'20	'09	-	'06	-	-	'39	'10	~~'13~~	-	'06	5
6	'23	'17	'01	'28	-	-	-	'10	'04	'02	-	'10	6
7	-	'22	-	'07	'50	-	-	'02	'23	'15	'31	'06	7
8	-	'33	-	'32	-	-	-	-	'08	'15	-	'08	8
9	'01	-	-	'08	-	~~'13~~	'33	-	'79	~~2.4~~	'02	'39	9
10	'06	-	-	'01	-	~~'02~~	'82	-	'21	~~3.7~~	-	'37	10
11	-	-	-	-	-	-	'16	-	'04	'13	'08	'09	11
12	-	'15	-	-	'32	-	'25	-	'16	-	-	'03	12
13	'41	'06	-	-	'06	-	'33	-	'48	'02	-	'02	13
14	'21	-	'06	-	'01	'12	'06	-	'38	~~2.3~~	-	'10	14
15	~~1.43~~	-	-	'53	-	-	'24	'01	'02	'02	-	'11	15
16	'49	-	'02	'16	-	'21	'01	-	'14	'06	-	'02	16
17	'19	-	'01	'20	-	-	'85	-	'09	-	-	'22	17
18	'73	-	-	-	-	'67	'01	'03	'55	-	-	'40	18
19	'13	-	'07	-	-	'03	~~3.5~~	-	'03	'03	-	'08	19
20	'05	'16	'01	'36	-	'02	'02	-	'29	'06	'02	'01	20
21	'20	'10	-	'01	-	-	~~3.6~~	-	'80	-	-	'10	21
22	'10	'01	-	-	'19	-	'64	-	'32	-	-	'11	22
23	'16	-	-	-	'12	'01	'44	'03	'02	-	'08	'02	23
24	'01	'29	-	-	-	'01	-	-	'09	-	'25	-	24
25	-	-	-	'15	-	-	-	'66	-	'03	'01	-	25
26	-	-	-	'01	-	-	47	-	'02	'01	'10	'26	26
27	-	'12	'02	-	-	-	03	'14	'11	-	'16	'01	27
28	-	-	'29	'02	-	-	-	-	~~2.8~~	02	'20	'03	28
29	-	-	'06	02	-	-	-	-	1.15	-	'01	'01	29
30	-	~~X~~	'47	-	-	-	-	'02	-	'03	06	04	30
31	'02	~~X~~	'04	~~X~~	-	~~X~~	-	-	~~X~~	'17	~~X~~	-	31
Total	4.43	2.26	1.19	2.77	1.59	1.24	5.37	2.95	6.22	2.00	3.63	3.04	36.69
Rain Days.	16	15	14	18	8	9	17	13	25	19	16	28	197

Wants 42
To Pythorne House
Cadnam
Southampton
19 Mar.

Dear Sir.

With reference to your
of Letter. I do not know how I
came to make the mistake you
refer to 8.22 is correct & that
amount is shown in my monthly
record.

Yours faithfully
Neville M. Lawrence

Carle Satter Gye
62 Camden Gye
London N.W. 1

REGISTER OF RAINFALL IN 1919

Kept at *Apethorne House, Cadnam Stn*
in the County of *Hampshire*
by *Arthur Lawrence*

Lat. *50.52* Long. *1.40*
Time of Observation *9 a.m.*
Nearest Railway Station *Totton*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *3* ft. in.
" " " " Sea Level *about 130* ft.

FORM A.
BRITISH RAINFALL
JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.57	-	.09	-	.02	-	.15	-	-	.07	-	1.58	1
2	.43	-	.01	-	.08	-	.02	-	.98	-	.02	.01	2
3	.47	-	.74	-	.03	-	-	-	.34	-	.01	.20	3
4	.43	.07	.58	-	-	.14	-	.03	.12	-	.03	.03	4
5	.02	.41	.84	-	.09	-	-	-	.26	-	.13	.13	5
6	.41	.01	.15	-	.21	-	-	-	-	-	.01	.17	6
7	.08	-	.62	.01	-	-	-	-	-	-	-	.02	7
8	.44	-	.22	.05	.27	-	-	-	-	-	-	-	8
9	.25	-	.07	.14	.02	-	-	-	.02	-	.16	-	9
10	.21	-	.46	.04	-	-	.15	-	-	-	-	.50	10
11	.13	-	.09	.26	.09	-	.18	-	-	-	-	.05	11
12	.09	-	.03	.03	.01	-	.01	-	-	.10	.12	-	12
13	.07	-	.02	.80	-	-	.01	-	-	-	-	.11	13
14	.58	.08	-	.34	-	-	-	-	.06	.10	-	.20	14
15	.25	.08	-	.04	.02	-	-	-	-	-	-	.90	15
16	.05	.77	-	-	-	-	-	-	-	-	.12	-	16
17	.01	.18	-	.01	-	-	-	.09	-	-	.07	.04	17
18	-	.83	.30	-	-	-	-	-	-	-	.16	.02	18
19	.48	.46	1.15	-	-	.08	.69	.03	.10	-	.09	.01	19
20	.54	.03	.02	-	-	.44	.02	.19	-	-	-	.04	20
21	.01	.65	.01	-	-	-	.02	.22	.01	-	.02	.04	21
22	-	.01	-	-	-	-	.19	-	.47	-	.24	.14	22
23	-	-	-	-	-	-	-	-	-	.10	.04	.01	23
24	-	.04	-	.04	-	.08	.04	-	-	.41	.40	.19	24
25	.07	.08	-	.10	-	.04	-	.29	-	-	.40	.21	25
26	.06	.13	.11	.06	-	-	-	.02	.10	-	.10	.60	26
27	.09	-	.02	.39	-	-	-	.74	-	-	-	.05	27
28	-	-	.52	.01	-	-	-	.81	-	-	.42	.55	28
29	.01	-	-	-	-	-	-	.17	-	.13	-	.07	29
30	-	X	-	.17	-	.13	.02	1.10	X	-	.74	1.03	30
31	-	X	-	X	-	X	-	-	X	-	X	.23	31
Total	5.69	3.03	6.05	2.49	.84	.91	1.50	3.69	2.46	.91	2.84	7.21	37.12
Rain Days.	24	15	20	16	10	6	12	11	10	6	17	27	174

REGISTER OF RAINFALL IN 1920.

Kept at *Crythorne House, Cadnam*

in the County of *Hants*

by *C. Williams-Jones*

Lat. *50° 52'* Long. *1° 40'*

Time of Observation *9.15 a.m.*

Nearest Railway Station *Totton*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *3* ft. *in.*

Sea Level *about 130 ft.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12	01	02	14	17	-	43	01	04	62	52	55	1
2	14	-	01	07	-	-	06	24	05	10	-	23	2
3	10	08	-	10	05	-	33	-	01	61	-	02	3
4	-	04	02	01	-	-	23	38	-	25	-	04	4
5	-	-	25	03	-	-	61	39	-	51	-	-	5
6	-	-	12	-	32	-	47	-	-	01	-	01	6
7	02	-	03	21	10	-	29	-	-	-	-	-	7
8	03	03	-	11	09	-	20	03	-	-	-	-	8
9	40	06	03	06	01	10	03	-	-	-	-	-	9
10	65	23	07	01	-	36	37	-	-	-	01	-	10
11	24	-	09	36	07	13	22	-	-	-	-	03	11
12	14	14	-	30	-	76	02	-	-	-	05	01	12
13	20	02	45	01	-	02	-	-	-	-	06	-	13
14	02	03	43	57	-	-	-	-	24	15	67	-	14
15	05	06	04	15	10	04	-	-	11	19	09	-	15
16	01	02	02	04	01	01	02	-	14	03	-	-	16
17	-	-	-	02	28	-	03	-	56	-	-	-	17
18	11	-	-	03	17	10	03	37	09	-	-	01	18
19	03	-	-	22	-	06	-	01	04	-	08	-	19
20	03	09	-	21	-	55	-	-	-	-	-	07	20
21	-	-	-	01	-	-	15	-	05	-	-	20	21
22	03	-	-	17	-	-	02	02	02	-	-	47	22
23	-	-	-	-	-	-	38	-	-	-	-	47	23
24	03	01	22	02	-	-	-	-	-	-	03	11	24
25	-	02	09	-	18	-	40	-	-	-	01	-	25
26	08	-	27	-	01	02	09	-	-	-	07	13	26
27	60	04	02	12	-	14	01	-	-	-	23	27	27
28	30	-	-	08	10	01	10	-	-	-	06	17	28
29	68	-	09	01	02	04	-	-	-	-	26	40	29
30	09	~~X~~	~~X~~	-	-	17	03	-	19	59	25	34	30
31	05	~~X~~	20	~~X~~	-	~~X~~	-	-	~~X~~	~~X~~	~~X~~	27	31
TOTAL	435	88	247	311	168	251	502	145	154	306	229	370	3250.6
Days with "1 in. or more	24	15	19	25	15	15	23	8	12	10	14	19	134

594
Clythorne House
Cadnam
Southampton
6 March

Dear Sir,

In reply to yours of
the 3rd. I have looked up my
Record for last July. and find
my addition was wrong &
regret having made such
a stupid mistake

Yours faithfully
E. Vivian Lawrence

639

Kept

in the C

by

IN

previou

CALSHOT

1918 - 20.

784404

IN 1918

50°49'N Long. 1°40'W

of Observation 0900

st Railway Station Southam/lon

ster of Funnel of Rain Gauge 8 in.

t of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 12 ft.

ly at 9 a.m. and the result entered to the

this almost universal rule, he is earnestly

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

10.7

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.1	nil	1.0	nil	nil	nil	20.0	nil	nil	6.6	1.0	1
2		1.3	nil	3.8	nil	nil	nil	7.6	nil	nil	6.5	2.5	2
3		.9	.1	4.9	4.3	nil	nil	1.1	nil	nil	2.2	.6	3
4		1.7	.5	.3	nil	nil	nil	1.0	3.8	nil	14.2	1.0	4
5		.1	.6	nil	4.0	nil	nil	6.6	1.4	2.2	nil	.2	5
6		.9	nil	4.9	.9	nil	nil	1.3	1.1	1.4	nil	2.0	6
7		2.3	nil	3.2	11.5	nil	nil	.7	4.4	2.1	6.2	nil	7
8		1.4	nil	nil	nil	nil	nil	nil	2.0	2.6	.3	.6	8
9	nil	nil	nil	6.9	nil	3.9	6.7	nil	7.6	3.0	nil	11.3	9
10	nil	nil	nil	1.4	nil	1.9	3.0	nil	8.7	.2	nil	8.4	10
11	.1	nil	nil	nil	nil	nil	2.4	nil	.3	2.9	.9	1.4	11
12	nil	3.0	nil	nil	7.8	nil	.4	nil	2.3	nil	nil	.7	12
13	nil	.1	nil	nil	nil	nil	5.0	nil	5.2	nil	nil	.3	13
14	8.1	nil	.5	nil	nil	2.0	1.6	nil	6.1	3.0	nil	2.3	14
15	nil	nil	nil	5.0	nil	3.8	3.8	nil	nil	nil	nil	2.3	15
16	9.2	nil	nil	.5	nil	3.2	nil	nil	9.6	.5	nil	nil	16
17	1.4	nil	nil	4.5	nil	nil	14.1	1.1	nil	nil	nil	3.1	17
18	9.6	nil	nil	nil	nil	10.1	nil	nil	17.5	.4	nil	3.0	18
19	.6	nil	3.0	nil	nil	.6	4.7	.8	.3	.3	nil	.6	19
20	.3	3.3	nil	9.6	nil	.2	.3	nil	5.6	.3	nil	nil	20
21	2.9	.3	nil	nil	nil	nil	nil	nil	9.4	.9	nil	.4	21
22	2.8	nil	nil	nil	4.4	nil	11.4	nil	1.6	nil	nil	2.8	22
23	2.0	nil	nil	nil	2.4	nil	5.4	.2	1.2	nil	nil	.2	23
24	nil	8.4	nil	.1	nil	.9	.1	nil	2.2	nil	4.2	nil	24
25	nil	nil	nil	1.9	nil	nil	1.1	8.7	nil	.3	nil	nil	25
26	nil	nil	nil	nil	nil	nil	14.4	nil	nil	.5	.4	2.7	26
27	.1	1.7	1.0	nil	nil	nil	nil	1.2	4.5	.2	3.7	nil	27
28	.1	nil	3.2	.3	nil	2.1	nil	nil	nil	.1	1.5	.2	28
29	.3		.6	.5	nil	nil	nil	nil	24.0	nil	nil	1.5	29
30	.1	X	10.5	nil	nil	nil	nil	nil	.1	.5	1.7	nil	30
31	nil	X	2.4	X	nil	X	nil	nil	X	2.4	X	nil	31
Total	42.6	25.5	22.4	48.8	38.3	28.7	74.4	50.3	118.9	23.8	48.4	49.1	511.2
Rain Days	14	11	9	15	7	10	14	12	21	18	12	20	163
	(1.67)	1.01	.88	1.92	1.51	1.13	2.93	1.98	4.68	.94	1.90	1.93	(22.48)

IN 1918

50°49' N Long. 1°40' W

FORM A.
BRITISH RAINFALL

Kept at *Southampton*
in the County of *Hampshire*
by *Ordnance Survey Office RAF*

Time of Observation *0900*
Nearest Railway Station *Southampton*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *12* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
10.4

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.1	nil	1.0	nil	nil	nil	20.0	nil	nil	6.6	1.0	1
2		1.8	nil	3.8	nil	nil	nil	7.6	nil	nil	6.5	2.5	2
3		.9	.1	4.9	7.3	nil	nil	1.1	nil	nil	2.2	.6	3
4	<i>5.0</i>	1.7	.5	.3	nil	nil	nil	1.0	3.8	nil	14.2	1.0	4
5		.1	.6	nil	4.0	nil	nil	6.6	1.4	2.2	nil	.2	5
6		.9	nil	4.9	.9	nil	nil	1.3	1.1	1.4	nil	2.0	6
7		2.3	nil	3.2	11.5	nil	nil	.7	4.4	2.1	6.2	nil	7
8		1.4	nil	nil	nil	nil	nil	nil	2.0	2.6	.3	.6	8
9	nil	nil	nil	6.9	nil	3.9	6.7	nil	7.6	3.0	nil	11.3	9
10	nil	nil	nil	1.4	nil	.9	3.0	nil	8.7	.2	nil	8.4	10
11	nil	nil	nil	nil	nil	nil	2.4	nil	.3	2.9	.9	1.4	11
12	nil	3.0	nil	nil	7.8	nil	.4	nil	2.3	nil	nil	.7	12
13	nil	.1	nil	nil	nil	nil	5.0	nil	5.2	nil	nil	.3	13
14	8.1	nil	.5	nil	nil	2.0	1.6	nil	6.1	3.0	nil	2.3	14
15	nil	nil	nil	5.0	nil	3.8	3.8	nil	nil	nil	nil	2.3	15
16	9.2	nil	nil	.5	nil	3.2	nil	nil	9.6	.5	nil	nil	16
17	1.4	nil	nil	4.5	nil	nil	14.1	1.1	nil	nil	nil	3.1	17
18	9.6	nil	nil	nil	nil	10.1	nil	nil	17.5	.4	nil	3.0	18
19	.6	nil	3.0	nil	nil	.6	4.7	.8	.3	.3	nil	.6	19
20	.3	3.3	nil	9.6	nil	.2	.3	nil	5.6	.3	nil	nil	20
21	2.9	.3	nil	nil	nil	nil	nil	nil	9.4	.9	nil	.4	21
22	2.8	nil	nil	nil	4.4	nil	11.4	nil	1.6	nil	nil	2.8	22
23	2.0	nil	nil	nil	2.4	nil	5.4	.2	1.2	nil	nil	.2	23
24	nil	8.4	nil	.1	nil	.9	.1	nil	2.2	nil	4.2	nil	24
25	nil	nil	nil	1.9	nil	nil	1.1	8.7	nil	.3	nil	nil	25
26	nil	nil	nil	nil	nil	nil	14.4	nil	nil	.5	.4	2.7	26
27	.1	1.7	1.0	nil	nil	nil	nil	1.2	4.5	.2	3.7	nil	27
28	.1	nil	3.2	.3	nil	2.1	nil	nil	nil	.1	1.5	.2	28
29	.3		.6	.5	nil	nil	nil	nil	24.0	nil	nil	1.5	29
30	.1	X	10.5	nil	nil	nil	nil	nil	.1	.5	1.7	nil	30
31	nil	X	2.4	X	nil	X	nil	nil	X	2.4	X	nil	31
Total	<i>42.6</i> 37.0	25.5	22.4	48.8	35.3	28.7	<i>74.4</i> 70.4	50.3	118.9	23.8	48.4	49.1	<i>571.2</i> 572.2
Rain Days	<i>14.0</i> 14	11	9	15	7	40	14	12	21	18	12	20	<i>163</i> 163
	<i>(1.67)</i>	1.01	.88	1.92	1.51	1.13	2.93	1.98	1.68	.94	1.90	1.93	<i>(22.48)</i>

PLEASE fill in name of place and month.

Rainfall at *Metological Station* in the Month of *July* 191*8*

DATE Inches

REMARKS ON THE DAYS.

BRITISH RAINFALL.
W. 7,000. VII. 19.

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to the day preceding that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

DATE	Inches
1	<i>me</i>
2	
3	
4	
5	
6	
7	
8	
9	<i>6.7</i>
10	<i>3.0</i>
11	<i>2.4</i>
12	<i>1.1</i>
13	<i>5.0</i>
14	<i>1.6</i>
15	<i>3.8</i>
16	
17	<i>14.1</i>
18	
19	<i>4.7</i>
20	<i>0.3</i>
21	
22	<i>11.4</i>
23	<i>5.4</i>
24	<i>0.1</i>
25	<i>1.1</i>
26	<i>14.4</i>
27	
28	
29	
30	
31	<i>74.4</i>

Adds to

74.4

TOTAL

80.8

No. of Days with Rain

1st of following month.

PRINTED PAPER.

ADDITIONAL REMARKS.

Items are correct.

The sum was estimated
incorrectly I should read

74.4mm as suggested

J. H. Jones

OPTIONAL OBSERVATIONS.

Max. Temp. in shade	°	on the	
Min. „ „ „	°	on the	
Temp. in shade, at or below 32°	on	days.	
„ on grass, „ „	32°	on	days.

SIGNED _____

No writing on this side of the line.



THE DIRECTOR,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.1.

REGISTER OF RAINFALL IN 1919.

Kept at Calshot
in the County of Hampshire
by Staff of Meteorological Office, Calshot.

Lat. 50°49' Long. 1°17'
Time of Observation 0700 GMT.
Nearest Railway Station Totton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 10.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should ~~not~~ be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.7	—	0.9	—	0.3	—	6.1	—	—	1.2	—	32.3	1
2	8.1	—	—	—	1.6	—	1.6	—	8.6	—	—	0.8	2
3	8.2	—	16.2	—	0.4	—	0.1	—	7.5	—	—	6.0	3
4	6.9	1.0	8.2	—	—	—	—	1.8	0.4	—	1.0	1.2	4
5	0.1	7.2	15.6	—	—	—	—	—	11.3	—	1.4	4.2	5
6	4.6	—	2.2	—	4.1	—	—	—	—	—	1.2	2.4	6
7	0.9	—	11.0	0.5	—	—	—	—	—	—	—	—	7
8	4.5	—	4.2	0.9	—	—	0.7	—	—	—	—	—	8
9	2.3	—	1.8	4.4	0.1	—	—	—	—	—	6.8	—	9
10	15.7	—	5.7	0.2	—	—	—	—	—	—	—	6.5	10
11	5.5	—	0.6	5.3	1.1	—	0.7	—	—	—	—	0.7	11
12	0.9	—	1.3	0.1	—	—	2.2	—	—	0.1	0.9	—	12
13	0.6	0.2	—	12.3	—	—	—	—	—	—	—	1.0	13
14	6.0	—	—	2.2	—	—	0.6	—	10.3	—	—	0.7	14
15	3.5	0.6	0.3	0.7	—	—	—	—	—	—	—	24.2	15
16	2.6	15.5	—	—	—	—	—	—	—	—	2.6	—	16
17	0.2	5.0	—	—	—	+	—	—	0.1	—	1.4	0.6	17
18	—	1.5	4.6	—	—	—	—	1.4	—	—	3.3	0.2	18
19	4.1	3.2	14.5	—	—	2.6	8.2	3.9	0.5	—	1.0	0.3	19
20	7.0	0.7	1.2	—	—	+(13.0)	—	3.6	—	—	—	—	20
21	0.4	9.2	—	—	—	+	—	—	0.1	—	0.5	0.2	21
22	—	—	—	—	—	+	1.0	—	12.3	—	—	2.5	22
23	—	—	—	—	—	+	—	—	1.5	1.3	1.4	0.2	23
24	—	1.0	—	0.3	—	+ 1.3	—	—	—	7.7	2.9	2.3	24
25	0.7	0.6	—	0.3	—	+(2.3)	—	7.8	—	—	—	3.9	25
26	0.3	4.5	1.3	1.2	—	+	—	1.1	2.3	—	13.1	3.4	26
27	1.8	—	—	5.4	—	+	0.4	19.7	—	—	—	1.1	27
28	1.2	—	7.9	—	—	—	—	7.3	—	—	9.1	12.1	28
29	—	—	—	0.1	—	—	—	7.7	—	1.9	—	3.1	29
30	—	~~XXXX~~	—	4.1	—	1.3	—	8.9	—	—	14.4	16.8	30
31	—	~~XXXX~~	1.3	~~XXXX~~	—	~~XXXX~~	—	—	~~XXXX~~	—	~~XXXX~~	4.3	31
TOTAL	96.8	50.2	98.8	38.0	7.6	(205)	21.6	63.2	54.9	12.2	61.0	131.0	YEAR'S TOTAL (655.8)
Days with '01 in. or more	23	13	18	13	5	(6)	9	10	9	4	15	25	150

NOTE. Values are for 24 hours ending 07th of Jan

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cable St.

in the County of Southampton

by Meteorological Office Staff.

Lat. 50° 49' N. Long. 1° 20' W.

Time of Observation 07.00 & 18.00.

Nearest Railway Station Portsmouth & S.W. R.

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 3 ft. — in.

Height of top of Gauge above Ground 3 ft. — in.

Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 07.00 and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

1.0 mm

09.00.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.7	—	0.1	5.6	3.0	—	6.6	—	0.2	15.7	7.7	5.7	1
2	—	—	1.9	1.6	0.9	—	2.0	4.4	1.6	2.3	—	1.1	2
3	0.9	—	—	0.1	—	—	5.9	—	—	4.5	—	2.6	3
4	—	1.9	0.1	0.2	—	—	7.1	5.8	—	4.9	—	—	4
5	—	—	3.4	1.5	—	—	15.0	1.7	—	10.4	—	0.1	5
6	—	—	2.9	—	9.1	—	8.7	—	—	1.7	—	0.3	6
7	0.5	—	—	2.8	1.6	—	4.0	—	—	—	—	—	7
8	0.5	0.1	—	1.1	0.3	—	4.9	—	—	—	—	—	8
9	12.0	1.2	—	0.5	2.4	1.2	0.1	—	—	—	—	—	9
10	20.9	7.1	3.4	—	—	3.2	6.5	—	—	—	—	—	10
11	6.9	—	1.2	6.2	1.0	—	9.7	—	—	—	—	0.2	11
12	3.2	1.0	0.3	2.9	—	19.6	—	—	—	—	0.3	0.6	12
13	5.4	—	7.1	1.7	—	—	—	—	—	—	0.4	—	13
14	—	0.3	10.1	6.5	—	—	—	—	1.9	2.9	13.5	—	14
15	0.9	—	0.8	3.7	1.2	0.7	—	—	7.2	15.4	1.0	—	15
16	0.2	0.1	0.1	4.7	—	—	—	—	4.0	1.2	—	—	16
17	0.2	—	—	7.3	5.4	—	0.2	—	19.2	—	—	0.1	17
18	2.9	—	0.2	—	2.4	2.0	—	12.3	9.3	—	—	—	18
19	1.1	0.3	—	3.9	—	—	—	—	0.8	—	—	—	19
20	0.8	2.2	—	3.3	—	19.3	—	—	—	—	—	—	20
21	—	—	—	—	—	—	19.7	—	0.9	—	—	4.7	21
22	0.9	—	—	4.0	—	—	0.1	0.2	—	—	—	5.0	22
23	—	—	—	—	—	—	6.1	2.0	—	—	—	7.2	23
24	—	—	4.1	—	0.2	—	—	—	—	—	—	1.7	24
25	—	0.2	0.6	—	7.7	—	6.4	—	—	—	—	—	25
26	0.5	—	12.3	0.3	—	0.6	2.8	—	—	—	0.9	2.9	26
27	9.6	0.3	—	2.3	0.7	2.0	1.0	—	—	—	4.9	3.1	27
28	8.7	0.1	—	0.9	1.3	—	2.4	—	—	—	0.1	1.3	28
29	16.2	—	1.0	0.9	0.6	—	—	—	—	—	2.6	6.1	29
30	1.1	—	—	—	—	0.2	1.9	—	8.4	—	4.7	3.2	30
31	—	—	5.7	—	—	—	—	—	—	11.9	—	6.8	31
TOTAL	94.3	11.8	35.3	62.0	37.8	48.8	111.1	26.4	53.5	70.9	36.1	52.7	YEAR'S TOTAL
Days with 0.2 mm. or more	21	9	15	21	15	9	18	6	10	10	9	16	159

G.R.
The Superintendent,
British Rainfall Organisation,
62 Camden Square,
London, N. W. 1.

14 MAR 1921
Meteorological Office,
Aerial Navigation School,
Calshot. Hants.
Sat. 12th. March. 1921.

Reference your letter of the 11th. inst.
It is regretted that the rainfall totals for March
and August 1920 were sent in~~o~~rractly. The daily
amounts as given are correct and the totals should be:-

March,	55.3 millimetres.
August,	26.4 millimetres.

(Signed) H. W. L. Absalom,
H.W.L.
Meteorological Officer.

MS 7A/9.

REGIS

CATHERINGTON

Kept at

Catherin

in the County of

HSE

HANTS

1918

IMPORTANT NOTI

previous day. If an Obs

requested to add the reading

for it at the end of this paragraph. Full instructions for the measurement of rain,

the selection and placing of rain gauges, and particulars as to the British Rainfall

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

FORM A.
BRITISH RAINFALL

Level 352 ft.

result entered to the rule, he is earnestly the space provided

Jan. 1, following.

0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.04	0.27	0.08	1
2	0.00	0.02	0.00	0.03	0.00	0.00	0.00	0.70	0.00	0.00	0.42	0.10	2
3	0.00	0.08	0.00	0.15	0.39	0.00	0.00	0.35	0.00	0.02	0.35	0.37	3
4	0.00	0.17	0.09	0.02	0.00	0.00	0.00	0.08	0.00	0.03	0.16	0.03	4
5	0.22	0.04	0.10	0.00	0.11	0.00	0.00	0.21	0.13	0.00	0.72	0.08	5
6	0.00	0.16	0.00	0.27	0.00	0.00	0.00	0.11	0.00	0.12	0.00	0.02	6
7	0.00	0.19	0.00	0.18	0.55	0.00	0.00	0.07	0.00	0.04	0.00	0.10	7
8	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.60	0.16	0.12	0.17	0.03	8
9	0.00	0.00	0.00	0.34	0.00	0.22	0.50	0.00	0.12	0.06	0.19	0.02	9
10	0.03	0.00	0.00	0.08	0.00	0.11	0.13	0.00	0.72	0.22	0.00	0.75	10
11	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.00	0.70	0.05	0.00	0.43	11
12	0.00	0.19	0.00	0.00	0.33	0.00	0.04	0.00	0.03	0.26	0.03	0.16	12
13	0.26	0.02	0.00	0.00	0.15	0.00	0.41	0.00	0.05	0.00	0.00	0.00	13
14	0.42	0.00	0.05	0.00	0.05	0.12	0.13	0.00	0.41	0.00	0.00	0.07	14
15	1.60	0.00	0.00	0.26	0.00	0.04	0.11	0.00	0.50	0.34	0.00	0.15	15
16	0.30	0.00	0.01	0.06	0.00	0.00	0.01	0.00	0.01	0.02	0.00	0.27	16
17	0.32	0.00	0.00	0.10	0.00	0.00	0.19	0.00	0.83	0.03	0.00	0.60	17
18	0.64	0.00	0.00	0.00	0.00	0.67	0.03	0.00	0.00	0.02	0.00	0.32	18
19	0.05	0.00	0.12	0.01	0.00	0.22	0.22	0.00	0.93	0.00	0.00	0.13	19
20	0.03	0.25	0.00	0.63	0.00	0.03	0.08	0.00	0.00	0.04	0.00	0.05	20
21	0.25	0.12	0.00	0.00	0.00	0.00	0.57	0.03	0.26	0.04	0.00	0.00	21
22	0.22	0.01	0.00	0.00	0.12	0.00	0.54	0.00	0.35	0.07	0.00	0.10	22
23	0.22	0.00	0.00	0.00	0.08	0.00	0.47	0.03	0.20	0.00	0.00	0.21	23
24	0.00	0.37	0.00	0.16	0.00	0.05	0.04	0.00	0.11	0.00	0.00	0.05	24
25	0.01	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.34	0.00	0.15	0.00	25
26	0.00	0.00	0.00	0.00	0.00	0.00	0.75	0.60	0.00	0.03	0.00	0.00	26
27	0.00	0.13	0.07	0.00	0.00	0.00	0.06	0.00	0.06	0.02	0.10	0.20	27
28	0.00	0.00	0.27	0.03	0.00	0.00	0.00	0.20	0.13	0.01	0.09	0.03	28
29	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.03	29
30	0.00	X	0.57	0.00	0.00	0.00	0.00	0.00	1.34	0.00	0.00	0.03	30
31	0.00	X	0.07	X	0.00	X	0.00	0.00	X	0.09	X	0.02	31
Total	4.65	1.87	1.40	2.36	1.78	1.46	3.09	2.38	7.44	1.79	2.96	3.93	37.16
Rain Days.	14	14	8	13	8	8	19	25	28	22	27	25	177

REGISTER

Kept at Catherington House
in the County of Hants.
by M^r S. Long.

Lat. 50° 00' N.
Time of Observation 9.2.11.
Nearest Railway Station Rowlands Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 352 ft.

Jan. 1, following.

0.00

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.04	0.27	0.08	1
2	0.00	0.02	0.00	0.03	0.00	0.00	0.00	0.70	0.00	0.00	0.42	0.10	2
3	0.00	0.02	0.00	0.15	0.39	0.00	0.00	0.35	0.00	0.02	0.35	0.37	3
4	0.00	0.17	0.09	0.02	0.00	0.00	0.00	0.02	0.00	0.03	0.16	0.03	4
5	0.22	0.04	0.10	0.00	0.11	0.00	0.00	0.21	0.13	0.00	0.72	0.02	5
6	0.00	0.16	0.00	0.27	0.00	0.00	0.00	0.11	0.00	0.12	0.00	0.02	6
7	0.00	0.19	0.00	0.12	0.55	0.00	0.00	0.07	0.00	0.04	0.00	0.10	7
8	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.12	0.17	0.03	8
9	0.00	0.00	0.00	0.34	0.00	0.22	0.50	0.00	0.12	0.06	0.09	0.02	9
10	0.03	0.00	0.00	0.02	0.00	0.11	0.13	0.00	0.72	0.22	0.00	0.75	10
11	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.00	0.70	0.05	0.00	0.43	11
12	0.00	0.19	0.00	0.00	0.33	0.00	0.04	0.00	0.03	0.26	0.03	0.16	12
13	0.26	0.02	0.00	0.00	0.15	0.00	0.41	0.00	0.05	0.00	0.00	0.00	13
14	0.42	0.00	0.05	0.00	0.05	0.12	0.13	0.00	0.41	0.00	0.00	0.07	14
15	1.60	0.00	0.00	0.26	0.00	0.04	0.11	0.00	0.50	0.34	0.00	0.15	15
16	0.30	0.00	0.01	0.06	0.00	0.00	0.01	0.00	0.01	0.02	0.00	0.27	16
17	0.32	0.00	0.00	0.10	0.00	0.00	0.19	0.00	0.63	0.03	0.00	0.00	17
18	0.64	0.00	0.00	0.00	0.00	0.67	0.03	0.00	0.00	0.02	0.00	0.32	18
19	0.05	0.00	0.12	0.01	0.00	0.22	0.22	0.00	0.93	0.00	0.00	0.13	19
20	0.03	0.25	0.00	0.63	0.00	0.03	0.02	0.00	0.00	0.04	0.00	0.05	20
21	0.25	0.12	0.00	0.00	0.00	0.00	0.57	0.03	0.26	0.04	0.00	0.00	21
22	0.22	0.01	0.00	0.00	0.12	0.00	0.54	0.00	0.35	0.07	0.00	0.10	22
23	0.22	0.00	0.00	0.00	0.08	0.00	0.47	0.03	0.20	0.00	0.00	0.21	23
24	0.00	0.37	0.00	0.16	0.00	0.05	0.04	0.00	0.11	0.00	0.00	0.05	24
25	0.01	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.34	0.00	0.15	0.00	25
26	0.00	0.00	0.00	0.00	0.00	0.00	0.75	0.68	0.00	0.03	0.00	0.00	26
27	0.00	0.13	0.07	0.00	0.00	0.00	0.06	0.00	0.06	0.02	0.10	0.20	27
28	0.00	0.00	0.27	0.03	0.00	0.00	0.00	0.20	0.13	0.01	0.09	0.03	28
29	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.03	29
30	0.00	X	0.57	0.00	0.00	0.00	0.00	0.00	1.34	0.00	0.00	0.03	30
31	0.00	X	0.07	X	0.00	X	0.00	0.00	X	0.09	X	0.02	31
Total	4.65	1.87	1.40	2.36	1.78	1.46	3.09	2.38	7.44	1.79	2.96	3.93	37.16
Rain Days.	14	14	8	13	8	8	19	25	28	20	27	25	177

R

CHANDLESFORD

Kept at Fryern
in the County of Sou
by G. H. St

FRYERN
HANTS

in.
und 1 ft. 2 in.
Level 1.50 ft.

Chandlersford
ance 3 miles direction S

le result entered to the
sal rule, he is earnestly

Jan. 1, following.

IMPORTANT NOTE
previous day. If an Observer prefers not to continue the series, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1917

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.33	—			.04			.01	.09	1
2	.02	—	—	.08	.33			—		.01	.17	.29	2
3	—	—	—	—	.23			.03		—	—	.17	3
4	.02	—	—	—	—					.13	.20	.45	4
5	.01	—	—	.07	—					.20	.04	—	5
6	.43	—	.16	—	—					—	.02	.99	6
7	.04	—	—	—	—					.05	—	—	7
8	.04	—	.32	—	—					—	—	.65	8
9	.14	—	.02	—	—					—	.01	.14	9
10	.05	.17	.40	—	.08					—	.01	.85	10
11	.42	—	—	—	—					—	1.00	—	11
12	—	—	.80	—	.11					—	.70	.15	12
13	—	—	—	—	.16				.16		—	.53	13
14	—	.07	.02	—	.04						—	.50	14
15	—	—	—	—	—						.17	.01	15
16	—	.01	—	—	—	.10					.33	.32	16
17	—	.02	—	—	—	.19					.54	.58	17
18	—	.20	—	.02	—	.05				.13	.20	.55	18
19	—	.02	—	—	—	.31			.44	.10	.14	.33	19
20	.06	.04	.16	—	—	—		.05	.02		.01	.73	20
21	.02	.03	.05	—	—	—			.14	.66		.07	21
22	—	.18	.02	—	—	.10			—	.40		.44	22
23	—	.13	.42	—	—	.22			—	.20	.07	.39	23
24	—	.15	.03	—	—	.42		.06	—	.99	—	.21	24
25	.09	.02	—	.09	—	.05	.02		.04	.09	—	.22	25
26	.01	.03	—	.38	.35	.04	—	.01	—	.25	—	.35	26
27	—	.45	—	.10	.21	—	—	.03	.08	.19	—	.22	27
28	—	.17	—	.42	—	.18	—	.01	—	.37	.01	—	28
29	—	—	—	.29	—	—	.11	.04	.13	.29	—	—	29
30	—	—	—	.26	—	.07	—	.26	—	—	—	.02	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.35	1.69	2.42	2.04	1.81	1.73	.13	.53	1.01	4.06	3.03	9.25	TOTAL for Year 28.75
No. of Rain Days	13	15	12	10	8	11	2	9	7	15	17	25	144

R1

FORM A2.
BRITISH RAINFALL
6-JAN 1912Kept at *Freem*in the County of *Southampton* 5by *G. H. Sturges*

Pattern _____

RAIN GAUGE Diameter of top *5* in.

Height of top above Ground *1* ft. *2* in.

" " " Sea Level *150* ft.

Time of Observation *9*

Nearest Railway Station { Name *Chandlers ford*
Distance *3* miles Direction *S*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02	—	—	.08	.33	—	—	—	—	.01	.17	.29	2
3	—	—	—	—	.23	—	—	.03	—	—	—	.17	3
4	.02	—	—	—	—	—	—	—	—	.13	.20	.45	4
5	.01	—	—	.07	—	—	—	—	—	.20	.04	—	5
6	.43	—	.16	—	—	—	—	—	—	—	.02	.99	6
7	.04	—	—	—	—	—	—	—	—	.05	—	—	7
8	.04	—	.32	—	—	—	—	—	—	—	—	.65	8
9	.14	—	.02	—	—	—	—	—	—	—	.01	.14	9
10	.05	.17	.40	—	.08	—	—	—	—	—	.01	.85	10
11	.42	—	—	—	—	—	—	—	—	—	1.00	—	11
12	—	—	.80	—	.11	—	—	—	—	—	.70	.15	12
13	—	—	—	—	.16	—	—	—	.16	—	—	.53	13
14	—	.07	.02	—	.04	—	—	—	—	—	—	.50	14
15	—	—	—	—	—	—	—	—	—	—	.17	.01	15
16	—	.01	—	—	—	.10	—	—	—	—	.33	.32	16
17	—	.02	—	—	—	.19	—	—	—	—	.54	.58	17
18	—	.20	—	.02	—	.05	—	—	—	.13	.20	.55	18
19	—	.02	—	—	—	.31	—	—	.44	.10	.14	.33	19
20	.06	.04	.16	—	—	—	—	.05	.02	—	.01	.73	20
21	.02	.03	.05	—	—	—	—	—	.14	.66	—	.07	21
22	—	.18	.02	—	—	.10	—	—	—	.40	—	.44	22
23	—	.13	.42	—	—	.22	—	—	—	.20	.07	.39	23
24	—	.15	.03	—	—	.42	—	.06	—	.99	—	.21	24
25	.09	.02	—	.09	—	.05	.02	—	.04	.09	—	.22	25
26	.01	.03	—	.38	.35	.04	—	.01	—	.25	—	.35	26
27	—	.45	—	.10	.21	—	—	.03	.08	.19	—	.22	27
28	—	.17	—	.42	—	.18	—	.01	—	.37	.01	—	28
29	—	—	—	.29	—	—	.11	.04	.13	.29	—	—	29
30	—	—	—	.26	—	.07	—	.26	—	—	—	.02	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.35	1.69	2.42	2.04	1.81	1.73	.13	.53	1.01	4.06	3.03	9.25	TOTAL for year 287.5
No. of Rain Days	13	15	12	10	8	11	2	9	7	15	17	25	164

REGISTER OF RAINFALL IN 1912

Kept at Fyern, Chandlersford.
in the County of Southampton
by Grace Stuart.

Pattern _____
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 1.50 ft.
Time of Observation 9 Name Chandlers Ford
Nearest Railway Station { Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—		.11			.44	.07		.02	.48		.38	1
2	—		.16	.02		.13	.30	.09	.48				2
3	.01		.06			.21		.50			.07		3
4	.13		.57		.03	.14		—			.20		4
5	.48	.14	.17								.01	.05	5
6	.46	.08			.14		.26	.72			.01	.09	6
7	—	.14	.03		.14	.81		.11				.15	7
8	.42	.32	.53			.49		.06				.03	8
9	—	.17	.14	.07		.21		.06	.01		—	.29	9
10	—	.07						.10			.03	.30	10
11	—	.10	.02			.06					.23	.36	11
12	.03	.20	.14		.34	.31	.09	.16			—		12
13	—	.03	.01					.07			.02		13
14	.15	—	.16		.04			.07		.02	—		14
15	.08	.10	.06		.03	.56					—	.45	15
16	.35	.02	.22			.07		.17		.07	.02	.03	16
17	.58		.24					.52					17
18	.23		.28					.31				.04	18
19	.06	.05	.12			.04	.11	.32		.02			19
20	—		.34			.03	.04	.16		.42	.04		20
21	—	.13	.25		.40			.07		.32			21
22	.13	.42	.01		.03			.19		.05	.01	.05	22
23	—	.28	.28				.14	.45		.03	.24	.18	23
24	.31					.24		.23		.18	—	.22	24
25	.14					.28		.62		.03	.22	.60	25
26		.05					.23	.22		.45	.54	.48	26
27						.16	.25	.59		.64	.49	.55	27
28		.09				.18		—	.05	.80	.01	.29	28
29		.11				.08	.18	—	.59	.07			29
30							.10	.10	.90	.03			30
31			.28		.02		.38	.11		.18		.05	31
Total	3.53	2.50	4.18	.09	7.17	4.44	2.15	6.16	2.57	3.74	1.98	4.59	TOTAL 37.06
No. of Rain Days.	15	18	22	2	9	18	13	25	5	16	15	19	37.06

REGISTER OF RAINFALL IN 1913

Kept at Chandlers Ford
 in the County of Hampshire
 by Miss G. Stuart

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Chandlers Ford
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 2 in.
 " " " " Sea Level 150 ft.

FORM A.
 BRITISH RAINFALL
 -9 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.03	.16	.16	.03				.53		21	.09	1
2	.02	.14	.02	.02	.03				—	.19	11		2
3	.06	—	.03	.05	.47				—	.05			3
4	.66		.05	—	.41		.08		.58	.12	.05	.03	4
5	.45	.06		.01	—	.03			.20		10	.06	5
6	.03	.28	.08	—	.09	.17	.08			71	.05	.66	6
7	—	.39	.06	—	.29	.04	.30	.07		32	21		7
8	.01	.03		—	.28	.03	.12	.47		.09			8
9	—	.14		—	.01	.01	.04	.15	.05		.06		9
10	.02	—		.08	—		.39	.17			.66		10
11	1.03	—		.35	.04	—		—		26	.61		11
12	—	—			.39	—		.05	.03	.01	.24	.02	12
13	.14	—	.17					.03			.18		13
14	.32	—	.15	.02					.15		.11		14
15	.16	—	.27	.45	—		.10		.08		.03		15
16	.12	—	.46	.06		.07	.02				.06		16
17	.06	.06	.03	.02	—		.04						17
18	—	—	.32	.11	—								18
19	.72	—	.07	.11	.01				.23	.24			19
20	.15	—	.56	—						.98	.10		20
21	—	—	.22	.16						1.3	.77		21
22	.33	—	.55	—		.10		.12	.26		.0		22
23	.03	—	.06	—	—						.02	.81	23
24	.61	—		.16	—						.01		24
25		.03		.26	—						.03	.01	25
26		.02		.23	.02			.18		36		.21	26
27	.02	—	.34	.04	—					.01			27
28	.22	—	.09	.08	—					.20			28
29	.08	—	.26	.93	.67			.03		30			29
30	.66	—		.06	—					.28			30
31	.07	—	.09	—	—			.59		.02			31
Total	5.41	1.18	4.04	3.36	2.71	.45	1.17	1.86	2.11	4.07	3.58	1.89	YEAR'S TOTAL 31.86
Rain Days.	24	10	21	20	13	7	9	10	9	17	18	8	166

REGISTER OF RAINFALL IN 1914

Kept at *Lyvern Chancellorsford*
in the County of *Southampton* 5
by *Grace Stuart*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station *Chancellorsford*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

70

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10	—			·05	·32			·11	·04	1
2		·03	—	—				·03			·34	·28	2
3			·14	·03	·41		·03	·09			·31	·02	3
4			·01	·23	·05		·01	·38	·03		·41	·31	4
5	·21		·08	·43	·26		·21	·53			·20	—	5
6	—	·21	·01	·11		42	·01	·04			·07	·47	6
7	·04	·70	·10	·08	·02	1	·26	·02				·17	7
8	·01	·26	·49	·04	·04	8		·17				·07	8
9	·05	—	·45	·18	—	1		·01	·17			134	9
10	—	·42	·02	·12	·21				·30			—	10
11	—	·37	·46	·03	—		·25		·03			·53	11
12	—	·07	·18				·04		·30	·25		104	12
13	—	·51	·15						·19	·03	7	·84	13
14	—	·37	·21		—	2	·17	·18	—	·35		·36	14
15	—	·07	·20		—			·47	—	·02	·23	—	15
16	—	·88	—		—		·09		·18			—	16
17	—		·09		—				·05			·46	17
18	—	·01	·13		—		·06		—			·64	18
19	—	·05	·39		—		104		—		·14	·22	19
20	—	·46	·20		—	4	—		—			·16	20
21	—	·65	—		—	28	—		—	·16		·04	21
22	—	·11	—		·05		·14	·03	—	·18		—	22
23	—	·11	·25		—				—	·06		—	23
24	—		·03		—		·02			·37	·16	—	24
25	·06		·16				* ·05	·38			·04	·26	25
26	—		·03				·15	·08			·16	·67	26
27	·08		—								·13	·31	27
28		·06	·03		·08		·03				·33	·64	28
29	·16		·18	·08			—		—	·31	·24	8	29
30							·01				·60	·89	30
31							11			·24		·61	31
Total	·61	5·32	4·09	1·33	11·2	·86	2·73	2·66	12·5	1·97	3·61	9·83	YEAR'S TOTAL 35·38
Rain Days.	7	18	24	10	8	7	19	14	8	10	16	23	164

REGISTER OF RAINFALL IN 1915

774
FORM A.
BRITISH RAINFALL

Kept at *Fryern*
in the County of *Southampton*
by *Grace Stuart*

Lat. _____ Long. _____
Time of Observation *9*
Nearest Railway Station *Wandsworth*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.70	.21	—	—	—	—	—	—	.14	.14	—	.39	1
2	.27	.27	.27	.00	.01	.04	—	.56	.05	.21	—	.31	2
3	.98	.01	.10	.18	.19	—	—	—	—	—	—	.31	3
4	.12	—	—	—	—	—	—	.11	—	—	—	.41	4
5	.01	.56	—	.02	—	—	—	.06	—	—	—	.53	5
6	.54	.16	.01	.55	—	—	.42	—	—	—	—	.39	6
7	.27	.58	.02	.01	—	—	.25	—	—	—	—	.31	7
8	.01	.61	—	.10	—	—	.01	.06	—	—	.05	—	8
9	—	.05	—	.02	—	—	—	—	—	—	.41	.02	9
10	.31	.01	.01	—	—	—	—	—	—	.01	—	.68	10
11	.01	—	.08	.03	—	—	.04	—	.14	—	.69	.17	11
12	.08	.41	—	.22	.50	—	—	—	.14	—	.31	—	12
13	—	.44	—	—	1.11	—	—	—	—	.03	—	—	13
14	.10	.01	—	—	—	—	.30	.56	.07	—	—	.76	14
15	—	—	—	—	.10	—	.04	.08	—	—	—	.26	15
16	—	.97	—	—	.23	—	1.11	.20	—	—	—	.02	16
17	—	.30	—	—	1.16	—	—	—	—	—	—	—	17
18	—	.26	—	—	.13	—	.02	—	—	—	—	—	18
19	—	.06	—	—	.05	—	.14	—	—	—	—	—	19
20	.23	—	—	.06	—	—	.02	—	—	—	—	.08	20
21	.01	.16	—	—	—	—	.07	—	—	.31	—	.11	21
22	.56	.41	.38	—	—	—	1.14	—	—	—	—	.18	22
23	.01	—	.09	—	—	.04	.15	—	.11	.44	—	.26	23
24	—	—	—	—	—	—	.57	—	.50	.37	—	.35	24
25	—	—	—	—	—	—	.11	—	.60	—	—	.14	25
26	.01	.07	—	—	—	.12	.61	—	—	—	—	.83	26
27	—	.02	—	—	—	.36	—	—	.02	.54	—	—	27
28	—	.07	—	—	—	.22	—	—	.98	.02	—	.02	28
29	—	—	—	.03	—	.17	—	.06	—	—	.49	.04	29
30	.12	X	—	—	—	.10	—	—	—	.61	1.06	.30	30
31	—	X	—	X	—	X	.11	—	X	1.18	X	.31	31
Total	4.24	5.64	.96	1.28	3.50	1.05	5.11	1.69	3.75	3.86	3.01	7.18	41.27
Rain Days.	18	21	8	11	9	7	17	8	10	11	6	24	150

REGISTER OF RAINFALL IN 1915

Kept at Chandlersford
in the County of Southampton
by Grace Stuart

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

761
FORM A.
BRITISH RAINFALL
16 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.09	.05		.30				.61	.41	.50		1
2	.3		.04		.12				.01	.68	.08		2
3	.01	.99	.06							.45	.44		3
4		.16				.30	.26		.33	.02	.33		4
5	.03	.10			.11	.12				.07	.68		5
6		.10			.05		.60		.62	.17	.96		6
7	.02		.31		.02	.19	.03				.83	.09	7
8		.02			.27	.12					.01	.39	8
9											.02	.21	9
10		.56	.04		.02		.2		.04			.09	10
11	.03	.02	.07	.14	.07	.06						.20	11
12		.04	.07				.07			.04			12
13	.05	.27	.02					.08					13
14	.02	.59			.04			.06		.05			14
15		.04	.18					.23		.03			15
16	.03		.24	.15			.13	.22		.04			16
17		.39		.11				.16	.31	.94		.18	17
18		.05	.03					.16	.16	.10	.44		18
19	.45		.10							.04	.33		19
20	.05		.68						.03		.04	1.35	20
21	.11												21
22				.04						.14		.72	22
23						.13		.05		.25	.10		23
24					.19	.03		.05		.03		.32	24
25		.73	.17					.31	.14		.05		25
26		.21	.04			.17		.02	.02	.60			26
27			.96			.12		.66	.13	.34			27
28		.47	.11			.28		.08	.54	.18			28
29		.32						.11	.19	.39		.21	29
30		X			.19			.02		.81			30
31		X		X		X		.05	X	.24	X		31
Total	11.3	5.20	3.17	4.4	1.38	1.52	1.11	4.10	2.53	6.24	5.03	3.76	YEAR'S TOTAL 35.61
Rain Days.	12	18	17	4	11	10	6	14	13	22	14	10	151

REGISTER OF RAINFALL IN 1917

Kept at Fryerns
in the County of Southampton
by Grace H. Stuart

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level _____ ft.

730
FORM A
BRITISH RAINFALL
12 APR 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20	.31				1.13			.04		1
2			.04	.70		.02			.01				2
3	.02			.05			.93	.22					3
4			.16					.76	.10	.14	.05	.22	4
5	.19		.53			.16		.24		.79			5
6				.49				.22	.01	.28	.09		6
7	.29							.10	.03	.03	.28		7
8	.39						.04		.04	.19	.04		8
9			.19				.31	.20		.00		.42	9
10			.35		.06		.04				.04		10
11	.12		.31	.40					.14	.30			11
12	.13							.16		.79			12
13				.11				.13		.30			13
14				.13									14
15							.06	.70		.16			15
16		.33		.09	.09			.01		.12			16
17				.13	.06		.52	.09	.44				17
18						.31	.31		.10				18
19		.40				.04							19
20		.03	.35		.76								20
21						.01		.10					21
22			.04			.03							22
23		.24						.10		.10			23
24		.18				.03		.28		.02			24
25		.05	.04				.18	.38	.03				25
26			.02						.08				26
27					.49			1.12	.03				27
28			.04		.02	2.59		.19					28
29			.07		.09	.10	.43			.58			29
30		X	.46			X	.14						30
31		X	.05	X		X	.02		X	.04	X		31
Total	1.14	1.23	2.27	2.39	1.51	3.29	4.26	5.53	10.1	4.24	.54	.64	YEAR'S TOTAL 28.05
Rain Days.	6	6	15	9	7	9	11	18	11	14	6	2	114

5A
5
Dear Sir

return

730
15 APR 1918

I was away a great part of this year, & feeling a little doubtful of the accuracy of some of the entries have been trying to verify them. Unfortunately I have been unable to do so. But I enclose them, & trust you may do as you think best with regard to publication. I believe the months are correct.

Yours sincerely
M^{rs} Grace Stuart.

Chandlers Ford
Southampton

I enclose 5/- towards costs.

Kept at

in the County of

by

CHRISTCHURCH
GROVE LANE
HANTS

1911, 1912, 1914

5 in.

Ground 1 ft.

Sea Level 18 ft.

a.m.

Name Christchurch

Distance $\frac{15}{16}$ Direction ESE

Jan. 1, following.

IMPORTANT NOTE. If an observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .01	in. -	in. .01	in. .06	in. -	in. -	in. -	in. -	in. -	in. -	in. .01	in. .20	1
2	.01	-	-	.21	.29	-	-	.04	-	.04	.16	.23	2
3	-	-	-	-	.21	-	-	.01	-	-	.16	.19	3
4	-	-	.05	-	-	-	-	-	.14	.05	.31	.51	4
5	-	-	-	.01	-	-	-	.05	-	.51	.10	-	5
6	.42	-	.16	-	-	-	-	-	-	.35	.07	.85	6
7	.04	-	.01	-	-	-	-	-	-	.01	.62	-	7
8	-	-	.20	-	-	-	-	-	-	-	.38	.62	8
9	.06	-	.01	.03	-	-	-	-	-	-	.06	.25	9
10	.02	.08	.36	-	.10	-	-	-	-	-	.01	.38	10
11	.41	-	.02	-	-	-	-	-	-	-	1.17	.01	11
12	-	-	.99	-	.02	-	-	-	-	-	.12	.13	12
13	-	-	.01	-	-	-	-	-	.17	.18	.01	.38	13
14	-	.07	-	-	-	-	-	-	-	-	-	.23	14
15	-	.03	.01	-	-	-	-	-	-	-	.16	.01	15
16	-	-	.01	-	-	.22	-	-	-	-	.41	.32	16
17	-	-	.03	-	.10	.11	-	-	-	-	.48	.42	17
18	-	.11	.07	.07	-	.16	-	-	-	.06	.27	.54	18
19	-	.12	-	-	-	.17	-	-	.35	.14	.01	.20	19
20	-	.02	.14	.01	-	-	-	.17	.10	.02	-	.72	20
21	.04	.25	.08	.01	-	.01	-	-	.09	.46	-	.16	21
22	.25	.01	.03	-	-	.18	-	-	.01	.32	-	.60	22
23	.01	.11	.01	-	-	.31	-	-	.12	.42	.03	.29	23
24	.02	.15	-	-	-	.36	.01	.14	.01	.91	.01	.31	24
25	.01	.02	-	.08	.03	.05	.01	-	.04	.05	-	.09	25
26	-	-	-	.30	-	.01	-	.02	-	.35	-	.31	26
27	-	.38	.04	.05	-	-	-	-	.07	.85	.13	.17	27
28	-	.19	-	.39	-	-	-	.16	-	-	.05	-	28
29	-	-	-	.53	.11	.17	.20	.01	.12	.27	.01	-	29
30	-	-	-	-	-	.01	-	.11	-	.32	-	.01	30
31	-	-	-	-	-	-	-	-	-	-	-	-	31
Total	1.30	1.54	2.24	1.75	.86	1.76	.22	.71	1.22	5.31	4.74	8.13	TOTAL for year 1912 29.78
No. of Rain Days	12	13	19	12	7	12	3	9	11	18	23	26	165

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at The White House, Grove Lane
Christchurch.
in the County of Hants
by A. H. Searle

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 18 ft.
Time of Observation 9. a. m.
Nearest Railway Station { Name Christchurch
Distance 15 Direction ESE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. <u>.01</u>	in. <u>-</u>	in. <u>.01</u>	in. <u>.06</u>	in. <u>-</u>	in. <u>-</u>	in. <u>-</u>	in. <u>-</u>	in. <u>-</u>	in. <u>-</u>	in. <u>.01</u>	in. <u>.20</u>	1
2	<u>.01</u>	<u>-</u>	<u>-</u>	<u>.21</u>	<u>.29</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>-</u>	<u>.04</u>	<u>.16</u>	<u>.23</u>	2
3	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.21</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>.16</u>	<u>.19</u>	3
4	<u>-</u>	<u>-</u>	<u>.05</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.14</u>	<u>.05</u>	<u>.31</u>	<u>.51</u>	4
5	<u>-</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.05</u>	<u>-</u>	<u>.51</u>	<u>.10</u>	<u>-</u>	5
6	<u>.42</u>	<u>-</u>	<u>.16</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.35</u>	<u>.07</u>	<u>.85</u>	6
7	<u>.04</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>.62</u>	<u>-</u>	7
8	<u>-</u>	<u>-</u>	<u>.20</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.38</u>	<u>.62</u>	8
9	<u>.06</u>	<u>-</u>	<u>.01</u>	<u>.03</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>.25</u>	9
10	<u>.02</u>	<u>.08</u>	<u>.36</u>	<u>-</u>	<u>.10</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>.38</u>	10
11	<u>.41</u>	<u>-</u>	<u>.02</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>1.17</u>	<u>.01</u>	11
12	<u>-</u>	<u>-</u>	<u>.99</u>	<u>-</u>	<u>.02</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.12</u>	<u>.13</u>	12
13	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.17</u>	<u>.18</u>	<u>.01</u>	<u>.38</u>	13
14	<u>-</u>	<u>.07</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.23</u>	14
15	<u>-</u>	<u>.03</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.16</u>	<u>.01</u>	15
16	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>.22</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.41</u>	<u>.32</u>	16
17	<u>-</u>	<u>-</u>	<u>.03</u>	<u>-</u>	<u>.10</u>	<u>.11</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.48</u>	<u>.42</u>	17
18	<u>-</u>	<u>.11</u>	<u>.07</u>	<u>.07</u>	<u>-</u>	<u>.16</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>.27</u>	<u>.54</u>	18
19	<u>-</u>	<u>.12</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.17</u>	<u>-</u>	<u>-</u>	<u>.35</u>	<u>.14</u>	<u>.01</u>	<u>.20</u>	19
20	<u>-</u>	<u>.02</u>	<u>.14</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.17</u>	<u>.10</u>	<u>.02</u>	<u>-</u>	<u>.72</u>	20
21	<u>.04</u>	<u>.25</u>	<u>.08</u>	<u>.01</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>.09</u>	<u>.46</u>	<u>-</u>	<u>.16</u>	21
22	<u>.25</u>	<u>.01</u>	<u>.03</u>	<u>-</u>	<u>-</u>	<u>.18</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>.32</u>	<u>-</u>	<u>.60</u>	22
23	<u>.01</u>	<u>.11</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>.31</u>	<u>-</u>	<u>-</u>	<u>.12</u>	<u>.42</u>	<u>.03</u>	<u>.29</u>	23
24	<u>.02</u>	<u>.15</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.36</u>	<u>.01</u>	<u>.14</u>	<u>.01</u>	<u>.91</u>	<u>.01</u>	<u>.31</u>	24
25	<u>.01</u>	<u>.02</u>	<u>-</u>	<u>.08</u>	<u>.03</u>	<u>.05</u>	<u>.01</u>	<u>-</u>	<u>.04</u>	<u>.05</u>	<u>-</u>	<u>.09</u>	25
26	<u>-</u>	<u>-</u>	<u>-</u>	<u>.30</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.02</u>	<u>-</u>	<u>.35</u>	<u>-</u>	<u>.31</u>	26
27	<u>-</u>	<u>.38</u>	<u>.04</u>	<u>.05</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.07</u>	<u>.85</u>	<u>.13</u>	<u>.17</u>	27
28	<u>-</u>	<u>.19</u>	<u>-</u>	<u>.39</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.16</u>	<u>-</u>	<u>-</u>	<u>.05</u>	<u>-</u>	28
29	<u>-</u>	<u>-</u>	<u>-</u>	<u>.53</u>	<u>.11</u>	<u>.17</u>	<u>.20</u>	<u>.01</u>	<u>.12</u>	<u>.27</u>	<u>.01</u>	<u>-</u>	29
30	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.11</u>	<u>-</u>	<u>.32</u>	<u>-</u>	<u>.01</u>	30
31	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	31
Total	<u>1.30</u>	<u>1.54</u>	<u>2.24</u>	<u>1.75</u>	<u>.86</u>	<u>1.76</u>	<u>.22</u>	<u>.71</u>	<u>1.22</u>	<u>5.31</u>	<u>4.74</u>	<u>8.13</u>	TOTAL for year <u>29.78</u>
No. of Rain Days	<u>12</u>	<u>13</u>	<u>19</u>	<u>12</u>	<u>7</u>	<u>12</u>	<u>3</u>	<u>9</u>	<u>11</u>	<u>18</u>	<u>23</u>	<u>26</u>	<u>165</u>

W 88 cond in auth 6.11.13
REGISTER OF RAINFALL IN 1912.

Kept at The White House, Grove Lane, Christchurch

in the County of Hants. 2

by A. H. Searle.

Lat. 50° 44' 35" N Long. 1° 48' 4" W

Time of Observation 9 A.M.

Nearest Railway Station Christchurch

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 18 ft.

FORM A.
BRITISH RAINFALL
FEB 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.03	-	-	.26	.26	.02	.01	1.05	-	.26	1
2	-	-	.12	.01	-	.01	.40	-	-	-	.01	-	2
3	-	-	.02	-	-	.18	.04	.77	-	-	.02	.01	3
4	.15	.08	.55	-	-	.41	-	.02	-	-	.28	.03	4
5	.40	.07	.26	-	.01	-	-	.55	.01	-	.08	.05	5
6	.63	.02	.04	-	.20	.03	.02	.37	-	-	-	.05	6
7	.01	.41	.19	-	.28	.48	-	.04	-	-	.01	.07	7
8	.36	.22	.21	.01	-	.01	-	.23	-	-	-	.01	8
9	-	.10	.25	.09	-	.04	-	.17	-	-	-	.30	9
10	-	.05	.01	-	-	.04	.05	.11	-	.01	.02	.47	10
11	.15	.15	.01	.08(?)	.01	.74	.01	.41	-	.01	-	.34	11
12	.05	.17	.10	-	.46	1.41	.08	.15	-	.01	-	.01	12
13	-	.01	.01	-	-	-	.04	.02	-	.03	.04	.07	13
14	.12	-	.13	-	-	-	-	.15	-	.01	-	.26	14
15	.17	.28	.35	-	.06	.52	-	.02	-	-	-	-	15
16	.90	.01	-	-	.09	.04	-	.18	-	.06	.14	-	16
17	.77	-	.20	-	.02	.05	-	.71	-	-	-	.19	17
18	.05	-	.21	-	-	-	-	.21	-	-	.01	.02	18
19	.01	.06	.17	-	-	-	.06	.48	-	.01	.01	-	19
20	.01	.07	.31	-	.05	-	.03	.30	-	.42	.02	-	20
21	.01	.19	.13	-	.16	-	-	.08	-	.16	-	-	21
22	.07	.41	.11	-	-	-	.03	.21	-	.07	-	.07	22
23	.31	.14	.27	-	-	.01	-	.64	-	.16	.17	.27	23
24	.49	.03	-	-	-	.09	-	.14	-	.03	-	.23	24
25	.18	.01	-	-	-	.47	-	.34	-	.18	.44	.58	25
26	.01	.07	-	-	-	-	.19	.06	-	.46	.57	.26	26
27	-	.01	-	-	-	.08	.12	-	-	.64	-	.46	27
28	-	.14	-	-	-	.10	.21	.41	.07	.83	.29	.32	28
29	-	.13	-	-	-	-	.47	.06	1.54	.42	.03	.01	29
30	-	-	-	-	-	.02	.03	.04	.91	.19	-	-	30
31	-	-	.43	-	-	-	.31	.04	-	.02	-	.04	31
Total	4.85	2.83	4.01	0.19	1.34	4.99	2.35	6.93	2.54	4.77	2.14	4.38	41.32
Rain Days.	20	23	24	4	10	20	17	29	5	20	16	25	213

REGISTER OF RAINFALL IN 1914

Kept at The White House, Grove Lane
Christchurch
in the County of Hants
by A. H. Searle.

Lat. 50° 44' 35" Long. 1° 48' 4" WUL 1914
Time of Observation 9. A.M.
Nearest Railway Station Christchurch (S.W.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.45	.13	.29	—	.18	—	—	.57	—	.28	—	1
2	.05	.09	—	.01	—	—	—	—	.02	1.36	.10	.03	2
3	.14	.01	.05	.12	.41	—	—	—	.01	.03	~~?~~	.06	3
4	.66	—	.07	+	.26	.02	.05	—	.93	.36	.06	.02	4
5	.36	.21	.01	—	.02	.08	.05	—	.58	.16	.24	.06	5
6	.08	.10	.04	—	.11	.15	.12	—	—	.65	.04	.44	6
7	—	.33	.02	—	.23	.12	.05	—	—	.73	.20	.01	7
8	.02	.17	—	—	.22	.02	.02	—	—	.01	—	.09	8
9	—	.14	—	—	—	—	.14	.40	.04	.07	.17	—	9
10	.18	—	—	.01	—	—	.11	—	—	.02	.70	—	10
11	.76	.01	—	.24	.17	—	—	—	—	.18	.57	.01	11
12	—	—	—	—	.45	—	—	—	—	.02	.35	—	12
13	.18	—	.06	—	—	.01	—	—	.13	—	.17	—	13
14	.30	.01	.11	.03	—	—	—	—	.27	—	.02	—	14
15	.18	.11	.32	.64	—	—	.62	.01	.73	—	—	—	15
16	.12	—	.47	.11	—	.01	—	—	.10	—	.01	—	16
17	.17	—	—	.17	—	—	—	—	—	—	.04	—	17
18	—	—	.25	.12	—	—	.01	—	.01	—	.06	—	18
19	.54	—	.02	—	.03	.24	—	—	.25	.03	—	—	19
20	.03	—	.41	.12	—	—	—	—	—	1.18	.15	—	20
21	—	—	.18	.41	—	—	.03	—	—	.18	.77	—	21
22	.45	—	.19	—	—	—	—	.11	.28	—	—	.07	22
23	.01	—	—	—	—	.07	—	.01	—	—	.04	.76	23
24	.05	—	—	.19	—	—	—	—	.01	.01	—	—	24
25	—	.14	—	.21	—	—	—	—	—	.01	—	—	25
26	—	.02	—	.28	—	—	—	.12	—	.25	—	.24	26
27	.02	—	.22	.03	—	—	—	—	—	.06	—	.01	27
28	.23	—	.07	.12	—	—	—	—	—	.20	—	—	28
29	.15	—	.20	.79	.34	—	—	.04	—	.46	—	—	29
30	.59	—	—	.01	—	—	—	—	—	.35	—	—	30
31	.08	—	.03	—	—	—	—	.83	—	.10	—	—	31
Total	5.39 ~~5.49~~	1.79	2.86	3.90	2.24	0.90	1.20	1.52	3.93	6.42	3.97	1.80	YEAR'S TOTAL ~~36.82~~
Rain Days.	24	13	19	19	10	10	10	7	14	22	18	12	178

✓
R
Kept at Winkton Lodge
in the County of South
by Jane Lasse

CHRISTCHURCH
WINKTON LODGE
HANTS

1911 ~~1910~~, 17

FORM A2.
BRITISH RAINFALL.

2 - JAN 9 1912

in.
ound — ft.
Level 34 ft.

6.
he Christchurch (S.W.)
ance 3 miles Direction S.W.

Result entered to the

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			'01	'06							'01	'24	1
2				'15	'27			'02		'05	'13	'24	2
3					'22			'01			'17	'20	3
4			'05		'01				'07	'06	'21	'39	4
5								'04		'35	'07		5
6	'38		'16							'47	'23	'87	6
7	'04									'01	'51	'02	7
8	'01		'19								'33	'55	8
9	'06			'04							'05	'25	9
10	'02	'08	'36		'30							'33	10
11	'41		'03								'96	'01	11
12			'98					'21			'10	'16	12
13									'17	'20		'35	13
14		'07								'01		'24	14
15		'03	'03			'03					'15	'01	15
16						'19					'40	'24	16
17			'02		'25	'11					'45	'32	17
18		'10	'06	'05		'12				'04	'29	'49	18
19		'11				'13			'39	'16	'01	'14	19
20	'02	'02	'12					'09	'09	'02		'65	20
21	'02	'29	'12						'12	'51		'12	21
22	'23	'01				'17			'01	'34		'48	22
23		'08	'02			'25			'13	'35	'03	'20	23
24	'02	'15				'44		'13		'79		'27	24
25	'01	'03	'01	'10	'03	'05	'01		'04	'04		'05	25
26				'28						'33		'35	26
27		'32	'06	'08					'07	'76	'12	'13	27
28		'26		'43				'14			'06	'01	28
29				'45	'06	'18	'20		'12	'25			29
30				'01		'02		'08		'30		'01	30
31													31
Total	1'22	1'55	2'22	1'65	1'14	1'69	'21	'72	1'21	5'04	4'28	7'32	TOTAL for year 28'25
No. of Rain Days	11	13	15	10	7	11	2	8	10	19	19	28	153

REGISTER

FORM A2.
BRITISH RAINFALL.

Kept at Winkton Lodge. Christchurch
in the County of Southampton 3
by Jane Lassell

Pattern.
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground — ft. 9 in.
" " " Sea Level 34 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Christchurch (I.D.W.)
Distance 3 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			'01	'06							'01	'24	1
2				'15	'27			'02		'05	'13	'24	2
3					'22			'01			'17	'20	3
4			'05		'01				'07	'06	'21	'39	4
5								'04		'35	'07		5
6	'38		'16							'47	'23	'87	6
7	'04									'01	'51	'02	7
8	'01		'19								'33	'55	8
9	'06			'04							'05	'25	9
10	'02	'08	'36		'30							'33	10
11	'41		'03								'96	'01	11
12			'98					'21			'10	'16	12
13									'17	'20		'35	13
14		'07								'01		'24	14
15		'03	'03			'03					'15	'01	15
16						'19					'40	'24	16
17			'02		'25	'11					'45	'32	17
18		'10	'06	'05		'12				'04	'29	'49	18
19		'11				'13			'39	'16	'01	'14	19
20	'02	'02	'12					'09	'09	'02		'65	20
21	'02	'29	'12						'12	'51		'12	21
22	'23	'01				'17			'01	'34		'48	22
23		'08	'02			'25			'13	'35	'03	'20	23
24	'02	'15				'44		'13		'79		'27	24
25	'01	'03	'01	'10	'03	'05	'01		'04	'04		'05	25
26				'28						'33		'35	26
27		'32	'06	'08					'07	'76	'12	'13	27
28		'26		'43				'14			'06	'01	28
29				'45	'06	'18	'20		'12	'25			29
30				'01		'02		'08		'30		'01	30
31													31
Total	1'22	1'55	2'22	1'65	1'14	1'69	'21	'72	1'21	5'04	4'28	7'32	TOTAL for year 28'25
No. of Rain Days	11	13	15	10	7	11	2	8	10	19	19	28	153

REGISTER OF RAINFALL IN 1912

Kept at *Wickton Lodge Christchurch*
in the County of *Southampton* ³
by *Jane Lassell (Miss)*

Pattern
 Diameter of top 5 in.
 Height of top above Ground 9 ft.
 " " " Sea Level 34 ft.

Time of Observation 9 A.M.
 Nearest Railway Station {

Name *Christchurch*
 Distance *3 miles* Direction *S.S.W*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			'13	'01		'19	'21	'04	'01	'80		'24	2
3			'06			'16	'04	'70			'03	'01	3
4	'12	'01	'53			'32		'01			'25		4
5	'37		'18		'01	'01		'71			'07	'06	5
6	'60	'04	'05		'14	'02		'32			'01	'08	6
7	'01	'35	'16		'22	'45		'02				'08	7
8	'44	'20	'21	'03	'01	'09		'04				'02	8
9	'01	'10	'19	'08		'04		'14				'27	9
10		'06	'01				'03	'30			'02	'38	10
11	'13	'12			'01	'63	'01	'40				'28	11
12	'04	'14	'11	'04	'43	1'82	'05	'14				'01	12
13	'01	'01	'01		'01		'02	'12		'03	'03	'06	13
14	'13		'12					'10		'02		'01	14
15	'17	'30	'09		'03	'49		'05				'15	15
16	'78	'01	'20		'10	'04		'15		'08	'08		16
17	'60		'20			'06		'65				'12	17
18	'06		'22					'20				'03	18
19	'03	'06	'15				'05	'79			'02		19
20	'01	'03	'24		'04	'07	'03	'13		'32	'03		20
21		'16	'09		'30			'08		'14			21
22	'05	'39	'08				'05	'18		'03		'07	22
23	'40	'16	'25			'01		'53		'17	'15	'21	23
24	'49	'04	'01			'03		'12		'02	'01	'16	24
25	'17	'01				'46		'33		'10	'37	'47	25
26	'01	'06				'02	'06	'19		'34	'52	'19	26
27		'01		'01		'07	'11			'40		'36	27
28		'15				'07	'13	'38	'12	'71	'29	'25	28
29		'12					'44	'05	1'37	'30	'02	'02	29
30						'03	'11	'02	'71	'16			30
31			'36				'19	'04		'01		'03	31
Total	4'63	2'53	3'65	0'17	1'30	5'08	1'80	6'93	2'21	3'63	1'92	3'56	TOTAL for year 37'41
No. of Rain Days	21	22	23	5	11	21	16	29	4	16	16	24	208

REGISTER OF RAINFALL IN 1913

Kept at *Winkton Lodge nr Christchurch*
in the County of *Dorset*
by *Jane Lassell*

Lat. *50°45'42"* Long. *W 1°46'11"*
Time of Observation *9 A.M.*
Nearest Railway Station *Christchurch 3 miles*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *9* ft.
Sea Level *34* ft.

FORM A.
BRITISH RAINFALL
-3 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
3 Dec
1912

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'03	'41	'14	'28		'17			'48		'15	'01	1
2	'03	'09	'01	'02					'03	'54	'08	'03	2
3	'06	'01	'04	'17	'37				'01	'18		'05	3
4	'55		'06	'01	'22		'06		1'06	'27	'05	'02	4
5	'31	'15	'01		'04	'04	'04		'38	'28	'18	'02	5
6	'06	'08	'03		'10	'12	'07		'01	'61	'04	'29	6
7	'01	'24	'03		'23	'09	'11			'59	'14	'01	7
8	'02	'12			'30	'03	'02				'01	'06	8
9	'01	'11			'01		'18	'14	'03	'08	'16		9
10	'08			'03			'08			'01	'63		10
11	'71			'17	'15					'29	'52		11
12				'01	'44					'01	'31		12
13	'21		'05			'04			'13		'14		13
14	'29		'09	'02				'01	'06		'02		14
15	'15	'10	'29	'62			'49		'38		'01		15
16	'18		'35	'13		'05			'08				16
17	'13		'01	'09							'02		17
18	'01		'22	'11			'01				'06		18
19	'48		'09		'02	'16			'23	'01	'01		19
20	'07		'30	'11		'01				1'49	'09		20
21	'01		'25	'35			'02			'18	'66		21
22	'38		'17	'01				'08	'27	'02		'04	22
23	'02		'04			'05		'02			'03	'77	23
24	'04			'21							'01		24
25		'13		'19						'01		'02	25
26		'02		'23				'12		'26		'22	26
27	'02		'20	'03						'03		'01	27
28	'19		'11							'28			28
29	'15		'15	'82	'34			'02		'35			29
30	'49		'01	'01				'01		'27			30
31	'06		'03					'74		'07			31
Total	4'75	1'46	2'68	3'62	2'22	'76	1'08	1'14	3'15	5'83	3'32	1'55	YEAR'S TOTAL 31'56
Rain Days.	28	11	23	21	11	10	10	8	13	21	21	13	190

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at *Winkton Lodge - Christchurch*
in the County of *Southampton*
by *Jane Lassell (Miss Lassell)*

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter in.
Height of top above Ground ft. in.
Sea Level ft.

RAIN GAUGE.

7 JAN 1915

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		'01	'01				'02	'48			'21	'06	1
2					'01	'03	'14	'01			'61	'33	2
3			'02	'06	'41		'05	'08			'11	'03	3
4	'05			'20	'06		'10	'09			'42	'33	4
5	'06		'04	'18	'04		'53	'07			'11		5
6		'18		'25	'03		'07	'04			'15	'42	6
7	'02	'52	'06	'14	'01		'13	'03				'25	7
8	'02	'32	'43	'08		'09		'15	'05			'07	8
9	'02	'02	'55	'11		'01		'01	'35		'01	'11	9
10	'03	'30	'01	'10	'09				'26			'02	10
11		'38	'53	'01	'03		'44		'02		'15	'62	11
12		'06	'12						'55	'10	'02	'79	12
13		'36	'28						'11		'14	'54	13
14		'29	'16			'94	'19	'30		'40	'50	'36	14
15		'01	'19				'65	'49		'11	'29	'01	15
16		'01	'01				'12	'01	'28		'01		16
17		'44	'17						'04			'44	17
18		'07	'26				'07		'01			'63	18
19		'05	'56				'97				'12	'16	19
20		'44	'43			'03						'31	20
21		'37	'01					'03		'13		'02	21
22		'04	'02		'18	'03	'11	'03		'18			22
23		'16	'35			'28							23
24		'03	'02		'07					'06	'09	'06	24
25	'03		'23				'14	'32		'30	'03	'23	25
26			'03				'09	'09		'09	'19	'62	26
27	'05		'07								'06	'38	27
28	'01	'07	'23		'02					'11	'31	'42	28
29	'15		'11	'01						'25	'25	'02	29
30	'02		'39							'20	'80	'43	30
31	'04				'04		'04			'41		'06	31
Totals	0'50	4'13	5'29	1'14	0'99	1'41	3'86	2'23	1'67	2'34	4'58	8'72	
Total from Jan. 1		4'63	9'92	11'06	12'05	13'46	17'32	19'55	21'22	23'56	28'14	36'86	

12 21 27 10 12 7 17 16 9 12 21 27 19

REGISTER OF RAINFALL IN 1915

Kept at Winkton Lodge W. Christchurch
 in the County of Southampton
 by Miss Lassell

Lat. W 104° 46' 11" Long. W 104° 46' 11"
 Time of Observation 9 A.M.
 Nearest Railway Station Christchurch 3 miles
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 9 ft.
 " " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'36	'27			'01				'81	'35	'01	'07	1
2	'23	'24	'13	'02		'03		'13		'36		'27	2
3	'42	'01	'11	'05	'07					'11		'45	3
4	'02			'03								'56	4
5	'04	'58		'02				'22				'48	5
6	'62	'11		'46			'41	'04				'33	6
7	'17	'49	'01	'05			'15					'45	7
8	'03	'57	'01	'03			'02	'07				'06	8
9		'09		'14							'37	'82	9
10	'25	'14	'02							'04	'02	'21	10
11	'02	'01	'07	'04						'01	'06		11
12	'11	'40	'07		'51			'02		'04	'66		12
13	'02	'72		'18	'18				'11		'05		13
14	'04	'63					'22		'04			'76	14
15	'07				'12		'14	'13	'01		'08	'19	15
16		'83			'47		'15	'16				'32	16
17		'38			'34			'01				'01	17
18		'53			'04			'01			'01		18
19	'24	'04			'15		'06						19
20	'01			'10	'07							'03	20
21		'36					'08			'95		'14	21
22	'24	'21	'34	'02			'64			'01		'25	22
23	'24	'02	'16				'13		'26	'52		'72	23
24	'02		'01	'02			'90		'86	'30		'75	24
25				'06		'04						'21	25
26		'09				'16	'19					'85	26
27	'01	'01				'01				'34		'03	27
28		'09				'28	'01		'49	'03		'03	28
29						'24	'03	'01		'13	'42	'10	29
30	'16	~~X~~				'06				'53	'37	'19	30
31	'01	~~X~~		~~X~~		~~X~~	'01	'27	~~X~~	'84	~~X~~	'37	31
Total	3.33	6.82	'93	1.22	2.96	'82	4.14	1.07	2.58	5.56	4.05	8.65	42.13
Rain Days.	22	23	10	14	10	7	15	11	7	15	10	26	170

REGISTER OF RAINFALL IN 19

Kept at Christchurch Winkton
in the County of Dorset
by Miss Russell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL.
23. MAR. 1911

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'11	'07	'09		'59				'36	'15	'31		1
2	'28	'37	'05		'06		'01		'01	'22	'07		2
3	'02	'58	'03		'01					'65	'23		3
4	'25	'11			'02	'28			'31	'01	'41		4
5	'04	'07	'02		'26	'07			trace	'08	'59		5
6	trace	'06	'03		'02	'13	'36			'07	'70		6
7	'02	trace	'48		'03	'11	trace			'07	'69	'08	7
8	trace	'04	'02		'26					'01	'04	'55	8
9	'01	'01	trace		'04	'13					'01	'23	9
10	'02	'61	'02	'05	'05	'02	'21		trace		'02	'04	10
11	'12	'01	'02	'09	'01	'04	'01				trace	'12	11
12		'11	trace	'05	'06	trace	'10	'04		'03	'02	'01	12
13		'17	'11	'03	trace					'02	'01		13
14	trace	'61	'02		'05					'02			14
15	trace	'23	'13					trace		'01			15
16	'09	'04	'05	'09				'71		'02			16
17	'15	'28	'01	'16				'07	'17	'71	'34		17
18	'03	'05	'09	'03				'11	'12	'05	'25	'30	18
19	'09	trace	'36	'08				trace	'04		'15	'01	19
20	'13	'11	'56	'06							'04	'30	20
21	'01	'26	'26	'01			'08					'25	21
22	trace	'01	'02			trace	'01			'12	'01	'65	22
23	'02	'08				'11		'06		'07	'22	'01	23
24		'04			'21			'06		'38	'01	'38	24
25		'58	'14					'39	'05	'03	'07	'01	25
26	'04	'18	'02			'16		'08	'06	'52	'01	'01	26
27	trace	'03	'81			'62		'03	'45	'34			27
28		'35	'03	'14		trace		'08	'25	'25	'01	'25	28
29		'60	'04			'47		<u>1'94</u>	'28	'25	trace	'32	29
30		X	'01					'05	'01	'52		'01	30
31		X		X		X		'06	X	'18	X	'02	31
Total	1'43	5'66	3'42	0'79	1'67	2'14	0'78	3'66	2'11	4'78	4'21	4'55	35'20
Rain Days.	18	27	25	11	14	11	7	13	12	25	22	19	204
													203

REGISTER OF RAINFALL IN 1917

Kept at Winton Lodge
in the County of Southampton
by Jane Lassell

Lat. N 50° 45' 42" Long. W 1° 46' 11"
Time of Observation 9 A.M.
Nearest Railway Station Christchurch
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level 37 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			'09	'10		'06		1'16			'06		1
2			'01	1'24				'04		'04			2
3	'04			'04			'33	'11		'12	'11		3
4			'32				'01	'01		'19		'04	4
5	'08		'05	'21		'04		'24	'23	'15	'12		5
6	'01		'26	'02					'02	'08	'11	'02	6
7	'39						'28	'02		'40	'02	'06	7
8	'34		'12	'03			'68	'28	'02	'46	'22	'24	8
9	'01		'14		'01		'01	'01	'04	'04	'09	'02	9
10	'10		'30	'30	'02			'13		'01			10
11	'05		'55	'20						'26			11
12			'03	'02	'06			'13		'21	'03	'01	12
13			'23					'05	'01	'03	'01		13
14			'02	'05									14
15					'08			'38		'20		'05	15
16		'21		'21	'02			'01		1'35		'66	16
17		'03		'08	'02	'02	'34	'14	'41	'13			17
18		'04		'01	'02	'12	'12	'02	'35	'02			18
19		'22	'09			'04		'04	'24				19
20		'09	'18		'24	'01		'08	'03				20
21		'01	'12		'01					'07			21
22	'03		'11					'08		'14			22
23		'18	'01		'10			'14				'04	23
24		'33				'12	'23			'22	'01	'01	24
25		'10	'02				'03		'02	'02			25
26		'01	'04		'13			'63	'05	'02	'03		26
27					'52	'18		1'13			'01	'02	27
28		'01	'07		'34	'89		'20				'02	28
29		X	'02		'21	'12	'21	'03		'61		'09	29
30		X	'35		'01	'02	'63	'25		'01			30
31		X	'03	X		X	'03	'07	X	'18	X	'02	31
Total	1'05	1'23	3'16	2'51	1'79	1'62	2'90	5'38	1'42	4'96	'82	1'30	28'14
Rain Days.	9	11	23	13	15	11	12	25	11	24	12	14	28'14

made
Kept at *East Close*
in the County of *Sand*
by *Col. A.M. De*

NOTE.—Rain should be meas
of rain and particulars as to the E
to Dr. H. R. MILL, 62, Camden S

CHRISTCHURCH
EAST CLOSE
HANTS
1912 - 1916

FORM A.
BRITISH RAINFALL
to *Admiral* JAN 1913
in.
ound *1* ft. in.
Level *185* ft.
structions for the measurement
sent post-free on application

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. —	in. —	in. .03	in. —	in. .01	in. .21	in. .31	in. .25	in. —	in. .83	in. —	in. .29	1
2	—	—	.17	.01	—	.02	.34	—	—	—	.03	—	2
3	—	—	.02	—	—	.18	.05	.64	—	—	.04	—	3
4	.13	.03	.47	—	—	.39	—	.03	—	—	.31	—	4
5	.47	.25	.22	—	—	—	—	.58	—	—	.04	.07	5
6	.53	.03	—	—	.01	—	.03	.29	—	—	—	.05	6
7	—	.38	.07	—	.20	.48	—	.02	—	—	—	.06	7
8	.51	.24	.21	.06	.27	—	—	.13	—	—	—	.02	8
9	—	.13	.20	—	—	.04	—	.02	—	—	—	.27	9
10	.01	.06	—	—	—	—	.04	.29	—	—	.03	.40	10
11	.08	.19	—	—	—	.18	.01	.35	—	—	—	.35	11
12	.03	.02	.18	.02	.35	.62	.16	.14	—	—	—	—	12
13	—	—	—	—	—	—	—	.04	—	.03	.03	.09	13
14	.14	.34	.13	—	—	—	—	.09	—	—	—	—	14
15	.10	.01	.09	—	.03	.63	—	.02	—	—	—	.25	15
16	1.01	—	.24	—	.10	—	—	.19	—	.10	.06	—	16
17	.77	—	.23	—	—	.07	—	.66	—	—	—	.20	17
18	.13	.06	.26	—	—	—	—	.34	—	—	—	.02	18
19	.04	.04	.11	—	—	.02	.05	.41	—	—	—	—	19
20	.01	.14	.34	—	—	.07	.02	.12	—	.41	.04	—	20
21	—	.46	.18	—	.27	—	—	.09	—	.11	—	—	21
22	.08	.10	.03	—	—	—	(.10)	.22	—	—	—	.08	22
23	.52	.05	.28	—	—	.04	—	.65	—	.12	.18	.21	23
24	.40	—	—	—	—	.08	—	.11	—	—	—	.22	24
25	.17	.07	.02	—	—	.27	—	.41	—	.11	.36	.70	25
26	—	—	—	—	—	—	.04	.39	—	.42	.53	.33	26
27	—	.15	—	.02	—	.09	.19	—	—	.45	—	.46	27
28	—	.11	—	—	—	.23	.17	.45	.07	.88	.35	.30	28
29	—	—	—	—	—	—	.52	.15	1.45	.11	—	.01	29
30	—	—	—	—	—	—	.20	.09	.89	.26	—	—	30
31	—	—	.35	—	—	—	.39	.07	—	—	—	.08	31
Total	5.13	3.05✓	3.83	0.11	1.24	4.62	2.62✓	7.24	2.41	3.83	2.00	4.46	TOTAL for year 40.54 40.54 182
No. of Rain Days.	18	21✓	21	4	8	17	16	29	3	12	12	21	

RE

Kept at East Close, Christchurch

in the County of Southampton ³

by Col. A.M. Blake

Nearest Railway Station Admiral

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 185 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A.
BRITISH RAINFALL.
JAN 1913

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. —	in. —	in. .03	in. —	in. .01	in. .21	in. .31	in. .25	in. —	in. .83	in. —	in. .29	1
2	—	—	.17	.01	—	.02	.34	—	—	—	.03	—	2
3	—	—	.02	—	—	.18	.05	.64	—	—	.04	—	3
4	.13	.03	.47	—	—	.39	—	.03	—	—	.31	—	4
5	.47	.25	.22	—	—	—	—	.58	—	—	.04	.07	5
6	.53	.03	—	—	.01	—	.03	.29	—	—	—	.05	6
7	—	.38	.07	—	.20	.48	—	.02	—	—	—	.06	7
8	.51	.24	.21	.06	.27	—	—	.13	—	—	—	.02	8
9	—	.13	.20	—	—	.04	—	.02	—	—	—	.27	9
10	.01	.06	—	—	—	—	.04	.29	—	—	.03	.40	10
11	.08	.19	—	—	—	.18	.01	.35	—	—	—	.35	11
12	.03	.02	.18	.02	.35	.62	.16	.14	—	—	—	—	12
13	—	—	—	—	—	—	—	.04	—	.03	.03	.09	13
14	.14	.34	.13	—	—	—	—	.09	—	—	—	—	14
15	.10	.01	.09	—	.03	.63	—	.02	—	—	—	.25	15
16	1.01	—	.24	—	.10	—	—	.19	—	.10	.06	—	16
17	.77	—	.23	—	—	.07	—	.66	—	—	—	.20	17
18	.13	.06	.26	—	—	—	—	.34	—	—	—	.02	18
19	.04	.04	.11	—	—	.02	.05	.41	—	—	—	—	19
20	.01	.14	.34	—	—	.07	.02	.12	—	.41	.04	—	20
21	—	.46	.18	—	.27	—	—	.09	—	.11	—	—	21
22	.08	.10	.03	—	—	—	(.10)	.22	—	—	—	.08	22
23	.52	.05	.28	—	—	.04	—	.65	—	.12	.18	.21	23
24	.40	—	—	—	—	.08	—	.11	—	—	—	.22	24
25	.17	.07	.02	—	—	.27	—	.41	—	.11	.36	.70	25
26	—	—	—	—	—	—	.04	.39	—	.42	.53	.33	26
27	—	.15	—	.02	—	.09	.19	—	—	.45	—	.46	27
28	—	.11	—	—	—	.23	.17	.45	.07	.88	.35	.30	28
29	—	—	—	—	—	—	.52	.15	1.45	.11	—	.01	29
30	—	—	—	—	—	—	.20	.09	.89	.26	—	—	30
31	—	—	.35	—	—	—	.39	.07	—	—	—	.08	31
Total	5.13	3.05	3.83	0.11	1.24	4.62	2.62	7.26	2.41	3.83	2.00	4.46	TOTAL for year 40.54
No. of Rain Days.	18	21	21	4	8	17	16	29	3	12	12	21	40.54 1.82

REGISTER OF RAINFALL IN 1913

Kept at *East Close, Christchurch*
in the County of *Southampton*
by *Col: A. M. Blake*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Hinton Admiral*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *185* ft.

BRITISH RAINFALL FORM A.
12 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.53	.12	.26	—	.52	—	—	.65	—	.17	.01	1
2	—	.08	.01	—	—	—	—	—	.03	.23	.06	.02	2
3	.10	—	.06	.19	.51	—	—	—	—	.03	—	.10	3
4	.64	—	.05	—	.38	.06	.06	—	1.17	.34	.12	.02	4
5	.51	.20	.02	—	.01	—	.05	—	.67	.05	.18	.08	5
6	.06	.10	.03	—	.08	.15	—	—	—	.05	.03	.49	6
7	—	.27	—	—	.24	—	—	—	—	.56	.21	—	7
8	—	.15	—	—	.20	.06	.03	—	—	.45	—	.11	8
9	—	.07	—	—	—	.04	.18	.02	.05	.09	.17	—	9
10	.15	—	—	.08	—	—	.05	—	—	.09	.62	—	10
11	.79	—	—	.24	.11	—	—	—	—	.35	.36	—	11
12	—	—	—	—	.48	—	—	—	—	—	.28	—	12
13	.24	—	.11	—	—	.04	—	.01	.16	—	.16	—	13
14	.24	—	.11	—	—	—	—	—	.08	—	—	—	14
15	.13	.14	.30	.57	—	—	.18	—	.70	—	—	—	15
16	.36	.01	.40	.15	—	—	—	—	.04	—	.02	—	16
17	.30	—	—	.08	—	—	.02	—	—	—	.04	—	17
18	—	—	.25	.12	—	—	.01	—	—	—	.07	—	18
19	.60	—	—	—	.04	.16	—	—	.27	—	—	—	19
20	.05	—	.53	.12	—	—	—	—	—	1.25	.11	—	20
21	—	—	.37	.30	—	—	.02	—	—	.14	.70	—	21
22	.43	—	.16	—	—	—	—	.09	.25	.07	—	.05	22
23	.02	—	—	—	—	.04	—	—	—	—	.08	.85	23
24	.05	—	—	.20	—	—	—	—	—	—	—	—	24
25	—	.04	—	.19	—	—	—	—	—	—	.01	—	25
26	—	.01	—	.20	—	—	—	.23	—	.33	—	.25	26
27	.03	—	.25	.04	—	—	—	.01	—	—	—	.01	27
28	.22	—	.05	.15	—	—	—	—	—	.32	—	—	28
29	.14	X	.18	.39	.60	—	—	.05	—	.42	—	—	29
30	.52	X	—	.02	—	—	—	—	—	.26	—	—	30
31	.05	X	—	X	—	X	—	.81	X	.07	X	—	31
Total	5.40	1.60	3.00	3.30	2.65	1.07	0.60	1.32	4.07	5.60	3.39	1.99	YEARS TOTAL 33.49
Rain Days.	22	11	13	17	10	8	9	7	11	18	18	11	159

33.49

end for auth 20.11.15

REGISTER OF RAINFALL IN 1914

Kept at East Close. Christchurch
in the County of Hants 3 W
by Col. A. M. Blake

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hinton Admiral
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.06	—	—	—	—	.40	—	—	.18	.06	1
2	—	—	.01	—	.03	.01	.17	.24	—	—	.74	.25	2
3	—	—	—	.06	.46	—	.11	.23	—	—	.13	.03	3
4	.09	—	.02	.26	.04	—	.12	.05	—	—	.78	.30	4
5	—	—	—	.21	.06	—	—	.05	—	—	.27	—	5
6	.02	—	.05	.16	.04	—	.67	—	—	—	.16	.63	6
7	—	.21	—	.14	—	.03	.18	.09	—	—	—	.25	7
8	—	.34	.08	.09	—	.11	.17	.11	—	—	—	.03	8
9	.03	.35	.60	.35	.01	—	—	—	.22	—	—	1.35	9
10	.04	.01	.64	.10	.12	—	—	—	.33	—	.03	—	10
11	—	.30	—	—	.05	—	.25	—	—	—	.09	.59	11
12	—	.28	.59	—	—	—	—	—	.56	.09	—	.81	12
13	—	.08	.17	—	—	—	—	—	.11	—	.12	.71	13
14	—	.39	.20	—	—	1.06	.24	.33	—	.56	.35	.52	14
15	—	.31	.17	—	—	—	.51	.67	.02	.03	.41	—	15
16	—	—	.19	—	—	—	.11	—	.26	—	—	—	16
17	—	—	—	—	—	—	—	—	—	—	—	.42	17
18	—	.49	.15	—	—	—	.05	—	.04	—	—	.72	18
19	—	.05	.27	—	—	—	1.04	—	—	—	—	.15	19
20	—	.05	.75	—	—	.05	—	—	—	—	—	.23	20
21	—	.48	.32	—	—	—	—	—	—	.18	—	.02	21
22	—	.40	—	—	.12	.02	.14	.03	—	.10	—	—	22
23	—	.11	.05	—	—	.31	—	—	—	.13	—	—	23
24	—	.14	.31	—	.18	—	—	—	—	.03	.21	.03	24
25	.04	.09	.03	—	—	—	.16	.48	—	.35	.04	.30	25
26	—	.01	.23	—	—	—	.05	.10	—	.09	.15	.62	26
27	.05	—	.01	—	—	—	—	—	—	—	.06	.44	27
28	—	—	—	—	.04	—	—	—	—	.16	.33	.45	28
29	.17	X	.25	.04	—	—	—	—	—	.28	.21	.02	29
30	—	X	.08	—	—	—	—	—	—	.21	.76	.49	30
31	.07	X	.06	X	.01	X	.06	—	X	.38	X	.05	31
Total	0.51	4.09	5.29	1.41	1.16	1.59	4.03	2.78	1.54	2.59	5.02	9.47	YEAR'S TOTAL 39.58 39.48
Rain Days.	8	18	24	9	12	7	16	12	7	13	18	25	169

W DP Cor. for mile 24.2.16.
REGISTER OF RAINFALL IN 1915

Kept at East Close, Christchurch
in the County of Hants
by Col. A. E. Blake

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hinton Admiral
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 185 ft.

FORM A.
BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47	.01	.12	—	—	—	—	—	.68	.40	—	.20	1
2	.27	.28	—	—	.01	.04	—	.13	—	.49	—	—	2
3	.32	.29	.15	—	.14	—	—	.01	—	.06	—	.43	3
4	.01	—	.14	—	—	—	—	—	—	—	—	.61	4
5	.03	—	—	.06	—	—	—	.21	—	—	—	.57	5
6	.72	.46	—	.03	—	—	.67	.05	—	—	—	.19	6
7	.20	.13	—	.27	—	—	.13	—	—	—	—	.44	7
8	.05	.51	.01	.13	—	—	.05	.05	—	—	—	.09	8
9	—	.61	—	.35	—	.03	—	—	—	—	.44	.80	9
10	.27	.07	—	—	—	—	—	—	—	.03	—	.24	10
11	.01	.03	.03	.04	—	—	—	—	—	—	1.06	—	11
12	.14	—	.08	.18	.58	—	—	—	—	.04	.73	—	12
13	.02	.45	—	—	1.40	—	—	—	.12	—	.05	—	13
14	.06	.41	—	—	—	—	.25	.01	.07	—	—	.78	14
15	.07	.02	—	—	.12	—	.12	.08	—	—	—	.23	15
16	—	.02	—	—	.33	—	1.29	.08	—	—	—	.44	16
17	—	.83	—	—	.51	—	—	—	—	—	—	—	17
18	—	.39	—	—	.04	—	.01	—	—	—	.01	—	18
19	—	.54	—	—	.24	—	.07	—	—	—	—	—	19
20	—	.13	—	.14	.02	—	—	—	—	—	—	.05	20
21	.25	—	—	—	—	—	.07	—	—	.89	—	.11	21
22	—	.45	—	.03	—	—	.73	—	.02	—	—	.21	22
23	.33	.23	.43	—	—	.05	.11	—	.29	.67	—	.73	23
24	—	.01	.25	.02	—	—	1.01	—	1.11	.82	—	.53	24
25	—	—	—	.04	—	.02	—	—	.05	—	—	.16	25
26	—	—	.01	—	—	.21	.31	—	—	—	—	.94	26
27	.02	.09	—	—	—	.01	—	—	—	.42	—	.02	27
28	—	.2	—	—	—	.23	—	—	.71	.03	—	.01	28
29	—	~~X~~	—	—	—	.02	.09	.02	—	.05	.39	.08	29
30	—	~~X~~	—	—	—	.11	—	—	—	.73	1.01	.19	30
31	.17	~~X~~	—	~~X~~	—	~~X~~	.01	.34	~~X~~	.71	~~X~~	.34	31
Total	3.41	5.98	1.22	1.28	3.39	0.72	4.92	0.98	3.05	5.34	3.69	8.39	YEAR'S TOTAL 42.38 42.38
Rain Days.	18	22	9	11	10	9	15	10	8	13	7	24	156

REGISTER OF RAINFALL IN 1916

Kept at East Close, Christchurch
 in the County of Hants
 by Cot. A. M. Blake

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Hinton Admiral
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 185 ft.

FORM A.
 BRITISH RAINFALL
 14 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.08	.06	-	.70	.02	-	-	.33	.19	.32	-	1
2	.29	.59	.03	-	.16	-	.02	-	-	.27	.204	-	2
3	.02	.51	-	-	-	-	-	-	-	.71	.27	-	3
4	.29	.17	-	-	.08	.34	-	-	-	-	.47	-	4
5	.05	.02	.04	-	.21	.19	-	-	.30	.13	.60	-	5
6	-	.06	.57	-	.02	.12	.51	-	-	.07	.61	-	6
7	.01	-	-	-	.05	.08	-	-	-	.04	.78	.11	7
8	-	.05	-	-	.39	-	-	-	-	-	.03	.58	8
9	-	-	-	-	.02	.17	-	-	-	-	.01	.44	9
10	-	.74	.03	.06	.05	.11	.19	-	-	-	.02	.08	10
11	.02	-	.02	.12	-	.04	-	-	-	-	-	.16	11
12	.03	.10	-	.05	.06	-	.10	.05	-	.03	-	-	12
13	-	.20	.18	.02	-	-	-	-	-	-	-	-	13
14	-	.63	-	-	.06	-	-	-	-	.01	-	-	14
15	-	.02	.10	-	-	-	-	.09	-	.02	-	-	15
16	.09	.05	.05	.12	-	-	.01	.67	-	-	-	.03	16
17	.15	.25	-	.16	-	-	-	.10	.40	1.01	.37	-	17
18	-	.03	.11	.03	-	-	-	.07	.06	-	-	.27	18
19	.12	.14	.33	.04	-	-	-	-	-	-	.23	-	19
20	.17	.23	.63	.17	-	-	-	-	-	-	.25	1.43	20
21	-	-	.36	-	-	-	.12	-	-	-	-	.21	21
22	-	-	-	-	-	-	-	-	-	.21	-	.77	22
23	.03	.03	-	-	-	.08	-	.05	-	.03	.20	-	23
24	-	-	-	-	.34	-	-	.10	-	.32	.09	.37	24
25	-	-	.09	-	-	.22	-	.38	.03	-	.05	-	25
26	.04	.63	-	-	-	-	-	.04	.04	.66	-	-	26
27	-	-	.89	-	-	.39	-	-	.51	.30	-	-	27
28	-	.23	.05	.16	-	-	-	.22	.20	.41	.02	.30	28
29	-	.58	.04	-	-	.59	-	2.03	.28	.21	-	.36	29
30	-	~~X~~	-	-	.04	-	-	.01	-	.53	-	-	30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	.05	~~X~~	.26	~~X~~	-	31
Total	1.42	5.34	3.68	0.93	2.18	2.35	.95	3.86	2.15	5.41	4.36	5.11	YEARS TOTAL 37.04
Rain Days.	14	21	17	10	13	12	6	13	9	19	15	13	164

Kept at ~~Hurn Bridge Hse~~
in the County of ~~Han~~
by ~~G. W. J. Drac~~

CHRISTCHURCH
HURN BRIDGE HSE.

1912 - 1915

IMPORTANT NOTE
previous day. If an

requested to add the reading at 9 a.m. on 1st day.
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

BRITISH RAINFALL FORM A.
entered ~~13~~ ~~same day~~ ~~1913~~
in.
round ft. in.
Level ft.
The result entered to the
rule, he is earnestly
in the space provided
Jan. 1, following.
02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.12	.53	-	-	.22	.01	.05	.84	.04	-	1
2	-	-	.04	-	-	.25	.43	-	.02	.84	-	.25	2
3	-	.01	.13	.01	-	.03	.03	{1.09}	-	.01	.02	-	3
4	-	-	.05	-	-	.19	-		.01	-	.02	.03	4
5	.14	.05	.55	-	.01	.54	-	-	-	-	.28	-	5
6	.44	.17	.22	-	.01	.02	.08	.83	.02	-	.08	.07	6
7	.64	.04	.03	-	.18	.46	.02	.18	-	-	-	.04	7
8	.02	.48	.16	-	.23	.31	-	{.53}	-	-	-	.06	8
9	.52	.25	.23	.02	-	.03	.01		-	-	-	.02	9
10	.02	.10	.23	.10	-	.03	.02	{.34}	-	-	-	.31	10
11	.01	.06	-	-	-	.47	.02		-	-	.01	.44	11
12	.19	.17	-	-	-	1.35	.08	-	-	.01	-	.32	12
13	.05	.22	.11	.05	.56	-	.04	-	-	-	.02	-	13
14	-	.01	-	-	-	.01	-	{.24}	-	.03	.04	.08	14
15	.13	-	.17	-	-	.52	-		-	.02	-	-	15
16	.20	.33	.07	-	.02	.05	-	.02	-	-	-	.22	16
17	.86	.02	^{1.30} ~~.22~~	-	.10	.06	-	.20	-	.10	.08	.01	17
18	.86	-	.22	-	-	-	-	.75	-	-	-	.09	18
19	.07	-	.25	-	-	.12	.07	.20	-	.01	.01	.03	19
20	.03	.09	.20	-	-	-	.06	.22	-	.01	.03	-	20
21	.01	.06	.37	-	.05	-	-	.06	-	.44	.02	-	21
22	.01	.12	.26	-	.23	-	.06	.11	-	.14	-	-	22
23	.10	.44	.10	-	-	.03	-	.23	-	.04	-	.10	23
24	.34	.23	.27	-	-	.06	-	.63	-	.16	.18	.26	24
25	.54	.06	.01	-	-	.49	-	.45	-	.02	-	.47	25
26	.18	-	.01	-	-	.03	^{.15} ~~.28~~	.29	-	^{.13} ~~.55~~	.41	.33	26
27	-	.06	-	-	-	^{.16} ~~.17~~	^{.11} ~~.11~~	.16	-	^{.35} ~~.62~~	.48	.53	27
28	-	-	-	-	-	.07	.12	-	-	.62	-	.38	28
29	-	.14	-	-	-	.01	.37	.47	.10	.83	.34	.35	29
30	-	-	-	-	-	.03	.08	.05	2.79	.17	.03	.01	30
31	-	-	-	-	-	-	.34	.02	-	.17	-	-	31
Total	5.36	3.11	4.10	0.71	1.39	5.32	2.31	6.77	2.99	5.14	2.09	4.40	YEARS TOTAL
Rain Days.	5.36	3.23	4.51	1.8	1.39	5.54	2.10	6.81	3.78	4.34	2.05	4.42	4369
	21	21	23	5	9	24	19	27	6	20	17	22	2167
		22		4		25				16	23	43.71	215

✓ W 19 REG 6.11.13

Kept at ~~Horn~~ Bridge House, Christchurch,
Hants.
in the County of Hampshire: 2
by B. W. J. Drace.

Time of Observation 9.10 entered same day
Nearest Railway Station Horn
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

13 JAN 1913
BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.12	.53	-	-	.22	.01	.05	.84	.04	-	1
2	-	-	.04	-	-	.25	.43	-	.02	.84	-	.25	2
3	-	.01	.13	.01	-	.03	.03	{1.09}	-	.01	.02	-	3
4	-	-	.05	-	-	.19	-		.01	-	.02	.03	4
5	.14	.05	.55	-	.01	.54	-	{.53}	-	-	.28	-	5
6	.44	.17	.22	-	.01	.02	.08	.82	.02	-	.08	.07	6
7	.64	.04	.03	-	.18	.46	.02	.18	-	-	-	.04	7
8	.02	.48	.16	-	.23	.31	-	{.34}	-	-	-	.06	8
9	.52	.25	.23	.02	-	.03	.01		-	-	-	.02	9
10	.02	.10	.23	.10	-	.03	.02	{.24}	-	-	-	.31	10
11	.01	.06	-	-	-	.47	.02		-	-	.01	.44	11
12	.19	.17	-	-	-	1.35	.08	-	-	.01	-	.32	12
13	.05	.22	.11	.05	.56	-	.04	-	-	-	.02	-	13
14	-	.01	-	-	-	.01	-	{.24}	-	.03	.04	.08	14
15	.13	-	.17	-	-	.52	-		-	.02	-	-	15
16	.20	.33	.07	-	.02	.05	-	.02	-	-	-	.22	16
17	.86	.02	^{1.30} ~~.22~~	-	.10	.06	-	.20	-	.10	.08	.01	17
18	.86	-	.22	-	-	-	-	.75	-	-	-	.09	18
19	.07	-	.25	-	-	.12	.07	.20	-	.01	.01	.03	19
20	.03	.09	.20	-	-	-	.06	.22	-	.01	.03	-	20
21	.01	.06	.37	-	.05	-	-	.06	-	.44	.02	-	21
22	.01	.12	.26	-	.23	-	.06	.11	-	.14	-	-	22
23	.10	.44	.10	-	-	.03	-	.23	-	.04	-	.10	23
24	.34	.23	.27	-	-	.06	-	.63	-	.16	.18	.26	24
25	.54	.06	.01	-	-	.49	-	.45	-	.02	-	.47	25
26	.18	-	.01	-	-	.08	^{.15} ~~.08~~	.29	-	^{.13} ~~.55~~	.41	.33	26
27	-	.06	-	-	-	^{.16} ~~.16~~	^{.11} ~~.11~~	.16	-	^{.35} ~~.62~~	.48	.53	27
28	-	-	-	-	-	.07	.12	-	-	.62	-	.38	28
29	-	.14	-	-	-	.01	.37	.47	.10	.83	.34	.35	29
30	-	-	-	-	-	.03	.08	.05	2.79	.17	.03	.01	30
31	-	-	-	-	-	-	.34	.02	-	.17	-	-	31
Total	5.36	3.11	4.10	0.71	1.39	5.32	2.31	6.77	2.99	5.14	2.09	4.46	YEAR'S TOTAL 43.69
Rain Days.	5.36	3.23	4.51	1.2	1.39	5.54	2.10	6.81	3.78	4.34	2.95	4.42	2167
	21	21	23	5	9	21	19	27	6	20	17	22	215
		22		4		25				16	23	43	

REGISTER OF RAINFALL IN 1913

Kept at *Hurn Bridge House, Christchurch.*
in the County of *Hants.*
by *C.W.D. Drake.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Hurn.*
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level *30* ft.

BRITISH RAINFALL FORM A.
-6 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Entered to previous day.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.40	.16	.32	—	.18	—	—	.58	.01	.26	.02	1
2	.04	.08	—	.02	—	—	—	—	.03	.59	.09	.05	2
3	.18	—	.03	.19	.34	—	—	—	.01	.02	—	.10	3
4	.64	—	.05	—	.28	.02	.04	—	.98	.53	.06	.03	4
5	.37	.08	.04	—	.05	.07	.07	—	.57	.21	.23	.05	5
6	.04	.13	.03	—	.15	.15	.10	—	.01	.65	.02	.48	6
7	—	.32	.02	—	.33	.08	.02	—	—	.48	.21	—	7
8	.04	.14	—	—	.24	.02	.02	—	—	—	—	.05	8
9	.01	.11	—	—	—	—	.18	.16	.06	.07	.22	—	9
10	.13	.01	—	.03	—	.01	.12	—	—	.06	.59	—	10
11	1.06	.01	.01	.27	.19	—	—	—	—	.25	.32	.01	11
12	—	—	.01	—	.54	—	—	—	.02	—	.47	—	12
13	.22	.01	.06	—	—	.05	—	—	.11	—	.18	—	13
14	.39	.01	.14	.02	—	—	—	—	.07	—	.02	—	14
15	.19	.11	.36	.66	—	—	1.04	.02	.57	—	—	.02	15
16	.26	—	.43	.14	—	.02	—	—	.04	—	—	—	16
17	.10	—	—	.11	—	—	—	—	.03	—	.01	.02	17
18	—	—	.28	.10	—	—	—	—	—	—	.06	—	18
19	.65	—	.08	—	.02	.19	—	—	.30	.03	—	—	19
20	.11	—	.40	.14	—	—	—	—	—	.87	.12	—	20
21	—	—	.24	.50	.02	—	.04	—	—	.27	.68	—	21
22	.46	—	.23	—	—	—	—	.09	.28	—	—	—	22
23	.01	—	.04	—	—	.08	—	—	—	—	.06	.07	23
24	.06	.01	.01	.23	—	.01	—	—	—	—	.02	.81	24
25	—	.14	—	.25	—	—	—	—	—	—	.01	—	25
26	—	.03	—	.30	—	—	—	.11	—	.26	.01	.01	26
27	.04	—	.23	.07	—	—	—	—	—	.02	—	.24	27
28	.22	—	.05	.16	—	—	—	—	—	.23	—	.01	28
29	.15	—	.22	.87	.25	—	—	.04	—	.26	—	—	29
30	.60	—	—	.02	.07	—	—	.76	—	.45	—	—	30
31	.08	—	.04	—	.02	—	—	—	—	.07	—	—	31
Total	6.11	1.59	3.16	4.40	2.50	.88	1.63	1.18	3.66	5.33	36.4	1.97	36.05
Rain Days.	25	15	23	19	13	12	9	6	15	19	20.	15	191
													189

REGISTER OF RAINFALL IN 1914

BRITISH FORM A.
JAN 1915
RAINFALL

Kept at Hun Bridge House
in the County of Southampton Hampshire
by John A. Arnold-Foster

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hun
Diameter of Rain Gauge 2 9 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Entered
to previous
day.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.07	—	—	—	—	.56	—	—	.28	.12	1
2	—	—	.01	—	.02	.03	.24	—	—	—	.79	.37	2
3	—	—	—	.07	.44	—	.03	.03	—	—	.21	.08	3
4	.08	—	.02	.24	.05	—	.13	.22	—	—	.48	.35	4
5	.05	—	.01	.19	.07	—	.58	.07	—	—	.20	—	5
6	—	.21	.05	.22	.05	—	.12	.04	—	—	.11	.49	6
7	.03	.63	.06	.12	.01	.03	.15	.04	—	—	—	.47	7
8	.02	.27	.53	.07	—	—	—	.15	.01	—	—	.07	8
9	.01	.01	.60	.17	—	—	—	—	.33	—	.01	1.07	9
10	.03	.39	.02	.12	.10	—	—	—	.31	—	—	.01	10
11	—	.32	.61	—	.04	.01	.33	—	—	—	—	.71	11
12	—	.06	.14	—	—	—	—	—	.47	—	.03	.73	12
13	—	.48	.25	—	—	—	—	—	.10	.14	.17	.72	13
14	—	.35	.22	—	—	.83	.28	—	—	.37	.49	.42	14
15	—	—	.18	—	—	—	.55	.46	—	.012	.34	—	15
16	—	—	—	—	—	—	.13	—	.02	—	—	—	16
17	—	.56	.23	—	—	—	—	—	.32	—	—	.56	17
18	—	.09	.30	—	—	—	.10	.38	.07	—	—	.67	18
19	—	.07	.56	—	—	—	1.10	—	—	—	.14	.10	19
20	—	.61	.36	—	—	—	—	—	—	—	—	.43	20
21	—	.49	.02	—	—	—	—	3.8	—	.21	—	.04	21
22	—	.03	.06	—	.15	.07	.11	—	—	.17	—	.29	22
23	—	.17	.37	—	—	.12	—	—	—	.13	—	.56	23
24	—	—	.03	—	.22	—	.15	—	—	.06	.09	—	24
25	.06	—	.21	—	—	—	.07	—	—	.36	.04	—	25
26	—	—	.04	—	—	—	—	.26	—	.08	.20	—	26
27	.05	—	.03	—	—	—	—	—	—	.2	.08	.46	27
28	.01	—	.03	—	.03	—	.31	—	—	.16	.37	.43	28
29	.19	—	.32	.02	.03	—	—	—	—	.28	.29	.03	29
30	.02	—	.12	—	.01	—	—	—	—	.18	1. in.	.71	30
31	.05	—	.11	—	—	—	—	—	—	.32	—	.08	31
Total	.60	4.74	5.56	1.22	1.02	1.09	4.38	2.29	1.63	2.80	5.31	9.92	48.56
Rain Days.	12	16	29	9	13	6	16	12	8	14	19	25	179

REGISTER OF RAINFALL IN 1915

Kept at Hurn Bridge House
in the County of Hants
by P. Trentham Maw

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hurn Station 6 1/2 m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 30 ft.

FORM A.
BRITISH RAINFALL
3 JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.32	.27	—	—	—	—	—	.01	.91	.35	.01	.22	1
2	.33	.19	.14	—	.01	.05	—	.21	.01	.36	—	.36	2
3	.36	.01	—	—	.13	—	—	—	—	.13	—	.50	3
4	—	—	—	—	—	—	—	—	—	—	—	.54	4
5	.06	.61	—	.11	—	—	—	.31	—	—	—	.73	5
6	.69	.13	—	.17	—	—	.62	.05	—	—	—	.32	6
7	.14	1.17	—	.04	—	—	.10	.06	—	—	—	.44	7
8	.04	.64	—	.02	—	—	—	—	—	—	.07	.04	8
9	—	.08	—	.17	—	.04	—	—	—	—	.42	.98	9
10	.31	.07	.02	—	—	—	—	.03	—	.12	—	.25	10
11	.01	.02	.05	.03	—	—	—	—	—	—	1.24	—	11
12	.12	.46	—	.21	.57	—	—	—	—	.09	.49	—	12
13	.02	.65	—	—	1.16	—	—	—	.12	—	—	—	13
14	.04	—	—	—	—	—	.42	.09	.05	—	—	.90	14
15	.08	.02	—	—	.13	—	.63	—	—	—	.12	.23	15
16	—	.95	—	—	.38	—	1.31	—	—	—	—	.44	16
17	—	.38	—	—	.37	—	—	—	—	—	—	—	17
18	—	.31	—	—	.05	—	—	—	—	—	—	—	18
19	—	.04	—	—	.19	—	.08	—	—	—	—	—	19
20	.26	—	—	.12	.09	—	—	.22	—	—	—	—	20
21	—	.37	—	—	—	—	.11	.01	—	.55	—	.86	21
22	.32	.22	.33	.01	—	—	.92	—	.01	—	—	.19	22
23	—	.02	.20	—	—	.06	.07	—	.21	.65	—	.30	23
24	.03	—	—	.04	—	—	.98	—	.77	2.26	—	.80	24
25	—	—	—	.02	—	.03	—	—	.04	—	—	.53	25
26	.03	.11	—	—	—	.13	.24	—	—	—	—	.32	26
27	—	.02	—	—	—	.01	—	—	—	.41	—	.87	27
28	—	.07	—	—	—	.27	—	—	.60	.05	.03	.03	28
29	—	—	—	—	—	.24	.06	—	—	.10	.34	.11	29
30	.20	X	—	—	—	.05	—	—	—	.57	.96	.25	30
31	—	X	—	X	—	X	—	.30	X	1.05	X	.35	31
Total	3.36	6.81	.74	1.24	3.08	.88	4.84	1.29	2.72	6.69	3.68	9.76	45.09
Rain Days.	19	23	5	11	10	9	12	10	9	13	9	24	153

unrotated
corrected
1912
RE
Kept at The Gorse-
in the County of Hants
by Donald W.

COLDEN COMMON
THE GORSE
HANTS

1912

BRITISH FORM A.
FORM A.
13 JAN 1913
Ford L & S
in.
d 2 ft. 0 in.
level 143 ft.
result entered to the
rule, he is earnestly
the space provided

IMPORTANT NOTE
previous day. If an observer is requested to add the result for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	13	.	.	.	2	.	2	64	.	35	1
2	.	1	8	.	.	36	49	24	.	.	.	.	2
3	.	.	1	.	.	8	.	52	.	.	2	.	3
4	12	.	60	.	1	25	1	1	.	.	23	.	4
5	25	13	23	.	2	15	1	59	.	.	.	4	5
6	54	15	.	.	15	.	5	14	.	.	.	1	6
7	.	3	.	.	13	95	.	30	.	.	.	.	7
8	42	34	46	.	.	36	.	6	.	.	.	.	8
9	2	23	12	.	.	14	.	6	.	.	.	48	9
10	1	4	.	.	.	.	.	15	.	.	12	28	10
11	9	10	16	.	.	.	.	1	.	.	1	36	11
12	2	22	.	.	38	31	.	16	.	.	1	.	12
13	.	30	1	.	.	.	.	24	.	2	2	3	13
14	.	14	3	.	.	1	.	8	.	1	.	1	14
15	2	10	22	.	4	61	.	1	.	.	.	44	15
16	15	1	28	.	.	1	.	18	.	9	.	.	16
17	40	.	12	.	.	4	8	45	.	.	.	4	17
18	2	.	24	.	.	2	.	24	.	4	1	.	18
19	3	8	18	.	.	.	10	28	.	.	.	.	19
20	1	1	24	.	.	.	2	18	.	41	4	.	20
21	.	9	35	.	.	.	.	10	.	24	.	.	21
22	8	51	2	.	40	.	.	25	.	14	.	.	22
23	34	31	26	.	10	3	.	42	.	8	21	5	23
24	24	2	.	.	.	23	.	26	.	.	.	25	24
25	14	.	1	.	.	66	.	44	.	.	21	22	25
26	.	1	.	.	.	1	36	18	.	41	48	54	26
27	.	2	.	.	.	14	30	.	.	51	.	36	27
28	.	2	.	.	.	24	4	46	8	45	48	54	28
29	.	19	.	.	.	8	34	.	166	9	.	34	29
30	.	✓	.	.	.	4	8	2	89	23	.	.	30
31	.	✓	24	✓	.	✓	29	25	✓	4	✓	.	31
Total	329	312	405	.	123	488	222	664	265	343	184	434	3363
Rain Days	18	23	21	.	8	418	14	28	4	15	12	17	3792

under
1975

cut for audit

REGISTER OF RAINFALL

FORM A
BRITISH RAINFALL

Kept at The Gore - Golden Common
in the County of Wiltshire - Swindon
by Donald Sigan

Lat. 51-0N Long. 1-17 1/2 W
Time of Observation 9 am
Nearest Railway Station Shawford L & S
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 143 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	13	.	.	.	2	.	2	64	.	35	1
2	.	1	8	.	.	36	49	24	.	.	.	.	2
3	.	.	1	.	.	8	.	52	.	.	2	.	3
4	12	.	60	.	1	25	1	1	.	.	23	.	4
5	25	13	23	.	2	15	1	59	.	.	.	4	5
6	54	15	.	.	15	.	5	14	.	.	.	1	6
7	.	3	.	.	13	95	.	30	.	.	.	.	7
8	42	34	46	.	.	36	.	6	.	.	.	.	8
9	2	23	12	.	.	14	.	6	.	.	.	48	9
10	1	4	.	.	.	.	.	15	.	.	12	28	10
11	9	10	16	.	.	.	.	1	.	.	1	36	11
12	2	22	.	.	38	31	.	16	.	.	1	.	12
13	.	30	1	.	.	.	.	24	.	2	2	3	13
14	.	14	3	.	.	1	.	8	.	1	.	1	14
15	2	10	22	.	4	61	.	1	.	.	.	44	15
16	15	1	28	.	.	1	.	18	.	9	.	.	16
17	40	.	12	.	.	4	8	45	.	.	.	4	17
18	2	.	24	.	.	2	.	24	.	4	1	.	18
19	3	8	18	.	.	.	10	28	.	.	.	.	19
20	1	1	24	.	.	.	2	18	.	41	4	.	20
21	.	9	35	.	.	.	.	10	.	24	.	.	21
22	8	51	2	.	40	.	.	26	.	14	.	.	22
23	34	31	26	.	10	3	.	42	.	8	21	5	23
24	24	2	.	.	.	23	.	26	.	.	.	25	24
25	14	.	1	.	.	66	.	44	.	.	21	22	25
26	.	1	.	.	.	1	36	18	.	41	48	54	26
27	.	2	.	.	.	14	30	.	.	51	.	36	27
28	.	2	.	.	.	24	4	46	8	45	48	54	28
29	.	19	.	.	.	8	34	.	166	9	.	34	29
30	.	✓	.	.	.	4	8	2	89	23	.	.	30
31	.	✓	24	✓	.	✓	29	25	✓	4	✓	.	31
Total	329	312	405	.	123	488	222	664	265	343	184	434	3363
Rain Days	18	23	21	.	8	21	14	28	4	16	12	17	3792

690

LL IN 1916

Lat. 50° 54' Long. 1° 6' 9" W (approx)
Time of Observation 9 a.m.
Nearest Railway Station Howlands Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft.
" " " " Sea Level 222 ft.
daily at 9 a.m. and the result entered to the
to this almost universal rule, he is earnestly
of the following year in the space provided

Jan. 1, following.

Rep COWPLAIN, FOREST VIEW

in th
by 1916-20

pre
req
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.04	.10	Nil	.22	.04	.01	Nil	.33	.23	.37	.01	1
2	.34	.16	.08	Nil	.13	Nil	.01	Nil	.11	.65	.03	Nil	2
3	.01	.53	.10	Nil	Nil	Nil	.04	Nil	.09	.77	.70	Nil	3
4	.14	.14	Nil	Nil	Nil	.44	Nil	Nil	.32	.01	.32	Nil	4
5	.04	.04	Snow	Nil	.14	.13	Nil	Nil	Nil	.07	.66	Nil	5
6	.01	.09	Snow	.04	.01	.08	.48	Nil	.01	.09	.51	Nil	6
7	.02	Nil	Snow	Nil	.06	.25	.05	Nil	.01	.16	.93	.07	7
8	Nil	Nil	.51	Nil	.50	Nil	Nil	Nil	.01	Nil	.02	.53	8
9	Nil	.01	Nil	Nil	.18	.04	Nil	Nil	Nil	Nil	Nil	.18	9
10	Nil	.71	.03	.05	.03	.07	.10	Nil	Nil	.10	.06	.08	10
11	.04	.06	.05	.20	Nil	.07	Nil	Nil	Nil	Nil	Nil	.09	11
12	.05	.06	.05	.09	.05	.02	.13	.03	Nil	.07	.02	Nil	12
13	Nil	.25	Nil	Nil	.01	.03	Nil	.04	Nil	.03	.01	Nil	13
14	Nil	.53	.04	Nil	.03	Nil	Nil	.03	Nil	.03	Nil	.03	14
15	Nil	.14	.20	.02	Nil	Nil	Nil	.15	Nil	.02	Nil	Nil	15
16	.09	.02	.19	.33	Nil	Nil	.12	.32	Nil	.02	Nil	Nil	16
17	.25	.33	Nil	.14	Nil	Nil	Nil	.14	.43	.95	Nil	.02	17
18	.01	.10	.03	.12	Nil	Nil	Nil	.05	.08	.09	.43	.16	18
19	.13	Nil	.13	.05	Nil	.08	Nil	Nil	.03	Nil	.37	.05	19
20	.17	Nil	.75	.09	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.87	20
21	Nil	Nil	.22	Nil	Nil	Nil	.06	Nil	Nil	Nil	Nil	.18	21
22	.01	Nil	.02	.01	.01	.03	Nil	Nil	Nil	.12	.03	.66	22
23	.04	.11	.02	.01	Nil	.56	Nil	.05	Nil	.04	.04	.01	23
24	Nil	Nil	Nil	Nil	.14	.02	Nil	.04	.01	.35	.16	Nil	24
25	Nil	.51	.22	Nil	Nil	Nil	Nil	.29	.97	.09	.04	Nil	25
26	.05	.16	Nil	Nil	Nil	.12	Nil	.31	.04	.45	Nil	.43	26
27	Nil	Nil	.74	Nil	Nil	.03	Nil	.07	.13	.29	Nil	Nil	27
28	Nil	.39	.09	Nil	Nil	Nil	Nil	.09	.30	.23	.05	.31	28
29	Nil	.30	Nil	Nil	Nil	.52	Nil	.71	.14	.44	Nil	.62	29
30	Nil	X	Nil	Nil	.20	Nil	Nil	.02	Nil	.18	Nil	.01	30
31	.01	X	Nil	X	Nil	X	Nil	.06	X	.18	X	.04	31
Total	1.49	4.68	3.57	1.05	1.71	2.53	1.00	2.40	3.01	5.66	4.75	4.15	26.00
Rain Days.	18	21	19	12	14	17	9	16	16	25	18	19	204
YEAR'S TOTAL													26.00

LL IN 1916

Lat. 50° 54' Long. 1° 6' 9" W (approx)
Time of Observation 9 a.m.
Nearest Railway Station Roslands Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. — in.
" " " " Sea Level 222 ft.

Kept at Cowplain, near Cosh
in the County of Hants
by Henry C. Pearson

BRITISH RAINFALL FORM A.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.04	.10	Nil	.22	.04	.01	Nil	.33	.23	.37	.01	1
2	.34	.16	.08	Nil	.13	Nil	.01	Nil	.11	.65	.03	Nil	2
3	.01	.53	.10	Nil	Nil	Nil	.04	Nil	.09	.77	.70	Nil	3
4	.14	.14	Nil	Nil	Nil	.44	Nil	Nil	.32	.01	.32	Nil	4
5	.04	.04	Trace	Nil	.14	.13	Nil	Nil	Nil	.07	.66	Nil	5
6	.01	.09	Trace	.04	.01	.08	.48	Nil	.01	.09	.51	Nil	6
7	.02	Nil	Trace	Nil	.06	.25	.05	Nil	.01	.16	.93	.07	7
8	Nil	Nil	.51	Nil	.50	Nil	Nil	Nil	.01	Nil	.02	.53	8
9	Nil	.01	Nil	Nil	.18	.04	Nil	Nil	Nil	Nil	Nil	.18	9
10	Nil	.71	.03	.05	.03	.07	.10	Nil	Nil	.10	.06	.08	10
11	.04	.06	.05	.20	Nil	.07	Nil	Nil	Nil	Nil	Nil	.09	11
12	.05	.06	.05	.09	.05	.02	.13	.03	Nil	.07	.02	Nil	12
13	Nil	.25	Nil	Nil	.01	.03	Nil	.04	Nil	.03	.01	Nil	13
14	Nil	.53	.04	Nil	.03	Nil	Nil	.03	Nil	.03	Nil	.03	14
15	Nil	.14	.20	.02	Nil	Nil	Nil	.15	Nil	.02	Nil	Nil	15
16	.09	.02	.19	.53	Nil	Nil	.12	.32	Nil	.02	Nil	Nil	16
17	.25	.33	Nil	.14	Nil	Nil	Nil	.14	.43	.95	Nil	.02	17
18	.01	.10	.03	.12	Nil	Nil	Nil	.05	.08	.09	.43	.16	18
19	.13	Nil	.13	.05	Nil	.08	Nil	Nil	.03	Nil	.37	.05	19
20	.17	Nil	.75	.09	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.87	20
21	Nil	Nil	.22	Nil	Nil	Nil	.06	Nil	Nil	Nil	Nil	.18	21
22	.01	Nil	.02	.01	.01	.03	Nil	Nil	Nil	.12	.03	.66	22
23	.04	.11	.02	.01	Nil	.56	Nil	.05	Nil	.04	.04	.01	23
24	Nil	Nil	Nil	Nil	.14	.02	Nil	.04	.01	.35	.16	Nil	24
25	Nil	.51	.22	Nil	Nil	Nil	Nil	.29	.97	.09	.04	Nil	25
26	.05	.16	Nil	Nil	Nil	.12	Nil	.31	.04	.45	Nil	.43	26
27	Nil	Nil	.74	Nil	Nil	.03	Nil	.07	.13	.29	Nil	Nil	27
28	Nil	.39	.09	Nil	Nil	Nil	Nil	.09	.30	.23	.05	.31	28
29	Nil	.30	Nil	Nil	Nil	.52	Nil	.71	.14	.44	Nil	.42	29
30	Nil	X	Nil	Nil	.20	Nil	Nil	.02	Nil	.18	Nil	.01	30
31	.01	X	Nil	X	Nil	X	Nil	.06	X	.18	X	.04	31
Total	1.49	4.68	3.57	1.05	1.71	2.53	1.00	2.40	3.01	5.66	4.75	4.15	36.00
Rain Days.	18	21	19	12	14	17	9	16	16	25	18	19	204

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Cowplain
in the County of Hants.
by H. C. Pearson

Lat. 50.54 N Long. 1.6-9 W
Time of Observation 9 AM
Nearest Railway Station Rowland's Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 222 ft.
" " " " Sea Level

712
FORM A.
BRITISH RAINFALL
12 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.17	.20	—	.02	—	1.39	.04	trace	.05	trace	1
2	—	trace	.03	.45	—	—	—	—	.03	.01	.10	—	2
3	.01	—	.01	.22	—	—	.42	.17	trace	.09	.32	—	3
4	—	.15 ^s	.27	—	—	—	trace	.09	—	.23	—	.01	4
5	.32	—	.04	.22	—	.08	—	.08	.14	.41	.10	—	5
6	—	—	.20	—	—	—	—	—	.03	.04	.11	trace	6
7	.36	—	—	—	—	—	trace	.02	trace	.37	trace	.09	7
8	.33	—	.04	.05	—	—	.34	.26	.02	.31	.28	.36	8
9	.01	—	.17	—	trace	—	.03	—	.08	.06	.02	.04	9
10	.20	—	.35	.22	.15	.02	—	.11	trace	trace	—	.03	10
11	.22	—	.27	.18	—	trace	—	.02	.02	.39	—	—	11
12	.11	—	.02	trace	.03	—	—	.12	—	.19	—	trace	12
13	.03	—	.37	—	—	—	—	.06	.03	.15	trace	.01	13
14	—	—	—	.06	—	—	—	.68	—	trace	trace	—	14
15	—	—	—	—	.03	—	.08	.10	trace	.18	trace	.07	15
16	.01	.16	—	.15	.07	—	trace	.04	—	.82	trace	.65 ^s	16
17	—	.02	—	.19	.07	—	.56	.13	.45	.23	.02	—	17
18	trace	.04	—	.02	.02	.08	.13	.06	.49	trace	—	—	18
19	trace	.31	.14	—	—	—	trace	.12	.44	—	—	—	19
20	.01	.12	.07	—	.87	—	—	—	.02	—	—	—	20
21	.02	—	.04	—	trace	trace	—	—	trace	.05	.02	—	21
22	trace	trace	.06	—	trace	—	—	.10	—	.20	—	.02	22
23	—	.24	—	—	.05	.02	—	.17	trace	.07	—	—	23
24	—	.17	—	—	—	.09	.08	—	—	.26	.07	—	24
25	—	.09	.08	—	—	—	.03	—	.02	—	—	.04	25
26	—	—	.06	—	—	trace	—	.38	.15	trace	.32	—	26
27	—	—	.01	—	.91	.16	—	1.79	trace	trace	—	—	27
28	—	—	.03	—	trace	2.61	—	.16	trace	—	—	.03	28
29	—	X	.02	—	.13	.09	.41	.03	trace	.46	—	.07	29
30	—	X	.41	—	—	—	.56	.24	.01	.01	—	.02	30
31	trace	X	.10	X	—	X	.22	.04	X	.03	X	.02 ^s	31
Total	1.63	1.31	2.96	1.96	2.33	3.17	2.80	6.36	1.97	4.56	1.41	1.46	31.92
Rain Days.	12	10	23	11	10	9	11	24	15	21	11	14	171

REGISTER OF RAINFALL IN 1918

Kept at Cowplains, near Cosham
in the County of Hants.
by Henry C. Pearson

Lat. 50° 54' N Long. 1° 6' 9" W
Time of Observation 9 A.M.
Nearest Railway Station Howlands' Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 222 ft.

77
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	—	.01	—	—	—	.06	—	—	.41	.10	1
2	—	.07	—	.02	—	—	—	.97	—	.01	.33	.31	2
3	—	.03	—	.11	.30	—	—	.33	—	.04	.26	.03	3
4	—	.14	.07	.02	—	—	—	.07	.20	—	.59	.06	4
5	—	.13	.10	—	.10	—	—	.37	.01	.13	—	.02	5
6	.18	.16	—	.23	.09	—	—	.14	.05	.02	—	.09	6
7	—	.16	—	.15	.44	—	—	.05	.15	.04	.15	.01	7
8	—	.06	—	—	—	—	—	—	.12	.08	.10	.04	8
9	—	—	—	.29	—	.18	.48	—	.59	.22	—	.73	9
10	.01	—	—	.07	—	.12	.18	—	.48	.05	—	.35	10
11	.07	—	—	.01	—	—	.20	—	.04	.25	.02	.08	11
12	—	.17	—	—	.37	—	—	—	.15	.01	—	.04	12
13	.40*	.03	—	—	.08	—	.36	—	.39	—	—	.03	13
14	.27	—	.03	—	.04	.09	.09	—	.29	.31	—	.11	14
15	1.27	—	—	.19*	—	.01	—	—	.01	.01	—	.27	15
16	.47	—	—	.05	—	.08	—	—	.84	—	—	—	16
17	.18	—	—	.10	—	—	.20	—	—	.02	—	.21	17
18	.46	—	.01	—	—	.53	—	—	.74	.01	—	.24	18
19	.04	—	.11	.01	—	.21	.27	—	.02	.03	—	.02	19
20	.03	.21	—	.59	—	.02	.07	.01	.19	.03	.02	—	20
21	.20	.10	—	—	—	.01	.43	.01	.28	.08	—	.18	21
22	.20	—	—	—	.09	—	.39	—	.22	—	.02	.15	22
23	.16	—	—	—	.08	—	.43	.02	.05	—	.01	.04	23
24	—	.33	—	—	—	.04	.08	—	.19	.02	.18	—	24
25	.02	—	—	.20	—	—	.11	.38	—	.02	—	—	25
26	—	—	—	—	—	—	.45	—	.05	.02	.10	—	26
27	—	.11	.06	—	—	—	.05	.11	.13	—	.11	.18	27
28	.02	—	.20	.01	—	—	—	—	—	.01	.20	.05	28
29	.01	X	.05	—	—	—	—	—	1.23	—	—	.03	29
30	—	X	.58	—	—	—	—	—	.07	.05	.08	.02	30
31	.02	X	.15	X	—	X	—	.01	X	.25	X	—	31
Total	4.01	1.71	1.36	2.06	1.59	1.29	3.79	2.52	6.49	1.71	2.58	3.59	32.50
Rain Days.	18	14	19	16	9	10	15	13	24	23	15	25	192

REGISTER OF RAINFALL IN 1919.

Kept at Cowplain ('Forest View')
in the County of Hants
by H. C. Pearson

Lat. 50-54 N Long. 1-6-9 W
Time of Observation 9 AM
Nearest Railway Station Rowland Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. — in.
" " " " " Sea Level 222 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.015	.04	—	.01	—	.15	—	—	.07	.02	1.13	1
2	.37	—	—	—	.13	—	.06	—	.16	—	.04	.05	2
3	.59	—	.63	—	.06	—	.03	—	.04	—	.01	.34	3
4	.30	.03	.54	—	—	.04	.05	.04	.08	—	.18	.04	4
5	—	.38	1.01	—	—	—	.15	—	.45	—	.25	.23	5
6	.38	—	.14	—	.01	—	—	—	.01	—	.01	.19	6
7	.13	—	.56	—	—	—	—	—	—	—	.01	—	7
8	.30	—	.22	.03	—	—	—	—	—	—	—	—	8
9	.22	—	.11	.15	.23	—	—	—	.01	—	.23	—	9
10	1.41	—	.14	.10	—	—	—	—	—	—	—	.35	10
11	.24	—	.11	.27	.14	—	.04	—	—	—	—	.06	11
12	.02	—	.03	.01	.02	—	.09	—	—	.10	.105	—	12
13	.05	—	.02	.91	—	—	—	—	—	—	—	.07	13
14	.37	.01	—	.20	—	—	.08	—	.34	.05	—	.16	14
15	.18	.05	—	.09	.01	—	—	—	—	.03	—	1.45	15
16	.08	.81	—	—	—	—	—	—	—	—	.13	—	16
17	.02	.21	—	—	—	—	—	—	—	—	.13	.06	17
18	—	.06	.23	—	—	—	—	.10	—	.02	.14	.03	18
19	.37	.73	1.29	—	—	.15	.29	.16	.01	—	.06	—	19
20	.73	.06	.04	—	—	.37	—	.18	—	—	—	.02	20
21	.05	.54	—	—	—	—	.01	—	—	—	.02	.02	21
22	—	.01	—	—	—	—	.16	—	.58	—	.01	.18	22
23	—	—	—	—	—	—	—	—	.21	.07	.03	.07	23
24	—	.01	—	.01	—	.03	.01	.03	—	.26	.14	—	24
25	.05	.04	—	.02	—	.06	—	.28	—	—	—	.77	25
26	.03	.14	.11	.15	—	—	.02	.03	.12	—	.29	—	26
27	.215	—	.01	.28	—	—	—	.91	—	—	.07	—	27
28	.055	—	.425	—	—	—	—	.71	—	—	.43	.58	28
29	—	~~.04~~	—	.04	—	—	—	.24	—	.11	—	.23	29
30	.015	~~—~~	—	.22	—	.07	—	.56	—	—	.66	.83	30
31	.025	~~—~~	.065	~~—~~	—	~~—~~	—	—	~~—~~	—	~~—~~	.18	31
TOTAL	6.68	3.09	5.76	2.48	0.61	0.72	1.14	3.24	2.91	0.71	2.46	7.04	YEAR'S TOTAL
Days with ".01 in. or more	25	15	19	14	8	6	13	11	11	8	21	25	176

REGISTER OF RAINFALL IN 1920.

Kept at Forest New Coloplain
in the County of Hants
by Henry Pearson

Lat. 50°54' N Long. 1°6' 9" W
Time of Observation 9 am
Nearest Railway Station Rowland Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 222 in.
" " " " Sea Level 222 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	.02	.16	.19	—	.30	.04	—	.44	.12	.31	1
2	.05	—	.06	.06	.07	—	.06	.16	.09	.09	.01	.19	2
3	.08	—	.03	—	—	—	.50	—	—	.39	—	.03	3
4	—	.09	—	.01	—	—	.69	.27	—	.44	.01	.04	4
5	—	—	.25	.12	—	—	1.01	.10	—	.42	—	.02	5
6	—	.02	.17	—	.12	—	.55	—	—	.03	.01	.02	6
7	.06	—	—	.13	.25	—	.23	—	—	—	—	—	7
8	.01	—	—	.08	.09	—	.27	.01	—	—	—	—	8
9	.33	.07	.03	.05	.13	.04	.07	—	—	—	—	—	9
10	.75	.19	.12	.04	—	.23	.31	—	—	.01	—	—	10
11	.18	.02	.08	.58	.03	.04	.39	—	—	—	.01	.20 snow	11
12	.08	.12	—	.14	—	.82	—	—	—	.03	.04	—	12
13	.31	.01	.27	.04	—	—	—	—	—	—	.06	—	13
14	.01	.03	.52	.46	—	—	—	—	.24	.06	.64	—	14
15	.08	.02	.07	.28	.04	—	—	—	.67	.45	.09	—	15
16	—	.02	.01	.12	—	—	—	—	.21	.26	—	—	16
17	.02	—	—	.03	.22	—	.02	—	.71	—	—	.02	17
18	.13	—	.02	.02	.08	.07	—	.61	.10	—	—	.04	18
19	.09	—	—	.20	—	.05	—	—	.17	—	.01	.01	19
20	.13	.03	—	.17	—	.96	—	—	—	—	—	.04	20
21	—	—	—	.03	—	—	.98	—	.06	—	.02	.24	21
22	.04	—	—	.43	—	—	.01	.03	.01	—	—	.38	22
23	—	—	—	—	—	—	.39	.01	—	—	—	.58	23
24	.03	.13	.18	.02	—	—	—	—	—	.01	.04	—	24
25	—	.03	.02	—	.21	—	.78	—	.06	—	—	—	25
26	.06	—	.51	.03	.01	.01	.02	—	.01	—	.03	—	26
27	.51	.02	.02	.15	—	.09	.02	—	—	.01	.33	—	27
28	.59	.03	—	—	.01	.01	.19	—	.01	—	.02	—	28
29	.56	—	.14	.11	—	—	—	—	—	—	.19	.89	29
30	.08	~~—~~	.01	—	—	.08	.02	—	.19	.02	.28	.32	30
31	.03	~~—~~	.38	~~—~~	—	~~—~~	—	—	~~—~~	1.02	~~—~~	.19	31
TOTAL	4.25	0.83	2.91	3.46	1.45	2.40	6.81	1.23	2.53	3.68	1.91	3.52	YEAR'S TOTAL
Days with .01 in. or more	24	15	20	24	13	11	20	8	13	15	17	(21)	201
Days with .04 in. or more	19	5	12	18	10	9	15	5	10	9	9	(16)	136

Kept at Beechcroft
in the County of Som
by Miss L. Pa

CURDRIDGE
BEECHCROFT,
HANTS
1911 - 1920

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912
in.
round 1 ft. in.
sea Level 96 ft.
ame Bolton
istance Direction WSW
he result entered to the

IMPORTANT NOTE.
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.35	.01			.02			.03	.06	1
2	.02			.10	.35						.18	.17	2
3					.18			.06			.26	.14	3
4	.02		.04	.07					.01	.07	.24	.33	4
5	.02			.03				.04		.16	.02		5
6	.43		.10								.07	.84	6
7	.06									.17	.36	.06	7
8	.03		.27							.01	.34	.73	8
9	.15		.06	.01							.02	.16	9
10	.01	.11	.30								.01	.59	10
11	.43		.04		.05						.93	.01	11
12	.01		part snow .81		.11				.01		.07	.09	12
13			.01		.08				.11	.03	.01	.57	13
14		.08			.03							.40	14
15		.02	.02			.03					.13	.02	15
16						.25					.49	.21	16
17						.15					.48	.39	17
18		.17	.04	.03		.05				.05	.46	.55	18
19		.08				.16			.34	.17	.01	.17	19
20	.05	.02	.09					.05	.09	.01		.88	20
21	.02	.17	.02							.64		.14	21
22	.17	.01	.37			.20		.02	.01	.41	.01	.49	22
23	.01	.18	.01			.34			.14	.43	.03	.27	23
24	.03	.13				.26	.01	.05		1.09		.41	24
25		.09	.01	.15	.80	.05	.04	.34	.06			.15	25
26			.02	.34	.55	.03	.01			.23		.36	26
27		.37	.15	.14						.14	.17	.29	27
28		.22		.31				.19	.10		.02	.01	28
29				.22		.14	.04		.17	.27			29
30				.15	.02	.07		.04		.29		.02	30
31										.01			31
Total	1.48	1.65	2.36	1.90	2.18	1.73	.10	.81	1.04	4.10	4.34	8.51	TOTAL for year
No. of Rain Days.		1.48	3.13	5.49	7.39	9.57	11.30	11.40	12.21	13.25	17.43	21.77	30.28
		313	549	739	957	1130	1140	1221	1325	1743	2177	3028	
W. 8,000, X. '11.	16	13	17	12	10	12	4	9	10	17	22	28	190

REGISTER OF RAIN

FORM A2.
BRITISH RAINFALL.
1-JAN 1912

Kept at Beechcroft, Curdridge

in the County of Southampton

by Miss L. Pasley

Pattern snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 96 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bolton
Distance Direction WSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.35	.01			.02			.03	.06	1
2	.02			.10	.35						.18	.17	2
3					.18			.06			.26	.14	3
4	.02		.04	.07					.01	.07	.24	.33	4
5	.02			.03				.04		.16	.02		5
6	.43		.10								.07	.84	6
7	.06									.17	.36	.06	7
8	.03		.27							.01	.34	.73	8
9	.15		.06	.01							.02	.16	9
10	.01	.11	.30								.01	.59	10
11	.43		.04		.05						.93	.01	11
12	.01		^{part snow} .81		.11				.01		.07	.09	12
13			.01		.08				.11	.03	.01	.57	13
14		.08			.03							.40	14
15		.02	.02			.03					.13	.02	15
16						.25					.49	.21	16
17						.15					.48	.39	17
18		.17	.04	.03		.05				.05	.46	.55	18
19		.08				.16			.34	.17	.01	.17	19
20	.05	.02	.09					.05	.09	.01		.88	20
21	.02	.17	.02							.64		.14	21
22	.17	.01	.37			.20		.02	.01	.41	.01	.49	22
23	.01	.18	.01			.34			.14	.43	.03	.27	23
24	.03	.13				.26	.01	.05		<u>1.09</u>		.41	24
25		.09	.01	.15	.80	.05	.04	.34	.06			.15	25
26			.02	.34	.55	.03	.01			.23		.36	26
27		.37	.15	.14						.14	.17	.29	27
28		.22		.31				.19	.10		.02	.01	28
29				.22		.14	.04		.17	.27			29
30				.15	.02	.07		.04		.29		.02	30
31										.01			31
Total	1.48	1.65	2.36	1.90	2.18	1.73	.10	.81	1.04	4.18	4.34	8.51	TOTAL for year
No. of Rain Days.		1.48	313	549	739	957	1130	1140	1221	1325	1743	2177	3028
		313	549	739	957	1130	1140	1221	1325	1743	2177	3028	30.28
W. 8,000, X. '11.	16	13	17	12	10	12	4	9	10	17	22	28	190

REGISTER OF RAINFALL IN 1912

Kept at Beechcroft
in the County of Southampton
by Miss L. Pasley

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Botley & SWR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 96 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12		.03	.29	.16		.01	.89		.30	1
2		.02	.15	.01		.07	.37	.12		.01		.01	2
3	.02		.06			.26	.01	.76	.02		.02		3
4	.15	.04	.77		.01	.26		.05			.24		4
5	.41	.12	.25			.02		.40			.03	.02	5
6	.51	.06	.01		.12		.08	.18	.01		.35	.04	6
7	.01	.02			.25	.90	.01	.11			.29	.09	7
8	.49	.30	.30	.02		.19	.03	.07				.02	8
9		.26	.12	.12		.05		.20				.27	9
10	.02	.08						.49			.12	.01	10
11	.09	.18	.01			.03	.01	.06			.02	.08	11
12	.03	.10	.12		.27	.61	.05	.27					12
13		.05	.04				.03	.15		.01	.05		13
14	.06	.01	.07		.05			.06		.02		.01	14
15	.02	.09	.14		.05	.53		.01			.01	.40	15
16	.15	.01	.18			.02		.24		.08	.04		16
17	.72		.19		.01	.07		.30				.26	17
18	.05	.01	.20			.19		.19		.03	.01	.07	18
19	.04	.07	.20				.15	.20					19
20	.01	.01	.39				.01	.08		.46	.07		20
21	.01	.12	.09		.29			.13		.17	.01		21
22	.07	.46	.02					.23				.05	22
23	.44	.19	.25			.10		.48		.04	.25	.20	23
24	.40	.04	.01			.01		.27		.01	.01	.16	24
25	.21	.01				.36		1.06		.05	.28	.61	25
26	.01	.05				.03	.39	.35		.42	.37	.27	26
27		.11	.01			.12	.39	.01		.30	.01	.55	27
28						.12	.41	.30	.09	.63	.83	.23	28
29		.07				.07	.44	.06	1.33	.30	.01		29
30					.07		.12	.17	7.10	.21			30
31			.23				.29	.08		.02		(.06)	31
Total	3.92	2.48	3.93	.15	1.15	4.32	2.95	7.08	2.56	3.65	3.02	3.71	YEAR'S TOTAL 38.92
Rain Days.		3 92	6 40	10 33	10 48	11 63	15 95	18 90	25 98	28 54	32 19	35 21	
		6.40	10.33	10.48	11.63	15.95	18.90	25.98	28.54	32.19	35.21	38.92	
	22	25	24	3	10	21	17	30	6	17	20	24	21 to

REGISTER OF RAINFALL IN 19/3

FORM A.
BRITISH RAINFALL
1-JAN 1914

Kept at *Beechcroft, Curdridge*

in the County of *Southampton*

by *Miss L. Pasley*

Lat. _____ Long. _____

Time of Observation *9 a.m.*

Nearest Railway Station *Bottley*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. _____ in.

" " " " Sea Level *96* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.39	.18	.12					.83		.25	.08	1
2	.02	.10	.01	.01	.01		.04		.04	.26	.07	.01	2
3	.02	.02		.11	.33					.02		.13	3
4	.41		.09		.45		.13		.48	.09	.14	.02	4
5	.34	.06	.02		.01	.06	.12		.27	.02	.20	.04	5
6	.05	.11	.06		.08	.16	.28			1.16	.08	.55	6
7		.25	.09		.26	.06	.05	.34		.39	.12	.01	7
8	.04	.05			.21	.02	.07	.54		.10		.06	8
9		.08			.02	.01	.18	.13	.05		.02	.07	9
10	.03			.05	.02			.06		.07	.60		10
11	1.05			.34	.07					.71	.55	.07	11
12		^{fog} .01		.01	.52				.01	^{dew} .01	.44		12
13	.24		.09					.03	.17	^{dew} .01	.18		13
14	.26	^{fog} .01	.12				.01	.04	.15	.01	.19		14
15	.19	.04	.36	.40			.15		.24		.01		15
16	.09	.03	.41	.12					.08		.01		16
17	.30		.01	.04		.01	.03						17
18	.01		.16	.11			.03				.09		18
19	.57		.07		.02	.09	.04						19
20	.09		.35	.12		.01				.34	.03		20
21	.01		.22	.16						.16	.88		21
22	.34		.27	.01				.10	.33	.06			22
23	.01		.07			.03		.01			.02	.82	23
24	.10			.11							.03	.01	24
25	.24	.02		.24						.01	.02		25
26		.02		.13				.16		.46		.29	26
27			.29	.03						.06			27
28		.01	.04	.13						.17			28
29	.09		.24	.75	.62			.06		.34	.01	^{snow} .07	29
30	.55		.01	.21	.01			.01		.23			30
31	.01		.03					.78		.08			31
Total	5.03	1.20	3.19	3.20	2.63	.45	1.13	2.26	2.65	4.76	3.94	2.11	YEAR'S TOTAL 32.53
Rain Days.		5.03	6.23	9.42	12.62	15.25	15.70	16.83	19.09	21.74	26.50	30.44	197
	25	15	22	20	14	9	12	12	11	22	21	14	

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1-10-1915

Kept at Beachcroft, Curdridge
in the County of Southampton
by Miss L. Pasley

Lat. _____ Long. _____
Nearest Railway Station Bottley
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 96 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01	.05					.34			.11	.10	1
2							.03	.06			.23	.24	2
3			.10	.06	.38		.13	.02			.04	.02	3
4	.04		.02	.23	.09		.02	.16			.43	.26	4
5	.05		.09	.45	.22	.01	.31	.12			.16	.01	5
6		.20	.01	.19	.06	.03	.06	.09			.03	.41	6
7		.35	.12	.10	.02	.05		.01			.01	.23	7
8	.06	.30	.42	.02	.04	.13		.17				.06	8
9	.06	.02	.74	.23	.01	.02			.15			1.85	9
10	.09	.28	.02	.09	.25				.29			.01	10
11		.34	.50		.08		.33		.06		.10	.71	11
12		.11	.22				.03		.38	.14	.01	.85	12
13		.33	.10				.14		.26	.25	.07	.80	13
14		.34	.23			.12		.17		.29	.21	.40	14
15		.01	.20				.01	.46	.03	.02	.31		15
16		.55					.15		.19		.01		16
17			.07				.01		.07		.01	.39	17
18		.01	.28				.03		.01			.49	18
19		.08	.56				1.24		.02		.16	.23	19
20		.24	.21			.06	.01					.17	20
21		.57	.04					.05		.15		.05	21
22		.01	.01		.05	.01	.08	.07		.16			22
23		.05	.15		.04	.20		.01		.14		.01	23
24			.03				.03			.05	.15		24
25	.06		.17				.05	.31		.30	.04	.12	25
26		.01	.03				.07	.26		.07	.15	.59	26
27	.07		.01								.07	.31	27
28	.01	.04	.03		.28		.41			.12	.33	.60	28
29	.18		.19	.31	.01					.29	.19	.01	29
30	.01		.06	.03						.10	.66	.47	30
31	.03				.03		.05			.16		.04	31
Total	.67	3.85	4.66	1.71	1.56	.63	3.19	2.30	1.46	2.24	3.48	9.53	TOTAL for year
No. of Rain Days	12	20	28	10	14	9	20	15	10	14	22	26	35.28

REGISTER OF RAINFALL IN 1915

Kept at Beechcroft, Curdridge
in the County of Southampton
by Miss L. Pasley

Lat. 55 N Long. 15 W
Time of Observation 9 a.m.
Nearest Railway Station Botley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 96 ft.

764
FORM A.
BRITISH RAINFALL
1 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.56	.17			.03			.03	.34	.11	.01	.30	1
2	.22	.26	.20	.03	.01	.03		.17	.07	.17		.33	2
3	.89	.01	.13	.25	.10			.01	.01	.01		.48	3
4	.03		.01	.02	.01			.01				.52	4
5	.02	.34						.10				.49	5
6	.72	.23	.02	.51			.47	.06				.26	6
7	.20	.50	.03	.02			.13	.01				.40	7
8	.02	.63	.01				.09	.03			.03	.02	8
9	.02	.08		.10		.03	.01	.03			.65	.78	9
10	.15	.03	.01							.01	.01	.24	10
11	.01		.09	.02							.94	.05	11
12	.08	.39	.01	.21	.53			.01		.03	.37		12
13		.29			1.37				.11	.01		.01	13
14	.04	.01			.01		.26	.71	.07			.66	14
15	.12				.11		.02	.10	.01		.08	.30	15
16	.01	.78			.37		1.17	.25				.35	16
17		.26			.84		.01	.15	.01			.01	17
18		.23	.01		.09		.01				.02		18
19		.10			.10		.07				.01		19
20	.35			.05	.01							.07	20
21	.01	.04					.06			.48		.17	21
22	^{part snow} .56	^{part snow} .56	.20	.01			.90			.01		.14	22
23	.02	^{snow} .04	.17			.14	.25		.27	.46		.44	23
24			.05				.42		2.37	.44		.42	24
25			.02	.04			.02		.01	.01		.20	25
26	.01	.04				.17	.07		.02			.87	26
27		.05				.16				.48		.02	27
28		.11				.27			.73	.05	.01	.04	28
29						.48	.03	.12		.01	.47		29
30	.15					.12				.67	.94	.15	30
31	.04							.25		1.34		.34	31
Total	4.23	5.15	.96	1.26	3.58	1.40	3.99	2.04	4.02	4.29	3.54	8.16	YEAR'S TOTAL 42.62
Rain Days.	22	22	14	11	13	8	17	16	12	16	12	27	100

REGISTER OF RAINFALL IN 1916

Kept at Beechcroft, Curdridge
in the County of Southampton
by Miss L. Pasley

Lat. 53 Long. 15 W
Time of Observation 9 a.m.
Nearest Railway Station Botley L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 96 ft.

749
FORM A.
BRITISH RAINFALL.
2 JAN 1917
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.11	.06		.24	.01			.46	.24	.29		1
2	.32	.07	.02		.11		.02		.03	.57	.08		2
3	.02	.48	.07		.01	.01			.01	.72	.38		3
4	.17	.16	.01		.02	.36			.36	.04	.32		4
5	.05	.06			.14	.17	.06			.08	.54		5
6		.07	.08	.02	.03	.02	.39			.13	.44		6
7	.03	.01	.40		.03	.26	.02			.01	.95	.07	7
8			.01		.25						.01	.75	8
9			.01		.22	.02				.04		.18	9
10		.59	.02	.06	.02	.11	.34			.04	.02	.13	10
11	.04	.04	.02	.09	.01	.02			.01			.18	11
12	.05	.07	.01	.04	.05	.02	.11	.04		.02	.01		12
13		.27				.01	.01	.01	.01	.04			13
14	.01	.56	.01		.04			.01		.05			14
15		.10	.14					.30		.04			15
16	.04	.06	.23	.18			.15	.32		.67			16
17	.17	.32		.12				.18	.28	.08		.01	17
18	.10	.08	.09	.09				.09	.25		.45	.10	18
19	.11	.01	.09	.03		.04			.01		.33	.05	19
20	.14	.01	.93	.06							.10	.97	20
21	.01	.01	.25	.01			.09				.01	.25	21
22			.01		.01	.02				.11	.01	.67	22
23	.04	.13		.01		.16		.04		.25	.05	.01	23
24		.05			.11			.03		.42	.18	.37	24
25	.01	.57	.11					.23	.12	.02	.05	.01	25
26	.03	.25	.03			.19		.34	.07	.41			26
27	.02	.01	.91			.03		.10	.18	.36			27
28		.48	.11					.08	.43	.18	.01	.26	28
29		.28	.02			.31		.14	.28	.34	.01	.32	29
30		X	.03			.01		.02		.45		.03	30
31		X		X	.27	X		.06	X	.19	X	.03	31
Total	1.42	4.85	3.67	.71	1.56	1.77	1.49	2.99	2.50	5.50	4.24	4.39	34.79
Rain Days.	19	26	25	11	16	18	9	16	14	25	20	18	217

REGISTER OF RAINFALL IN 1917

Kept at Beechcroft, Curdridge
in the County of Southampton
by Miss L. Pasley

Lat. 55° N Long. 15° W - 2
Time of Observation 9 a.m.
Nearest Railway Station B. Hely LSWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 96 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.21	^{snow} .18		.03		1.17	.02		.05		1
2			.07	^{snow} 1.10				.01		.05	.17		2
3	.02	^{snow} .10	.01	.20			.53	.21		.12	.08		3
4			.21				.01	.10		.27		.03	4
5	.21		.03	.35		.14		.26	.16	.47	.06		5
6			.41					.01	.02	.03	.16		6
7	.26						.04			.50		.05	7
8	.32		^{snow} .04	.04			.24	.11	.03	.18	.20	.42	8
9	.01		^{snow} .09		.04		.02	.02	.02	.02	.05	.01	9
10	.21		.25	.23	.07			.16		.07			10
11	.15		.29	.17				.01	.05	.35			11
12	.17		.03		.03			.34		.39			12
13	.02		.27	.02				.06	.05	.09		.01	13
14				.10				.02	.02				14
15					.01		.15	.58	.01	.17		.06	15
16		.16		.23	.05			.02		1.49		.52	16
17		.02		.13	.07		.36	.10	.46	.19			17
18		.04		.02	.01		.15	.03	.46	.02			18
19	.01	.25	.15			.04	.01	.57	.26				19
20	.01	.11	^{chiefly snow} .33		.95	.04		.09	.06				20
21	.01	.01	^{snow} .05			.04	.03			.02			21
22		.21	^{snow} .04		.02	.02		.06		.12	.01		22
23		.21			.13			.24				.03	23
24		.20				.08	.09		.01	.18	.09	.02	24
25		.08	.06				.02		.01				25
26		.01	.02		.04	.05		.28	.09	.02	.14		26
27			.01		.46	.02		1.11				.01	27
28			.04		.08	3.37		.13				.03	28
29			.05		.10	.03	.65	.01		.35		.05	29
30	.01	X	.53				.66	.17					30
31		X	.07	X		X	.08	.02	X	.03	X	^{snow} .03	31
Total	1.41	1.42	3.26	2.77	2.06	3.86	3.04	5.89	1.73	5.13	1.01	1.27	YEAR'S TOTAL 32.85
Rain Days.	13	13	23	12	14	11	15	27	16	22	10	13	169

REGISTER OF RAINFALL IN 1918

Kept at Beechcroft, Botley
in the County of Southampton HANTS
by Miss I Pasley

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Botley LSWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 96 ft.

BRITISH RAINFALL
FORM A.
9.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.01				.22			.40	.08	1
2		.11		.05				.82		.01	.26	.19	2
3		.04		.20	.34			1.00		.03	.10	.02	3
4		.14	.02		.01			.09	.17		.57	.05	4
5		.07	.07		.06			.18	.11	.15		.02	5
6	.18	.13		.18				.34	.06	.01		.10	6
7		.14		.23	.54			.04	.22	.11	.27	.01	7
8	.01	.19		.01					.12	.10	.03	.06	8
9				.30		.18	.25		.58	.20		.38	9
10	.03			.07		.03	.32		.41	.05		.48	10
11	.01			.01			.24		.04	.14	.03	.07	11
12		.08			.27		.08		.13			.02	12
13	^{SNOW} 37				.19		.39		.42			.04	13
14	.23		.03		.01	.13	.05		.38	.24		.12	14
15	1.54			.29	.01	.01	.30		.03			.15	15
16	.47			.12		.09	.01		.45	.03			16
17	.13			.21			.70			.02		.16	17
18	.46					.58	.01		.91	.02		.18	18
19	.07		.07			.05	.32	.01	.01	.02		.05	19
20	.03	.13		.41		.02	.04	.01	.44	.07			20
21	.15	.08					.33		.39	.06		.12	21
22	.14				.07		.52		.28			.10	22
23	.09				.07		.41	.02	.04		.01	.02	23
24		.33				.01	.01		.26		.18		24
25							.08	.34		.02			25
26				.01			.63		.04	.02	.06	.13	26
27		.11	.04	.02			.04	.14	.10	.01	.15		27
28			.13	.01						.01	.19	.01	28
29			.02	.02					1.10		.01	.02	29
30		X	.45						.02	.02	.09	.01	30
31		X	.05	X		X			X	.15	X		31
Total	3.91	1.55	.88	2.15	1.57	1.10	4.73	3.21	6.71	1.49	2.35	2.59	YEAR'S TOTAL 32.24
Rain Days.	15	12	9	17	10	9	19	12	24	22	14	25	188

REGISTER OF RAINFALL IN 1919

Kept at Beechcroft Curdridge
 in the County of Southampton
 by Miss L. Pasley

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Botley & S.W.R.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 96 ft.

FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38		.09				.20			.07	.02	1.14	1
2	.41		.01		.07		.04		.27		.05	.02	2
3	.40		.70		.05		.02		.03			.26	3
4	.26	.03	.54			.02	.02	.05	.04		.12	.05	4
5	.34	.44	.77				.06		.43		.12	.20	5
6			.10		.12							.20	6
7	.08		.44										7
8	.32		.21	.07	.05								8
9	.21		.09	.21	.06						.20		9
10	.66		.25	.05								.30	10
11	.14		.04	.23	.08		.06					.04	11
12	.01		.04	.08			.12			.10	snow .11		12
13	.03	.02	.01	.72								.06	13
14	.29	.01		.32			.03		.31	.08		.14	14
15	.18	.14		.06						.04		1.45	15
16	.10	.83									.11		16
17		.17									.09	.03	17
18		.12	.23					.04			.08	.02	18
19	.40	.48	1.15			.16	.41	.12			.06		19
20	.83	.10	.13			.45		.19				.01	20
21	.03	.60					.01	.04				.05	21
22		.01					.26		.49		.01	.17	22
23		.02								.08	.03	.08	23
24		.07		.01		.03	.03	.02		.28	.12	.17	24
25	.05	.04		.06		.02		.29				.18	25
26	.04	.13	.09	.03					.11		.35	.39	26
27	part snow .15		.01	part snow .35				.75				.04	27
28	.12		snow .46					.74			.57	.49	28
29	.01			.01				.40		.13		.05	29
30		X		.21		.14		.64			.64	.53	30
31		X	.06	X		X			X		X	.20	31
Total	5.44	3.21	5.42	2.41	.43	.82	1.26	3.28	1.68	.78	2.68	6.27	YEAR'S TOTAL 33.68
Rain Days.	23	16	20	14	6	6	12	11	7	7	16	25	163

REGISTER OF RAINFALL IN 1920

Kept at Beechcroft, Curdridge
in the County of Southampton
by Miss L. Pasley

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Batley LSWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 96 ft.

638
FORM A.
BRITISH RAINFALL
JAN 8 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.05	.32	.16		.34			.60	.45	.35	1
2	.06		.02	.08	.01		.25	.37	.06	.10		.15	2
3	.04			.15	.11		.44		.01	.31		.05	3
4		.05					.32	.31		.36		.01	4
5			.15	.17			.93	.34		.58		.04	5
6			.10		.34		.42			.03			6
7	.05			.16			.20						7
8				.06	.08		.25						8
9	.26	.04	.02	.02	.11	.05	.10						9
10	.62	.18	.05			.23	.27						10
11	.28		.07	.56	.06		.41					.10 snow	11
12	.08	.06	.06	.24		.92					.03		12
13	.19	.03	.20								.02	.01 snow	13
14		.04	.39	.43					.14	.19	.62		14
15	.05		.04	.29	.05				.36	.30	.12		15
16				.05		.05			.21	.04			16
17				.05	.23		.02	.47	.56			.01	17
18	.13		.02	.02	.07	.11			.12			.01	18
19	.03			.19		.03			.08		.01		19
20	.06	.08		.18		.72						.06	20
21				.02			.74		.04			.21	21
22	.03			.32			.02	.04	.06			.34	22
23							.25	.01				.42	23
24	.01		.16	.03	.04						.02	.15	24
25				.19			.41						25
26	.06		.17			.05	.04				.03	.09	26
27	.49	.03		.19		.06	.07				.24	.28	27
28	.46		.02	.02	.07		.10					.05	28
29	.46		.04	.09	.11						.17	.32	29
30	.07	X				.03	.02		.28		.41	.21	30
31	.06	X	.29	X		X		X		.83	X	.17	31
Total	3.55	.51	1.95	3.64	1.63	2.25	5.60	1.54	1.92	3.34	2.12	3.03	YEAR'S TOTAL 31.08
Rain Days.	21	8	17	22	14	10	20	6	11	10	11	20	170
	18	6	13	17	13	8	17	5	10	9	6	16	128

697
Kept
in the
by
1917-20
CURDRIDGE, KITNOCKS FARM

L IN 1917
Long.
Date of Observation 9 Jan
Nearest Railway Station Botley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 1/2 in.
" " " Sea Level 190 ft.

FORM A.
BRITISH RAINFALL

prev
requ
for it at the end of this paragraph. For instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.26	.14		.03		1.15	.03	-	.05	-	1
2	.23	-	.07	.56				-	-	.04	.20	-	2
3	-	-		.22			.61	.21	-	.14	.01	-	3
4	-	-	.22	-			-	.12	-	.26	-	.03	4
5	.23	-	.02	.40		.16	.02	.14	.14	.44	.07	-	5
6	.23	-	.40	-			-		.02	.04	.4	-	6
7	.27	-	-	-			.03		-	.49	-	.04	7
8	.30	-	-	.04			.22	.16	.03	.19	.22	.43	8
9	-	-	.12	-			.03	.02	-	.02	.05	.07	9
10	.21	-	.24	.24	.09		-	.20	-	.06	-	-	10
11	.13	-	.28	.16			-	.03	.04	.34	.01	-	11
12	.15	-	.03	-	.04		-	.35	-	.40	-	-	12
13	.03	-	.29	-			-	.06	.04	.05	-	-	13
14	-	-	-	.10			-	.04	.02	-	-	.03	14
15	-	-	-	-			.17	.60	-	.18	-	.07	15
16	-	.17	-	.21			-	.03	-	1.63	-	.35	16
17	-	.03	-	.12	.12		-	.12	.47	.19	.02	-	17
18	-	.04	-	-		.04	.36	.02	.45	.03	-	-	18
19	-	.25	.15	-		.03	.22	.54	.26	-	-	-	19
20	-	.11	.83	-		.04	-	.09	-	.03	.01	-	20
21	-	-	.06	-	1.03	-	-	-	-	-	.01	-	21
22	-	-	.03	-	.02	.02	.04	.05	-	.14	-	-	22
23	-	.24	-	-	.11		-	.27	-	.02	-	.02	23
24	-	.21	-	-		.09	.08	-	-	-	.09	.13	24
25	-	.26	.06	-			.08	-	-	.19	-	-	25
26	-	-	-	-	.05	.08		.30	.12	-	.13	-	26
27	-	-	.05	-	.46	.04		1.22	-	.02	-	-	27
28	-	-	.05	-	.11	2.85		.14	-	-	-	.03	28
29	-	-	.04	-	.21	2.05	.46	-	-	.42	-	.05	29
30	-	X	.49	-	-		.65	.20	-	-	-	-	30
31	-	X	.07	X	-	X	.06	.02	X	.03	X	-	31
Total	1.32	1.13	3.26	2.19	2.24	3.43	2.48	6.15	1.62	5.35	1.11	1.19	32.42
Rain Days.	7	8	19	10	10	11	14	24	11	23	13	11	17.1

1.31

3.03 6.07

IN 1917

Kept at Kitnock House, Ludlow
in the County of Here
by Major Randolph

Long. _____
Time of Observation 9 am
Nearest Railway Station Bottes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 1/2 ft.
" " " " Sea Level 190 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	.26	.14		.03		1.15	.03	-	.05	-	1
2	.23	-	.07	.56				-	-	.04	.20	-	2
3	-	-		.22			.61	.21	-	.14	.01	-	3
4	-	-	.22	-			-	.12	-	.26	-	.03	4
5	.23	-	.02	.40		.16	.02	.14	.14	.44	.07	-	5
6	.23	-	.40	-			-		.02	.04	.14	-	6
7	.27	-	-	-			.03		-	.49	-	.04	7
8	.30	-	-	.04			.22	.16	.03	.19	.22	.43	8
9	-	-	.12	-			.03	.02	-	.02	.05	.07	9
10	.21	-	.24	.24	.09		-	.20	-	.06	-	-	10
11	.13	-	.28	.16			-	.03	.04	.34	.01	-	11
12	.15	-	.03	-	.04			.35	-	.40	-	-	12
13	.03	-	.29	-			-	.06	.04	.05	-	-	13
14	-	-	-	.10			-	.04	.02	-	-	.03	14
15	-	-	-	-			.17	.60	-	.18	-	.07	15
16	-	.17	-	.21			-	.03	-	1.63	-	.35	16
17	-	.03	-	.12	.12		-	.12	.47	.19	.02	-	17
18	-	.04	-	-		.04	.36	.02	.45	.03	-	-	18
19	-	.25	.15	-		.03	.22	.54	.26	-	-	-	19
20	-	.11	.33	-		.04	-	.09	-	.03	.01	-	20
21	-	-	.06	-	1.03	-	-	-	-	-	.01	-	21
22	-	-	.03	-	.02	.02	.04	.05	-	.14	-	-	22
23	-	.24	-	-	.11		-	.27	-	.02	-	.02	23
24	-	.21	-	-		.09	.08	-	-	-	.09	.13	24
25	-	.26	.06	-			.08	-	-	.19	-	-	25
26	-	-	-	-	.05	.08		.30	.12	-	.13	-	26
27	-	-	.05	-	.46	.04		1.22	-	.02	-	-	27
28	-	-	.05	-	.11	.83		.14	-	-	-	.03	28
29	-	-	.04	-	.21	.05	.46	-	-	.42	-	.05	29
30	-	X	.49	-	-		.65	.20	-	-	-	-	30
31	-	X	.07	X	-	X	.06	.02	X	.03	X	-	31
Total	~~1.33~~ 1.33	~~1.18~~ 1.18	3.26	2.19	2.24	3.43	2.48	6.15	1.62	5.35	1.11	1.19	32.12
Rain Days.	7	8	19	10	10	11	14	24	11	23	13	11	17.1

REGISTER OF RAINFALL IN 1918

Kept at Kitnocks Home, Curdridge
in the County of Hants
by Major Randolph

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Botley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 185 ft. 6 1/2 in.
" " " " Sea Level 185 ft.

FORM A.
BRITISH RAINFALL
1. 18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.26		.01	.40	.10	1
2		.11						.68		.03	.26	.20	2
3		.06	.02	.23	.37			1.06			.10	-	3
4		.16	.03					.09	.15	.15	.57	.06	4
5		.09	.07		.06			.15	.05	.01		.02	5
6	.21	.11		.19				.39	.04	.11		.10	6
7		.13		.20	.54			.02	.14	.10	.27		7
8		.19							.10	.20	.03	.08	8
9				.28		.22	.22		.58	.05	-	.46	9
10	.04			.07		.03	.28		.38	.14		.41	10
11						.23	.23		.03			.08	11
12		.10			.27	.07	.07		.13			-	12
13					.20	.36	.36		.43	.24		.05	13
14	.57		.03		.01	.05	.05		.33			.12	14
15	1.58			.26		.28	.28		.02	.03		.15	15
16	.24			.10		.08	-		.42	.02		-	16
17	.36			.19		.63	.63		1.02	.02		.16	17
18	.48					.58	-			.02		.15	18
19	.08		.08			.04	.34			.07		.05	19
20	-	.14		.44		.04	.04		.49				20
21	.18	.09				.31	.31		.38	.06		.12	21
22	.12				.10	.62	.62		.24			.09	22
23	.09				.05	.24	.24	.24	.05		.01	.02	23
24	-	.32				.02	-		.25		.18		24
25	.02					.08	.08	.35		.02			25
26						.71	.71		.03	.02	.06	.16	26
27		.11	.05	.06		.04	.04		.09	.01	.15		27
28			.17	.05						.01	.19		28
29	.02		.03	.04					1.01		.01	.03	29
30		X	.46							.02	.09	.02	30
31		X	.05	X		X				.15	X		31
Total	3.98	1.61	.99	2.06	1.60	1.11	4.50	3.24	6.36	1.49	2.32	2.63	31.89
Rain Days.	13	12	10	12	8	8	16	9	22	14	11	21	165

REGISTER OF RAINFALL IN 1919

Kept at Kitlocks House Curdridge
in the County of Hants
by Major C F. Randolph

Lat. _____ Long _____
Time of Observation 9 am
Nearest Railway Station Botley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 1/2 ft.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	-	.10	-	-	-	.25	-	-	.08	.02	1.06	1
2	.39	-	.02	-	.09	-	.04	-	.23	-	.04	.03	2
3	.40	-	.63	-	.04	-	-	-	.03	-	-	.25	3
4	.27	.04	.50	-	-	.02	-	.05	.06	-	.12	.04	4
5	-	.40	.89	-	-	-	.11	-	.35	-	.12	.21	5
6	.32	-	.10	-	.13	-	-	-	-	-	-	.18	6
7	.08	-	.47	-	-	-	-	-	-	-	-	-	7
8	.32	-	.21	.08	.02	-	-	-	-	-	-	-	8
9	.24	-	.08	.19	.15	-	-	-	.02	-	.22	-	9
10	.65	-	.31	.05	-	-	-	-	-	-	-	.29	10
11	.14	-	.03	.23	.10	-	.05	-	-	-	-	.03	11
12	-	-	.04	.07	-	-	.11	-	-	.09	.11	-	12
13	.04	-	-	.68	-	-	-	-	-	-	-	.07	13
14	.34	.02	-	.30	-	-	.03	-	.34	.05	-	.13	14
15	.21	.12	-	.06	-	-	-	-	-	.04	-	1.28	15
16	.09	.82	-	-	-	-	-	-	-	-	.12	-	16
17	-	.17	-	-	-	-	-	-	-	-	.07	.04	17
18	-	.12	.21	-	-	-	-	.05	-	-	.09	.02	18
19	.38	.41	1.11	-	-	-	.38	.12	.02	-	.03	-	19
20	.74	.12	.12	-	-	.56	-	.19	-	-	-	.02	20
21	-	.58	-	-	-	-	-	-	-	-	.02	.05	21
22	-	-	-	-	-	-	.24	-	.49	-	-	.16	22
23	-	.02	-	-	-	-	-	-	-	.10	.04	.08	23
24	-	.07	-	-	-	-	.03	.05	-	.28	.11	.17	24
25	.08	.04	-	.06	-	.05	-	.28	-	-	-	.16	25
26	.02	.13	.11	.04	-	-	-	.03	.11	-	.34	.42	26
27	.09	-	-	.36	-	-	-	.78	-	-	.02	.04	27
28	.14	-	.40	-	-	-	-	.66	-	-	.48	.45	28
29	-	-	-	-	-	-	-	.37	-	.12	-	.06	29
30	-	~~X~~	-	.22	-	.10	-	.76	-	-	.59	.56	30
31	-	~~X~~	.06	~~X~~	-	~~X~~	-	-	~~X~~	.02	~~X~~	.28	31
TOTAL	5.34	3.06	5.89	2.34	.53	.73	1.24	3.34	1.65	.78	2.57	6.06	32.96
Days with of in. or more	20	14	18	12	6	4	9	11	9	8	17	25	153

REGISTER OF RAINFALL IN 1920.

Kept at Kitnock House Curdridge

in the County of Hants

by Major C. F. Randolph

Lat. _____ Long. _____

Time of Observation 9 am

Nearest Railway Station Batley

Diameter of Funnel of Rain Gauge 6 1/2 in.

Height of top of Gauge above Ground 2 ft. 185 in.

Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.05	.34	.18		.35			.71	.40	.27	1
2	.06		.02	.08	.02		.22	.32	.08	.10		.15	2
3	.03			.17	.11		.57			.29		-	3
4		.05	.02				.30	.31		.34		.03	4
5			.15	.14			.93	.47		.63		.03	5
6			.11		.33		.42			.04		.02	6
7	.03			.16			.19					-	7
8		.03		.06	.08		.26					-	8
9	.23	.04	.02	.02	.11	.06	.10					-	9
10	.67	.19	.06			.20	.27					-	10
11	.21		.07	.53	.07		.44					-	11
12	.09	.05	.07	.21		.91					.05	.07	12
13	.18	.03	.31								.02		13
14		.03	.41	.43				.14	.14	.67			14
15	.05	.02	.03	.28	.07			.41	.29	.12			15
16		.01	.01			.04		.19	.04				16
17	.01			.04	.24		.02	.62				.07	17
18	.12	.01	.03	.02	.07	.11		.44	.13				18
19	.03			.18		.03		.08			.02		19
20	.06	.06		.22		.73						.08	20
21				.02			.72		.04			.25	21
22	.03			.30			.02	.04	.09			.31	22
23							.25					.38	23
24	.03		.17	.02	.04						.03	.13	24
25	.02	.02	.01		.19		.40				.02	-	25
26	.05		.20		.01	.05					.03	.08	26
27	.57	.03	.01	.19		.07	.07				.24	.24	27
28	.88	.02	.02	.03	.05		.10					.04	28
29	.49		.03	.12	.12						.16	.31	29
30	.07					.03	.02		.24		.87	.23	30
31	.05		.30							.83		.16	31
TOTAL	3.44	.59	2.10	3.56	1.69	2.23	5.65	1.58	2.02	3.41	2.13	2.79	31.19
Days with ".01 in. or more	23	14	21	21	15	10	19	5	10	10	12	18	178
Days with ".04 in. or more	15	5	11	16	13	8	16	5	10	10	6	14	129

made

Kept at *W*
in the County of
by *Rev*

DEAN WEST
RECTORY
HANTS
1911 - 19

FORM A2.
BRITISH RAINFALL
1-JAN 1912
5 in.
Ground 1 ft. in.
Sea Level *549* ft.
Name *Dean*
Distance *440* Direction *SW*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02			0.23								0.07	1
2				0.04	0.25			0.03		0.02	0.16	0.17	2
3				0.01*	0.11						0.07	0.08	3
4	0.01		0.07	0.01*						0.21	0.13	0.32*	4
5	0.02	0.02		0.02				0.05		0.18	0.09		5
6	0.34		0.16									0.68	6
7	0.04		0.01	0.01*							0.32	0.02	7
8	0.07		0.27								0.18	0.62	8
9	0.12		0.03*	0.02							0.01	0.34	9
10	0.04		0.22		0.16						0.01	0.75	10
11	0.36	0.04	0.02*		0.06						1.16	0.01	11
12			0.88*		0.06						0.13	0.22	12
13			0.03*		0.01				0.55	0.02		0.37	13
14			0.01*									0.62	14
15		0.03				0.01					0.18		15
16		0.01				0.37					0.43	0.25	16
17		0.01			0.07	0.19					0.49	0.58	17
18		0.13	0.05	0.03		0.11				0.05	0.12	0.55	18
19		0.03				0.36			0.13	0.16	0.02	0.21	19
20	0.04	0.01	0.20					0.02	0.12	0.03		0.66	20
21	0.03	0.12	0.06			0.01		0.11	0.05	0.82		0.09	21
22	0.07	0.01	0.28			0.08				0.17		0.39	22
23		0.16	0.10			0.13			0.10	0.09	0.16*	0.19*	23
24		0.09				0.34		0.08		0.76		0.21	24
25		0.03	0.01*	0.03	0.12	0.08		0.02	0.05	0.02		0.22	25
26		0.02		0.30	0.57	0.10		0.01		0.17	0.02*	0.36	26
27		0.33	0.17*	0.10				0.06	0.07	0.03	0.07*	0.18	27
28		0.24		0.35							0.05		28
29				0.39		0.23	0.09		0.14	0.37			29
30					0.28	0.02		0.05		0.12		0.01	30
31													31
Total	1.16	1.28	2.57	1.54	1.69	2.03	0.09	0.43	1.21	3.22	3.80	8.15	TOTAL for year
No. of Rain Days	12	16	17	13	10	13	1.	9	16	16	19	26	161

made

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at West Dean Rectory
in the County of Hants
by Rev E Wells

Pattern Symms
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 149 ft.
Time of Observation 9 am
Nearest Railway Station { Name Dean
Distance 4 1/2 Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02			0.23								0.07	1
2				0.04	0.25			0.03		0.02	0.16	0.15	2
3				0.01*	0.11						0.07	0.08	3
4	0.01		0.07	0.01*						0.21	0.13	0.32*	4
5	0.02	0.02		0.02				0.05		0.18	0.09		5
6	0.34		0.16									0.68	6
7	0.04		0.01	0.01*							0.32	0.02	7
8	0.07		0.27*								0.18	0.62	8
9	0.12		0.03*	0.02							0.01	0.34	9
10	0.04		0.22		0.16						steet 0.01*	0.75	10
11	0.36	0.04	0.02		0.06						1.16	0.01	11
12			0.88*		0.06						0.13	0.22	12
13			0.03*		0.01				0.55	0.02		0.37	13
14			0.01*									0.62	14
15		0.03				0.01					0.18		15
16		0.01				0.37					0.43	0.25	16
17		0.01			0.07	0.19					0.149	0.58	17
18		0.13	0.05	0.03		0.11				0.05	0.12	0.55	18
19		0.03				0.36			0.13	0.16	0.02	0.21	19
20	0.04	0.01	0.20					0.02	0.12	0.03		0.66	20
21	0.03	0.12	0.06			0.01		0.11	0.05	0.82		0.09	21
22	0.07	0.01	0.28			0.08				0.17		0.39	22
23		0.16	0.10			0.13			0.10	0.09	0.16*	0.19*	23
24		0.09				0.34		0.08		0.76		0.21*	24
25		0.03	0.01*	0.03	0.12	0.08		0.02	0.05	0.02		0.22*	25
26		0.02		0.30*	0.57	0.10		0.01		0.17	0.02	0.36	26
27		0.33	0.17*	0.10				0.06	0.07	0.03	0.07*	0.18	27
28		0.24		0.35							0.05		28
29				0.39		0.23	0.09		0.14	0.37			29
30					0.28	0.02		0.05		0.12		0.01	30
31													31
Total	1.16	1.28	2.57	1.54	1.69	2.03	0.09	0.43	1.21 3.22	3.22	3.80	8.15	TOTAL for year 27.17
No. of Rain Days	12	16 17	17	13	10	13	1.	9	168	16	19	26	161 160

on Dec 4th Total Rainfall from Dec 31st 1910
to Jan Dec 4th 1911 19.32 1911

18.88 on Nov 24

18.72 Total
fall Jan 1st
to Nov 23rd 17.66

Rainfall from Jan 1st to 10.98
Nov 16th 17.66

14
31
45
29.86
18.09
77

Average for Year 29.86
17.66
12.20
17.66
0.43
18.09
0.61
18.70

31 29.86
14 18.70
45 11.16

12.20 required to fall in 6 weeks & 4 days
to make up deficiency.

8.13
60
7.53

10.84
6.59
4.25

19.32
3.01
31
22.33

29.86
22.33
7.53

6.59

11.77	required on Nov 17 th	45 days
11.16	required on Nov 19 th	43 days
11.14	on Nov 20 th	42 days
11.14	on Nov 21 st	41 days
11.14	on Nov 22 nd	40 days
11.14	on Nov 23 rd	39 days
10.98	on Nov 24 th	38 days
10.98	on Nov 25 th	37 days
10.96	on Nov 27 th	35 days
10.89	on Nov 28 th	34 days
10.84	on Nov 29 th	33 days
10.84	on Nov 30 th	32 days
10.84	on Dec 1 st	31 days
10.77	on Dec 2 nd	30 days
10.60	on Dec 3 rd	29 days
10.54	on Dec 4 th	28 days
10.22	on Dec 5 th	27 days
10.22	on Dec 6 th	26 days
9.54	on Dec 8 th	24 days
8.88	on Dec 10 th	22 days
8.13	on Dec 11 th	21 days
7.53	on Dec 14 th	18 days
6.91	on Dec 15	17 days
6.66	on Dec 17	15 days
6.08	on Dec 18	14 days
5.21	on Dec 19 th	13 days
5.00	on Dec 20 th	12 days
4.25	on Dec 22 nd	10 days

Cor? for anith 6. 11-13 47. 7.6.
REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at West-Dean

in the County of Hampshire 4

by Rev E Wells

Pattern
RAIN Diameter of top in.
GAUGE Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05			53	22	23	02	46		40	1
2		02	25	03		13	43			01			2
3			07			19	01	40			02	01	3
4	09		46		03	30		30			16		4
5	45	10	07			03		20				09	5
6	42	04	06		11	01		75				10	6
7	02	44	10		08	61		58				04	7
8	41	25	43			14	06	23	01			03	8
9		04	16	07		12	02	08				35	9
10		08				02		09			03	34	10
11	21	16	04			76		38				28	11
12	03	39	09		91	98	10			01	03	01	12
13		03	02				08	11			02	02	13
14	14		19					02		01			14
15	06	08	06		05	44					01	44	15
16	06		36		02	01		08		02	02		16
17	1.41		16			05		75				01	17
18	04		31					36				04	18
19	04	06	20			02	06	38		01	01		19
20	02		36		05	01	07	07		27	01		20
21	01	09	35		38			06		36			21
22	20	31	03		05		21	27				04	22
23	32	34	25					24			19	23	23
24	28	05	01			36		21		14		26	24
25	09	01				22	19	50			23	55	25
26		03						19		37	47	21	26
27						13	25	01		62		31	27
28		08				19		56		81	53	46	28
29		08				37	45	03	09	11			29
30			11			02	15	02	1.73	27			30
31			30		08		05	11	63	05		03	31
Total	4.30	2.68	4.49	10	1.76	5.64	2.35	7.21	2.45	3.52	1.73	4.25	TOTAL for year
No. of Rain Days.	19	20	25	2	10	23	15	20	5	15	13	22	197

REGISTER OF RAINFALL IN 1913.

Kept at West Dean Rectory
in the County of Hants
by Rev. E. Wells M.A.

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Dean
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1749 ft.

FORM A.
BRITISH RAINFALL
1-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.29*	0.11	0.09		0.05			0.89		0.08	0.05	1
2	0.01	0.08					0.01		0.02	0.08	0.11		2
3	0.07			0.04	0.41				0.01	0.23		0.05	3
4	0.61		0.04		0.45		0.04		0.72	0.21	0.03	0.04	4
5	0.21	0.05				0.02	0.06		0.25	0.03	0.07	0.09	5
6	0.03	0.05	0.15		0.21	0.12	0.56		0.02	0.45	0.01	0.54	6
7		0.26	0.03		0.35	0.08	0.13	0.02		0.55	0.14	0.02	7
8		0.02			0.30		0.01			0.09		0.01	8
9		0.09			0.02		0.06	0.18		0.03	0.10		9
10	0.12			0.01	0.01		0.07	0.07		0.04	0.63		10
11	0.84			0.30*	0.06				0.01	0.24	0.30		11
12					0.42			0.02		0.01	0.41		12
13	0.20*		0.05						0.21		0.25		13
14	0.31		0.05*	0.02	0.01			0.01	0.11	0.02	0.13		14
15	0.45	0.07	0.28*	0.46			0.17	0.02	0.19		0.03		15
16	0.17*		0.35	0.05					0.01				16
17		0.03		0.06		0.02	0.04						17
18	0.03		0.21	0.08							0.05		18
19	0.75*		0.04		0.01		0.03		0.32				19
20	0.08		0.11	0.08						0.81	0.04		20
21			0.17	0.31			0.01			0.10	0.61		21
22	0.38*		0.19	0.01				0.23	0.29	0.04			22
23			0.01			0.06			0.01		0.01	0.83	23
24	0.03			0.15				0.08					24
25		0.03		0.16								0.01	25
26				0.33				0.19		0.32		0.17	26
27	0.03		0.30	0.04						0.04			27
28	0.15		0.07	0.17						0.26			28
29	0.08		0.32	0.52	0.25			0.02		0.50		0.02*	29
30	0.49*			0.04	0.03					0.36			30
31	0.13*		0.03		0.06			0.51		0.08			31
Total	5.17	0.97	2.51	2.92	2.59	0.35	1.19	1.35	3.06	4.49	3.00	1.83	YEAR'S TOTAL 29.43
Rain Days.	21	10	18	19	14	6	12	11	14	21	17	11	174

* = Snow or sleet.

REGISTER OF RAINFALL IN 1914

Kept at West Dean Rectory
 in the County of Hants
 by Rev. E. Wells M.A.

Lat. _____ Long. _____
 Time of Observation 9 am
 Nearest Railway Station 200 yards Dealot
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 149 ft.

BRITISH RAINFALL
 FORM A.
 2-JAN-1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.04		0.05		0.06	0.35			0.20	0.04	1
2							0.10	0.05			1.10	0.19	2
3			0.13	0.15			0.14	0.06			0.09	0.04	3
4	0.05*		0.01	0.18	0.29		0.02	0.28			0.67	0.29	4
5	0.01		0.09	0.37	0.18		0.15	0.37			0.45		5
6		0.20	0.02	0.15	0.02	0.05	0.01	0.03			0.06	0.27	6
7		0.47	0.07	0.08	0.01	0.04	0.25	0.05				0.15	7
8	0.03	0.14	0.35*	0.03	0.10	0.14		0.18	0.04			0.02	8
9	0.01	0.01	0.39*	0.19	0.04	0.13		0.01	0.33			0.88	9
10	0.01	0.21	0.03*	0.04	0.17				0.29			0.01	10
11		0.25	0.43				0.35				0.07	0.49	11
12		0.11	0.15		0.02				0.26	0.19		0.55	12
13		0.32	0.30						0.13		0.09	0.50	13
14		0.18	0.12				0.09	0.30		0.38	0.21	0.33	14
15	0.03*		0.19				0.02	0.59		0.02	0.22*	0.02	15
16			0.01				0.13		0.20				16
17		0.48	0.34*						0.01			0.70	17
18			0.15*				0.05					0.56	18
19		0.02	0.71*				1.59				0.14	0.12	19
20		0.51*	0.05*			0.03				0.01		0.30	20
21		0.73*	0.02*			0.01		0.08		0.21		0.04	21
22		0.09*	0.02*		0.15	0.02	0.03	0.01		0.16			22
23		0.10	0.23		0.04	0.02	0.02			0.10			23
24			0.08		0.05		0.09	0.01		0.04	0.16*		24
25	0.02		0.19				0.06	0.25		0.33	0.03	0.25*	25
26		0.01	0.02				0.07	0.04		0.03	0.23	0.47	26
27	0.07										0.32	0.23	27
28		0.03	0.12		0.06						0.26	0.68*	28
29	0.12		0.17							0.43	0.36	0.01	29
30		X	0.11							0.15	0.73	0.65	30
31	0.07	X		X	0.01	X	0.05		X	0.48	X	0.09	31
Total	0.42	3.86	4.54	1.19	1.19	0.44	3.28	2.66	1.26	2.53	5.39	7.88	YEAR'S TOTAL 34.64
Rain Days.	10	17	28	8	14	8	19	16	7	13	18	26	184

REGISTER OF RAINFALL IN 1915

Kept at West Dean Rectory
 in the County of Hants
 by Rev. E. Wells M.A.

Lat. _____ Long. _____
 Time of Observation 9-am
 Nearest Railway Station Dean
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft.
 " " " " Sea Level 149 ft.

721
 FORM A.
 BRITISH RAINFALL
 3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.46*	0.16			0.01			0.01	0.19	0.23		0.12	1
2	0.65	0.16	0.11	0.16		0.02		0.52		0.27		0.37	2
3	0.74*	0.02	0.10	0.04				0.02		0.03		0.28	3
4	0.05*		0.01		0.05							0.20	4
5	0.02*	0.78		0.02				0.10				0.43	5
6	0.68	0.15		0.39			0.53	0.05				0.27	6
7	0.31	0.51	0.02*	0.02			0.18	0.01				0.19	7
8	0.04	0.62		0.05			0.03	0.06				0.05	8
9	0.03	0.04		0.10				0.04			0.41	0.67	9
10	0.12*		0.04							0.02		0.14	10
11	~~0.03~~		0.20	0.06			0.06				0.68	0.02*	11
12	0.11	0.53*	0.01	0.25	0.63						0.36		12
13	0.01				0.90				0.15				13
14	0.03	0.55					1.29	0.35	0.07			0.62	14
15	0.08				0.11		0.02	0.18	0.01		0.09*	0.12	15
16	0.03*	0.83			0.15		1.04	0.16				0.28	16
17		0.42			1.07		0.01	0.01					17
18		0.10	0.02*		0.18								18
19					0.07		0.13						19
20	0.14			0.09	0.01							0.06	20
21	0.13*	0.18					0.68			0.24		0.09	21
22	0.30*	0.36*	0.44*	0.05			0.73		0.01			0.22	22
23	0.02	0.03*	0.15				0.21		0.15	0.63		0.29	23
24			0.01				0.36		0.96	0.57		0.80	24
25			0.02	0.02			0.08		0.01	0.01		0.10	25
26		0.09				0.08	0.11					0.68	26
27		0.06				0.77	0.03			0.50			27
28		0.08				0.11			1.11	0.03			28
29		~~X~~				0.18		0.05	0.01		0.24	0.13	29
30	0.12*	~~X~~				0.17				0.53	0.65	0.39	30
31	0.03*	~~X~~		~~X~~		~~X~~			~~X~~	1.20	~~X~~	0.25	31
Total	4.10	5.67	1.13	1.25	3.18	1.33	4.89	1.56	2.67	4.26	2.43	6.77	39.24
Rain Days.	21	19	12	12	10	6	16	13	10	12	6	24	161

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26 JAN 1917

Kept at West Dean
in the County of Hants
by Rev E Wells M.A.

Lat. _____ Long. _____
Time of Observation 9-am.
Nearest Railway Station Dean
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 149 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.16	0.20	0.06*	---	0.14	0.01	---	---	0.58	0.94	0.36	---	1
2	0.18	0.17	---	---	0.26	---	---	---	0.02	0.34	0.12	---	2
3	---	1.15	0.05*	---	0.02	---	---	---	0.01	0.55	0.34	---	3
4	0.12	0.08	---	---	---	0.29	---	---	0.35	0.01	0.76	---	4
5	0.02	0.06	---	---	0.18	0.24	---	---	---	0.05	0.42	---	5
6	---	0.08	---	---	0.03	---	0.70	---	---	0.11	0.85	---	6
7	---	---	0.06*	---	0.02	0.02	0.33	---	---	0.14	0.73	0.10*	7
8	---	---	0.25*	---	0.21	0.09	---	---	---	---	0.01	0.20*	8
9	---	0.01	0.01*	---	0.09	0.02	0.01	---	---	0.02	---	0.24*	9
10	---	0.52	0.02*	0.05	0.02	0.12	0.05	---	---	---	0.01	0.01*	10
11	---	---	0.03*	0.02	---	0.20	---	---	---	---	---	0.09*	11
12	0.07	0.02	0.05	0.01	0.14	0.01	0.02	0.01	---	0.03	---	---	12
13	---	0.23	0.19	---	---	---	---	0.08	---	---	---	---	13
14	0.01	0.47	0.01	0.02	0.02	---	---	0.01	---	---	---	---	14
15	---	0.11	0.24	0.02	---	---	---	---	---	0.01	---	---	15
16	0.02	0.03	0.09	0.12	---	---	0.03	0.08	---	0.02	---	---	16
17	0.11	0.37	---	0.14	---	---	---	1.50	0.41	0.48	---	---	17
18	0.04	0.03	0.02	0.07	---	---	---	0.18	0.04	0.07	0.35	0.20*	18
19	0.06	---	0.16	0.04	---	0.02	---	0.02	0.04	---	0.28*	---	19
20	0.15	0.05*	0.63	---	---	---	---	---	---	---	0.17*	1.81*	20
21	0.01	---	0.32	---	---	---	---	---	---	---	---	0.19*	21
22	---	---	0.01*	---	0.05	---	---	---	---	0.30	---	0.49*	22
23	---	0.06*	---	0.02	---	0.09	---	0.18	---	0.03	0.09	0.03*	23
24	---	---	---	0.01	0.15	0.07	---	0.03	---	0.40	0.14	0.40*	24
25	---	0.76*	0.10*	---	---	---	---	0.42	0.03	0.07	0.14	0.02	25
26	---	0.07*	---	---	---	0.12	---	0.30	0.02	0.63	---	---	26
27	---	0.02*	0.91*	---	---	0.03	---	0.29	0.23	0.49	---	---	27
28	---	0.51*	0.24*	---	---	---	---	0.14	0.43	0.37	0.01	0.23	28
29	---	0.39*	0.02	---	---	0.26	---	1.41	0.16	0.12	---	0.26	29
30	---	---	---	---	---	---	---	---	---	0.56	0.04	0.01	30
31	---	---	---	---	---	---	---	0.03	---	0.47	---	0.02	31
Total	0.95	5.39	3.47	0.52	1.33	1.59	1.14	4.68	2.32	6.21	4.82	4.30	36.72
Rain Days.	12	22	21	11	13	15	6	15	12	23	16	16	182

REGISTER OF RAINFALL IN 1917

Kept at West Dean Rectory
in the County of Hampshire
by E. Wells

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			16	05		01		15	05		03		1
2				1.00		06		1.29	02	01	08		2
3				02			76			07	09		3
4		07	19				04	16		24		01	4
5	10		05	41		20		07	05	38	06		5
6	02		61	01						09	05		6
7	19						45			10		03	7
8	37		14	06			43		08	13	12	24	8
9			10	01	02		05	14	05	01	11		9
10	24		22	32	05					02	01	01	10
11	07		44	07				22	22	28	01		11
12	09		03		02					17			12
13			15	23					04	03			13
14				12			26	28					14
15				01			11	28		08		08	15
16	02	13		11	09		02	47		1.14		67	16
17				16	08	03	38		55	21			17
18		03			01	30	18	18	39				18
19		39	11			03			13				19
20	01	09	24		65				02		02		20
21			12		01	20		09		02	02		21
22			11		02	09				05			22
23		24			10			02		01		02	23
24		14				04	07	13		31	12		24
25			10				01	04	03	11			25
26			01		46			55	05	02	03		26
27					71	16		92		03		02	27
28			05		07	3.71		09					28
29					43	11	86	03		61		10	29
30		X	14			01	92	11		03			30
31		X	06	X		X	15	06	X	03	X	02	31
Total	1.11	1.09	3.03	2.58	2.72	4.95	4.69	5.28	1.68	4.18	75	1.20	33.26
Rain Days.	9	7	19	14	14	13	15	20	13	25	13	10	172

3.37

REGISTER OF RAINFALL IN 1918

Kept at West Dean Rectory
in the County of Hants
by _____

Lat. _____ Long. _____
Time of Observation 9-am.
Nearest Railway Station Dean
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____
" " " " Sea Level 174.9 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	---	---	---	---	---	---	---	0.29	---	---	0.64	0.03	1
2	---	0.05	---	0.11	---	---	---	0.61	---	---	0.17	0.15	2
3	---	0.09	0.01	0.44	0.38	---	---	0.16	0.01	---	0.06	0.02	3
4	---	0.16	---	0.11	---	---	---	0.27	0.05	---	0.90	0.01	4
5	---	0.06	---	---	0.15	---	---	0.13	0.05	0.13	---	0.02	5
6	0.22	0.08	---	0.18	---	---	---	0.10	0.04	0.03	---	0.07	6
7	0.01	0.14	---	0.05	0.50	---	---	0.02	0.33	0.08	0.34	0.03	7
8	---	0.16	---	---	---	---	---	---	0.18	0.15	---	0.06	8
9	---	0.03	---	0.28	---	0.12	0.24	---	0.42	0.19	---	0.31	9
10	---	---	---	0.07	---	---	0.86	---	0.11	0.41	0.03	0.38	10
11	0.02	---	---	---	---	---	0.73	---	0.06	0.08	0.05	0.07	11
12	---	0.05	---	---	0.32	---	0.44	---	0.10	---	---	0.01	12
13	0.31	---	---	---	0.07	---	0.37	---	0.55	0.04	---	0.01	13
14	0.18	---	---	---	0.01	0.17	0.07	---	0.12	0.15	---	0.14	14
15	1.08	---	---	0.53	---	---	0.26	---	0.01	---	---	0.18	15
16	0.25	---	0.08	0.17	---	0.01	0.02	---	0.16	0.08	---	0.08	16
17	0.70	---	0.01	0.15	---	---	0.80	---	0.37	0.04	---	0.16	17
18	0.80	---	---	---	---	0.41	0.11	---	0.35	0.30	---	0.20	18
19	0.14	---	0.08	0.01	---	0.01	0.13	---	---	0.02	---	0.08	19
20	0.05	0.13	---	0.46	---	0.02	0.02	---	0.20	0.04	---	---	20
21	0.21	0.02	---	---	---	0.02	0.09	---	0.67	0.30	---	0.15	21
22	0.08	---	---	---	0.15	---	0.54	---	0.15	0.03	---	0.14	22
23	0.08	---	---	---	0.10	0.03	0.57	0.01	0.02	0.04	0.06	---	23
24	---	0.32	---	---	---	---	0.04	---	0.05	---	0.16	---	24
25	---	---	---	---	---	---	0.17	0.88	---	0.03	---	---	25
26	---	---	---	---	---	---	0.50	---	---	0.04	0.09	0.12	26
27	---	0.12	0.01	---	---	---	0.05	0.12	0.04	---	0.14	---	27
28	---	---	0.19	---	---	---	---	---	---	---	0.20	0.01	28
29	---	---	0.07	---	---	---	---	---	1.17	---	0.05	0.01	29
30	---	X	0.45	---	---	---	---	---	---	0.02	---	0.04	30
31	---	X	0.14	X	---	X	---	---	X	0.10	X	---	31
Total	4.13	1.41	1.04	2.56	1.68	0.79	6.01	2.59	5.21	1.84	2.89	2.48	32.63
Rain Days.	14	13	9	12	8	8	19	10	23	17	13	25	17 3

51

6234
FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at *West-Dean Rectory*
in the County of *Hampshire*
by *E. Wells*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	28		06		02		26						1
2	23				03		03		1.18				2
3	55		55		02	03			28				3
4	21	08	79			19		02	08				4
5		40	77		14		10		06				5
6	47		07		23								6
7	12		40	01									7
8	24		23	01	02								8
9	04		03	09									9
10	08		30	06									10
11	12		04	22	08		28						11
12	01		07	03			09						12
13	05		04	49									13
14	40	06		27			01		29				14
15	48	07		08									15
16	07	91											16
17		10		02									17
18			35					32					18
19	39	34	1.26			07	35		05				19
20	21		03			43							20
21	01	63	01				04						21
22		01					16		23				22
23								37					23
24		05		02		04							24
25	04	18				03		05					25
26	07	15	29	11					08				26
27	05	01		34									27
28			45					10					28
29				02				49					29
30	01	X	01	18		18		62					30
31	02	X		X		X	02		X		X		31
Total	4.15	2.99	5.75	1.95	5.4	97	1.34	1.97	2.25				YEAR'S TOTAL
Rain Days.	23	13	19	15	7	7	10	7	8				

REG

DIBDEN

HANTS

Kept at Dibden
in the County of Hampsh
by P.C. Crossley

1911, 1914

FORM A2.
BRITISH RAINFALL
5 - JAN 1912

1 ft. 0 in.
el. 127. ft.

caulien Road
5 Direction W.

Result entered to the

Jan. 1, following.

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.21				.03			.02	.08	1
2				.06	.33						.22	.23	2
3					.22			.06			.31	.14	3
4	.01		.06	.04					.01	.05	.26	.34	4
5								.04		.15			5
6	.49		.09								.07	.77	6
7	.05									.07	.50	.05	7
8	.01		.23								.39	.74	8
9	.06		.01	.01							.03	.16	9
10	.04	.13	.32		.11						.01	.70	10
11	.43	.02	.01								1.23		11
12			.95								.13	.13	12
13					.06				.20			.51	13
14		.05			.02						.18	.32	14
15		.02				.02					.55	.02	15
16						.19					.56	.33	16
17					.03	.12					.38	.39	17
18		.20	.06	.01		.04				.06		.55	18
19		.11				.15			.40	.14		.13	19
20	.03	.01	.11					.04	.06			.87	20
21	.01	.24	.09	.01					.32	.50		.18	21
22	.20	.04	.02			.20				.27		.53	22
23		.22	.01			.22			.19	.54	.06	.37	23
24	.02	.17				.46		.07		1.20		.45	24
25		.08	.01	.11	.27	.03	.01	.02	.03	.02		.14	25
26				.40	.40	.07				.24		.40	26
27		.42	.14	.09				.03	.07	.29	.10	.15	27
28		.21		.36				.18			.02		28
29				.23		.18	.11		.14	.25			29
30				.02	.63	.02		.26		.41		.01	30
31													31
Total	1.36	1.92	2.11	1.55	2.07	1.70	.12	.73	1.42	4.19	5.02	8.69.	TOTAL for Year 30.88
No. of Rain Days	12	14	14	12	9	12	3	9	9	14	18	26	152.

REG

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
5 - JAN 1912Kept at Ditdenin the County of Hampshire 4by P. C. CrossleyPattern GLAISHER
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 127 ft.Time of Observation 9 amNearest Railway Station { Name Beaulieu Road
Distance 5 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. ·01	in.	in.	in. ·21	in.	in.	in.	in. ·03	in.	in.	in. ·02	in. ·08	1
2				·06	·33						·22	·23	2
3					·22			·06			·31	·14	3
4	·01		·06	·04					·01	·05	·26	·34	4
5								·04		·15			5
6	·49		·09								·07	·77	6
7	·05									·07	·50	·05	7
8	·01		·23								·39	·74	8
9	·06		·01	·01							·03	·16	9
10	·04	·13	·32		·11						·01	·70	10
11	·43	·02	·01								1·23		11
12			·95								·13	·13	12
13					·06				·20			·51	13
14		·05			·02						·18	·32	14
15		·02				·02					·55	·02	15
16						·19					·56	·33	16
17					·03	·12					·38	·39	17
18		·20	·06	·01		·04				·06		·55	18
19		·11				·15			·40	·14		·13	19
20	·03	·01	·11					·04	·06			·87	20
21	·01	·24	·09	·01					·32	·50		·18	21
22	·20	·04	·02			·20				·27		·53	22
23		·22	·01			·22			·19	·54	·06	·37	23
24	·02	·17				·46		·07		1·20		·45	24
25		·08	·01	·11	·27	·03	·01	·02	·03	·02		·14	25
26				·40	·40	·07				·24		·40	26
27		·42	·14	·09				·03	·07	·29	·10	·15	27
28		·21		·36				·18			·02		28
29				·23		·18	·11		·14	·25			29
30				·02	·63	·02		·26		·41		·01	30
31													31
Total	1·36	1·92	2·11	1·55	2·07	1·70	·12	·73	1·42	4·19	5·02	8·69	TOTAL for Year 3088
No. of Rain Days	12	14	14	12	9	12	3	9	9	14	18	26	152.

REGISTER OF RAINFALL IN 1914

Kept at "The garth" Didden Purlier
 in the County of Hants
 by P.C. Crossley

Lat. 1.25 Long. 1.25
 Time of Observation 9am
 Nearest Railway Station Beaulieu Road
 Diameter of Rain Gauge 8" in.
 Height of top of Gauge above Ground - ft. 12 in.
 " " " " Sea Level 126 ft.

FORM A.
 BRITISH RAINFALL
 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01					.31			.18	.10	1
2							.08	.01			.25	.21	2
3			.05	.05	.43		.04	.08			.01	.03	3
4	.05			.29	.20		.01	.39		.01	.52	.29	4
5	.05	.01	.07	.31	.16		.25	.11			.25	.01	5
6		.20	.01	.20	.06	.03	.11	.08			.09	.60	6
7		.38	.18	.16	.02	.01	.18	.02				.23	7
8	.03	.28	.51	.03	.01	.02		.20				.07	8
9	.01	.02	.68	.22					.10			1.59	9
10	.05	.36		.09	.19				.34		.01	.01	10
11		.45	.68		.07		.41		.03		.05	.57	11
12		.13	.20				.01		.39	.21		1.02	12
13		.45	.11						.18	.05	.08	.80	13
14		.38	.22			.14	.06	.32		.41	.31	.42	14
15			.23				.16	.52	.05	.10	.45		15
16							.17		.32				16
17		.59	.20						.06		.01	.49	17
18			.22				.08					.60	18
19		.08	.55				1.19				.11	.24	19
20		.23	.33			.05				.01		.13	20
21		.63	.01							.14			21
22		.01	.02		.04	.01	.09	.03		.31			22
23		.05	.24			.33				.14		.01	23
24	.01		.04				.05			.05	.08		24
25	.07		.22				.02	.38		.35	.03	.18	25
26		.01					.04	.11		.08	.15	.65	26
27	.06										.09	.34	27
28		.07	.10		.08					.49	.34	.66	28
29	.21		.14	.03	.01						.22	.01	29
30	.01	X	.09							.50	.69	.67	30
31	.07	X		X	.01	X	.08		X	.23	X	.08	31
Total	.62	4.33	5.11	1.38	1.28	.59	3.03	2.56	1.47	3.18	3.92	10.00	37.48
Rain Days.	11.	18.	24.	9.	12.	7.	18.	13	8.	16	20.	26	182.

✓ "Heather"
Kept at Butts Aa
in the County of
by J. H. S. Gie

DIBDEN
PURLIEU
HANTS
1914

144

FORM A2.
BRITISH RAINFALL.
6 - JAN 1915

in.
ve Ground ft. 17 in.
Sea Level 126 ft.
Name Southampton
Distance 2½ miles Direction E

IMPORTANT

previous day. If a not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

4 5
31 Dec

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil							26			34	10	1
2			04		06		06	05			27	20	2
3				06	38		13					15	3
4				26	17		15	32			64	21	4
5		06	06	26	14		06	10	20		22	08	5
6		20	05	05	08	03	05	05				52	6
7	03	30	10	30	04	26	09	20			07	23	7
8	12	28	35	16	06	04						05	8
9	03	32	84	05	24							176	9
10	05	20		06	40		10		40				10
11	07	40	58	05	14	03	45			04	05	56	11
12		13		20			22		06	27	06	105	12
13		42	22			07		10	35	13	04	70	13
14		35	21					25	15	40	38	45	14
15		10	34					54			33		15
16		12					17	05			06	20	16
17		36	25						05	23	07	36	17
18		25	15				30		40	22		45	18
19		09	56				104		03	05		15	19
20		56	48			05	10			14		12	20
21		30	10			15	07			04			21
22			16	2	05	10				36			22
23			24		16		05			12	04		23
24			03		10		05	50		07	06		24
25	05	06	23					06		03	05	45	25
26	07				05			08	03	10	25	40	26
27	05		03							48	30	35	27
28	23		20	04						34	28	06	28
29	05	07	07	08						31	20	20	29
30		30	03					18			65	101	30
31					03		10	04					31
Total	75	487	532	156	144	73	320	278	167	333	436	1981	TOTAL for year 3982
No. of Rain Days.	10	20	23	12	13	8	17	15	9	17	20	24	188

114
"Heatherdown"
Kept at Butts Ash, Dissen, Purbeu
Southampton
in the County of Hampshire
by J. H. S. Gilman

Pattern
RAIN Diameter of top in.
GAUGE Height of top above Ground ft. 17 in.
" " " Sea Level 125 ft.
Time of Observation 9 am
Nearest Railway Station { Name Southampton
Distance 2 1/2 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

4 1/2
31 Dec

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil							25			34	10	1
2			04		06		06	05			27	20	2
3				06	38		13					15	3
4				26	17		15	32			64	21	4
5		06	06	25	14		06	10	20		22	08	5
6		20	05	05	08	03	05	05				52	6
7	03	30	10	30	04	26	09	20			07	23	7
8	12	28	35	16	06	04						05	8
9	03	32	84	05	24							176	9
10	05	20		06	40		10		40				10
11	07	40	58	05	14	03	45			04	05	56	11
12		13		20			22		06	27	06	105	12
13		42	22			07		10	35	13	04	70	13
14		35	21					25	15	40	38	45	14
15		10	34					54			33		15
16		12					17	05			06	20	16
17		36	25						05	23	07	36	17
18		25	15				30		40	22		45	18
19		09	56			4	104		03	05		15	19
20		56	48			05	10			14		12	20
21		30	10			15	07			04			21
22			16	2	05	10				36			22
23			24		16		05			12	04		23
24			03		10		05	50		07	06		24
25	05	06	23					06		03	05	45	25
26	07				05			08	03	10	25	40	26
27	05		03							48	30	35	27
28	23		20	04						34	28	06	28
29	05	07	07	08						31	20	20	29
30		30	03					18			65	101	30
31					03		10	04					31
Total	75	487	532	156	144	73	320	278	167	333	436	1981	TOTAL for year 3984
No. of Rain Days.	10	20	23	12	13	8	17	15	9	17	20	24	188

London

R

DIBDEN — PURLIEU
HEATHFIELD.
1911-1920

FORM A2.
BRITISH RAINFALL

Kept at *Heathfield*
in the County of *East Sussex*
by *Jessie F. Totton*

Heathfield in *London*
ound *1* ft. *2* in.
a Level *129* ft.
in daily
ame *Totton* by *section*
istance *7* miles. Direction *North*
he result entered to the

IMPORTANT NOTE. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Same as 1907-10
YES

Date	Jan.	Feb.	March.	April.	May	June	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2								<i>0.4</i>			<i>0.4</i>	<i>1.0</i>	2
3											<i>2.3</i>	<i>2.7</i>	3
4	<i>0.1</i>		<i>0.8</i>	<i>Snow</i>				<i>0.8</i>			<i>0.1</i>	<i>1.6</i>	4
5				<i>Snow</i>					<i>0.2</i>	<i>0.8</i>	<i>3.0</i>	<i>3.6</i>	5
6	<i>0.7</i>		<i>1.0</i>					<i>0.4</i>		<i>1.5</i>	<i>0.6</i>		6
7	<i>0.7</i>										<i>1.0</i>	<i>7.7</i>	7
8			<i>2.5</i>							<i>0.8</i>	<i>4.6</i>		8
9			<i>0.1</i>	<i>0.2</i>							<i>1.0</i>	<i>7.7</i>	9
10		<i>1.2</i>	<i>2.7</i>								<i>0.5</i>	<i>1.9</i>	10
11	<i>5.1</i>	<i>0.5</i>	<i>0.1</i>								<i>0.1</i>	<i>8.0</i>	11
12			<i>9.8</i>		<i>0.3</i>						<i>1.5</i>	<i>1.3</i>	12
13					<i>0.4</i>				<i>2.3</i>	<i>0.2</i>		<i>5.7</i>	13
14		<i>0.9</i>										<i>3.7</i>	14
15		<i>0.3</i>											15
16					<i>2.1</i>						<i>2.2</i>	<i>0.5</i>	16
17					<i>0.7</i>	<i>1.5</i>					<i>5.8</i>	<i>3.7</i>	17
18		<i>2.3</i>	<i>0.8</i>			<i>0.5</i>					<i>5.6</i>	<i>3.7</i>	18
19		<i>1.1</i>				<i>1.7</i>			<i>0.7</i>	<i>4.7</i>	<i>6.0</i>		19
20	<i>0.5</i>	<i>0.2</i>	<i>1.2</i>					<i>0.5</i>	<i>0.8</i>			<i>8.1</i>	20
21		<i>3.0</i>	<i>1.0</i>										21
22	<i>2.0</i>	<i>0.6</i>	<i>0.2</i>		<i>2.5</i>				<i>2.7</i>	<i>2.0</i>		<i>2.1</i>	22
23		<i>2.6</i>	<i>0.2</i>		<i>2.4</i>				<i>2.0</i>	<i>5.0</i>		<i>0.9</i>	23
24		<i>2.2</i>			<i>4.8</i>	<i>Immeasurable</i>	<i>0.9</i>		<i>1.2</i>	<i>0.7</i>	<i>4.4</i>		24
25		<i>0.8</i>	<i>0.2</i>	<i>1.3</i>	<i>2.9</i>	<i>0.4</i>	<i>0.1</i>	<i>0.4</i>	<i>0.5</i>	<i>0.4</i>		<i>1.4</i>	25
26				<i>4.3</i>	<i>3.8</i>	<i>0.9</i>				<i>3.1</i>		<i>4.3</i>	26
27		<i>5.0</i>	<i>1.2</i>	<i>1.0</i>					<i>1.0</i>	<i>2.5</i>	<i>1.2</i>	<i>1.5</i>	27
28		<i>2.6</i>		<i>3.6</i>				<i>1.9</i>			<i>0.3</i>	<i>Immeasurable</i>	28
29				<i>2.4</i>	<i>2.0</i>	<i>1.2</i>			<i>1.6</i>	<i>2.8</i>	<i>Immeasurable</i>		29
30				<i>0.2</i>	<i>6.3</i>	<i>0.3</i>		<i>2.3</i>		<i>4.5</i>		<i>0.2</i>	30
31								<i>0.1</i>					31
Total	<i>1-41</i>	<i>2-33</i>	<i>2-18</i>	<i>1-66</i>	<i>2-15</i>	<i>1-91</i>	<i>0-13</i>	<i>0-77</i>	<i>1-53</i>	<i>3-87</i>	<i>5-109</i>	<i>9-81</i>	<i>9-11</i>
No. of Rain Days.	<i>6</i>	<i>14</i>	<i>14</i>	<i>11</i>	<i>9</i>	<i>11</i>	<i>2</i>	<i>3</i>	<i>9</i>	<i>9</i>	<i>14</i>	<i>19</i>	<i>25</i>

R

FORM A2.
BRITISH RAINFALL

Kept at Hea 77 f 2 7 2
Dilden
in the County of Hants
by Jesse Reeves

Pattern 2, Casella London
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 129 ft.
Time of Observation 9 am daily
Nearest Railway Station { Name Totton "see above"
Distance 7 miles Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				— 23				— 0.4			— 0.4	— 1.0	1
2				— 0.7	— 3.5						— 2.3	— 2.7	2
3					— 2.6			— 0.8			— 0.1	— 1.6	3
4	— 0.1		— 0.8	Snow — 0.5					— 0.2	— 0.8	— 3.0	— 3.6	4
5				Snow — 0.2				— 0.4		— 1.5	— 0.6		5
6	— 5.7		— 1.0								— 1.0	— 7.7	6
7	— 0.7									— 0.8	— 4.6		7
8			— 2.5								— 1.6	— 7.7	8
9			— 0.1	— 8.2							— 0.5	— 1.9	9
10		— 1.2	— 2.7		— 1.0						— 0.1	— 8.0	10
11	— 5.1	— 0.5	— 0.1								— 2.4	Immeasurable	11
12			— 9.8		— 0.3						— 1.5	— 1.3	12
13					— 0.4				— 2.3	— 0.2		— 5.7	13
14		— 0.9										— 3.7	14
15		— 0.3									— 2.2	— 0.5	15
16						— 2.1					— 5.8	— 3.7	16
17					— 0.7	— 1.5					— 5.6	— 3.7	17
18		— 2.3	— 0.8			— 0.5				— 0.7	— 4.7	— 6.0	18
19		— 1.1				— 1.7			— 4.2	— 1.4		— 1.4	19
20	— 0.5	— 0.2	— 1.2					— 0.5	— 0.8			— 8.1	20
21		— 3.0	— 1.0						— 2.7	— 2.0		— 2.1	21
22	— 2.0	— 0.6	— 0.2			— 2.5				— 2.8		— 5.6	22
23		— 2.6	— 0.2			— 2.4			— 2.0	— 5.0		— 0.9	23
24		— 2.2				— 4.8	Immeasurable	— 0.9		— 2.2	— 0.7	— 4.4	24
25		— 0.8	Snow — 0.2	— 1.3	— 2.9	— 0.4	— 0.1	— 0.4	— 0.5	— 0.4		— 1.4	25
26				— 4.3	— 3.8	— 0.9				— 3.0		— 4.3	26
27		— 5.0	— 1.2	— 1.0					— 1.0	— 2.5	— 1.2	— 1.5	27
28		— 2.6		— 3.6				— 1.9			— 0.3	Immeasurable	28
29				— 2.4		— 2.0	— 1.2		— 1.6	— 2.8		Immeasurable	29
30				— 0.2	— 6.3	— 0.3		— 2.3		— 4.5		— 0.2	30
31								— 0.1					31
Total	1-41	2-33	2-18	1-66	2-15	1-91	0-13	0-77	1-53	3-87	5-10	9-11	32-45
No. of Rain Days.	6	14	14	11	9	11	2	3	9	9	14	19	25

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
1 JAN 1912

Kept at Heathfield, Sussex, Purley.

in the County of Sussex 4

by M^{rs} Jessie Reeves "Hot Egg"

Pattern Barrell
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 129 ft.
Time of Observation 9 am
Nearest Railway Station { Name Beaulieu Road
Gauge 1 1/2
Distance 1/2 miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0-07
entered for
Dec 31, 1911
as per below

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0-1.0		0-0.2	0-1.4	0-1.7	0-0.1	0-0.1	0-8.3	0-0.0		1
2			0-1.8				0-1.9	0-0.2		0-0.1			2
3			0-0.4			0-2.8	0-0.1	0-6.4	0-0.1		0-0.1		3
4	0-2.2	^{snow} 0-2.0	0-7.7			0-1.8		0-1.0			0-2.3		4
5	0-3.5	0-1.9	0-2.4					0-4.3			0-0.1	0-0.5	5
6	0-6.7	0-0.6			0-1.5	0-0.1	0-1.2	0-1.8				0-0.8	6
7		0-1.5	0-0.2		0-2.5	0-7.4	0-0.8	0-0.3				0-1.8	7
8	0-5.8	0-3.3	0-3.6	0-0.1		0-0.6		0-2.5	0-0.5			0-0.3	8
9	0-0.9	0-2.3	0-1.8	0-0.8		0-0.5	0-0.1	0-1.3				0-2.5	9
10	0-0.1	0-0.9						0-6.4		0-1.7		0-3.9	10
11	0-0.9	0-1.1	0-0.2			0-0.7		0-0.5			0-0.2	0-3.6	11
12	0-0.2	0-1.6	0-1.5	0-0.1	0-4.0	0-4.0	0-0.5	0-2.4					12
13		0-2.3	0-0.5				0-1.4	0-0.6		0-0.8	0-0.2	0-1.6	13
14	0-1.3		0-2.4		0-0.8			0-0.4	0-0.1			0-0.2	14
15	0-0.4	0-1.5	0-2.5		0-0.5	0-6.3		0-0.1				0-3.2	15
16	0-4.9	0-0.1	0-4.2		0-0.7			0-3.0			0-0.9	0-3.9	16
17	0-8.7		0-2.1		0-0.1	0-1.0		0-5.5				0-2.8	17
18	0-0.9		0-2.1					0-1.9				0-0.2	18
19	0-0.5	0-0.8	0-1.9			0-0.3	0-0.7	0-2.0			0-0.3		19
20	0-0.1	0-2.6	0-4.2		0-3.8	0-0.6	0-0.4	0-0.7		0-4.8	0-0.1		20
21	^{sun}	0-5.6	0-1.9					0-2.0		0-1.0			21
22	0-0.9	0-1.7	0-0.9				0-0.3	0-2.0		0-0.1		0-0.7	22
23	0-4.5		0-2.5			0-0.7		0-4.1		0-0.6	0-2.5	0-2.1	23
24	0-1.4	0-0.4				0-0.2		0-2.3				0-3.3	24
25	0-2.3					0-4.4		0-6.1		0-0.3	0-3.3	0-5.8	25
26							0-3.9	0-2.9		0-4.5	0-4.7	0-3.0	26
27		0-0.3				0-1.2	0-2.2		0-0.8	0-4.5		0-6.0	27
28		0-1.4				0-2.0	0-2.5	0-5.1	1-3.1	0-7.3	0-5.3	0-3.6	28
29		0-1.1				0-0.3	0-4.7	0-1.0	1-1.2	0-2.8	0-0.2		29
30							0-1.1	0-2.0		0-2.8			30
31			0-2.8		0-2.1		0-3.6	0-0.5		0-0.1		0-0.7	31
Total	4-6.2	3-1.0	4-8.6	0-1.0	1-6.2	3-6.3	2-7.1	6-9.4	2-5.9	3-9.7	2-0.2	5-0.2	TOTAL for year 41-18.4
No. of Rain Days.	19	20	22	3	10	19	17	30	7	15	13	21	41-18

Copy from originals

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Heathfield Dribden Purlieu
in the County of Hants
by Mr Jesse Reeves

Lat. 50. 50. 25 N Long. 1. 23. 40 W
Time of Observation _____
Nearest Railway Station Beaulieu Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.40	.23	.06	.01	.01			.70		.33	.07	1
2	.08	.13	.01		.07	.01	.03		.08	.05	.16	.01	2
3	.11		.08	.24	.38					.14		.11	3
4	.53		.07		.44	.02	.17		.46	.17	.14	.02	4
5	.40	.08	.01			.04	.05		.65		.12	.08	5
6	.13	.18	.07		.11	.18	.43		.01	.34	.10	.47	6
7		.30	.10		.28	.09	.05			.29	.18		7
8		.08			.19	.03	.02	.11		.18		.10	8
9	.01	.08					.10	.13	.10		.06	.01	9
10	.05	.01		.06	.01		.22	.01		.03	.59		10
11	.91			.28	.18					.56	.34	.02	11
12					.61				.04	.02	.40		12
13	.28		.19					.01	.05	.01	.25		13
14	.37	.02	.20			.01	.03		.13		.09		14
15	.25	.07	.33	.61			.21	.02	.20		.05		15
16	.10		.43	.18		.20	.01		.06				16
17	.17			.07		.05	.02				.03		17
18	.01		.31	.16			.01				.09		18
19	.55		.04		.01	.08	.04		.25				19
20	.10		.42	.14						.05	.13		20
21			.24	.20						.22	.64		21
22	.30		.29					.05	.29	.04		.04	22
23	.01		.21			.06					.03	.83	23
24	.08			.18					.01		.07		24
25		.03		.22						.02			25
26				.16				.24	.01	.38		.33	26
27	.03		.20	.04							.01		27
28	.17		.40	.12						.17			28
29	.27		.36	.55	.90			.07		.43		.04	29
30	.63	X		.09	.03			.01		.25			30
31	.01	X	.04	X	.01	X		1.40	X	.08	X		31
Total	5.55	1.38	4.23	3.36	3.23	.78	1.39	2.05	3.04	3.43	3.81	2.13	YEAR'S TOTAL 34.38
Rain Days.	24	11	21	17	14	12	14	10	15	19	20	13	190

REGISTER OF RAINFALL IN 1914

Kept at 2077/2272
in the County of Barth
by Jesse Reeves

Lat. 50-50-25 N Long. 1-23-14 W
Time of Observation 9 am
Nearest Railway Station Totton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 129 ft.

BRITISH RAINFALL FORM A.
15 MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.1					3.3			2.0	1.3	1
2					0.4		0.9	0.2			2.6	2.4	2
3			0.6	0.7	4.5		0.4	0.8			0.2	0.4	3
4	0.7		0.1	3.0	2.0		0.1	4.3			5.5	3.3	4
5	0.5		0.7	3.4	1.6		2.7	1.1			2.7		5
6		2.3	0.1	2.2	0.8	0.3	1.2	1.1		0.1	1.2	7.0	6
7		4.2	2.2	2.0	0.3	0.1	1.8	0.4			0.1	2.5	7
8	0.4	3.0	5.8	0.4	0.2	0.3		2.4				0.7	8
9	0.1	0.3	7.2	2.4	0.2				1.1			1.6	9
10	0.6	4.2		1.0	2.1				3.8		0.1	0.2	10
11		4.6	7.2	0.1	1.0		4.4		0.5		0.6	5.4	11
12			2.2	0.1			0.1		4.0	2.4		0.4	12
13		6.7	1.3						2.0	0.7	1.0	7.8	13
14		4.6	2.6			1.8	0.6	3.4		4.4	3.3	4.3	14
15			2.7				1.9	5.5	0.7	1.0	4.7		15
16							1.8		3.5			0.1	16
17		6.7	2.3						0.7		0.1	4.8	17
18		0.7	2.3				1.0					6.1	18
19		1.0	5.9				1.7			0.1	1.3	2.6	19
20		2.5	3.0			0.7			0.1	0.1		1.4	20
21		6.5	0.3							2.2			21
22		0.1	0.2		0.5	0.2	1.0	0.5		2.4			22
23		0.6	2.9		0.1	3.3	0.1			1.5			23
24		0.1	0.3				0.8			0.5	1.0		24
25	1.0	0.1	2.4				0.2	4.0		3.7	0.4	2.2	25
26		0.1					0.5	0.9		0.9	1.9	6.5	26
27	0.7		0.1							0.2		3.7	27
28		1.0	2.2		0.9					4.4	4.8	6.6	28
29	2.4		1.7	0.4	0.2			0.1		3.3	2.6	0.2	29
30	0.2		1.0							2.6	7.6	6.7	30
31	1.0				0.2		1.0			3.0		1.3	31
Total	7.6	4.9	5.7	1.5	1.5	0.6	3.2	2.8	1.6	3.5	4.3	10.4	41.0
Rain Days.	10	20	26	11	14	7	19	14	9	18	21	25	195

REGISTER OF RAINFALL IN 1915

Kept at Heathfield, N. Devon.
 in the County of Hants
 by Jesse Reeves

Lat. 50-50-25 N. Long. 1-23-40 W.
 Time of Observation 9 am
 Nearest Railway Station Totton or Beaulieu Road
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " " Sea Level 1-30 ft.

713
 FORM A.
 BRITISH RAINFALL
 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4.9	2.2	0.7		0.1			0.2	3.1	1.4		3.2	1
2	2.0	3.7	2.5	0.8	0.2	0.2		2.3		2.0		3.6	2
3	8.6		1.8	1.0	1.3							4.8	3
4	0.6			0.2						dew		6.7	4
5	0.4	3.9						1.1			dew	5.7	5
6	7.0	2.0		6.2		0.1	4.1	0.6				1.8	6
7	2.0	6.1	0.1				2.6				dew & heavy frost	4.3	7
8	0.5	5.8		0.4			1.5	0.5		dew	0.3	0.4	8
9	0.1	0.3		0.6				0.2			4.4	8.8	9
10	1.8	0.1	0.2									2.8	10
11	0.2		0.8	0.4			0.2			Fog & dew	0.2	0.3	11
12	0.9	4.1		2.3	5.5			0.1	0.2	Fog & dew	0.2	3.6	12
13		2.6			1-2.4			0.1	1.5	dew	0.1	0.5	13
14	0.7						2.8	6.7	0.9			1-0.8	14
15	0.8				1.3		0.2	1.3			0.7	2.6	15
16		1-1.0			2.8		1-5.9	0.2				4.9	16
17		3.9			9.5			6.4		Fog & dew			17
18		3.7			0.4			0.2		dew	0.1	0.3	18
19		1.0			1.7		0.7				0.1		19
20	2.9			1.3	0.6			0.1				0.4	20
21	0.5	1.3					0.8				8.4	1.0	21
22	5.3	4.5	2.9	1.1			9.0					3.2	22
23		0.3	1.1			1-0.4	1.5					6.4	23
24	0.1		1.0	0.1			4.5		2-2.3	4.4		4.4	24
25			0.1	0.6			0.6		0.1			2.5	25
26		1.3				1.3	0.6					9.4	26
27		0.4				1.0				6.5		0.1	27
28		0.7				3.7			1-0.6	0.6			28
29						1-4.2		0.8		1.0	5.5	0.5	29
30	2.1	X				0.4				5.8	9.4	1.8	30
31	0.1	X		X				4.8	X	1-0.2	X	4.0	31
Total	4-15	5-8.9	1-1.2	1-5.0	3-5.8	2-1.3	4-5.0	2-5.4	3-8.9	4-1.1	3-5.5	9-4.4	46=4.0
Rain Days.	20	20	10	13	11	8	14	15	7	15	12	25	170

REGISTER OF RAINFALL IN 1916

Kept at Heathfield, Deben Parliam
in the County of Hants
by Jesse Reeves

Lat. 51-50-25 N Long. 1-23-40 W
Time of Observation 4 am
Nearest Railway Station Beaulieu Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 129 ft.

FORM A.
BRITISH RAINFALL
2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	1.0	1.4	1.0		2.5	0.3			3.5	1.0	3.3	6.1	1
2	4.4	1.6	0.1		2.3		0.2			4.0	1.1		2
3	0.2	7.2	0.3							8.7	3.1		3
4	2.8	3.0			0.1				3.8		3.5		4
5	0.4	0.8			1.5	0.9				1.1	7.5		5
6			0.2		0.2	0.8	5.5			1.5	6.3		6
7	0.1		3.7		0.3	7.0					9.6	0.8	7
8			0.1		3.6	0.7						4.7	8
9		6.1			1.6	0.1						2.0	9
10		0.4	0.2	0.5	0.2	1.9	1.0				0.2	0.4	10
11	0.1		0.9	0.7	0.1	0.3					0.2	1.0	11
12	0.2	1.4	0.2	0.8	0.8		1.3	0.4		0.3			12
13		2.8	0.9	0.4				0.1		0.1			13
14		6.6		0.2	0.3					0.7			14
15		1.5	2.0					3.4					15
16	0.9	0.1	1.7	1.2			0.6	3.7					16
17	2.5	3.3		1.8				2.2	2.6	9.3	1.0	0.2	17
18	0.4	0.8	0.9	1.0				1.0	1.2	0.3	4.4	1.6	18
19	1.3		2.7	0.6					0.2		3.3	0.1	19
20	2.4	0.3	8.3	1.2							0.8	1.5	20
21		0.7	2.9									2.0	21
22						0.5				1.8	0.2	7.1	22
23	0.4	1.4		0.1		1.9				5.0	1.9		23
24			0.1		1.8			1.2		3.2	1.9	3.3	24
25		5.5	1.2					2.7		0.1	0.3		25
26	0.3	1.5	1.0			1.2		1.0		3.7			26
27		0.8	0.4			0.8		0.2	2.6	4.0			27
28		5.2	0.7	0.8					5.6	2.2	0.2	3.4	28
29		3.9				4.8		1.3	2.8	3.2		3.3	29
30										5.4		0.4	30
31								0.9		2.6		0.3	31
Total	1-74	5-58	3-98	0-93	1-53	2-12	0-86	3 01	2-23	5-82	4-88	4-22	36-90
Rain Days.	15	22	21	12	13	13	5	12	8	20	18	17	176

REGISTER OF RAINFALL IN 1917

Rpt at Hatfield, Ribden Turline
in the County of Southampton
by Jesse Reeves

Lat. 50-50-25 N Long. 1-23-40 W
Time of Observation 9 Am
Nearest Railway Station Beaulieu Road 4 miles N.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Snow
— 03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		Snow — 0.2	— 1.9	Snow — 4.8		— 0.4		1 - 2.2	— 0.2		— 0.4		1
2			— 0.8	Snow — 7.7						— 0.3	— 0.3		2
3	— 0.3		— 2.4	Snow — 1.7			— 3.6	— 1.9		— 1.2	— 0.7		3
4		Snow — 0.8	— 0.4					— 1.4		2.5		— 0.4	4
5	— 1.3		— 3.9	— 2.3		— 0.9		— 3.2	— 1.0	— 4.2	— 1.1		5
6								— 0.1		— 0.4	— 1.4		6
7	— 3.3		Snow — 0.7				— 8.0			— 2.7	— 0.4	— 0.8	7
8	— 3.5		Snow — 0.6	— 0.5			2.2	— 3.7	— 0.4	— 3.0	— 1.9	— 3.6	8
9			— 3.2	Snow — 0.1	— 0.7		— 0.1			— 0.2	— 1.2		9
10	— 2.3		— 3.2	Snow — 2.9				— 2.1		— 0.4			10
11	— 0.3		— 0.3	Snow — 1.8				— 1.0	— 0.6	— 4.1	— 0.1		11
12	Snow — 0.5		— 2.8		— 0.8			— 2.1		— 1.7		— 0.2	12
13	— 0.1			— 0.2				— 0.9	— 0.4	— 1.3			13
14				— 0.8				— 0.2		Heavy Hoar Frost — 0.3	Fog — 0.1		14
15					— 9.8		— 0.7	— 3.0	— 0.1	— 3.6	Fog — 0.1	— 1.0	15
16		— 1.7		— 1.6	— 0.9			— 0.1		1 - 8.9	Snow & Hoar Frost — 4.5		16
17				— 1.2	— 1.1		— 4.2	— 1.3	— 5.3	— 1.4			17
18		— 0.4				— 0.2	— 2.0	— 0.2	— 4.9				18
19		— 2.2	— 1.5			— 0.1		— 3.0	— 3.3				19
20		— 0.9	Snow — 4.3		— 5.0			— 0.9	— 0.8		— 0.1		20
21			Snow — 0.9		— 0.2				— 0.1		— 0.1		21
22			Snow — 0.3					— 0.9		— 1.7			22
23		— 1.9			— 0.5			— 2.3		— 1.5		— 0.5	23
24		— 2.1				— 1.4	— 0.9		— 0.1	— 2.2	— 0.8		24
25		— 1.0	— 0.5				— 0.4		— 0.2	— 0.3	— 1.3		25
26			Snow — 0.2			— 1.0		— 3.5	— 1.0				26
27					— 3.8	— 0.6		1 - 3.3				— 0.2	27
28			Snow — 0.3		— 4.3	1 - 8.6		— 2.2			Fog & Frost — 0.3		28
29			Hoar & Snow — 0.4		— 2.2	— 1.0	— 6.4	— 0.2	Fog — 0.1	— 6.1			29
30		X	Hail & Snow & Rain — 6.1				— 9.1	— 3.2	— 0.1				30
31		X	Hail & Snow — 0.3	X		X	— 0.4	— 0.3	X	— 1.3	X	Snow — 0.3	31
Total	1 - 16	1 - 12	3 - 50	2 - 56	2 - 93	2 - 42	3 - 80	6 - 32	1 - 86	5 - 93	1 - 00	1 - 16	3376
Rain Days.	8	9	21	12	11	9	12	25	16	22	15	10	170

REGISTER OF RAINFALL IN 19

Kept at Heathfield Diben Purlice
in the County of Southampton HANTS
by Jesse Reeves

Lat. 50-50-25 N Long. 1-23-40 W
Time of Observation 9 Am
Nearest Railway Station Beaulieu Road
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. Three in.
" " " " Sea Level 129 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.2		0.3	0.1			5.6	0.1		3.7	0.5	1
2		1.3		1.2				5.8			2.7	2.0	2
3		6.4	0.1	2.8	3.4			1.5	0.1	0.2	2.5	0.3	3
4		2.2	0.1	0.6				0.7	3.1		8.8	0.7	4
5		0.6	0.8		1.6			2.1	0.8	2.7		0.2	5
6	2.1	1.0		2.2				1.8	0.3	0.4		1.4	6
7		1.7		2.6	4.9			0.4	3.4	1.5	2.6	0.2	7
8		2.6		2.4					1.6	1.3	0.4	0.4	8
9					3.6	2.2	4.5		6.2	3.2		3.5	9
10	0.3		0.1	0.8		0.3	5.0		2.7	0.6	0.2	4.3	10
11							1.8		0.8	1.5	0.5	0.8	11
12		1.6			0.6				1.2			0.6	12
13	Source 4.2				0.6		4.3		2.6			0.8	13
14	Source 2.7		0.2		0.1	1.1	0.7		5.1	3.0		1.2	14
15	1-5.3			2.6		1.0	1.1		0.2	0.1		2.2	15
16	Source 5.5			0.8		5.0			3.0	0.2		0.1	16
17	1-1.9		Fog 0.1	2.5			9.5	0.4	0.5			2.4	17
18	6.1					6.7			6.0			2.0	18
19	1.0	0.1	1.3				4.2	0.2	0.1	0.2		0.5	19
20	0.3	2.0		4.7		0.1	0.4	0.1	4.8	0.5	0.2		20
21	1.5	0.7	Fog 0.1	0.1			0.1		5.5	0.7		0.9	21
22	1.5				0.9		6.8		2.3			1.4	22
23	1.8				0.2		2.6	0.4	0.4		0.3	0.3	23
24		3.7		0.1		0.4			1.6		1.3	0.1	24
25	0.1			0.3			2.7	4.8		0.3	0.1		25
26							4.2		0.4	0.3	1.0	2.2	26
27		1.0	0.5				0.2	1.3	1.7	0.1	1.8		27
28	0.2		2.3	0.2						0.1	1.0	0.3	28
29	0.1		0.5	0.4					1-3.8	0.3		0.3	29
30	0.1	X	5.0						0.1	0.5			30
31	0.1	X	2.6	X		X			X	2.1	X		31
Total	4-4.5	2-0.1	1-3.7	2-4.6	1-5.4	1-6.8	4-8.1	2-5.1	6-8.4	1-9.8	2-7.1	2-9.6	3-3.2
Rain Days.	18	14	13	17	9	8	15	13	27	21	15	26	19.6

REGISTER OF RAINFALL IN 1919.

Kept at Heathfield, Sussexin the County of Sussexby J. M. P. JonesLat 50-50-25N Long 1-23-40WTime of Observation 9-10-11 PMNearest Railway Station 7-7-7-7-7-7Diameter of Funnel of Rain Gauge Five in.Height of top of Gauge above Ground One ft Three in." " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	61		10		01		42				01	37	1
2	42		01	01	18		17		61		09	02	2
3	31		80		03		02		15			26	3
4	47	12	50			04	06		06		06	10	4
5	01	40	42						63		10	18	5
6	32		15		24					01	02	16	6
7	11		57	02	02								7
8	40		24	08									8
9	19		04	16	01				heavy fog 02		23		9
10	58		42	04	10							45	10
11	17		07	22	01		04		hoar frost 02			06	11
12	10		04	01			18			snow 05	15		12
13	07	04	03	55								09	13
14	51	03		27			01		31	04		13	14
15	29	11	01	05	703 01					01		1-02	15
16	12	87						02			11	01	16
17	04	25						703 01			07	05	17
18	02	snow 10	28					10		703 01	18	02	18
19	39	46	1-15			10	65	19	07	703 01	07	04	19
20	47	06	11			48		22		10		01	20
21	05	66					01		01		02	02	21
22		03					29		58			11	22
23									05	11	05	02	23
24		05				06	03	07		52	13	14	24
25		03		06		05		39				22	25
26	03	22	08	08				02			29	53	26
27	08		01	34			03	95				06	27
28	07	01	snow 45					56			43	50	28
29	01							30		13	01	08	29
30		X	snow 01	20		10		63			83	75	30
31		X	Hail 06	X		X		X		03	X	26	31
TOTAL	5-84	3-44	5-55	2-09	0-61	0-83	1-91	3-45	2-50	1-04	2-85	6-66	3677
Days with 01 in. or more	25	16	22	14	9	6	12	11	11	12	18	27	183

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920

Kept at Heathfield, Ditcham, Sussex
in the County of Southampton
by J. S. S. P. P. P. P.

Lat. 50-50-25N Long. 1-23-40W
Time of Observation 9 AM
Nearest Railway Station Beaulieu Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " " Sea Level 131 ft.

is 4 miles
Station is 6 miles but most
direct of course, Beaulieu
Road being across country from
Heathfield. Southampton is
nearest by New Brighton but
the water is better.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0-07		-06	-23	-17		-56		-01	1-01	-41	-40	1
2	0-08			-08	-01		-35	-39	-06	-09		-21	2
3	0-04	-03		-10			-35			-34		-04	3
4	0-05	-06	-03				-23	-39		-23	Fog -01	-01	4
5	0-04	-03	-18	-02			-71	-12		-57	-01		5
6		-01	-17		-36		-45			Dew -02		-01	6
7	0-06	-01		-14			-36			-01			7
8	0-04	-02		-08	-01		-19	Fog -01	-01				8
9	-48	-05	-02	-04	-09	-10	-14						9
10	-91	-19	-10	-01	-01	-20	-33						10
11	-15		-10	-38	-07	-02	-52			Fog -01		Snow -10	11
12	-15	-14	-01	-16		-87				-01		Snow -03	12
13	-25	-02	-45							-01			13
14	-02	-04	-52	-42		-14	-01	-15	-15	-26	-69		14
15	-07	-02	-02	-23	-06	-04			-35	-52	-13		15
16		-01	-02	-07			-01		-26	-03			16
17	-01			-09	-32		-02		-67		Thick frost -01		17
18	-18	-02	-01	-04	-13	-20	-13	-55	-13		Fog -02		18
19	-04			30		-03			-22		-01	-01	19
20	-05	-09		-20		-69					-01	-12	20
21							-80		-03			-14	21
22	-07		dew -01	-22			-02	-05	-08		H frost -01	-34	22
23							-34	-06			-01	-44	23
24		-01	-24	01						Dew -02		-15	24
25	-04	-02	-03		-20		-48				-01		25
26	-03		-21			-03	-14				-05	-20	26
27	-55	-03	-01	-13	-02	-09	-07			Dew -02	-22	-20	27
28	-55	-02		-06	-05	-01	-16				-01	-17	28
29	-70	-01	-07	-05		-02			Fog -02		-26	-46	29
30	-11					-05	-03	-05	-35		-27	-35	30
31	-06									-49		-29	31
TOTAL	4-71	0-83	2-48	3-06	1-50	2-49	6-40	1-62	2-34	3-64	2-18	3-67	34-92
Days with 01 in. or more	24	20	20	22	13	14	23	8	13	16	18	19	210
Days with 04 in. or more	21	6	11	19	8	9	18	7	9	7	8	15	139

DITCHAM PARK

HANTS

ound 1 ft. 1 in.
a Level 250 ft.

1913-14

DITCHAM PARK,
PETERSFIELD.

May 1.1914.

Dear Mr. Salter,

I am so sorry to have given you so much trouble. I am afraid I relied on someone else to do some of the adding up and copying out of my records for last year.

The Old Ditcham March total should be 3.66. The April total is correct as I gave it to you but April 2nd. should be 0.11 and April 15th 0.58.

Yours sincerely

Charles J. P. Carter

YEAR'S TOTAL

Kept at
Written
31-11-14

REG

W 811

24 FEB 1914
FORM A.
BRITISH RAINFALL

Kept at Old Ditcham
in the County of Hampshire **6**
by C. J. P. Carr

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Petersfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 250 ft.

previc
reque
for it
the s
Organ
Dr. F

the
estly
ided
owing.

DITCHAM PARK,
PETERSFIELD.

Date.

Date.

May 1.1914.

2 MAY 1914

Dear Mr. Salter,

I am so sorry to have
given you so much trouble. I am afraid I relied
on someone else to do some of the adding up and
copying out of my records for last year.

The Old Ditcham March total should be
3.66. The April total is correct as I gave it to
you but April 2nd. should be 0.11 and April 15th
0.58.

Yours sincerely

Charles J. P. Carr.

27	-	-	0.36	0.17	-	-	-	-	0.20	-	-	-	27
28	0.12	-	0.17	0.12	-	-	-	-	0.12	-	-	-	28
29	0.06	-	0.09	0.66	0.50	-	-	0.12	-	0.16	-	0.07	29
30	0.80	-	-	0.08	-	-	-	0.16	-	0.29	-	-	30
31	0.06	-	0.08	-	-	-	-	0.90	-	0.07	-	-	31
Total	6.54	1.48	~~3.26~~ 3.66	3.78	2.88	0.79	2.17	1.60	2.71	5.58	3.83	2.08	36.75
Rain Days.	22	10	22	20	10	7	10	7	12	17	21	11	169

YEAR'S TOTAL

37.05

Kept a

in the

by

1
previc
reque
for it
the s
Organ
Dr. F

A.
W.FALL

in.
ft.
the
estly
ided
owing.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.07	0.48	0.22	0.02	-	0.32	-	-	0.78	-	0.30	0.11	1
2	0.03	0.15	-	0.21	-	-	0.04	-	0.07	0.15	0.10	0.02	2
3	0.24	-	0.07	0.14	0.48	-	-	-	-	0.21	0.05	0.33	3
4	0.54	-	0.10	0.01	0.34	-	-	-	0.63	0.55	0.13	0.07	4
5	0.55	0.06	0.02	-	-	0.12	0.10	-	0.08	-	0.26	0.05	5
6	0.08	0.09	0.07	-	0.06	0.20	0.67	-	-	0.90	0.12	0.27	6
7	-	0.43	0.09	-	0.33	0.11	0.28	-	-	0.40	0.20	-	7
8	-	0.10	-	-	0.30	-	-	-	-	0.45	-	0.07	8
9	-	0.07	-	-	0.03	-	0.07	-	0.20	-	0.06	-	9
10	0.05	-	-	0.01	-	-	0.56	0.02	-	-	0.31	-	10
11	1.17	-	-	0.47	0.03	-	-	-	-	0.62	0.35	0.02	11
12	0.01	0.01	-	-	0.80	-	-	-	-	-	0.47	-	12
13	0.30	-	0.10	-	-	0.01	-	-	0.07	-	0.27	-	13
14	0.46	-	0.20	0.03	-	-	0.25	0.05	0.07	0.02	0.13	-	14
15	0.36	0.08	0.28	0.58	-	-	0.08	-	0.06	-	0.02	-	15
16	0.28	-	0.50	0.26	-	-	-	-	0.25	-	-	-	16
17	0.22	-	0.05	0.13	-	-	0.07	-	0.02	-	0.03	-	17
18	-	-	0.25	0.22	-	-	-	-	-	-	0.07	-	18
19	0.55	-	0.14	-	-	-	0.05	-	0.28	-	-	-	19
20	0.11	-	0.25	0.13	0.01	0.02	-	-	-	0.69	0.06	-	20
21	-	-	0.23	0.19	-	-	-	-	-	0.24	0.85	-	21
22	0.37	-	0.28	-	-	-	-	0.17	0.20	-	-	-	22
23	0.02	-	0.06	-	-	-	-	-	-	-	0.01	0.77	23
24	0.10	-	-	0.11	-	0.01	-	-	-	0.01	0.03	-	24
25	-	0.01	-	0.18	-	-	-	-	-	-	0.01	-	25
26	-	-	0.06	0.11	-	-	-	0.18	-	0.50	-	0.30	26
27	-	-	0.36	0.17	-	-	-	-	-	0.20	-	-	27
28	0.12	-	0.17	0.12	-	-	-	-	-	0.12	-	-	28
29	0.06	-	0.09	0.66	0.50	-	-	0.12	-	0.16	-	0.07	29
30	0.80	-	-	0.08	-	-	-	0.16	-	0.29	-	-	30
31	0.06	-	0.08	-	-	-	-	0.90	-	0.07	-	-	31
Total	6.54	1.48	~~3.36~~ 3.66	3.78	2.88	0.79	2.17	1.60	2.71	5.58	3.83	2.08	YEAR'S TOTAL 36.75
Rain Days.	22	10	22	20	10	7	10	7	12	17	21	11	169

REGISTER OF RAINFALL

Kept at Old Ditcham

in the County of Hants 6

by _____

Lat. 50-58-35 Long. 0-55-00

Time of Observation 9 a.m.

Nearest Railway Station Peterfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.02					0.21			0.09	0.02	1
2								0.04			0.22	0.20	2
3			0.10	0.02	0.46		0.03	0.04			0.01	0.05	3
4	0.06		0.01	0.38	0.07		0.01	0.35			0.34	0.21	4
5	0.02		0.08	0.45	0.18		0.14	0.15			0.07	0.06	5
6		0.25	0.02	0.19	0.12	0.05		0.02				0.55	6
7		1.02	0.14	0.12	0.06	0.01	0.21	0.02				0.45	7
8	0.05	0.63	0.47	0.04	0.01	0.04		0.47				0.08	8
9	0.06	0.02	1.24	0.23				0.02	0.22			2.02	9
10	0.02	0.20		0.12	0.21				0.27			0.19	10
11		0.84	0.74		0.03		0.64		0.14		0.09	0.50	11
12		0.16	0.16				0.32		0.46	0.07	0.06	0.78	12
13		0.20	0.27						0.21	0.06	0.07	1.06	13
14		0.50	0.24			0.11	0.10	0.02		0.38	0.40	0.29	14
15		0.04	0.27				0.13	0.44		0.02	0.51		15
16							0.04		0.26		0.04		16
17		0.90	0.14						0.20			0.67	17
18		0.01	0.48									0.50	18
19		0.13	0.47				1.50				0.11	0.43	19
20		0.41	0.20									0.37	20
21		0.81	0.07							0.27		0.03	21
22		0.05	0.32		0.05		0.10	0.04		0.28		0.02	22
23		0.48	0.05			0.03				0.04			23
24			0.20								0.27		24
25	0.04							0.31		0.50	0.02	0.24	25
26								0.42	0.01	0.09	0.22	0.35	26
27											0.24	0.50	27
28	0.03	0.04	0.02		0.15		0.17			0.28	0.47	0.76	28
29	0.26		0.21							0.30	0.25	0.01	29
30	0.05		0.14	0.10						0.27	0.47	0.80	30
31	0.05				0.02					0.27		0.02	31
Total	0.66	6.64	6.14	1.65	1.36	0.24	3.47	2.63	1.77	2.83	4.45	11.16	YEAR'S TOTAL 43.05
Rain Days.	10	18	24	9	11	5	12	14	8	13	19	27	170

REG

Kept at Ditchamin the County of Hantsby Charles J. P.

DITCHAM

HANTS

1911-1920

FORM A2.
BRITISH RAINFALL
JAN 1912in.
round 1 ft. 0 in.
sea Level 555 ft.Name Petersfield.Distance 3.6 Direction N6°WThe result entered to the
normal rule, he is earnestly
asked to fill in the space provided

Amount of rain,

British Rainfall

Application to

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	-	0.01	0.29	0.01	-	-	0.06	-	-	0.05	0.12	1
2	0.04	-	-	0.09	0.45	-	-	-	-	-	0.25	0.31	2
3	-	0.01	-	-	0.23	-	-	0.11	-	0.01	0.28	0.05	3
4	0.01	0.01	0.01	0.11	-	-	-	-	0.01	0.04	0.28	0.50	4
5	-	-	-	0.04	-	0.01	-	-	-	0.15	0.02	-	5
6	0.46	-	0.09	-	-	-	-	-	-	-	0.09	1.18	6
7	0.07	-	-	-	-	-	-	-	-	0.37	0.59	0.12	7
8	0.06	-	0.26	-	-	-	-	-	-	-	0.20	0.63	8
9	0.16	-	-	-	-	-	-	-	-	-	0.01	0.21	9
10	-	0.15	0.30	-	-	-	-	-	-	-	0.01	0.91	10
11	0.53	-	0.60	-	0.08	-	-	-	-	-	1.37	0.01	11
12	-	-	0.72	-	-	-	-	-	0.01	-	0.30	0.09	12
13	-	-	0.02	-	0.37	-	-	-	0.47	-	-	0.50	13
14	-	0.07	0.02	-	0.14	-	-	-	-	-	-	0.65	14
15	-	0.03	0.01	-	-	-	-	-	-	-	0.13	0.04	15
16	-	0.01	-	-	-	0.43	-	-	-	-	0.68	0.24	16
17	-	-	-	-	-	0.14	-	-	-	-	0.64	0.37	17
18	-	0.22	0.04	0.03	-	0.05	-	-	-	0.10	0.36	0.72	18
19	-	0.03	-	0.01	-	0.13	-	-	0.56	0.22	0.02	0.24	19
20	0.06	0.02	0.09	-	-	-	-	0.03	0.08	0.01	-	1.01	20
21	0.02	0.25	-	-	-	-	-	-	0.01	0.70	-	0.18	21
22	0.14	-	0.37	-	-	0.33	-	-	-	0.24	-	0.69	22
23	-	0.17	0.04	-	-	0.36	-	-	0.16	0.37	0.02	0.54	23
24	0.02	0.24	-	-	-	0.18	0.01	0.25	-	1.82	-	0.50	24
25	0.01	0.10	0.04	0.14	1.20	0.19	0.52	0.02	0.06	0.04	-	0.13	25
26	-	0.01	0.02	0.37	0.29	0.02	0.04	-	-	0.21	-	0.42	26
27	-	0.55	0.47	0.27	0.02	-	0.09	-	0.08	0.13	0.08	0.20	27
28	-	0.32	-	0.36	-	-	-	0.23	-	-	0.01	-	28
29	-	X	-	0.15	-	0.16	0.03	-	0.28	0.42	-	-	29
30	-	X	-	0.02	-	0.10	-	0.07	0.02	0.44	-	0.01	30
31	-	X	-	X	-	X	-	-	X	-	X	-	31
Total	11.64	2.19	3.11	1.88	2.79	2.10	0.69	0.77	1.74	5.27	5.39	10.57	Total for year 38.14
No. of Rain Days.	13	16	17	12	9	12	5	7	11	16	20	27	165

REG

FORM A2.
BRITISH RAINFALL
8 JAN 1912Kept at Ditchamin the County of Hampshire 5by Charles J. P. Carr

Pattern Snowdon
 RAIN Gauge Diameter of top 8 in.
 Height of top above Ground 1 ft. 0 in.
 " " " Sea Level 555 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Petersfield
 Distance 3.6 Direction N 6° W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	-	0.01	0.29	0.01	-	-	0.06	-	-	0.05	0.12	1
2	0.04	-	-	0.09	0.45	-	-	-	-	-	0.25	0.31	2
3	-	0.01	-	-	0.23	-	-	0.11	-	0.01	0.28	0.05	3
4	0.01	0.01	0.01	0.11	-	-	-	-	0.01	0.04	0.28	0.50	4
5	-	-	-	0.04	-	0.01	-	-	-	0.15	0.02	-	5
6	0.46	-	0.09	-	-	-	-	-	-	-	0.04	1.18	6
7	0.09	-	-	-	-	-	-	-	-	0.37	0.59	0.12	7
8	0.06	-	0.26	-	-	-	-	-	-	-	0.20	0.63	8
9	0.16	-	-	-	-	-	-	-	-	-	0.01	0.21	9
10	-	0.15	0.30	-	-	-	-	-	-	-	0.01	0.91	10
11	0.53	-	0.60	-	0.08	-	-	-	-	-	1.37	0.01	11
12	-	-	0.72	-	-	-	-	-	0.01	-	0.30	0.09	12
13	-	-	0.02	-	0.37	-	-	-	0.47	-	-	0.50	13
14	-	0.07	0.02	-	0.14	-	-	-	-	-	-	0.65	14
15	-	0.03	0.01	-	-	-	-	-	-	-	0.13	0.04	15
16	-	0.01	-	-	-	0.43	-	-	-	-	0.68	0.24	16
17	-	-	-	-	-	0.14	-	-	-	-	0.64	0.37	17
18	-	0.22	0.04	0.03	-	0.05	-	-	-	0.10	0.36	0.72	18
19	-	0.03	-	0.01	-	0.13	-	-	0.56	0.22	0.02	0.24	19
20	0.06	0.02	0.09	-	-	-	-	0.03	0.08	0.01	-	1.01	20
21	0.02	0.25	-	-	-	-	-	-	0.01	0.70	-	0.18	21
22	0.14	-	0.37	-	-	0.33	-	-	-	0.24	-	0.69	22
23	-	0.17	0.04	-	-	0.36	-	-	0.16	0.37	0.02	0.54	23
24	0.02	0.24	-	-	-	0.18	0.01	0.25	-	1.82	-	0.50	24
25	0.01	0.10	0.04	0.14	1.20	0.19	0.52	0.02	0.06	0.04	-	0.13	25
26	-	0.01	0.02	0.37	0.29	0.02	0.04	-	-	0.21	-	0.42	26
27	-	0.55	0.47	0.27	0.02	-	0.09	-	0.08	0.13	0.08	0.20	27
28	-	0.32	-	0.36	-	-	-	0.23	-	-	0.01	-	28
29	-	X	-	0.15	-	0.16	0.03	-	0.28	0.42	-	-	29
30	-	X	-	0.02	-	0.10	-	0.07	0.02	0.44	-	0.01	30
31	-	X	-	X	-	X	-	-	X	-	X	-	31
Total	11.64	2.19	3.11	1.88	2.79	2.10	0.69	0.77	1.74	5.27	5.39	10.57	38.14
No. of Rain Days.	13	16	17	12	9	12	5	7	11	16	20	27	165

REGISTER OF RAINFALL IN 1912

Ordinary rain date 6.11.13 47 R.

Kept at Ditcham Park, Peterfield
in the County of Hampshire
by Charles J. P. Carr

Lat. 50°-57' Long. 0-56 W 2
Nearest Railway Station Peterfield
Time of Observation 9 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 555 ft.

FORM A.
BRITISH RAINFALL
JAN 1913

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.21	-	0.02	0.60	0.15	-	0.01	0.73	-	0.40	1
2	-	-	0.42	0.02	-	0.06	0.26	0.01	-	-	-	-	2
3	0.02	0.01	0.05	-	-	0.29	-	0.72	0.03	-	0.02	0.02	3
4	0.21	0.03	0.94	-	0.02	0.38	-	0.02	-	-	0.20	0.01	4
5	0.32	0.11	0.26	-	-	-	-	0.41	-	-	0.05	0.03	5
6	0.61	0.08	-	-	0.11	0.01	-	0.30	-	-	-	0.11	6
7	-	-	-	-	0.26	0.93	-	0.20	-	-	-	0.16	7
8	0.65	0.48	0.33	-	-	0.10	-	0.03	-	-	-	0.03	8
9	0.02	0.27	0.25	0.04	-	0.01	0.04	0.14	-	-	-	0.28	9
10	0.01	0.11	0.01	-	-	-	-	0.43	-	-	0.15	0.45	10
11	0.09	0.28	0.07	-	-	0.06	-	0.02	-	-	0.02	0.24	11
12	0.02	0.22	0.14	-	0.08	0.29	0.10	0.16	-	0.01	-	-	12
13	-	0.07	0.03	-	-	-	0.21	0.16	-	0.02	0.04	0.14	13
14	0.03	-	0.03	-	0.03	-	-	0.07	-	0.06	-	0.06	14
15	0.02	0.11	0.19	-	0.09	0.61	-	0.01	-	0.12	-	0.46	15
16	0.13	0.01	0.45	-	0.10	0.01	-	0.43	-	-	0.10	-	16
17	0.60	-	0.35	-	-	0.05	-	0.37	-	-	0.01	0.33	17
18	0.17	-	0.25	-	-	-	-	0.16	-	0.05	-	0.12	18
19	0.07	0.15	0.11	-	-	0.02	0.07	0.84	-	-	0.02	0.01	19
20	0.02	-	0.50	-	-	0.07	-	0.03	-	0.43	0.05	-	20
21	0.01	0.25	0.24	-	0.54	-	-	0.30	-	0.23	-	-	21
22	0.11	0.69	0.08	-	-	-	-	0.37	-	-	-	0.09	22
23	0.60	0.33	0.33	-	-	0.02	-	0.67	-	0.04	0.29	0.15	23
24	0.27	0.08	0.01	-	-	0.01	-	0.41	-	-	-	0.20	24
25	0.19	0.01	0.01	-	-	0.57	-	0.71	-	0.05	0.28	0.77	25
26	-	0.08	-	-	-	-	0.04	0.16	-	0.61	0.34	~~0.25~~	26
27	-	0.03	-	-	-	0.21	0.22	-	-	0.34	-	0.56	27
28	-	0.07	-	-	-	0.09	0.50	0.30	0.13	0.84	0.48	0.35	28
29	-	0.13	-	-	-	0.07	0.68	0.53	1.96	0.37	0.04	-	29
30	0.01	X	-	-	0.20	-	0.22	0.07	2.03	0.34	-	-	30
31	-	X	0.11	X	-	X	0.42	0.24	X	0.02	X	0.02	31
Total	4.18	3.60	5.37	0.06	1.45	4.46	2.91	8.27	4.16	4.26	2.09	5.22	TOTAL 46.03
No. of Rain Days	22	22	24	2	10	21	18	29	5	16	15	24	202

REGISTER OF RAINFALL IN 1913

Kept at Ditcham
in the County of Hampshire
by Charles J. P. Cave

Lat. 50° 57' 11" Long. 0° 36' 4"
Time of Observation 9 a.m.
Nearest Railway Station Baterfield
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 555 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05	0.49	0.22	0.02	0.02	0.15	-	-	0.84	-	0.21	0.14	1
2	0.03	0.15	-	0.11	-	-	0.06	-	0.07	0.22	0.12	0.02	2
3	0.14	-	0.10	0.16	0.48	-	-	-	-	0.09	-	0.27	3
4	0.48	-	0.11	-	0.42	-	-	-	0.68	0.54	0.20	0.08	4
5	0.73	0.07	0.03	-	-	0.15	0.07	-	0.35	-	0.31	0.05	5
6	0.07	0.11	0.07	-	0.06	0.21	0.76	-	-	0.86	0.12	0.37	6
7	-	0.32	0.12	-	0.27	0.13	0.34	0.01	-	0.40	0.19	-	7
8	-	0.09	-	-	0.34	0.02	-	-	-	0.36	-	0.09	8
9	-	0.08	-	-	0.03	0.02	0.11	0.02	0.20	-	0.08	0.02	9
10	0.04	-	-	0.03	-	-	0.63	0.04	-	0.01	0.37	-	10
11	1.25	0.05	-	0.45	0.03	-	-	-	-	0.50	0.35	0.02	11
12	-	-	-	-	1.17	-	-	-	0.05	-	0.61	-	12
13	0.31	-	0.10	-	-	0.02	-	0.05	0.04	-	0.21	-	13
14	0.42	-	0.13	0.02	-	-	0.22	0.03	0.10	0.02	0.25	-	14
15	0.26	0.09	0.37	0.43	-	-	0.12	-	0.16	-	0.02	-	15
16	0.33	-	0.48	0.20	-	-	0.04	-	0.26	-	-	-	16
17	0.22	-	0.03	0.13	-	-	0.07	-	-	-	0.05	-	17
18	-	-	0.22	0.15	-	-	0.03	-	-	-	0.08	-	18
19	0.45	-	0.08	-	0.01	0.01	0.05	-	0.31	-	-	-	19
20	0.14	-	0.32	0.16	-	0.01	-	-	-	0.68	0.04	0.01	20
21	-	-	0.23	0.28	-	-	-	-	-	0.27	0.70	-	21
22	0.40	-	0.29	-	0.01	-	-	0.12	0.22	-	-	-	22
23	0.02	-	0.14	-	-	0.04	-	0.09	-	-	-	0.88	23
24	0.14	-	0.05	0.10	-	-	-	0.04	-	0.01	0.05	-	24
25	-	0.02	-	0.22	-	-	-	-	-	0.01	0.02	-	25
26	-	-	0.07	0.07	-	-	-	0.20	-	0.53	-	0.36	26
27	-	-	0.32	0.14	-	-	-	-	-	0.12	-	-	27
28	0.13	-	0.19	0.10	-	-	-	-	-	0.20	-	-	28
29	0.06	X	0.10	0.42	0.59	-	-	0.10	-	0.18	0.02	0.08	29
30	0.79	X	-	0.10	-	-	-	0.15	-	0.24	-	-	30
31	0.03	X	0.08	X	-	X	-	1.07	X	0.09	X	-	31
Total	6.50	1.47	3.85	3.29	3.43	0.76	2.50	1.92	3.28	5.33	4.00	2.79	38.72
Rain Days.	22	10	23	19	12	10	12	12	12	14	20	13	184

REGISTER OF RAINFALL IN 1914

Kept at Ditcham Park - Petersfield
in the County of Hants
by Charles J. P. Cave

Lat. 50°-51' Long. 0°-56' W
Time of Observation 9 a.m.
Nearest Railway Station Petersfield
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 555 ft.

FORM A.
BRITISH RAINFALL
1 - MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.01	0.02	-	-	-	-	0.22	-	-	0.07	1.04	1
2	-	0.01	-	-	-	-	-	0.11	-	-	0.10	0.19	2
3	-	0.01	0.14	0.03	0.45	-	0.01	0.12	-	-	-	0.03	3
4	0.03	-	0.04	0.35	0.12	-	0.01	0.34	-	-	0.32	0.21	4
5	0.07	-	0.12	0.50	0.16	0.02	0.19	0.03	-	-	0.09	-	5
6	-	0.20	0.01	0.29	0.16	0.03	-	0.06	-	-	-	0.62	6
7	0.21	0.78	0.19	0.19	0.02	0.01	0.28	0.01	-	-	-	0.32	7
8	0.06	0.50	0.54	0.11	0.03	0.05	0.01	0.44	-	-	-	0.01	8
9	0.10	-	1.13 1.13	0.15	-	0.01	-	0.02	0.16	-	-	1.89	9
10	0.04	0.22	-	0.12	0.27	-	-	-	0.29	-	-	0.01	10
11	-	0.69	0.63	-	0.07	1.02	0.66	-	0.15	-	0.11	0.73	11
12	-	0.15	0.18	-	-	-	0.18	-	0.55	0.06	0.01	0.65	12
13	-	0.55	0.20	-	-	0.02	-	-	0.27	0.07	0.18	1.07	13
14	-	0.33	0.23	-	-	1.76	0.11	0.06	-	0.40	0.34	0.30	14
15	-	0.05	0.25	-	-	-	0.17	0.42	0.02	0.02	0.58	-	15
16	-	-	-	-	-	-	0.10	-	0.28	-	0.07	-	16
17	-	0.80	0.14	-	-	-	-	-	0.16	-	-	0.55	17
18	-	0.01	0.34	-	-	-	-	-	-	-	-	0.56	18
19	-	0.15	0.52	-	-	-	1.73	-	-	0.01	0.12	0.24	19
20	-	0.36	0.17	-	-	0.01	-	-	0.03	-	-	0.32	20
21	-	0.66	0.08	-	-	-	-	-	-	0.26	-	0.03	21
22	-	0.02	0.02	-	0.04	0.20	0.07	0.13	-	0.29	-	-	22
23	-	0.34	0.31	-	-	0.08	-	0.01	-	0.04	-	-	23
24	0.02	-	0.03	-	-	-	-	-	-	-	0.25	-	24
25	0.04	-	0.18	-	-	-	-	0.32	-	0.48	0.01	0.13	25
26	-	-	-	-	-	-	0.04	0.35	-	0.09	0.23	0.85	26
27	0.06	-	-	-	-	-	-	-	-	-	0.14	0.43	27
28	0.02	0.04	0.01	-	0.26	-	0.12	-	-	0.30	0.43	0.79	28
29	0.20	X	0.23	-	-	-	-	-	-	0.32	0.16	0.02	29
30	0.02	X	0.12	0.09	-	-	-	-	-	0.21	0.86	0.70	30
31	0.05	X	-	X	0.03	X	0.11	-	X	0.40	X	0.02	31
Total	0.72	5.88	5.83	1.83	1.55	2.21	3.79	2.64	1.91	2.95	4.07	10.71	44.09
Rain Days.	13	20	25	9	11	11	15	15	9	14	18	25	195

15.11.76 J.W. REGISTER OF RAINFALL IN 1915

Kept at Ditcham Park
in the County of Hampshire
by C. J. P. Cave

Lat. 50-57 Long. 0-56 W
Time of Observation 9 a.m.
Nearest Railway Station Petersfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 555 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.71	0.30	0.04	-	0.03	-	-	0.13	0.54	0.14	0.07	0.69	1
2	0.38	0.24	0.35	0.08	0.01	0.01	-	0.15	0.16	0.11	-	0.28	2
3	0.79	-	0.18	0.17	0.17	-	-	0.08	0.01	-	-	0.66	3
4	0.02	-	-	0.01	-	-	-	0.06	-	-	-	0.52	4
5	0.04	0.60	-	-	-	-	-	0.12	-	-	-	0.59	5
6	0.78	0.22	-	0.76	-	-	0.85	0.06	-	-	-	0.34	6
7	0.29	0.70	0.01	0.01	0.01	-	0.13	0.01	-	-	-	0.60	7
8	0.01	1.06	-	-	-	-	0.19	0.03	-	-	0.03	0.03	8
9	0.05	0.12	-	0.18	-	0.12	-	0.13	-	-	0.56	0.86	9
10	0.81	0.22	-	-	-	-	-	-	-	0.02	-	0.25	10
11	0.01	-	0.08	-	-	-	0.02	-	-	-	1.12	0.09	11
12	0.09	0.33	-	0.19	0.50	-	-	0.02	-	0.06	0.50	-	12
13	0.03	0.59	-	-	1.65	-	-	-	0.14	-	-	-	13
14	0.06	-	-	-	0.01	-	0.13	0.30	0.08	-	-	1.03	14
15	0.14	-	-	-	0.08	-	0.26	0.18	0.02	-	0.05	0.45	15
16	-	1.02	-	-	0.39	-	1.59	0.06	-	-	-	0.09	16
17	-	0.52	-	-	0.91	-	0.02	0.07	0.01	-	-	-	17
18	-	0.78	-	-	0.13	-	-	-	-	-	0.05	-	18
19	-	0.16	-	-	0.13	-	0.09	-	-	-	-	-	19
20	0.42	-	-	0.02	0.08	-	-	-	-	0.02	-	0.10	20
21	0.05	0.02	-	-	0.03	-	0.06	-	-	0.42	-	0.16	21
22	1.33	0.37	0.17	0.02	-	-	0.06	-	-	-	-	0.28	22
23	-	0.07	0.10	-	-	0.02	0.17	-	0.54	0.36	-	0.56	23
24	-	-	0.04	-	-	-	0.11	-	0.73	0.54	-	0.31	24
25	-	-	0.07	0.07	-	0.03	0.01	-	-	-	-	0.20	25
26	-	0.07	-	-	-	0.22	0.24	-	-	-	-	0.89	26
27	-	0.01	-	-	-	0.08	-	-	0.02	0.58	0.01	0.06	27
28	-	0.10	-	-	-	0.20	-	-	0.63	0.22	-	-	28
29	-	X	-	-	-	0.31	0.05	0.08	-	0.01	0.67	0.04	29
30	0.19	X	-	-	-	0.15	-	-	-	0.72	0.67	0.07	30
31	0.01	X	-	X	-	X	-	0.76	X	1.58	X	0.36	31
Total	5.71	6.90	1.04	1.51	4.13	1.14	5.03	2.24	2.88	4.78	3.73	4.50	YEAR'S TOTAL
Rain Days.	20	20	9	10	14	9	16	16	11	12	10	25	48.65

REGISTER OF RAINFALL IN 1916

Kept at Stitham

in the County of Hants

by Charles J. P. Cave

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Retonfield

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 555.4 ft.

" " " " Sea Level 555.4 ft.

FORM A
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.11	0.06	0.10	-	0.22	0.06	-	-	0.36	0.23	0.37	-	1
2	0.39	0.15	0.09	-	0.26	-	0.01	-	0.12	0.86	0.01	-	2
3	0.02	0.49	0.21	-	-	-	0.03	-	0.03	0.90	0.64	-	3
4	0.16	0.19	-	-	-	0.50	-	-	0.21	⁰³ 0.10	0.40	-	4
5	0.05	0.03	0.01	-	0.15	0.25	-	-	-	0.12	0.62	-	5
6	0.01	0.10	0.03	0.04	0.02	0.16	0.56	-	-	0.11	0.65	-	6
7	0.02	0.01	0.53	-	0.06	0.12	0.03	-	-	-	0.06	0.08	7
8	-	0.01	0.01	-	0.47	-	-	-	-	-	0.01	0.48	8
9	-	-	0.01	-	0.29	0.07	-	-	-	-	-	0.09	9
10	-	0.58	0.06	0.07	0.03	0.13	0.17	-	-	0.02	0.04	0.15	10
11	0.03	0.06	0.05	¹⁸ 0.01	0.01	0.18	-	-	-	-	-	0.06	11
12	0.06	0.06	-	0.04	0.06	0.07	0.17	0.02	-	0.11	-	-	12
13	-	0.30	0.04	-	-	0.01	-	0.02	-	⁰⁵ 0.05	-	-	13
14	-	0.49	0.03	0.17	0.05	-	-	0.13	-	0.03	-	0.01	14
15	-	0.14	0.32	-	-	-	-	0.23	0.01	-	-	-	15
16	0.07	0.02	0.25	0.19	-	-	0.09	0.40	-	0.02	-	-	16
17	0.33	0.26	-	0.13	-	-	-	0.24	0.42	1.13	-	-	17
18	-	0.14	0.05	0.11	-	-	-	0.20	0.16	0.05	0.44	0.11	18
19	0.16	-	0.12	0.20	-	0.01	-	-	0.02	-	0.43	0.11	19
20	0.16	0.01	0.61	0.11	-	-	-	-	-	-	0.01	0.88	20
21	0.01	-	0.23	-	-	-	0.01	-	-	-	-	0.30	21
22	-	-	0.02	-	0.01	0.05	-	-	-	0.08	0.01	0.64	22
23	0.01	0.20	0.01	-	-	0.53	-	0.04	-	0.05	0.06	0.04	23
24	-	-	-	-	0.20	0.02	-	0.05	-	0.38	0.14	0.38	24
25	-	0.74	0.11	-	-	-	-	0.27	0.56	0.04	0.08	-	25
26	0.03	0.39	0.03	-	-	0.08	-	0.01	0.08	0.48	-	-	26
27	0.02	0.02	0.82	-	-	0.05	-	0.07	0.08	0.28	-	0.02	27
28	-	0.43	0.09	-	-	-	-	0.10	0.24	0.20	0.04	0.31	28
29	-	0.28	0.02	-	-	0.58	-	1.50	0.19	⁴⁸ 0.10	-	0.39	29
30	-	~~X~~	-	-	0.15	-	-	0.01	-	0.39	-	0.01	30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	0.09	~~X~~	0.27	~~X~~	0.05	31
Total	1.64	5.16	3.85	1.24	1.98	2.87	1.07	3.38	2.48	6.31	4.91	4.11	YEAR'S TOTAL 39.00
Rain Days.	17	24	25	10	14	17	8	16	13	23	17	18	202

REGISTER OF RAINFALL IN 1917

Kept at Ditcham Park
 in the County of Hampshire
 by Capt. C. J. P. Cave

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Petersfield
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 555 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.17	0.15	-	0.01	-	1.51	0.05	-	0.05	-	1
2	-	-	0.02	0.57	-	-	-	0.03	-	-	0.12	-	2
3	0.02	-	-	0.17	-	-	0.52	0.23	-	0.16	0.16	-	3
4	-	0.13	0.23	-	-	-	-	0.16	-	0.32	-	-	4
5	0.37	-	0.05	0.51	-	0.05	-	0.26	0.14	0.40	0.10	-	5
6	-	-	0.25	0.01	-	0.08	-	-	0.04	0.04	0.14	-	6
7	0.35	-	-	-	-	-	0.03	-	-	0.58	-	0.10	7
8	0.32	-	0.02	0.06	-	-	0.35	0.24	0.02	0.33	0.36	0.37	8
9	0.01	-	0.14	-	0.09	-	0.05	-	0.01	0.05	0.06	0.07	9
10	0.18	-	0.38	0.22	0.01	0.01	-	0.16	-	-	-	0.01	10
11	0.19	-	0.25	0.17	-	-	-	0.30	0.17	0.38	-	-	11
12	0.05	-	0.05	0.01	0.01	-	-	0.33	-	0.39	-	-	12
13	0.06	-	0.28	0.01	-	-	-	0.14	0.03	0.14	-	-	13
14	0.01	-	-	0.12	-	-	-	0.64	0.02	-	-	-	14
15	-	-	-	-	0.06	-	0.19	0.05	-	0.21	-	0.06	15
16	0.01	0.15	-	0.14	0.13	-	0.06	-	-	1.10	-	0.81	16
17	-	0.03	-	0.20	0.11	-	0.41	0.15	0.54	0.20	-	-	17
18	0.02	0.03	-	0.01	0.03	-	0.23	0.03	0.47	0.05	-	-	18
19	0.01	0.26	0.15	-	-	-	-	0.05	0.40	-	-	-	19
20	-	0.12	-	-	0.73	0.04	0.02	-	0.07	-	-	-	20
21	0.03	-	0.03	-	0.02	-	-	-	-	0.05	0.01	-	21
22	-	-	0.03	-	-	0.13	-	0.16	-	0.19	-	-	22
23	-	0.23	-	-	0.09	-	-	0.30	-	-	-	-	23
24	-	0.17	-	-	-	0.11	0.05	-	-	0.32	0.06	0.03	24
25	-	0.06	0.05	-	-	-	-	-	-	0.04	-	-	25
26	-	-	0.05	-	-	0.01	-	0.45	0.18	0.01	0.30	-	26
27	-	-	-	-	0.72	0.21	-	1.81	-	-	-	-	27
28	-	-	0.04	-	-	2.86	-	0.35	-	-	-	0.03	28
29	-	X	0.06	-	0.22	0.09	0.43	0.04	-	0.43	-	0.11	29
30	-	X	0.40	-	-	-	0.76	0.25	-	0.01	-	-	30
31	-	X	0.07	X	-	X	0.17	0.12	X	0.04	X	0.01	31
Total	1.63	1.18	2.72	2.35	2.22	3.60	3.31	7.76	2.14	5.44	1.36	1.60	35.31
Rain Days.	14	9	20	14	12	14	13	23	13	22	10	10	11

REGISTER OF RAINFALL IN 1918

Kept at Ditcham Park
in the County of Hampshire
by Capt. C. J. P. Coker

Lat. 50-57 Long. 0-56 4
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Putnamfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 555.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.02	—	—	—	—	—	0.14	—	—	0.56	0.07	1
2	—	0.08	—	0.05	—	—	—	0.62	—	—	0.45	0.31	2
3	—	0.03	0.01	0.13	0.42	—	—	0.09	—	0.04	0.25	0.01	3
4	—	0.19	0.06	0.02	—	—	—	0.08	0.27	—	0.74	0.05	4
5	—	0.12	0.13	—	0.13	—	—	0.27	—	0.18	—	0.03	5
6	0.16	0.16	—	0.32	0.15	—	—	0.05	0.03	0.02	—	0.10	6
7	0.01	0.17	—	0.06	0.38	0.01	—	0.05	0.19	0.08	0.18	0.04	7
8	—	0.17	—	—	—	—	—	—	0.10	0.07	0.15	0.02	8
9	0.01	—	—	0.33	—	0.15	0.47	—	0.77	0.30	—	0.75	9
10	—	—	—	0.10	—	0.10	0.27	—	0.52	0.05	0.03	0.37	10
11	0.04	—	—	—	—	—	0.37	—	0.04	0.36	0.03	0.10	11
12	—	0.20	—	—	0.36	—	0.54	—	0.07	—	—	0.08	12
13	0.24	—	—	—	0.06	—	0.35	—	0.43	—	—	0.06	13
14	0.28	—	0.09	—	0.05	0.11	0.11	—	0.47	0.26	—	0.22	14
15	1.65	—	—	0.30	—	0.08	0.17	—	0.01	—	—	0.30	15
16	0.40	—	—	0.09	—	0.02	0.02	—	0.68	0.02	—	—	16
17	0.21	—	—	0.16	—	—	0.13	0.01	—	—	—	0.30	17
18	0.60	—	—	—	—	0.69	0.02	—	0.70	—	—	0.14	18
19	0.06	—	0.17	—	—	0.08	0.27	0.03	—	0.03	—	0.06	19
20	0.04	0.23	—	0.48	—	0.03	0.11	—	0.20	0.05	—	—	20
21	0.26	0.10	—	0.02	—	0.01	0.58	—	0.35	0.07	—	0.14	21
22	0.25	—	—	—	0.14	—	0.81	—	0.23	0.01	—	0.35	22
23	0.20	—	—	—	0.11	—	0.20	0.03	0.05	—	—	0.04	23
24	—	0.32	—	0.01	—	0.04	0.03	—	0.29	—	0.20	—	24
25	—	—	—	0.21	—	—	0.60	0.41	—	—	—	—	25
26	—	—	—	—	—	—	0.78	—	0.08	0.01	0.10	0.18	26
27	—	0.13	0.08	0.01	—	—	0.04	0.25	0.10	0.02	0.09	0.04	27
28	—	0.01	0.27	0.01	—	0.07	—	—	—	—	0.21	0.06	28
29	—	X	0.07	—	—	—	—	—	1.22	0.01	—	0.02	29
30	—	X	0.60	—	—	—	—	0.07	0.03	0.07	0.04	0.01	30
31	—	X	0.08	X	—	X	—	—	X	0.27	X	—	31
Total	4.41	1.93	1.56	2.36	1.80	1.39	5.87	2.10	6.83	1.92	3.03	2.85	36.99
Rain Days.	15	14	10	16	9	12	19	13	22	19	13	26	188

REGISTER OF RAINFALL IN 1919

Kept at Ditcham Park
 in the County of Hampshire
 by Capt. C. J. P. Cave

Lat. 50°-57' Long. 0°-56' W
 Time of Observation 9 a.m.
 Nearest Railway Station Petersfield
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. - in.
 " " " " Sea Level 555 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.56	0.03	0.07	0.16	-	-	0.23	-	-	0.05	-	1.10	1
2	0.55	-	0.01	-	0.17	-	-	-	0.15	-	0.04	0.07	2
3	0.49	-	0.68	-	0.05	-	0.01	-	0.09	-	0.01	0.40	3
4	0.32	0.04	0.60	-	-	0.02	0.08	0.04	0.13	-	0.14	0.05	4
5	-	0.35	1.10	-	-	-	0.58	-	0.65	-	0.14	0.35	5
6	0.48	-	0.19	-	0.10	-	-	-	-	-	-	0.17	6
7	0.16	-	0.60	-	-	-	-	-	-	-	-	-	7
8	0.30	-	0.18	0.02	-	-	-	-	-	-	-	-	8
9	0.21	-	0.10	0.18	0.15	-	-	-	0.01	-	0.31	-	9
10	1.35	-	0.15	0.08	-	-	-	-	-	-	-	0.53	10
11	0.25	-	0.14	0.29	0.17	-	0.10	-	-	-	-	0.11	11
12	0.05	-	0.02	0.10	0.02	-	0.08	-	-	0.08	0.08	-	12
13	0.09	-	0.02	0.93	-	-	-	-	-	-	-	0.06	13
14	0.47	0.02	-	0.21	-	-	0.14	-	0.77	-	-	0.18	14
15	0.20	0.03	-	0.07	0.01	-	-	-	-	0.03	-	1.39	15
16	0.07	0.79	-	-	-	-	-	-	-	-	0.13	0.01	16
17	-	0.20	-	-	-	-	-	-	-	-	0.15	0.05	17
18	-	0.10	0.25	-	-	-	-	0.20	0.01	0.01	0.15	0.02	18
19	0.31	0.57	1.40	-	0.01	0.18	0.32	0.29	-	0.01	0.08	0.02	19
20	0.96	0.14	0.05	-	-	0.35	0.01	0.22	-	-	-	0.04	20
21	0.03	0.59	-	-	-	0.02	0.11	-	-	0.01	0.03	0.01	21
22	-	0.02	-	-	-	-	0.13	-	0.53	-	0.02	0.26	22
23	-	-	-	-	-	-	-	-	0.04	0.05	0.05	0.07	23
24	-	0.04	-	0.03	-	0.02	0.01	0.08	-	0.22	0.20	0.11	24
25	0.04	0.05	-	-	-	0.03	-	0.32	-	-	0.01	0.09	25
26	0.04	0.26	0.12	0.20	-	-	0.01	0.05	0.15	-	0.11	0.60	26
27	0.10	-	-	0.49	-	-	-	0.97	-	-	0.11	0.07	27
28	0.10	-	0.31	0.01	-	-	-	0.74	-	-	0.40	0.51	28
29	0.03	X	-	0.03	-	-	-	0.23	-	0.14	-	0.15	29
30	-	X	-	0.25	-	0.08	-	0.44	-	-	0.70	0.94	30
31	0.05	X	0.04	X	-	X	-	-	X	-	X	0.10	31
Total	7.21	3.23	6.03	3.05	0.68	0.70	1.81	3.58	2.53	0.60	2.86	7.46	39.74
Rain Days.	24	15	19	15	8	7	13	11	10	9	19	27	177

Days with 0.4 in. 22 11 16 11 5 3 9 11 8 5 15 23 139
 W. 8,000, VIII. 16

Ditchman Pl
with A

Harvest 1915

685

31 JAN 20

NOTES.

Absolute drought May 20 to June 5 15 days.

Partial drought May 7 to June 18 43 days with 0.38 in.

The rainfall of 0.01 on May 19th. was estimated; the funnel was found blocked when looked at at 9 a.m. on May 20th. but there had been rain on the 18th. I considered there had been about the same amount as on the 15th, my gardener, who usually takes the readings, estimated it as 0.02. I have put down my estimate.

Rain Spell Dec. 13th. to Dec. 31st. 19 days with 4.68 in.
and rain still continuing on Jan. 1st.

REGISTER OF RAINFALL IN 1920.

Kept at Ditcham Park
in the County of Hampshire
by C. J. P. Care

Lat 50-57-11 Long 0-56-4 W
Time of Observation 94 G.M.T.
Nearest Railway Station Petersfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 555 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	-	0.02	0.14	0.22	-	0.36	0.08	-	1.17	0.14	0.33	1
2	0.04	-	0.08	0.07	0.07	-	0.09	0.22	0.09	0.03	-	0.17	2
3	0.16	0.01	0.01	0.01	0.07	-	0.35	-	-	0.52	-	0.04	3
4	-	0.08	-	0.01	-	-	1.01	0.36	-	0.57	-	0.07	4
5	-	-	0.26	0.05	-	-	0.95	0.28	-	0.25	-	0.01	5
6	-	0.01	0.22	-	0.40	-	0.37	-	-	0.03	-	0.05	6
7	0.05	-	-	0.21	0.02	-	0.30	-	-	-	-	-	7
8	0.02	0.02	-	0.08	0.20	-	0.28	-	-	-	-	-	8
9	0.33	0.06	0.02	0.26	0.08	0.06	0.08	-	-	-	-	-	9
10	0.90	0.32	0.16	0.03	-	0.33	0.35	-	-	-	-	0.01	10
11	0.28	0.04	0.08	0.71	0.04	0.03	0.31	-	-	-	-	0.18	11
12	0.07	0.06	0.01	0.34	-	0.67	0.01	-	-	-	0.05	-	12
13	0.19	0.03	0.25	0.07	-	-	-	-	-	-	0.05	0.01	13
14	0.01	0.04	0.55	0.51	-	-	-	-	0.21	0.17	0.72	0.01	14
15	0.08	0.02	0.05	0.15	0.06	-	-	-	0.67	0.23	0.09	-	15
16	-	0.01	0.02	0.12	-	0.02	-	-	0.30	0.01	-	0.01	16
17	0.02	-	-	0.07	0.21	-	0.02	-	0.92	-	-	-	17
18	0.12	-	0.01	0.02	0.10	0.01	-	0.73	0.13	-	-	0.04	18
19	0.09	-	-	0.23	-	0.04	-	-	0.08	-	0.01	0.03	19
20	0.12	0.07	-	0.24	-	0.89	-	-	-	-	0.01	0.05	20
21	-	-	-	0.04	-	-	0.88	-	0.17	-	0.01	0.25	21
22	0.07	0.01	-	0.44	-	-	0.02	0.04	0.01	-	-	0.45	22
23	-	-	-	-	-	-	0.38	0.04	-	-	0.01	0.58	23
24	0.02	0.01	0.20	0.02	-	-	-	-	-	-	0.05	0.22	24
25	-	0.03	0.01	-	0.05	-	0.76	-	0.02	-	0.01	-	25
26	0.08	-	0.75	0.01	0.01	0.05	0.01	-	-	0.01	0.02	0.13	26
27	0.71	0.01	0.02	0.26	-	0.11	-	-	-	-	0.28	0.35	27
28	0.54	0.02	0.05	-	0.41	0.01	0.14	-	-	-	-	0.06	28
29	0.61	-	0.09	0.13	0.04	0.01	-	-	0.01	-	0.37	0.41	29
30	0.10	~~X~~	0.01	-	-	0.11	0.08	-	0.16	-	0.31	0.34	30
31	0.07	~~X~~	0.37	~~X~~	0.01	~~X~~	-	-	~~X~~	1.16	~~X~~	0.19	31
TOTAL	4.75	0.85	3.24	4.22	1.59	2.34	6.75	1.73	2.77	4.15	2.13	3.99	38.51
Days with 0.1 in. or more	24	18	22	25	10	13	20	7	12	11	15	24	207

Rain gauge in use
REG

Kept at Fairfield
in the County of Hants
by Henry Hamel

DROXFORD
FAIRFIELD HSE
HANTS

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

closed.
FORM A2.
BRITISH RAINFALL
Gauge
in.
round 1 ft. in.
a Level 254 ft.
ame Droxford
istance 3/4 Direction
he result entered to the
sal rule, he is earnestly
r in the space provided
nt of rain,
sh Rainfall
plication to
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1			24				2				12	1
2				13	47						18	23	2
3			1	1	25			7			28	20	3
4	1		2	9						8	32	49	4
5								4		17	2		5
6	36		1								3	95	6
7	11			2						49	47	18	7
8	6		29	1				1			35	74	8
9	17		1								1	10	9
10	1	12	40	1	5							100	10
11	54		4		4						103		11
12		1	79		6						10	8	12
13			3		13				16	1		62	13
14		3			8								14
15		6	2	1		1					14	57	14
16		1										3	15
17		1	1			32					53	28	16
18		1				28					42	33	17
19		18	4			10				7	41	69	18
20		2		2		21			33			24	19
21	8		8					5	12	19		102	20
22	2	26								50		15	21
23	12	1	32	2		29				56	1	50	22
24	2	21	2			46			17	25		40	23
25	4	18				25	1	10		126		40	24
26	1	9	1	14	95	10	19	34	2	2		15	25
27		1	2	40	54	2			6	26		36	26
28		46	23	33			7		11	15	7	17	27
29		33		34				23					28
30				16		16	4	1	16	42			29
31			1	1		12		5		46		2	30
													31
Total	156	199	236	194	257	232	31	100	113	487	437	994	TOTAL for year
No. of Rain Days.	14	16	19	16	9	12	4	10	8	15	16	26	3436
													165

Rain gauge in use

REG

used.

FORM A2.
BRITISH RAINFALL

-8-
1912

Kept at Fairfield House Droxford
in the County of Hampshire
by Henry Hamilton Bridge

PATTERN Glass bottle metal
RAIN GAUGE Diameter of top five in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 254 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Droxford
Distance 3/4 Direction —

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1			24				2				12	1
2				13	47						18	23	2
3			1	1	25			7			28	20	3
4	1		2	9						6	32	49	4
5								4		17	2		5
6	36		1								3	95	6
7	11			2						49	47	18	7
8	6		29	1				1			35	74	8
9	17		1								1	10	9
10	1	12	40	1	5							100	10
11	54		4		4						103		11
12		1	79		6						10	8	12
13			3		13				16	1		62	13
14		3			8						14	57	14
15		6	2	1		1						3	15
16		1				32					53	28	16
17		1	1			28					42	33	17
18		18	4			10				7	41	69	18
19		2		2		21			33			24	19
20	8		8					5	12	19		102	20
21	2	26								50		15	21
22	12	1	32	2		29				56	1	50	22
23	2	21	2			46			17	25		40	23
24	4	18				25	1	10		126		40	24
25	1	9	1	14	95	10	19	34	2	2		15	25
26		1	2	40	54	2			6	26		36	26
27		46	23	33			7		11	15	7	17	27
28		33		34				23					28
29				16		16	14	1	16	42			29
30			1	1		12		5		46		2	30
31													31
Total	156	199	236	194	257	232	31	100	173	487	437	994	TOTAL for year
No. of Rain Days.	14	16	19	16	9	12	4	10	8	15	16	26	3436

REGISTER OF RAINFALL IN 1912

Kept at *Fairfield House, Droxford*
in the County of *Hampshire*
by *H H Bridge*

Pattern *Glass Bottle Metal Funnel*
RAIN Diameter of top *five inches*
GAUGE Height of top above Ground *254* ft. *9* in.
" " " Sea Level *254* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Droxford*
Distance *3/4* mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.21		.4	.39	.54	.1	.4	.70 dew	.1		1
2			.16	.1	.2	.9	.40	.6		.2			2
3	.2		.7			.42	.1	.57	.2		.2		3
4	.18		.74			.25		.8			.21	.1	4
5	.33	.14	.31			.1		.57			.5	.2	5
6	.56	.6			.16	.2		.22	.3			.5	6
7		.1	.2		.26	.92		.21				.21	7
8	.56	.35	.33			.10		.8				.2	8
9		.25	.15	.2		.11	.3	.24				.31	9
10		.8				.1		.26			.6	.36	10
11	.10	.15				.4		.2			.3	.36	11
12	.2	.15	.18		.26	.1	.7	.15 Fog	.1				12
13	.5	.9	.3				.8	.18			.10	.12	13
14			.6		.2			.10				.3	14
15	.1	.15	.22		.8	.65		.1		.5 dew	.1	.41	15
16	.12		.28			.1		.29		.13 dew	.1		16
17	.78		.23			.10		.40			.4	.27	17
18	.4		.25			.1		.30		.5 dew	.1	.5	18
19	.6	.7	.20			.3	.6	.37		dew	.1	.1	19
20			.50			.4		.8		.59	.6		20
21		.16	.12		.24			.9		.23			21
22	.7	.63	.1		.1			.26	dew	.1			22
23	.57	.25	.22			.11	.2	.62		.4	.22	.30	23
24	.20	.5	.1			.1		.24	dew	.1		.21	24
25	.20					.50		.85		.8	.26	.68	25
26		.6				.1	.16	.15		.57	.47	.28	26
27		.2				.18	.33			.41		.62	27
28		.9				.28	.35	.35	.29	.72	.68	.24	28
29		.10				.6	.53	.15	173	.30	.3		29
30						.1	.9	.17	129	.31	.27	.1	30
31			.16				.33	.14		.6		.6	31
Total	3.80	2.86	4.46	.3	1.09	4.37	3.00	7.16	3.41	4.22	2.55	4.63	TOTAL for year 41.58
No. of Rain Days.	17	19	22	2	9	26	14	30	7	17	19	22	204

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

Kept at Fairfield House Droxford
in the County of Hampshire
by Henry Hamilton Bridge

RAIN GAUGE { Pattern
Diameter of top five inch
Height of top above Ground 9 ft. 9 inch
" " " Sea Level 254 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Droxford
Distance 3 1/2 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'3	'37		'7		'9			'87		'20	'14	1
2	'2	'16	'21	'3			'9		'14	'54	'8	'3	2
3	'3		'3	20	'52	dw. 1			'60			'16	3
4	'46		'6		'37		'2		'39	'8	'13	'7	4
5	'25	'5	'14		'1	'7	'15			'22	'13	'3	5
6	'3	'8	'9		'8	'16	'97			'72	'8	'44	6
7		'34	'9		'34	'8	23			'42	'16	'1	7
8		'5			'23	'4		'94		20	'7	'9	8
9		'10			'4		'8	'6	'7		'3	'1	9
10	'2			'1	'1	'1	'75	'15		'4	'65	'1	10
11	102			'40	'3					'50	'49		11
12		'2			'84				'5		'35		12
13	'18		'10	'1				'3	'13		'27		13
14	'32	'1	'16					'2	'1	'1	'41		14
15	'19	'4	'36	'44		dw. 1	'25		'6		'2		15
16	'13		'41	'17		'23	'12		'13				16
17	'10		'3	'9			'17				'2		17
18	'1		'26	'16			'15				'9		18
19	'62		'7	'15	'1	'11	'5		'26		'1		19
20	'15		'32	'13						'42	'9		20
21			'25	'14						'18	'86		21
22	'40		'27		'1			'22	'25	'3	'1		22
23	'1		'12			'5				'1	'2	'80	23
24	'11			'17				'1			'2		24
25		'3		'30						'1	'3	'1	25
26				'19				'15		'37		'35	26
27			'30	'7				'2		'10	'1		27
28	'15		'21	'17						'23			28
29	'8		'27	'79	'61			'5		'33		'20	29
30	'71			'11				'4		'17			30
31	'3		'4					'97		'16			31
Total	513	125	379	380	370	'86	273	286	286	488	395	235	TOTAL for year 3736
No. of Rain Days.	23	11	21	20	13	11	12	12	12	20	24	14	193

REGISTER OF RAINFALL IN 1914

Kept at *Fairfield House Droxford*
 in the County of *Hampshire*
 by *Henry Hamilton Bridge*

Lat. _____ Long. _____
 Time of Observation *9 am*
 Nearest Railway Station *Droxford*
 Diameter of Rain Gauge *five* in.
 Height of top of Gauge above Ground _____ ft. *9* in.
 " " " " Sea Level *254* ft.

FORM A.
 BRITISH RAINFALL
 2 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			'5					'23			'15	'10	1
2		dew, '1	dew, '1				'3	'5			'19	'23	2
3			'18	'5	'47			'3			'38	'3	3
4	'1	dew, '1	'4	'34	'7		'6	'29			'32	'29	4
5	'7		'13	'47	'22	'3	'30	'27			'10	'4	5
6	'1	'20	'2	'15	'9		'12	'10			dew, '1	'47	6
7		'71	'18	'9	'6	'4	'21	'4			dew, '1	'31	7
8		'35	'44	'9	'4	'9		'22				'8	8
9	'9	'2	'76	'28	'2	'1		'1	'39			'2121	9
10	'5	'36	'1	'11	'23				'35		'7	'2	10
11		'52	'58	'1	'25		'90	'9			'8	'47	11
12		'19	'21	'1	'1		'11	'49	'11	'3	'82		12
13		'48	'18				'1	'27	'13	'9	'92		13
14		curious '48	'30			'21	'14	'6		'48	'19	'41	14
15		'1	'25				'12	'51	'2	'3	'37	'2	15
16			'1				'11		'26				16
17		'72	'8				'1		'14		dew, '1	'52	17
18		'2	'30				'2					'57	18
19		'10	'53				'129				'20	'43	19
20		'31	'23			'6		dew, '1				'24	20
21		'58	'6							'12		'5	21
22		'5 dew, '1			'10	'11		'10 dew, '1		'14			22
23		'5	'22			'7		'1		'13		dew, '1	23
24			'4				'9			'4	'18		24
25	'7		'15				'4	'35		'40	'5	'20	25
26							'10	'12		'12	'22	'69	26
27	'10						'18			'3	'9	'39	27
28	'1	'7	'3		'45					'10	'59	'89	28
29	'23		'25	'9	'4			'2		'27	'25	'1	29
30	'5	X	'11	'15	'13					'15	'77	'65	30
31		X		X		X	'15		X	'20	X	'5	31
Total	'69	524	536	174	208	'62	399	242	202	248	429	1116	YEAR'S TOTAL 4209
Rain Days.	10	20	28	12	14	8	19	17	9	15	22	28	202

REGISTER OF RAINFALL IN 1915

FORM A1.
BRITISH RAINFALL
JAN 1916

Kept at Fairfield House Droghda
in the County of Hampshire
by Henry Hamilton Bridge

Pattern glass Bottle Metal
RAIN GAUGE Diameter of top five inches
Height of top above Ground 9 ft. Sea Level 254 ft.
Time of Observation 9 a m
Nearest Railway Station { Name Droghda
Distance 1/2 mile Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'62	'26	'1		'3			'10	'21	'17	'4	'35	1
2	'29	'35	'33	'6	'2	'3		'25	'3	'17		'37	2
3	1'14	'1	'20	'16	'5	'1		'1	'9			'40	3
4				'2				'9	'1			'51	4
5	'1	'39	'1	'3				'11				'49	5
6	'78	'38	'2	'62			'55	'13				'32	6
7	'28	'64	'3	'3	'6		'40	'2			dew. 1	'42	7
8	'3	'75					'6	'3			'5	'2	8
9	'2	'11		'11		'12					'55	'77	9
10	'21		'3							'3		'25	10
11	'29		'13				'4				'83	'4	11
12	'10	'42		'31	'60					'3		dew. 1	12
13	'3	'39			1'47			'1	'16				13
14	'5			'1			'24	'33	'6		dew. 1	'99	14
15	'7				'10		'6	'30		dew. 1	'5	'29	15
16	'6	'95			'48		1'43	'26				'41	16
17		'35			'72		'4	'1				'1	17
18		'20	'1		'10								18
19		'10			'11		'8		'2				19
20	'46				'3							'16	20
21	'1	'2			'9	'1	'3			'57		'20	21
22	'75	'77	'17	'4			1'22					'21	22
23	'3	'10	'13			'7	'62		'24	'44		'37	23
24							'18		2'14	'43		'46	24
25			'5	'7			'2			'3		'22	25
26		'7				'7	'10			'1		'97	26
27		'1				'32	'1		'5	'54		'1	27
28		'12				'23			'65	'5	'2		28
29						'26		'16		dew. 1	'48	'6	29
30						'25	'2			'57	'85	'11	30
31	'14						'1	'28		1'25		'44	31
Total	5'34	6'40	11'2	1'46	3'86	1'37	5'11	2'09	3'66	4'31	2'89	8'87	TOTAL for year 46'48
No. of Rain Days	20	20	12	11	13	10	18	15	11	15	10	27	182

REGISTER OF RAINFALL IN 1916

Kept at *Fairfield House, Droxford.*
in the County of *Hampshire*
by *Henry Hamilton Bridge*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Droxford*
Diameter of Funnel of Rain Gauge *five* in.
Height of top of Gauge above Ground _____ ft. *9* in.
" " " " Sea Level *254* ft.

758
FORM A.
BRITISH RAINFALL.
4 JAN. 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'8	'10	'8		'24	'2	'1 dew	'42	'27	'31			1
2	'37	'13	'6 dew	'11			'3	'4	'74	'12			2
3	'4	'61	'11		'2		'2		'71	'44			3
4	'25	'11 dew				'48			'36	'3	'33 dew		4
5	'5	'9		'1	'17	'24	5			'11	'69		5
6		'15	'27	'2	'5	'1	60			20	'59		6
7	'2	'3	'29		'7	'24	3			4	107	'8	7
8			'1		50	'2					'1	'62	8
9		'3	'2							'1		'21	9
10		'60	'4	'14	'5	'4	'35			'3		'7	10
11	'7		'3	'15		'11					5	'5	11
12	'6	'5	'4		'7	'3	'16	'4		'7	4		12
13		'31			'3	'4		dew		'7			13
14	'3	'53	'2	'5	'4					'5			14
15		'12	'24					'4		'1			15
16	'4	'2	'32	'23			'22	'35		'9			16
17	'25	'36	'1					'36	'47	'85 dew		'10	17
18	'10	'9	'12			dew		'9	'21	'9	'52		18
19	20	'1	'12	'22				16	'3		'37		19
20	14		'69	'3					'2		4	102	20
21	'1		'23	'12			'8					'38	21
22			'1			3				'22	'1	'70	22
23	2	'33	dew	'1		'33		'2		'15	'7 dew		23
24					'12	'2		'17		'57	'18	'38	24
25		'83	'12					'7	'17	'5	'7 dew		25
26	3	'37	'13			'16		'27	'8	40	'1 dew		26
27			'96			'1		28	'16	46	dew		27
28		'33	'10			'4		'7	22	'17	'3	'27	28
29		'30	'2			'44		63	24	'51		'36	29
30		X	'1		'22			'7		52		'2	30
31	dew	X		X		X		'17	X	'27	X	'5	31
Total	177	550	407	98	169	227	155	281	242	669	496	435	3906
Rain Days.	18	22	27	10	13	18	10	17	12	26	20	18	211

REGISTER OF RAINFALL IN 1914.

Kept at Fairfield House Droxford
in the County of Hampshire
by Henry Hamilton Bridge

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Droxford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 254.9 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			^{dew.} 15 ^{mod.} 16			1		119		^{dew.} 1	7		1
2			^{mod.} 6 ^{mod.} 88					2	4	8	24		2
3	1		^{mod.} 65				82	15 ^{dew.} 1		17	18		3
4			15 ^{dew.} 1				2			29		3	4
5		9	6			9		25	19	46	14		5
6	26		24					1	5	13	17		6
7	29					1	1			37		6	7
8	33		^{mod.} 5	7			33	23	2	23	21	40	8
9		^{dew.} 2 ^{mod.} 2	^{mod.} 6	1	7		3			3	4	2	9
10	19 ^{dew.} 1		30	30	10			25	8	1	1	3	10
11	25		25	16				1		44			11
12	9	4		1	2			10	1	45		1	12
13	5		25	10				15	5	2		2	13
14				15				9	2				14
15			^{dew.} 1	2	1			30 ^{dew.} 1		20		9	15
16		16		16	15			2	33	158	^{mod.} 18		16
17	^{dew.} 1			21	10		43	7	48	20	^{mod.} 56		17
18		6		1	4	5	24	18	38		^{mod.} 2		18
19	^{dew.} 1	26	18		2	7		2	2				19
20		12	8		100			16		^{dew.} 1			20
21			13		1	15		8 ^{dew.} 1		6	2		21
22			7			6		3		14			22
23		26	1		14	1		42 ^{dew.} 1		3	7		23
24		16			1		13	3 ^{dew.} 1		32		7	24
25			6			1		1 ^{dew.} 1		6	1 ^{dew.} 1		25
26			3		4	11	2	28	10 ^{dew.} 1	17			26
27	^{dew.} 1				7	16		128	1 ^{dew.} 1			1	27
28			5		1	304		18 ^{dew.} 1				4	28
29			4		32	8	54	9 ^{dew.} 1		46		9	29
30		~~X~~	50		2		70	25 ^{dew.} 1		11	1	1	30
31		~~X~~	^{mod.} 9	~~X~~		~~X~~	18	2	~~X~~	4	~~X~~	3	31
Total	149	119	281	290	277	385	335	587	207	581½	129	168	3508
Rain Days.	10	11	22	15	17	13	12	28	23	27	18	18	209

REGISTER OF RAINFALL IN 1918

Kept at Fairfield House Droxford
in the County of Hampshire
by Henry Hamilton Bridge

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Droxford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level 254 ft.

BRITISH RAINFALL FORM A.
2. 1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		'2	dew. 1	'5				'7			'46	'6	1
2	Hoar frost 1	'9		'7				'59			'28	'32	2
3		'7			'35			'44	'2	'4	'13	'4	3
4	dew. 1	'18	'5	dew. 1				'15	'11		'66	'6	4
5		'3	'11	'2	'13			'23	'8	'15		'2	5
6	'23	'14		'33				'6		'6		'10	6
7		'18		'22	'50			'4	'15	'13	'30	'7	7
8		'22		dew. 1	'1		'25		'12	'11	'6	'5	8
9	'3	'1		'30		'18			'56	'26		'52	9
10	'4			'8		'4	'37		'20	'6	'2	'37	10
11				dew. 1			'16			'13	'3	'10	11
12		'14			'6		'80		'6	dew. 1	dew. 1	'5	12
13	Snow 15	'1			'24		'34		'53	'23		'4	13
14	'30		'5		'3	'15	'9		'52	'1		'22	14
15	141			'33		'7	'46		'5			'16	15
16	'49			'12	'1		'1		'72	'6		'2	16
17	'12		'1	'11		'2	'39			'3		'21	17
18	'61			'8		'73	'2		'83			'13	18
19	'9		'6	'1		'1	'33	'3	'2	'2	dew. 1	'3	19
20	'5	'18		'42		'4	'8		'63	'3	dew. 1		20
21	'78	'10				'2	'71		'36	'5		'12	21
22	'19				'8		'73		'22			'30	22
23	'19	'1					'23	'3	'3		dew. 1	'4	23
24	dew. 1	'33			'13	'4	'1		'25	'2	'20		24
25	'2						'7	'28	'2	'3	'1	(01)	25
26		'1		'1			'102			'1	'6	'7	26
27		'13	'9				'7	'18	'11	'4	'15	'1	27
28			'20	'2				'1	'2	'1	'21	'3	28
29			'7	'3					'107	'5	'1	'3	29
30	dew. 1	X	'47			X			'2		'7	'3	30
31		X	'6	X		X			X	'12	X		31
Total	414	185	118	223	154	130	614	211	670	166	269	331	YEAR'S TOTAL 3485
Rain Days.	19.	17.	11.	19.	10.	10.	19.	12.	24.	23.	19	28	271
													211

REGISTER OF RAINFALL IN 1919

Kept at Fairfield House Droxford
in the County of Hampshire
by Henry Hamilton Bridge

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Droxford
Diameter of Funnel of Rain Gauge 5.5 in.
Height of top of Gauge above Ground 9 ft.
" " " " Sea Level 254 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'47 ^{onns.}	1		3	'2		'8			'10	'3	'14	1
2	'50		'11 ^{dew.}		'16		'3		'14		'3	'3	2
3	'55		'56		'5		'2		'1			'28	3
4	'27 ^{onns.}	3	'47			'4	'2	5	'12		'21	'4	4
5		^{onns.} 35	'107				'3		'16		'11	'21	5
6	'39	'1	'12			^{dew.} 1			'1		^{dew.} 1	'20	6
7	'9		'56										7
8	'35		'21	'9									8
9	'17		'10	'5	'33						'15 ^{dew.} 1		9
10	'65		'37	'16			'10					'43	10
11	'14		'13	'28	'16		'8						11
12	'1		'5	'11	'3		'10			'11 ^{onns.}	'17		12
13	'5		'1	'59								'4	13
14	'35		'3	'35					'36				14
15	'21			'9								'147	15
16	'8	7		^{dew.} 1							'10	'2	16
17	^{dew.} 1	'93							^{dew.} 1		'8		17
18		'5	'23					'10			'9	'5	18
19	'50	'46	'123			'10	'31	'22			'10		19
20	'62	'20	'9			'40		'23			'2	'3	20
21	'4	'66	'1				'11	'2	'3		'3	'2	21
22		'1					'16		'48		'1	'15	22
23										'10	'4	'8	23
24		'5				'2			'1	'22	'12	'10	24
25	'7	'7		'4		'6		'28			^{hours} 2	'2	25
26		'16	'10	'9			'3	'6	'13		'27	'57	26
27	^{onns.} 21	'1	'2	'40				'70		^{dew.} 1		'5	27
28	^{onns.} 4		^{onns.} 33	'2				'84			'73	'48	28
29			'3	'4				'38		'13	'70	'11	29
30		X		'26		'13		'64				'75	30
31		X	'5	X		X	'3	'1	X		X	'19	31
Total	577	307	588	262	'75	'76	110	353	146	67	302	647	YEAR'S TOTAL 3510
Rain Days.	22.	15.	22.	17.	6.	7.	13.	12.	11.	6.	20.	24.	175

REGISTER OF RAINFALL IN 1920.

Kept at Fairfield House Oxford
in the County of Hampshire
by Henry Hamilton Bridge

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Dorchester
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " " Sea Level 257 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			3	40	20		42			47		35	1
2	16		3	12	3		23	45	8	24	dew 1	20	2
3	15	1		7	10		36			33		5	3
4		3	1				18	30		31			4
5			18	10			88	45		44	dew 1	5	5
6			19		38		71			3		4	6
7	6			26	3		39			dew 1		dew 1	7
8	2	2		7	10		41					dew 1	8
9	34	7	1	5	10	3	6						9
10	75	25	10	2		25	31					snow 15	10
11	23	1	8	68	4	2	33						11
12	8	6	3	35		97				dew 1	8		12
13	17	4	28	3							3		13
14		2	48	48					12	18	74		14
15		2	4	30	7		1		55	33	5		15
16		1		6					11				16
17	2			12	26		1		80	2	dew 1	5	17
18	18		(00)		8	5		47	15			3	18
19	12			23		3			31		dew 1		19
20	8	9		25		82			17		dew 1	9	20
21				3			73					24	21
22	4			30			2		8			36	22
23	1						29	2		dew 1		46	23
24	3	1									5	18	24
25	1	3	13		13		52		dew 1			2	25
26	6		25	4		4	2					9	26
27	65	2	1	23		8			dew 1		23	31	27
28	53	1	3		2	3	16					17	28
29	80		9	10	16						21	25	29
30	7	~~X~~			1	6	5		17		32	30	30
31	7	~~X~~	34	~~X~~		~~X~~			~~X~~	89	~~X~~	15	31
TOTAL	443	70	239	429	141	238	609	169	246	317	178	356	YEAR'S TOTAL 3465
Days with 0.1 in. or more	23	16	19	22	15	11	20	5	12	13	13	22	191

REGI

DROXFORD

UPLANDS

HANTS

1911 - 1920

Kept at Uplands,

in the County of

by Miss A. M. P.

IMPORTANT NOTE.—If the observation was made on the previous day. If an Observer is requested to add the reading for it at the end of this page, the selection and placing of the Organization are given in "Rules".
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL
Association
6-10-1912
in.
and 1 ft. - in.
Level 279 ft.
m.
Droxford
nce 7 miles Direction E. N. E.
result entered to the
rule, he is earnestly
in the space provided
of rain,
Rainfall
Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 3	in.	in.	in. 25	in.	in.	in.	in. 03	in.	in.	in. 03	in. 08	1
2	04	—	—	14	48	—	—	—	—	—	20	26	2
3	—	01	—	—	25	—	—	06	—	—	28	20	3
4	01	—	03	19	—	—	—	—	—	07	34	57	4
5	—	—	—	05	—	—	—	03	—	18	02	—	5
6	41	—	08	—	—	—	—	—	—	—	03	107	6
7	10	—	—	—	—	—	—	—	—	52	48	10	7
8	06	—	30	—	—	—	—	—	—	—	36	79	8
9	17	—	—	—	—	—	—	—	—	—	03	22	9
10	—	12	40	—	05	—	—	—	—	—	01	16	10
11	57	—	04	—	04	—	—	—	—	—	12	—	11
12	—	—	81	—	06	—	—	—	—	—	10	10	12
13	—	—	03	—	13	—	—	—	16	01	—	65	13
14	—	10	—	—	08	—	—	—	—	—	—	61	14
15	—	03	02	—	—	02	—	—	—	—	16	02	15
16	—	—	—	—	—	35	—	—	—	—	57	30	16
17	—	—	—	—	—	29	—	—	—	—	44	48	17
18	—	10	04	02	—	06	—	—	—	08	41	74	18
19	—	02	—	—	—	25	—	—	35	21	—	25	19
20	06	02	08	—	—	—	—	06	11	01	—	13	20
21	02	24	03	—	—	01	—	—	—	56	—	15	21
22	11	—	30	02	—	27	—	—	—	52	—	57	22
23	—	24	03	—	—	46	—	—	17	27	01	43	23
24	05	19	—	—	—	26	—	08	—	134	—	41	24
25	—	07	—	15	97	12	17	23	08	04	—	10	25
26	—	—	02	34	59	02	01	—	—	28	—	37	26
27	—	52	24	34	—	—	08	—	10	17	09	18	27
28	—	31	—	37	—	—	—	25	—	—	01	—	28
29	—	—	—	16	—	18	04	—	18	44	—	—	29
30	—	—	—	—	—	13	—	06	—	45	—	02	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.63	2.06	2.45	2.03	2.65	2.42	.30	.80	1.15	5.15	4.69	10.99	TOTAL for year
No. of Rain Days	12	13	15	11	9	13	4	8	7	16	19	26	153

9,000, IX. '10.

Total 3.69-6.14-8.17-10.82-13.24-13.54-14.34-15.49-20.64-25.33-36.325

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at Uplands, Droveford

in the County of Hants

by Miss A. M. Bridge

Pattern British Association
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 279 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Droveford
Distance 1/4 mile Direction E. N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. <u>.03</u>	in. <u>—</u>	in. <u>—</u>	in. <u>.25</u>	in. <u>—</u>	in. <u>—</u>	in. <u>—</u>	in. <u>.03</u>	in. <u>—</u>	in. <u>—</u>	in. <u>.03</u>	in. <u>.08</u>	1
2	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.14</u>	<u>.48</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.20</u>	<u>.26</u>	2
3	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.28</u>	<u>.20</u>	3
4	<u>.01</u>	<u>—</u>	<u>.03</u>	<u>.19</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>.31</u>	<u>.57</u>	4
5	<u>—</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.18</u>	<u>.02</u>	<u>—</u>	5
6	<u>.41</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>1.07</u>	6
7	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.52</u>	<u>.48</u>	<u>.10</u>	7
8	<u>.06</u>	<u>—</u>	<u>.30</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.36</u>	<u>.79</u>	8
9	<u>.17</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.22</u>	9
10	<u>—</u>	<u>.12</u>	<u>.40</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>1.16</u>	10
11	<u>.57</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>1.12</u>	<u>—</u>	11
12	<u>—</u>	<u>—</u>	<u>.81</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>.10</u>	12
13	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.13</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.16</u>	<u>.01</u>	<u>—</u>	<u>.65</u>	13
14	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.61</u>	14
15	<u>—</u>	<u>.03</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.16</u>	<u>.02</u>	15
16	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.35</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.57</u>	<u>.30</u>	16
17	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.29</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.44</u>	<u>.48</u>	17
18	<u>—</u>	<u>.19</u>	<u>.04</u>	<u>.09</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>.41</u>	<u>.74</u>	18
19	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>—</u>	<u>.35</u>	<u>.21</u>	<u>—</u>	<u>.25</u>	19
20	<u>.06</u>	<u>.02</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>.11</u>	<u>.01</u>	<u>—</u>	<u>1.13</u>	20
21	<u>.02</u>	<u>.24</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.56</u>	<u>—</u>	<u>.15</u>	21
22	<u>.11</u>	<u>—</u>	<u>.30</u>	<u>.02</u>	<u>—</u>	<u>.27</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.52</u>	<u>—</u>	<u>.57</u>	22
23	<u>—</u>	<u>.24</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.46</u>	<u>—</u>	<u>—</u>	<u>.17</u>	<u>.27</u>	<u>.01</u>	<u>.43</u>	23
24	<u>.05</u>	<u>.19</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.26</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>1.34</u>	<u>—</u>	<u>.41</u>	24
25	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.15</u>	<u>.97</u>	<u>.12</u>	<u>.17</u>	<u>.23</u>	<u>.08</u>	<u>.04</u>	<u>—</u>	<u>.15</u>	25
26	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.34</u>	<u>.59</u>	<u>.02</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.28</u>	<u>—</u>	<u>.37</u>	26
27	<u>—</u>	<u>.57</u>	<u>.24</u>	<u>.34</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>.10</u>	<u>.17</u>	<u>.09</u>	<u>.18</u>	27
28	<u>—</u>	<u>.31</u>	<u>—</u>	<u>.37</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	28
29	<u>—</u>	<u>—</u>	<u>—</u>	<u>.16</u>	<u>—</u>	<u>.18</u>	<u>.04</u>	<u>—</u>	<u>.18</u>	<u>.44</u>	<u>—</u>	<u>—</u>	29
30	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.13</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>.45</u>	<u>—</u>	<u>.02</u>	30
31	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	31
Total	<u>1.63</u>	<u>2.06</u>	<u>2.45</u>	<u>2.03</u>	<u>2.65</u>	<u>2.42</u>	<u>.30</u>	<u>.80</u>	<u>1.15</u>	<u>5.15</u>	<u>4.69</u>	<u>10.99</u>	TOTAL for year
No. of Rain Days	<u>12</u>	<u>13</u>	<u>15</u>	<u>11</u>	<u>9</u>	<u>13</u>	<u>4</u>	<u>8</u>	<u>7</u>	<u>16</u>	<u>19</u>	<u>26</u>	<u>153</u>

9,000, IX. '10.

Total 3.69-6.14-8.17-10.82-13.24-13.54-14.34-15.49-20.64-25.33-36.32

REGISTER OF RAINFALL IN 1912

Kept at Uplands, Droseford
in the County of Hants 5
by Miss A. M. Bridge

Pattern British Association
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 279 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Droseford
Distance 1/2 mile Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	.01	.78	.02	.04	.09	.42	.05	—	—	—	—	2
3	.03	—	.28	—	—	.44	—	.63	.02	—	.02	.01	3
4	.19	.07	.84	—	.01	.26	—	.08	—	—	.24	.01	4
5	.35	.16	.34	—	.21	—	—	.54	—	—	.06	.01	5
6	.57	.05	.02	—	.15	.01	—	.24	.03	—	—	.13	6
7	—	—	.01	—	.22	.96	—	.28	—	—	—	.20	7
8	.62	.41	.32	.01	—	.10	—	.03	—	—	—	.02	8
9	.01	.22	.13	.02	—	.13	.03	.22	—	—	—	.34	9
10	—	.10	—	—	—	—	—	.25	—	—	.06	.36	10
11	.11	.13	—	—	—	—	.07	.01	—	—	—	.41	11
12	.03	.18	.21	—	.27	.50	—	.15	—	—	—	—	12
13	—	—	—	—	—	—	.08	.17	—	.04	.10	.13	13
14	.06	—	.04	—	.02	—	—	.10	—	.05	—	.05	14
15	.02	.13	.25	—	.09	.65	—	.01	—	—	.01	.14	15
16	.13	.01	.34	—	—	.02	—	.31	—	.14	.05	—	16
17	.79	—	.26	—	—	.10	—	.44	—	—	.01	.20	17
18	.06	.01	.27	—	—	—	—	.35	—	.05	.01	.06	18
19	.07	.08	.21	—	—	.01	.06	.41	—	—	.01	—	19
20	.01	—	.52	—	—	.04	—	.08	—	.50	.06	—	20
21	—	.18	.13	—	.26	—	—	.10	—	.22	—	.08	21
22	.08	.75	.03	—	—	—	.01	.27	—	—	—	—	22
23	.52	.30	.32	—	—	.13	—	.59	—	.04	.23	.26	23
24	.21	.06	—	—	—	—	—	.35	—	.01	—	.24	24
25	.21	—	—	—	—	.57	—	.88	—	.04	.26	.81	25
26	.01	.08	—	—	—	.01	.16	.16	—	.64	.54	.29	26
27	—	.04	—	—	—	.21	.32	—	—	.42	—	.71	27
28	—	.11	—	—	—	.29	.41	.36	.31	.77	.71	.26	28
29	—	.11	—	—	—	.08	.48	.15	<u>1.46</u>	.29	.109	—	29
30	—	—	—	—	.10	—	.08	.16	<u>1.40</u>	.32	—	—	30
31	—	—	.17	—	—	—	.36	.14	—	.07	—	.06	31
Total	4.08	3.26	4.97	.05	1.28	4.99	2.98	7.50	3.56	4.44	2.39	5.50	TOTAL for year 45.00
No. of Rain Days	20	21	21	3	11	20	13	29	6	16	16	23	199

REGISTER OF RAINFALL IN 1913

Kept at *Uplands Dorsford*
in the County of *Hants*
by *Miss A. M. Bridge*

Lat. _____ Long. _____
Time of Observation *9 A.M.*
Nearest Railway Station *Dorsford*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. - in.
" " " " Sea Level *279* ft.

BRITISH RAINFALL FORM A.
14 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.34	.23	.07	—	.08	—	—	.89	—	.32	.15	1
2	.03	.11	.03	.03	—	—	.09	—	.05	.55	.10	.01	2
3	.06	—	.08	.19	.44	—	—	—	—	.08	—	.17	3
4	.32	—	.14	—	.45	—	.02	—	.65	.21	.16	.06	4
5	.27	.05	.02	—	—	.06	.16	—	.39	.03	.13	.03	5
6	.03	.10	.08	—	.10	.10	.92	—	—	.75	.09	.47	6
7	—	.35	.09	—	.32	.07	.21	.05	—	.44	.12	.01	7
8	—	.08	—	—	.29	.02	—	1.00	—	.20	—	.00	8
9	.01	.12	—	.01	.02	.01	.09	.05	.08	—	.04	.01	9
10	.04	—	—	.02	—	—	.77	.17	—	.04	.69	—	10
11	1.16	—	—	.12	.03	—	—	—	—	.53	.56	.01	11
12	—	.02	—	—	.90	—	—	—	.05	.01	.37	—	12
13	.18	.01	.11	.01	—	.01	—	.03	.13	—	.17	—	13
14	.35	.01	.17	.40	—	—	—	.02	.01	.01	.12	.01	14
15	.20	.05	.37	.18	—	—	.25	—	.07	—	.01	—	15
16	.15	—	.44	.11	—	.23	.02	—	.14	—	—	—	16
17	.21	—	.01	—	—	—	.06	—	—	—	.02	—	17
18	.02	—	.30	.17	—	—	.06	—	—	—	.10	—	18
19	.67	—	.07	—	.01	.04	.04	—	.27	.03	—	—	19
20	.15	—	.33	.13	—	—	—	—	—	.43	.06	—	20
21	.01	—	.27	.16	—	—	—	—	—	.18	.96	—	21
22	.43	—	.29	.02	.01	—	—	.22	.26	.03	—	.02	22
23	.01	—	.16	—	—	.04	—	—	.01	—	.12	.82	23
24	.12	—	—	.18	—	—	—	—	—	—	.01	—	24
25	—	.09	—	.30	—	—	—	—	—	—	.03	.01	25
26	—	—	—	.19	—	—	—	.16	—	.53	.01	.35	26
27	—	—	.33	.09	—	—	—	.02	—	.09	—	—	27
28	.16	—	.23	.16	—	—	—	—	.01	.24	—	—	28
29	.08	—	.30	.80	.65	—	—	.04	—	.30	.01	.22	* Snow 29
30	.74	—	—	.12	.01	—	—	.03	—	.22	—	—	30
31	.04	—	.05	—	—	—	—	1.02	—	.12	—	—	31
Total	5.66	1.27	4.10	3.85	3.23	1.15	2.69	2.81	3.01	5.02	4.11	2.44	38.94
Rain Days.	25	12	22	21	12	10	12	12	14	21	22	16	19 9/10

4.97 11.03 14.68 18.11 18.86 21.55 24.36 27.37 32.39 36.50 38.94

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
13 JAN 1915

Kept at *Uplands, Droxford*
in the County of *Hants*
by *Miss A. M. Bridge*

Lat. _____ Long. _____
Time of Observation *9 A.M.*
Nearest Railway Station *Droxford*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *279* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.03	—	—	—	—	.28	—	—	.16	.10	1
2	—	.01	—	—	—	—	.02	.05	—	—	.17	.36	2
3	—	.01	.17	.09	.50	—	.06	.01	—	—	.44	.09	3
4	.04	—	.03	.34	.07	—	.01	.30	—	—	.38	.99	4
5	.05	.02	.15	.47	.21	.03	.30	.29	—	—	.14	.04	5
6	—	.22	.01	.16	.09	.01	.11	.08	—	—	.01	.57	6
7	.01	.82	.20	.09	.04	.03	.21	—	—	—	—	.36	7
8	.09	.37	.57	.08	.03	.10	—	.27	—	—	—	.07	8
9	.11	—	.78	.31	.01	.01	—	.01	.81	—	—	<u>2.17</u>	9
10	.07	.34	.01	.11	.25	—	—	—	.34	—	.01	.01	10
11	—	.65	.62	—	.21	—	.98	—	.10	—	.09	.56	11
12	—	.20	—	—	—	—	.09	—	.43	.18	.02	.01	12
13	—	.58	.21	—	—	.01	—	—	.25	.17	.09	1.06	13
14	—	.48	.32	—	—	.19	.14	.05	—	.49	.26	.40	14
15	—	.01	.20	—	—	—	.10	.54	.01	.01	—	.01	15
16	—	—	—	—	—	—	.11	—	.25	—	—	—	16
17	—	.74	.09	—	—	—	—	—	.14	—	.01	.59	17
18	—	.02	.29	—	—	—	.02	—	—	—	—	.57	18
19	—	.11	.52	—	—	—	1.38	—	—	—	.21	.39	19
20	—	.35	.22	—	—	.07	—	—	—	—	—	.25	20
21	—	.68	.07	—	—	—	—	—	—	.18	—	.05	21
22	—	.02	.01	—	.11	.10	.10	.10	—	.12	—	—	22
23	—	.04	.21	—	—	.06	—	.01	—	.14	—	—	23
24	—	.01	.04	—	—	—	.03	—	—	.04	.19	—	24
25	.09	—	.15	—	—	—	.01	.32	—	.43	.64	.19	25
26	—	—	.01	—	—	—	.07	.13	—	.14	.25	.79	26
27	.10	—	—	—	—	—	—	—	—	.01	.11	.44	27
28	.01	.06	.02	—	.44	—	.16	—	—	.11	.58	.94	28
29	.26	—	.25	.08	.03	—	—	—	—	.29	.28	.01	29
30	.02	—	.12	.05	—	—	—	—	—	.16	.82	.69	30
31	—	—	—	—	.03	—	.18	—	—	.21	—	.06	31
Total	.85	5.77	5.28	1.78	2.03	.61	4.04	2.45	1.85	2.58	4.21	11.93	YEAR'S TOTAL 43.38
Rain Days.	11	22	26	10	13	10	19	14	8	15	20	24	195

REGISTER OF RAINFALL IN 1915

Kept at Uplands, Dorset
in the County of Hants
by Miss A. M. Bridge

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Dorchester
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 279 ft.

770
FORM A.
BRITISH RAINFALL
13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	.28	—	—	.04	—	—	.11	.18	.14	.03	.20	1
2	.29	.39	.34	.05	.01	.04	—	.24	.01	.21	—	.27	2
3	1.14	—	.21	.17	.06	—	—	—	.10	—	—	.16	3
4	.01	—	—	.02	—	—	—	.07	—	—	—	.55	4
5	.02	.46	—	—	—	—	—	.11	—	—	—	.54	5
6	.21	.39	.02	.70	—	—	.58	.14	—	—	—	.29	6
7	.26	.73	—	.01	.06	—	.44	—	—	—	—	.41	7
8	.02	.80	.01	—	—	—	.06	.10	—	—	.04	.07	8
9	.02	.07	—	.11	—	.11	—	.01	—	—	.55	.70	9
10	.21	.06	.01	—	—	—	—	—	—	.03	—	.28	10
11	—	—	.13	—	—	—	.04	—	—	.01	.90	.03	11
12	.04	.36	—	.35	.59	—	—	—	—	.01	.61	—	12
13	.02	.44	—	—	1.55	—	.01	—	—	.01	—	—	13
14	.65	—	—	—	—	—	.25	.26	.11	—	—	1.06	14
15	.02	—	—	—	.11	—	.01	.25	.06	—	.05	.38	15
16	.06	1.12	—	—	.40	—	1.54	.23	—	—	—	.28	16
17	—	.39	—	—	.75	—	.01	—	—	—	—	—	17
18	—	.20	—	—	.10	—	.00	—	—	—	.01	—	18
19	—	.11	—	—	.18	—	—	—	—	—	—	—	19
20	.46	—	—	.02	.01	—	.12	—	—	—	—	.11	20
21	.05	.02	—	.01	.10	—	.07	—	—	.55	—	.22	21
22	.73 ^{S+R}	1.00 ^{S+R}	.20	.01	—	—	1.21	—	—	—	—	.29	22
23	—	.30 ^S	.14	—	—	.06	.54	—	.22	.43	—	.34	23
24	—	—	.02	—	—	—	.24	—	.14	.51	—	.44	24
25	—	—	—	.06	—	—	.01	—	—	—	—	.23	25
26	—	.06	—	—	—	.08	.07	—	.01	—	—	.98	26
27	—	.02	—	—	—	.34	—	—	—	.55	—	.03	27
28	—	.11	—	—	—	.34	—	—	.66	.01	.01	—	28
29	—	—	—	—	—	.28	—	.14	—	—	.52	.04	29
30	.16	X	—	—	—	.22	.01	—	—	.61	.87	.16	30
31	.02	X	—	X	—	X	—	.27	X	1.31	X	.40	31
Total	5.25	7.39	1.08	1.51	4.00	1.38	5.32	1.93	3.49	4.44	3.59	9.16	YEAR'S TOTAL 48.54
Rain Days.	20	20	9	11	13	8	18	12	9	13	10	25	168

REGISTER OF RAINFALL IN 1916

Kept at Uplands Droxford
in the County of Hants
by Miss A. M. Bridge

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Droxford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 279 ft.

757
FORM A.
BRITISH RAINFALL
8 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.10	.08	—	.23	.02	—	—	.42	.27	.29	—	1
2	.48	.11	.05	—	.11	—	.01	—	.03	.75	.13	—	2
3	.02	.81	.08	—	.01	—	.02	—	.02	.71	.55	—	3
4	.24	.11	—	—	—	.40	—	—	.35	.02	.30	—	4
5	.05	.09	—	.01	.17	.24	.05	—	—	.10	.48	—	5
6	—	.18	*.10	.02	.02	—	.68	—	—	.19	.64	—	6
7	.01	.02	*.80	—	.00	.26	.01	—	—	.02	<u>1.05</u>	.08	7
8	—	.02	—	—	.32	.02	—	—	—	—	.01	.71	8
9	—	—	.03	—	.17	—	—	—	—	—	—	.18	9
10	—	.60	—	.07	.04	.01	.91	—	—	.02	.05	.06	10
11	.05	.05	.03	.16	.01	.13	—	—	.01	—	—	.05	11
12	.08	.05	.02	.14	.08	.02	.14	.04	—	.00	.01	—	12
13	—	.33	.0	—	.01	.02	—	.01	—	.03	—	—	13
14	.01	.56	—	—	.03	—	—	.12	—	.04	—	*.02	14
15	—	.12	.24	—	—	—	—	.28	—	—	—	.11	15
16	.03	—	.30	.22	—	—	.14	.28	—	.00	—	—	16
17	.30	.33	—	.11	—	—	—	.15	.42	.08	—	—	17
18	.10	.09	.11	.09	—	—	—	.13	.21	.07	*.20	.11	18
19	.21	.01	—	.02	—	—	—	—	.04	.01	.60	.02	19
20	.14	—	.68	.10	—	.11	—	—	—	—	.01	1.02	20
21	.01	—	.22	—	—	—	.08	—	—	.21	—	.27	21
22	.01	—	—	—	—	.03	—	—	—	.13	.01	.69	22
23	.02	*.28	—	—	—	.32	—	.03	—	.62	.09	.02	23
24	—	—	—	—	.11	.01	—	.07	—	.05	.17	.89	24
25	—	*.99	.14	—	—	—	—	.20	.19	—	.06	—	25
26	.01	*.30	.11	—	—	.17	—	.23	.05	.50	—	.01	26
27	.0	—	1.02	—	—	—	—	.16	.16	.46	—	—	27
28	—	S.R. .33	.13	—	—	.03	—	.17	.21	.21	.02	.27	28
29	—	.28	.02	—	—	.43	—	.73	.22	.53	.01	.39	29
30	—	~~X~~	.01	—	.15	—	—	.01	—	.49	—	.02	30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	.06	~~X~~	.25	~~X~~	.06	31
Total	1.85	5.76	4.18	.84	1.86	2.21	1.44	2.57	2.36	6.73	5.05	4.36	YEAR'S TOTAL 38.91
Rain Days.	19	22	20	10	15	16	9	16	13	25	19	19	203

REGISTER OF RAINFALL IN 1917

Kept at Uplands Droxford
in the County of Hants
by Miss A. M. Bridge

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Droxford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 249 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	.13	.18	—	.0	—	1.20	.13	—	.09	.01	1
2	—	—	.06	.01	—	—	—	+	—	.06	.22	—	2
3	.01	—	—	.20	—	—	.49	.29	—	.13	.13	—	3
4	—	.18	.18	—	—	—	—	.16	—	—	—	.02	4
5	.24	—	.06	.36	—	.07	—	.21	.18	.36	.13	—	5
6	—	—	.95	—	—	—	—	.01	.03	.16	.15	—	6
7	.30	—	.01	—	—	—	.03	—	—	.40	—	.05	7
8	.36	—	.01	.06	—	—	.31	.20	.02	.23	.25	.40	8
9	.01	—	.15	.02	.08	—	.02	.01	—	.02	.03	.02	9
10	.23	—	.32	.25	.28	—	—	.25	—	—	—	.01	10
11	.21	—	.24	.18	—	—	—	.01	.00	.43	—	—	11
12	.07	—	.02	—	.02	—	—	.15	—	.38	—	—	12
13	.38	—	.25	.08	—	—	—	.14	.03	.13	—	.02	13
14	—	—	.02	.15	—	—	—	.08	.01	—	.01	.01	14
15	—	—	—	.01	—	—	.02	.32	.01	.26	.01	.08	15
16	.02	.17	—	.16	.14	—	.02	.06	—	1.56	—	.67	16
17	—	.02	—	.20	.00	—	.41	.17	.56	.20	—	—	17
18	.01	.04	—	.01	.02	.04	.22	.03	.49	.01	—	—	18
19	.01	.28	.20	—	—	.05	—	.15	.34	—	—	—	19
20	—	.12	.19	—	.94	.04	—	.07	.02	—	.01	—	20
21	.02	.01	.06	—	—	.09	—	—	—	.04	.01	—	21
22	—	—	.03	—	—	.04	—	.03	—	.13	—	—	22
23	—	.28	.02	—	.13	—	—	.45	—	.02	—	.04	23
24	—	.24	—	—	—	.12	.13	.03	.01	.32	.01	.01	24
25	—	.16	.05	—	—	—	.02	.01	.11	.04	.05	—	25
26	—	—	.06	—	.04	.10	—	.30	.01	—	.17	—	26
27	—	—	.01	—	.06	.15	—	1.31	—	—	.01	—	27
28	—	—	.05	—	—	2.04	—	.19	—	—	—	.03	28
29	—	—	.03	—	.37	.07	.53	.08	—	.41	—	.08	29
30	.01	X	.57	—	—	—	.69	.26	—	.01	—	—	30
31	—	X	.08	X	—	X	.09	.01	X	—	X	.02	31
Total	1.56	1.44	3.02	2.95	2.57	3.72	3.27	6.16	1.93	5.18	12.8	1.48	34.57
Rain Days.	14	11	25	14	11	12	13	28	15	21	15	15	194

REGISTER OF RAINFALL IN 1918

Kept at Uplands Dorsford
in the County of Hants
by Miss A. M. Bridge

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Dorsford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 279 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.08	—	.03	—	—	—	.10	—	—	.52	.03	1
2	—	.06	—	.06	—	—	—	.60	—	.01	.24	.27	2
3	—	.21	.02	.20	.34	—	—	.46	.01	.02	.15	.03	3
4	—	.01	.03	.01	—	—	—	.13	.11	—	.81	.04	4
5	—	.10	.11	—	.12	—	—	.14	.06	.17	—	.02	5
6	.22	.14	—	.33	.02	—	—	.13	.02	.02	—	.11	6
7	.01	.19	—	.21	.47	—	—	.04	.11	.11	.33	.07	7
8	—	.20	—	—	—	.01	—	—	.11	.08	.04	.05	8
9	.01	.01	—	.09	—	.19	.27	—	.69	.28	—	.54	9
10	.03	—	—	.09	—	.02	.31	—	.17	.06	.02	.42	10
11	—	—	—	.02	—	—	.24	—	.02	.14	.03	.00	11
12	—	.14	—	—	.33	—	.78	—	.05	—	—	.05	12
13	.21	.01	—	—	.22	—	.38	—	.44	.01	—	.04	13
14	.20	—	.01	—	.02	.19	.10	—	.37	.25	—	.23	14
15	1.40	—	—	.35	—	.07	.40	—	.03	.03	—	.18	15
16	.46	—	.01	.14	—	—	—	—	.67	.05	—	.03	16
17	.13	—	—	.11	—	.02	.33	—	—	—	—	.22	17
18	.58	—	—	—	—	.77	.01	—	.89	—	—	.14	18
19	.10	—	.07	—	—	.02	.36	.01	.01	.01	—	.03	19
20	.03	.18	—	.49	—	.04	.04	.01	.63	.13	.02	—	20
21	.20	.00	—	—	—	.13	.68	—	.36	.06	—	.12	21
22	.19	.01	—	—	.07	—	.71	—	.24	—	—	.20	22
23	.10	—	—	—	.08	—	.29	.02	.03	—	.01	.03	23
24	.01	.33	—	—	—	.03	.07	—	.34	.02	.20	—	24
25	—	—	—	—	—	—	.06	.24	—	.03	.01	—	25
26	.01	—	—	.01	—	—	.09	—	.03	.03	.07	.22	26
27	.01	.12	.08	—	—	—	.06	.18	.10	.07	.15	.02	27
28	.02	.01	.19	.01	—	—	—	.01	—	—	.21	.03	28
29	.01	—	.22	.03	—	—	—	—	1.08	—	.02	.03	29
30	—	X	.52	—	—	—	—	.01	—	.05	.05	.02	30
31	.01	X	.03	X	—	X	—	—	X	.13	X	.01	31
Total	4.23	1.88	1.72	2.36	1.67	1.37	6.02	2.11	6.55	1.73	2.87	3.47	YEAR'S TOTAL 35.35
Rain Days.	21	14	11	16	9	11	18	14	21	22	14	28	208

REGISTER OF RAINFALL IN 1919

Kept at Uplands Droxford
in the County of Hants
by Miss A. M. Bridge

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Droxford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 279 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.52	.02	.10	0.03	.01	—	.08	—	—	.11	.03	1.21	1
2	.52	—	.02	—	.15	—	.03	—	.15	—	.04	.04	2
3	.57	0.01	.52	—	.05	—	.02	—	.01	—	.01	.29	3
4	.28	*.02	.52	—	.01	.03	.11	.05	.12	—	.15	.07	4
5	—	*.36	1.09	—	—	—	.08	—	.14	—	.14	.24	5
6	.46	.01	.11	—	—	—	—	—	—	—	.01	.19	6
7	.11	—	.57	—	.15	—	—	—	—	—	.01	.01	7
8	.38	—	.22	.07	—	—	—	—	.01	—	—	—	8
9	.17	—	.09	.10	—	—	—	—	.01	—	.16	—	9
10	.69	—	.39	.09	.20	—	—	—	—	.01	.01	.47	10
11	.14	—	.14	.20	.01	—	.09	—	—	—	—	.04	11
12	.01	—	.04	.11	.16	—	.13	—	—	.10	0.09	.01	12
13	.06	—	.01	.70	.02	—	—	—	—	—	—	.09	13
14	.40	.02	—	.19	—	—	.09	—	.33	—	—	.19	14
15	.23	.05	.02	.11	—	—	—	—	—	—	—	1.53	15
16	.07	.71	—	—	.01	—	—	—	—	—	.12	.01	16
17	—	*.14	—	—	—	—	—	—	—	—	.09	.05	17
18	—	0.14	*.24	—	—	—	—	.07	.01	—	.11	.02	18
19	.39	.40	1.26	—	—	.12	.32	.22	—	—	.11	.02	19
20	.85	.21	.09	—	—	.40	—	.23	—	—	—	.01	20
21	.04	.72	—	—	—	—	.11	—	.01	—	.03	.01	21
22	—	.01	—	—	—	—	.15	—	.50	—	.01	.21	22
23	—	—	—	—	—	—	—	—	—	.11	.04	.09	23
24	—	.04	—	.01	—	.02	—	.02	—	.26	.13	.19	24
25	.07	.07	—	.02	—	.06	—	.38	—	—	—	.09	25
26	.05	.17	.11	.09	—	—	.03	.05	.18	—	.26	.46	26
27	*.22	—	.02	*.42	—	—	—	.69	—	—	.03	.06	27
28	0.08	—	0.39	—	—	—	—	.97	—	—	.72	.50	28
29	0.03	—	—	.03	—	—	—	.38	—	.12	.01	.08	29
30	—	X	0.01	.23	—	.12	—	.63	—	.01	.70	.86	30
31	0.01	X	0.05	X	—	X	.01	—	X	—	X	.17	31
Total	6.35	3.18	6.01	2.3	.77	.45	1.15	3.69	1.47	.72	3.01	4.11	36.12
Rain Days.	24	17	22	15	10	6	13	11	11	7	23	29	188

REGISTER OF RAINFALL IN 1920

Kept at Upland, Dorset
in the County of Hants.
by Miss A. M. Bridge

Lat. _____ Long. _____
Time of Observation 9 A.M. (Sun Time)
Nearest Railway Station Dorset
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 279 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	—	.04	.41	.21	—	.42	.01	—	.64	.14	.34	1
2	.07	—	.04	.13	.04	—	.22	.45	.08	.14	—	.20	2
3	.20	.02	—	.06	.09	—	.36	—	—	.46	.01	.04	3
4	—	.04	.02	—	—	—	.19	.32	—	.38	—	—	4
5	—	—	.19	.07	—	—	.87	.48	—	.44	—	.06	5
6	—	.01	.21	—	.40	—	.73	—	—	.04	.01	.04	6
7	.07	—	—	.28	.03	—	.40	—	—	.01	—	.01	7
8	.03	—	—	.11	.16	—	.46	.01	—	.01	—	—	8
9	.28	.06	.02	.04	.05	.04	.05	—	—	—	—	.01	9
10	.78	.18	.10	.02	—	.27	.32	—	—	—	.01	—	10
11	.28	.01	.08	.73	.06	—	.35	—	—	.01	—	.09	11
12	.09	.08	.04	.35	—	.96	—	—	—	.61	.06	—	12
13	.18	.03	.29	.02	—	—	—	—	—	—	.04	—	13
14	.01	.02	.51	.51	—	—	.01	—	.13	.26	.75	—	14
15	.07	.03	.03	.30	.08	—	.01	—	.53	.27	.11	.01	15
16	.01	.02	.01	.07	—	—	—	—	.09	.03	.01	.02	16
17	.02	—	—	.11	.29	.01	.02	—	.81	—	—	—	17
18	.18	—	—	—	.08	.05	—	.49	.14	—	—	.02	18
19	.14	.01	—	.24	—	.05	—	—	.31	—	.02	.01	19
20	.13	.08	—	.26	—	.85	—	—	—	—	.01	.08	20
21	—	—	—	.02	—	—	.73	—	.08	—	—	.25	21
22	.06	.09	—	.34	—	—	.02	.03	.09	—	.01	.39	22
23	.01	—	—	—	—	—	.27	.01	—	—	.01	.50	23
24	.03	.02	.20	.02	—	—	—	—	—	—	.04	.19	24
25	.02	.03	.02	—	.17	—	.52	—	.01	—	.62	—	25
26	.08	—	.28	.01	.01	.04	.01	—	—	—	.02	.10	26
27	.69	—	.01	.24	.01	.09	—	—	—	.02	.27	.34	27
28	.54	.04	.04	.02	—	.03	.17	—	.11	—	.11	.05	28
29	.63	—	.11	.08	.16	—	—	—	—	—	.23	.40	29
30	.09	~~—~~	~~—~~	~~—~~	~~—~~	.07	.05	—	.17	.01	.29	.27	30
31	.09	~~—~~	~~.32~~	~~—~~	~~—~~	~~—~~	~~—~~	~~—~~	~~—~~	.75	~~—~~	.22	31
TOTAL	4.88	.77	2.58	4.44	1.84	2.40	6.18	1.75	2.45	3.48	2.07	3.64	YEAR'S TOTAL
Days with .01 in. or more	27	17	20	24	15	11	21	8	12	16	20	23	36.54

R

DROXFORD

FIR HILL

HANTS

1911-1920

Kept at *Fir Hill, Droxford*

in the County of *Hants*

by *Capt. F. J. Mack*

FORM A2.
BRITISH RAINFALL.

in.
ound *3* ft. *6* in.
Level *212* ft.

me
stance Direction

the result entered to the

IMPORTANT NOTE.—Rain should be measured on the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.32				.02			.04	.11	1
2	.03		.01	.12	.44						.14	.25	2
3					.24			.05			.24	.19	3
4	.02		.02	*.04						.06	.30	.50	4
5				*.02				.02		.14			5
6	.34		.04									.94	6
7	.10									.50	.44	.13	7
8	.04		.29								.36	.44	8
9	.14										.03	.16	9
10		.09	.38		.03						.02	1.10	10
11	.50		.02		.03						1.00		11
12			*.44		.05						.08	.09	12
13					.02				.13	.01		.60	13
14		.08	.02		.15							.55	14
15		.02	.02			.02					.13		15
16						.30					.50	.30	16
17						.28					.39	.45	17
18		.15	.03	.02		.04				.04	.43	.68	18
19		.02				.25			.34	.18	.01	.24	19
20	.05		.05					.04	.10	.01		1.04	20
21	.02	.21	.02						.02	.53		.13	21
22	.10		.22	.02		.30				.40		.52	22
23		.20	.03			.50			.14	.21	.01	.34	23
24	.03	.14				.28	.01	.05		1.26		.39	24
25		.04	*.02	.13	.85	.11	.10	.10	.05			.16	25
26			.02	.33	.58	.02	.05			.30		.36	26
27		.45	.23	.26			.05	.22	.08	.09	.04	.16	27
28		.35		.35				.03				.01	28
29				.18		.15	.04	.05	.14	.43			29
30						.10				.40		.02	30
31													31
Total	1.45	1.81	2.19	1.72	2.42	2.35	.25	.58	1.09	4.62	4.28	10.28	TOTAL for year 33.04
No. of Rain Days.	12	11	14	11	9	12	5	9	8	15	14	26	152

R

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at *Lix Hill, Droyford*

RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *3* ft. *6* in.
" " " Sea Level *212* ft.

in the County of *Hants*

Time of Observation

by *Capt F. J. Mackenzie-Grieve R.N.*

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.22				.02			.04	.11	1
2	.03		.01	.12	.44						.14	.25	2
3					.24			.05			.24	.19	3
4	.02		.02	*.04						.06	.30	.50	4
5				*.02				.02		.14			5
6	.34		.04									.94	6
7	.10									.50	.44	.13	7
8	.04		.29								.36	.44	8
9	.14										.03	.16	9
10		.09	.38		.03						.02	1.10	10
11	.50		.02		.03						1.00		11
12			*.44		.05						.08	.09	12
13					.02				.13	.01		.60	13
14		.08	.02		.15							.55	14
15		.02	.02			.02					.13		15
16						.30					.50	.30	16
17						.28					.39	.45	17
18		.15	.03	.02		.04				.04	.43	.68	18
19		.02				.25			.34	.18	.01	.24	19
20	.05		.05					.04	.10	.01		1.04	20
21	.02	.21	.02						.02	.53		.13	21
22	.10		.22	.02		.30				.40		.52	22
23		.20	.03			.50			.14	.21	.01	.34	23
24	.03	.14				.28	.01	.05		1.26		.39	24
25		.04	*.02	.13	.85	.11	.10	.10	.05			.16	25
26			.02	.33	.58	.02	.05			.30		.36	26
27		.45	.23	.26			.05	.22	.08	.09	.04	.16	27
28		.35		.35				.03				.01	28
29				.18		.15	.04	.05	.14	.43			29
30						.10				.40		.02	30
31													31
Total	1.45	1.81	2.19	1.72	2.42	2.35	.25	.58	1.09	4.62	4.28	10.28	TOTAL for year 33.04
No. of Rain Days.	12	11	14	11	9	12	5	9	8	15	14	26	152

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

Kept at Lil Hill, Droyford
in the County of Sants 5
by Capt Mackenzie-Guire R.N.

Lat. _____ Long. _____
Nearest Railway Station Droyford
Time of Observation 9 A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " Sea Level 212.3 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	21	—	03	—	62	—	03	75	—	33	1
2	—	—	14	02	02	10	36	05	—	—	—	—	2
3	03	—	07	—	—	40	02	57	03	—	03	02	3
4	16	03	77	—	—	25	—	07	—	—	25	—	4
5	34	15	30	—	02	—	—	54	—	—	03	02	5
6	45	04	—	—	12	—	—	22	02	—	—	10	6
7	—	—	—	—	28	90	—	17	—	—	—	18	7
8	50	38	36	—	—	17	—	07	—	—	—	02	8
9	03	27	16	02	—	14	03	19	—	—	—	31	9
10	—	09	—	—	—	—	—	18	—	—	12	35	10
11	09	15	—	—	—	—	—	02	—	—	02	41	11
12	02	15	19	—	29	43	06	13	—	—	01	—	12
13	—	09	03	—	—	—	07	17	—	—	10	10	13
14	04	—	05	—	02	02	—	12	—	08	—	03	14
15	02	11	26	—	07	62	—	01	—	—	—	40	15
16	09	02	28	—	—	02	—	32	—	13	04	—	16
17	70	—	20	—	—	08	—	38	—	—	—	28	17
18	06	—	28	—	—	—	—	25	—	08	—	05	18
19	05	07	18	—	—	—	05	30	—	—	02	—	19
20	02	—	52	—	—	04	—	08	—	51	06	—	20
21	01	16	14	—	22	—	—	10	—	21	—	—	21
22	07	68	01	—	01	—	02	27	—	—	—	07	22
23	50	27	30	—	—	11	—	60	—	—	22	23	23
24	21	04	—	—	—	01	—	37	—	—	—	20	24
25	19	—	02	—	—	53	—	84	—	08	24	78	25
26	01	07	—	—	—	03	23	18	—	56	50	29	26
27	—	03	—	—	—	20	28	—	—	36	—	65	27
28	—	10	—	—	—	33	31	27	18	72	65	23	28
29	—	10	—	—	—	08	47	21	160	28	03	—	29
30	—	—	—	—	07	—	07	35	140	27	—	—	30
31	—	—	15	—	—	—	30	16	—	05	—	05	31
Total	3.59	3.00	4.62	0.04	1.15	4.86	2.89	7.19	3.26	4.08	2.32	5.10	TOTAL for year 42.10
No. of Rain Days	1	6.59	11.21	11.25	12.40	17.26	20.15	27.34	30.60	34.68	37.00	42.10	✓

REGISTER OF RAINFALL IN 1913

Kept at Lis Hill
in the County of Hants 5
by Capt Mackenzie-Guire R.N.

Lat. _____ Long. _____
Time of Observation 9.1.11
Nearest Railway Station Mayford
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
-9 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.36	.20	.06	-	.10	-	-	.85	-	.26	.13	1
2	.02	.14	.02	.03	-	-	.08	-	.04	.45	.09	-	2
3	.04	-	.05	.15	.42	-	-	-	-	.05	-	.15	3
4	.45	-	.11	-	.48	-	.03	-	.68	.19	.13	.06	4
5	.24	.04	-	-	-	.04	.10	-	.33	-	.11	.02	5
6	.02	.08	.10	-	.06	.14	1.10	-	-	.68	.08	.48	6
7	-	.33	.06	-	.34	.05	.19	.04	-	.43	.14	.02	7
8	-	.05	-	-	.22	.04	-	.68	-	.14	-	.08	8
9	-	.11	-	-	.02	-	.06	.04	.08	-	.03	.01	9
10	-	-	-	.02	-	.02	.80	.20	-	.1	.62	.1	10
11	1.04	-	-	.44	.02	-	-	-	-	.52	.54	.01	11
12	-	-	-	-	.45	-	-	-	.05	-	.29	-	12
13	.14	-	.09	.01	-	-	-	.02	.10	-	.15	-	13
14	.33	.03	.15	.01	-	.02	-	.02	-	.03	.18	-	14
15	.18	.04	.40	.50	-	-	.26	-	.04	-	.02	-	15
16	.13	-	.42	.14	-	.10	.03	-	.12	-	-	-	16
17	.14	-	-	.13	-	-	.05	-	-	-	.02	-	17
18	-	-	.30	.16	-	-	.05	-	-	-	.08	-	18
19	.63	-	.09	-	.02	.02	.04	-	-	-	-	-	19
20	.11	-	.31	.10	-	-	-	-	.24	-	.05	-	20
21	-	-	.25	.13	-	-	-	-	-	.42	1.00	-	21
22	.42	-	.24	-	.02	-	-	.20	-	.16	-	-	22
23	-	-	.20	-	-	.03	-	.01	.26	.04	.03	.80	23
24	.10	-	-	.17	-	-	-	-	-	-	.02	-	24
25	-	.02	-	.31	-	-	-	-	-	-	.02	-	25
26	-	-	-	.16	-	-	-	.15	-	.44	.01	.30	26
27	-	-	.33	.08	-	-	-	.02	-	.08	-	-	27
28	.14	-	.24	.13	-	-	-	-	-	.20	-	-	28
29	.04	-	.22	.82	.63	-	-	.02	-	.24	.01	*.08	29
30	.40	-	-	.04	.01	-	-	.04	-	.21	-	-	30
31	.05	-	.04	-	-	-	-	.95	-	.13	-	-	31
Total	5.14	1.20	3.82	3.58	2.99	.62	2.82	2.42	2.85	4.53	3.94	2.14	YEAR'S TOTAL 36.05
Rain Days.	20	10	20	21	12	16	12	13	11	14	22	12	180

REGISTER OF RAINFALL IN 1914

Kept at Lix Hill, Droxford
in the County of Hants
by Capt Mackenzie-Guire R.N.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Droxford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 212.3 ft.

FORM A.
BRITISH RAINFALL
5 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04					.23			.15	.07	1
2		~~.03~~					.04	.04			.14	.33	2
3		.02	.15	.10	.48		.05	.01			.45	.02	3
4			.03	.33	.09			.32			.30	.26	4
5	.06		.10	.45	.15	.02	.28	.43			.10		5
6		.20	.03	.11	.07	.01	.13	.07				.50	6
7		.75	.15	.10	.04	.03	.20	.01				.27	7
8	.07	.34	.44	.12	.04	.07		.25				.07	8
9	.08	.02	.72	.31		.02		.01	.20			2.07	9
10	.05	.32		.10	.25				.45			.02	10
11		.61	.60		.10		1.00				.10	.55	11
12		.18	.20				.10		.42	.04	.02	.80	12
13		.52	.21			.01			.26	.17	.07	.96	13
14		.44	.27			.18	.13	.04		.45	.23	.38	14
15		.02	.25				.12	.55	.35	.03	.26		15
16							.11						16
17		.74	.09				.01					.50	17
18		.02	.28				.02					.55	18
19		.10	.55				1.40				.22	.35	19
20		.33	.23			.06						.25	20
21		.68	.06							.15		.06	21
22		.06			.10	.05	.11	.08		.15			22
23		.04	.25			.05	.01	.01		.13			23
24			.04				.06			.02	.18		24
25	.07		.13				.02	.40		.39	.03	.20	25
26							.08			.11	.22	.72	26
27	.08										.11	.40	27
28	.02	.06	.02		.33		.15			.10	.40	.92	28
29	.22		.21	.03	.03					.27	.26		29
30	.03	X	.10	.04						.15	.76	.69	30
31	.02	X		X	.03	X	.12		X	.21	X	.04	31
Total	.70	5.45	5.15	1.69	1.71	0.50	4.14	2.45	1.68	2.37	4.06	10.98	40.82
Rain Days.	10	19	24	10	12	10	20	14	5	14	18	24	180

66d L.N.
REGISTER OF RAINFALL IN 1915

Kept at Lix Hill, Droyford
in the County of Hants
by Capt S. J. Mackenzie-Grieve RN

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Droyford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. _____ in.
" " " " Sea Level 212.3 ft.

772
FORM A.
BRITISH RAINFALL
JAN. 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.53	.26						.12	.19	.16	.03	.41	1
2	.25	.34	.32	.04	.05	.03		.25	.03	.20		.29	2
3	1.13		.19	.16	.06			.01	.12			.40	3
4	.02							.08				.53	4
5	.02	.43		.02				.04				.50	5
6	.42	.34	.02	.65			.55	.08				.25	6
7	.28	.65	.01	.02	.02		.42					.35	7
8	.02	.80					.04	.03			.02	.02	8
9	.03	.06		.12		.12		.02			.55	.43	9
10	.30	.02	.02							.03		.22	10
11			.10	.01			.03				.85	.05	11
12	.09	.44		.20	.41			.01		.02	.54		12
13	.02	.32			1.54		.02		.16				13
14	.04	.02					.22	.30	.06			1.00	14
15	.08				.10		.05	.32			.06	.41	15
16	.06	1.00			.48		1.44	.20				.34	16
17		.36			.48			.01				.02	17
18		.18			.08		.02						18
19		.13			.11		.08						19
20	.42			.02	.01							.13	20
21		.03			.15		.10			.50		.20	21
22	*.43	*.40	.18	.02			1.14					.22	22
23		*.09	.12			.06	.48		.23	.38		.36	23
24			.02				.22		2.10	.52		.40	24
25			.03	.05			.02					.25	25
26		.06				.04	.08					1.02	26
27		.01				.34			.05	.51		.02	27
28		.11				.24			.63	.04			28
29						.25	.01	.10			.54	.05	29
30	.15	X				.21				.58	.80	.15	30
31	.03	X		X		X		.24	X	1.43	X	.44	31
Total	4.94	6.44	1.01	1.31	3.49	1.35	5.01	1.84	3.54	4.40	3.45	8.49	45.93
Rain Days.	19	21	10	11	12	8	14	15	9	11	8	26	164

badly
REGISTER OF RAINFALL IN 1916.

Kept at Fri Hill, Droyford
in the County of Hants
by Capt S J Mackenzie-Grieve R.N.

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Droyford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 212-3 ft.

759
FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.11	0.10	0.08		0.21	0.02			0.43	0.28	0.30		1
2	0.34	0.11	0.04		0.10	~~0.02~~	0.02		0.03	0.40	0.11		2
3	0.03	0.46	0.09				0.02		0.02	0.42	0.50		3
4	0.22	0.10				0.47			0.35	0.02	0.24		4
5	0.03	0.08	0.01		0.15	0.20	0.04			0.10	0.44		5
6		0.14	*0.05	0.03	0.02	0.08	0.65			0.22	0.65		6
7	0.01	0.02	*0.40		0.09	0.23	0.03			0.03	1.16	0.04	7
8		0.02	*0.01		0.60						0.02	0.68	8
9			*0.02		0.04							0.18	9
10		0.58	0.02	0.06			0.14			0.01	0.05	0.09	10
11	0.05	0.05	0.02	0.19	0.01	0.11			0.01			0.05	11
12	0.06	0.05	0.03	0.02	0.06	0.02	0.15	0.04	~~0.02~~	0.09	0.02	0.01	12
13		0.38				0.02		0.02		0.02			13
14		0.56			0.08			0.10		0.04		0.01	14
15		0.11	0.24					0.26		0.02			15
16	0.03	0.02	0.30	0.23			0.13	0.32		0.05			16
17	0.30	0.34		0.10				0.15	0.29	0.83			17
18	0.10	0.06	0.11	0.11				0.05	0.34	0.06	*0.25	0.12	18
19	0.18		0.12	0.02		0.03			0.05		0.63	0.03	19
20	0.13		0.64	0.08							0.02	1.00	20
21	0.01		0.22				0.06					0.26	21
22						0.01				0.22	0.01	0.68	22
23	0.03	*0.22		0.02		0.35		0.03		0.13	0.06	0.02	23
24					0.10	0.02		0.06		0.54	0.20	0.34	24
25		*0.44	0.20					0.19	0.20	0.05	0.06		25
26	0.02	*0.23	0.11			0.22		0.03	0.05	0.45			26
27	0.02		1.06					0.22	0.13	0.45			27
28		0.40	*0.05					0.06	0.20	0.11	0.02	0.26	28
29		0.26	0.02			0.44		0.63	0.21	0.54		0.35	29
30		X			0.30	X		0.03		0.46		0.02	30
31		X		X		X		0.06	X	0.24	X	0.05	31
Total	1.67	5.02	3.84	0.86	1.46	2.18	1.24	2.25	2.31	6.44	5.10	4.25	36.95
Rain Days.	14	22	22	10	12	14	9	16	13	25	18	18	196

REGISTER OF RAINFALL IN 1917

Report Lix Hill, Duxford
in the County of Hants
by Capt F. T. Mackenzie-Grieve R.N.

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Duxford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 212.3 ft.

729
FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		*.02	.13	*.20		.02		1.18	.02		.05		1
2			.05	*.79						.04	.14		2
3	.01			*.28			.68	.24		.12			3
4		*.12	.17					.16		.38		.02	4
5	.26		.05	.33		.07		.20	.16	.44	.22		5
6			.25						.06	.02	.13		6
7	.29		.01				.03			.42	.02	.05	7
8	.30			.07			.30	.18		.23	.24	.39	8
9			*.12	.01	.04		.02		.03	.03	.03	.02	9
10	.23		.28	.29	.12			.27					10
11	.22		.26	*.19					.09	.43			11
12	.07		.02		.02			.11		.39			12
13	.03		.23	.09				.13	.04	.03			13
14				.16				.09	.02				14
15				.02			.04	.38		.24		.09	15
16	.02	.16		.14	.12		.01	.07		1.47		.69	16
17		.02		.21	.10		.39	.16	.56	.19			17
18	.01	.03		.02	.01	.05	.27	.04	.48				18
19	.01	.25	.15			.04		.12	.31				19
20		.11	.13		.88	.04	.01	.07	.01	.06			20
21		.01	*.04		.01	.11				.12			21
22		.27	*.06			.03		.03					22
23		.15			.12	.01		.41					23
24		.09				.13	.15	.03		.30			24
25			.05				.02		.03	.07			25
26			.05		.02			.28	.10		.24		26
27			.02		.72	.25		1.24					27
28			.04			3.00		.20					28
29			.03		.55	.06	.46	.08		.44			29
30	*.01	~~X~~	*.43				.68	.22				.03	30
31		~~X~~	*.06	~~X~~		~~X~~	.11	.02	~~X~~	.03	~~X~~	.02	31
Total	1.46	1.23	2.63	2.80	2.71	3.81	3.17	5.91	1.91	5.45	1.07	1.31	YEAR'S TOTAL 33.46
Rain Days.	12	11	22	14	12	12	14	24	13	20	8	8	170.

REGISTER OF RAINFALL IN 1918

Kept at Lie Hill, Droyford
in the County of Hants
by Capt F. J. Mackenzie-Grieve RN

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
46.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.63				.08			.50	.07	1
2		.08		.03				.55			.30	.26	2
3		.07	.01	.22	.34			.98		.04	.09	.02	3
4		.18	.03					.13	.11		.66	.06	4
5		.02	.10		.14			.04		.14			5
6	.27	.13		.34				.20	.03	.02			6
7		.19		.22	.45			.05	.13		.34	.09	7
8	.03	.23							.14	.20		.10	8
9				.30		.18	.23		.62	.29	.01	.50	9
10				.07		.03	.24		.17	.05	.02	.08	10
11							.28		.02			.04	11
12		.13			.60		.60		.04	.13		.02	12
13	* 28	.01	.04		.03		.28		.44			.12	13
14						.15	.11		.36	.22		.19	14
15	1.57			.33		.03	.35		.03			.17	15
16	.07			.12		.01	.03		.65	.06		.02	16
17	.51			.10		.05	.31					.20	17
18	.58					.70	.02		.92			.12	18
19	.09		.05				.32		.02	.02		.02	19
20	.04	.17		.48		.04	.06		.63	.06			20
21	.19	.08				.02	.48		.35	.05		.11	21
22	.18	.01			.07		.71		.26			.24	22
23	.19				.09		.27	.01	.04			.03	23
24		.31				.04	.01		.27		.21		24
25	.02						.05	.31					25
26							.94		.01		.17	.19	26
27			.08				.03	.19	.11			.01	27
28		.13	.19								.22	.02	28
29			.51	(.03)					1.10			.04	29
30		X						.02	.02	.02	.04	(.02)	30
31		X	.05	X		X			X	.14	X	.01	31
Total	4.02	1.74	1.06	2.27	1.72	1.25	5.32	2.56	6.47	1.44	2.56	2.75	33.16
Rain Days.	13	14	9	12	7	10	19	11	23	14	11	26	169

REGISTER OF RAINFALL IN 1919.

Kept at Lia Hill, Droyford
in the County of Slants
by Capt. L. J. Mackenzie-Grieve R.N.

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Droyford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
Sea Level 212.3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46		.04	.03			.07			.03	.04	1.14	1
2	.48		.06		.13				.11		.01	.04	2
3	.57		.50									.25	3
4	.28		.53		.05	.03			.12		.13	.04	4
5		.47	.90				.09		.14		.12	.21	5
6	.44		.09									.19	6
7	.09		.54		.16								7
8	.36		.22	.06									8
9	.13		.07	.10							.15		9
10	.68		.34	.12	.21							.45	10
11	.14		.08	.26			.07					.03	11
12	.01		.07		.15		.05			.12	.06*		12
13	.05		.01	.76									13
14	.37			.25			.19		.34			.24	14
15	.27			.04								1.48	15
16	.05	.75									.15		16
17		.15	.25								.08	.07	17
18		.07	1.18					.11			.10	.03	18
19	.35	.42	.08			.11	.27	.18			.06		19
20	.76	.10				.38		.19					20
21	.03	.78					.10		.49			.04	21
22							.12	.01		.10	.03	.20	22
23										.27	.02	.03	23
24		.06				.02					.16	.10	24
25		.07	.10	.07		.06		.37				.07	25
26	.10	.14	.02				.01		.13		.21	.45	26
27	.09*			.45*				.62			.06	.06	27
28	.04*							.98			.72	.18	28
29			.31*	.03				.34		.12		.14	29
30			.02*	.24		.12		.54			.65	1.03	30
31			.07*									.18	31
TOTAL	5.69	3.01	5.48	2.41	.70	.72	.97	3.34	1.33	.69	2.75	6.65	33.74
Days with 0.1 in. or more	21	10	21	12	5	6	9	9	6	5	17	23	144

REGISTER OF RAINFALL IN 1920.

Kept at Li Hill, Dryford
in the County of Here
by Capt F J Mackenzie-Guire RN

Lat..... Long.....
Time of Observation..... 9 A M
Nearest Railway Station..... Dryford
Diameter of Funnel of Rain Gauge..... 5 in.
Height of top of Gauge above Ground..... 3 ft. 6 in.
" " " " Sea Level..... 212.3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

20

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08			.39	.10		.40			.69	.10	.21	1
2	.06		.03	.13	.09		.18	.43	.10	.09		.46	2
3	.11	.03		.15	.12		.15						3
4					.03		.51	.27		.31		.03	4
5			.31	.06			.75	.33		.36			5
6					.36		.66			.42			6
7	.15		.11	.26	.02		.44			.03			7
8				.07	.04		.19						8
9	.28	.09		.04	.11	.03	.06						9
10	.71	.24	.17			.25	.17						10
11	.25	.02	.08	.73	.04		.91					*.11	11
12	.07	.07		.34		.91					.19		12
13	.16	.03	.31	.03							.81		13
14	.02	.04	.48	.47			.01			.27	.05		14
15	.08	.01		.28	.02				.68	.22			15
16		.02		.04					.19	.04			16
17					.34	.04	.04		.73				17
18	.16			.02	.04			.47	.06				18
19	.10			.34					.32				19
20				.35		.83						.18	20
21				.02			.73		.08				21
22	.15			.34			.03		.09			.25	22
23							.24	.05				.81	23
24	.14		.20								.12	.16	24
25				.22	.12		.49					.08	25
26			.23				.05				.26	.20	26
27	.62			.02		.04						.28	27
28	.54		.02	.08		.08	.16					.02	28
29	.57		.10		.07						.23	.40	29
30	.07	~~X~~				.10	.05		.21		.14	.28	30
31	.06	~~X~~	.27	~~X~~		~~X~~			~~X~~	.74	~~X~~	.21	31
TOTAL	4.38	.55	2.31	4.38	1.50	2.28	6.22	1.55	2.46	3.17	1.90	3.68	YEAR'S TOTAL
Days with .01 in. or more	20	9	12	21	14	8	20	5	9	10	8	15	151
Days with .04 in. or more	19	4	10	17	11	7	18	5	9	9	8	13	129

92 ✓

669

1917
Long.

74
669
FORM A.
BRITISH RAINFALL.

Kept at Dunley
in the County of WILT
by _____

WHITCHURCH - DUNLEY NANOR

1917 - 1920

ervation _____
lway Station _____
Funnel of Rain Gauge _____ in.
p of Gauge above Ground _____ ft. _____ in.
" " Sea Level _____ ft.

IMPORTANT
previous day. If

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								96	04		04		1
2								04			04		2
3								32		37	01		3
4								31		27		04	4
5								05	10	31	11		5
6									05	04	09	01	6
7										25	01	05	7
8								09	07	30	17	37	8
9								20	07	02	06	01	9
10								14		04			10
11									04	22			11
12								08		48	01		12
13								24	04	01			13
14								08	01				14
15								1.52		11		06	15
16										1.09		45	16
17								23	72	23	01		17
18									45	01			18
19									35				19
20								01	08		01		20
21										06	01		21
22								06		06			22
23								10		03			23
24								05		34		20	24
25									02	07			25
26								53	13	03	08		26
27								92				02	27
28								31				03	28
29								01		82		17	29
30		X						07		06	02	01	30
31		X		X		X			X	02	X		31
Total								6.32	2.17	5.24	.67	1.42	YEAR'S TOTAL
Rain Days.								22	14	24	14	12	

REGISTER OF RAINFALL IN 1917

669
FORM A.
BRITISH RAINFALL.

Kept at Dunley Manor
in the County of Hampshire
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								96	04		04		1
2								04			04		2
3								32		37	01		3
4								31		27		04	4
5								05	10	31	11		5
6									05	04	09	01	6
7										25	01	05	7
8								09	07	30	17	37	8
9								20	07	02	06	01	9
10								14		04			10
11									04	22			11
12								08		48	01		12
13								24	04	01			13
14								08	01				14
15								1.52		11		06	15
16										1.09		45	16
17								23	72	23	01		17
18									45	01			18
19									35				19
20								01	08		01		20
21										06	01		21
22								06		06			22
23								10		03			23
24								05		34		20	24
25									02	07			25
26								53	13	03	08		26
27								92				02	27
28								31				03	28
29								01		82		17	29
30		X						07		06	02	01	30
31		X		X		X			X	02	X		31
Total								6.32	2.17	5.24	.67	1.42	YEAR'S TOTAL
Rain Days.								22	14	24	14	12	

82 REGISTER OF RAINFALL IN 1918

Kept at Dunley Manor
in the County of Hampshire
by A. Herbert

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

BRITISH RAINFALL FORM 669
27.1.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		04		04				11			16	02	1
2		07		10				44		04	47	22	2
3		03	04	23	36			09	02	02	12	02	3
4		11	03					04	16		90	02	4
5		10	02		29			11	30	14		03	5
6	20	08		36					18			08	6
7		18		10	38			05	30	19	17	01	7
8		23							31	12		07	8
9		09		10		04	21		54	26		37	9
10				11		19	40		22	20		35	10
11	03						1.03		09	16	07	10	11
12		08			22		10					05	12
13		02			20	09	23		44	01		05	13
14	22		03		20	02	16		31	15		22	14
15	1.09			60	30		01		02			14	15
16			02	72			21		17			02	16
17	5.8		02	24			1.00	05	16			19	17
18	89					36	27		39	02		07	18
19	09	02	09	03			30	03	03	09		06	19
20	04	18		50		03	23	02	20	14			20
21	12	10		02		02	02		60	05		05	21
22	06				18		30		12			10	22
23	16	01			14		79	02	05			04	23
24		44				04	54		15		36		24
25							30	47			02		25
26							33		06	05	07	35	26
27		04	04				02	24	09		11	04	27
28		02	29	10		04						03	28
29			05						1.35			02	29
30		X	37					05	02	04	21	06	30
31		X	13	X		X			X	13	X		31
Total	3.48	1.84	1.13	3.25	2.27	.83	6.45	1.72	6.28	1.81	2.66	2.78	34.50
Rain Days.	11	18	12	14	9	9	19	13	25	17	11	27	185

81

REGISTER OF RAINFALL IN 1919

648
FORM A.
BRITISH RAINFALL

Kept at Dunley Manor, Whitechurch
in the County of Hampshire
by A. Herbert

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	39		04		10		29			08	09	1.13	1
2	28		02		07				7.3		07	06	2
3	50		35		05	01	10		30		03	39	3
4	09	06	62			06	04	05	15		08	15	4
5	03	28	90		28		03		31		08	19	5
6	18	08	10								02	08	6
7	14		65		35						01	02	7
8	26		11		04								8
9	03		03	11							06		9
10			36	13	09	10				02	06	17	10
11	07		14	25			18					03	11
12			12	03			17			12		02	12
13	04	03	02	45						03		06	13
14	43	05		39			12		36	04		05	14
15	47			03						03		76	15
16	50	50		02							15		16
17		15									36	04	17
18		20	27					03	03		14	03	18
19	25	24	98			19	24	37	06		34	05	19
20	35	20	15			45		20	07		02	07	20
21	02	24	03			02	04				03	11	21
22		04					18		50			33	22
23						02				22	06	06	23
24	08	02		03		03				50	08	23	24
25		02			05			50			02	02	25
26	05	27	16	15			15	15	08			38	26
27	10		03	41				47				09	27
28			10					75			10	35	28
29	04			03				12				04	29
30		X		26		16		48		36	59	63	30
31		X		X		X			X	05	X	12	31
Total	4.30	2.38	5.18	2.29	.98	1.09	1.54	3.12	2.59	1.45	2.39	5.66	32.97
Rain Days.	21	15	20	13	7	10	11	10	10	10	20	28	175

REGISTER OF RAINFALL IN 1920.

Kept at Litchfield, Dunley Manor
in the County of Hants.
by Sir Alfred Herbert

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.	.	.60	.26	.	.37	.05	.	.48	.03	.35	1
2	.08	.	.	.16	.	.	.34	.72	.08	.	.	.12	2
3	.04	.11	.	.22	.	.	.28	.	.03	.47	.	.03	3
4	.	.06	.03	.03	.	.	.83	.25	.	.26	.	.06	4
5	.	.	.09	.12	.	.	.80	.	.	.58	.	.04	5
6	.	.	.17	.	.26	.	.55	.	.	.09	.	.03	6
7	.04	.	.02	.26	.01	.	.19	.	.	.08	.	.	7
8	.	.05	.	.20	.13	.	.29	.04	.	.02	.	.	8
9	.42	.03	.12	.06	.	.03	.02	.	.	.	.	.	9
10	.54	.15	.10	.03	.	.15	.31	.	.	.	.04	.	10
11	.26	.	.03	.25	.13	.08	.21	.03	.	.	.	.	11
12	.05	.04	.33	.36	.	.41	.03	.	.	.	.05	.	12
13	.19	.03	.36	.21	.	.	.	.	.	.	.07	.	13
14	.04	.04	.07	.30	.	.04	.06	.	.15	.19	.50	.01	14
15	.05	.03	.02	.27	.03	.06	.04	.	.12	.14	.10	.	15
16	.	.02	.04	.20	.13	.	.	.	.08	.	.	.	16
17	.03	.	.02	.04	.28	.03	.05	.	.72	.	.03	.07	17
18	.07	.	.	.10	.05	.06	.	.56	.06	.	.	.03	18
19	.06	.	.	.25	.	.57	.	.01	.	.	.	.	19
20	.06	.16	.	.22	.	.	.	.	.	.	.	.06	20
21	.	.	.	.02	.	.	.50	.	.25	.	.	.11	21
22	.04	.	.	.22	.	.	.03	.04	.08	.	.	.32	22
23	.02	.	.12	.	.	.	.65	.	.	.	.	.48	23
24	.03	.	.03	.	.	.	.	.	.	.	.12	.04	24
25	.	.05	.10	.	.04	.	.40	.	.	.	.	.	25
26	.08	.	.17	.03	.	.	.11	.	.	.	.	.12	26
27	.38	.03	.03	.23	.	.21	.04	.	.	.	.18	.18	27
28	.39	.02	.04	.03	.15	.02	.17	.	.	.	.12	.13	28
29	.24	.02	.06	.	.41	.02	.	.	.	.	.19	.24	29
30	.06	~~XXXX~~	.	.02	.13	.10	.28	.	.27	.	.24	.	30
31	.08	~~XXXX~~	.15	~~XXXX~~	.	~~XXXX~~	.	.	~~XXXX~~	.84	~~XXXX~~	.40	31
TOTAL	3.28	.84	2.10	4.43	2.01	1.78	6.55	1.70	1.84	3.15	1.67	2.82	YEAR'S TOTAL 32.17
Days with ≥ 1 in. or more	24	15	21	25	13	13	23	8	10	10	12	19	193
Days with ≥ 0.4 in. or more	20	8	14	19	11	9	20	6	9	9	10	15	150

RI

EASTNEY
COLLECTING TANKS
HANTS
1911 - 20

Kept at Collecting
in the County of Hamp
by Borough Engineer

FORM A2.
BRITISH RAINFALL
9 - JAN 1912
in.
ound - ft. 6
a Level 16 ft.
m.
ame Fratton
istance 1 1/2 m. Direction W.S.W.
he result entered to the

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.30							.02	.03	1
2				.09	.29						.24	.10	2
3					.18			.08			.21	.17	3
4				.03							.17	.20	4
5										.57	.01		5
6	.29		.07								.04	1.05	6
7	.03									.56	.25	.07	7
8			.10								.75	.54	8
9	.11		.02								.34	.12	9
10			.14								.05	.80	10
11	.27	.14			.05						1.04		11
12			.85								.28	.05	12
13					.24				.28	.21		.43	13
14		.07			.06							.42	14
15											.08	.05	15
16						.49					1.04	.15	16
17										.03	.45	.15	17
18		.11		.01		.02					.32	.22	18
19		.12	.03			.05			.57	.12	.02	.41	19
20			.06					.02	.10			.08	20
21		.16								.43		.77	21
22	.09	.01				.11		.43		.31		.40	22
23		.17				.42			.14	.20		.48	23
24		.10				.12		.03		1.75		.20	24
25				.03	1.31	.04	1.10			.04		.49	25
26		.05		.28		.01			.03	.19		.31	26
27		.26	.05	.04			.03		.07	.31	.03	.16	27
28		.20		.26				.17					28
29				.02		.14	.01		.14	.15			29
30				.11	.14	.03				.29			30
31													31
Total	.82	1.39	1.32	1.17	2.27	1.43	1.14	.73	1.33	5.16	5.34	7.85	TOTAL for year 29.95
No. of Rain Days.	6	11	8	10	7	10	3	5	7	14	18	25	124

R

FORM A2.
BRITISH RAINFALL

9 - JAN 1912

Kept at Collecting Tanks, Eastney

in the County of Hampshire

by Borough Engineer, Portsmouth.

Pattern

RAIN
GAUGE

Diameter of top 8 in.

Height of top above Ground - ft. 6 in.

Sea Level 16 ft.

Time of Observation 9 a.m.

Nearest Railway Station

Name Fratton

Distance 1½ m. Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.30							.02	.03	1
2				.09	.29						.24	.10	2
3					.18			.08			.21	.17	3
4				.03							.17	.20	4
5										.57	.01		5
6	.29		.07								.04	1.05	6
7	.03									.56	.25	.07	7
8			.10								.75	.54	8
9	.11		.02								.34	.12	9
10			.14								.05	.80	10
11	.27	.14			.05						1.04		11
12			.85								.28	.05	12
13					.24				.28	.21		.43	13
14		.07			.06							.42	14
15											.08	.05	15
16						.49					1.04	.15	16
17										.03	.45	.15	17
18		.11		.01		.02					.32	.22	18
19		.12	.03			.05			.57	.12	.02	.41	19
20			.06					.02	.10			.08	20
21		.16								.43		.77	21
22	.09	.01				.11		.43		.31		.40	22
23		.17				.42			.14	.20		.48	23
24		.10				.12		.03		1.75		.20	24
25				.03	1.31	.04	1.10			.04		.49	25
26		.05		.28		.01			.03	.19		.31	26
27		.26	.05	.04			.03		.07	.31	.03	.16	27
28		.20		.26				.17					28
29				.02		.14	.01		.14	.15			29
30				.11	.14	.03				.29			30
31													31
Total	.82	1.39	1.32	1.17	2.27	1.43	1.14	.73	1.33	5.16	5.34	7.85	TOTAL for year 29.95
No. of Rain Days.	6	11	8	10	7	10	3	5	7	14	18	25	124

34. 1800
REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at Collecting Tanks, Eastney,

in the County of Hampshire.

by Arthur W. Ward Esq., Borough
Engineer, Portsmouth.

Pattern -----
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground - ft. 6 in.
" " " Sea Level 16 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Fratton
Distance 1 1/2 m. Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16			.12	.04			.57		.24	1
2			.33				.34					.01	2
3						.11	.01	.61			.01		3
4	.20		.72			.18		.06					4
5	.25		.18					.47	.27		.25	.03	5
6	.47				.13			.61				.25	6
7					.30	.79		.23	.09				7
8	.49	.25	.23			.02		.11				.03	8
9	.01	.16	.05	.07		.06	.01	.04				.10	9
10								.04			.05	.29	10
11	.07	.23	.			.06		.01				.21	11
12		.04	.05		.28	.36	.05	.28					12
13		.03			.01		.07	.02				.05	13
14	.01		.18					.10				.01	14
15		.07			.05	.72		.01				.27	15
16	.19		.12					.14		.02	.12		16
17	.75		.28		.05	.06		.20				.05	17
18	.05		.17					.16				.08	18
19	.07	.01	.08					.32					19
20	.	.03	.27					.06		.50	.03		20
21		.05	.17		.26			.08		.06		.04	21
22	.06	.48	.04					.25				.06	22
23	.43	.11	.23		.04			.42		.02	.14	.20	23
24	.10							.18				.34	24
25	.12	.04				.34		1.05		.05	.23	.21	25
26		.01					.01	.15		.33	.37	.27	26
27						.09	.27			.14		.50	27
28		.03				.02	.15	.11	.06	.67	.45	.14	28
29		.05				.02	.03	.34	1.29	.11	.01		29
30								.01	.97	.19			30
31			.06		.09		.26			.06			31
Total	3.27	1.59	3.32	.07	1.21	2.95	1.24	6.06	2.41	2.72	1.66	3.38	TOTAL for year 29.88
No. of Rain Days.	15	15	17	1	9	14	11	27	4	12	10	21	156

REGISTER OF RAINFALL IN 1913.

Kept at Collecting Tanks, Eastney
in the County of Hampshire
by The Borough Engineer, Portsmouth

Lat. 50°48' Long. 1°6'W

Time of Observation 9 a.m.

Nearest Railway Station Fratton

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 6 ft.

Sea Level 16 ft.

FORM A.
BRITISH RAINFALL
3-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.41	.16	.03			.04		.61		.23	.04	1
2	.02	.10		.02		.02			.31	.40	.05	.02	2
3			.03	.07	.25		.04			.13		.15	3
4	.29		.05	.3	.31				.73	.07	.07		4
5	.27	.14	.07			.15			.79	.05	.19	.09	5
6	.02	.24	.05		.10	.09	.66			.96	.16	.52	6
7			.10		.17	.14	.09			.20	.13		7
8					.38					.14		.02	8
9		.05			.02		.12	.08	.03		.02		9
10		.02		.30			.12				.57		10
11	.92				.03					.46	.10		11
12					.51						.36		12
13	.11		.04						.01		.12		13
14	.22		.11				.03		.05		.07		14
15	.25	.05	.29	.40			.17				.07		15
16	.17		.43	.14					.10				16
17	.12			.03									17
18	.03		.15	.08			.07				.11		18
19	.23		.06		.01				.17				19
20	.48		.14	.09						.64			20
21	.28		.07	.18						.28	.37		21
22			.33					.11	.20	.05		.03	22
23						.02		.09				.80	23
24				.03				.07					24
25	.05			.18									25
26			.01					.13		.40		.29	26
27		.02	.27	.06						.04			27
28	.17		.29	.14						.08			28
29	.14			.36	.60			.02		.21			29
30	.58		.30	.03				.13		.15			30
31								.89		.13			31
Total	4.35	1.03	2.95	2.14	2.38	.42	1.34	1.52	3.00	4.39	2.62	1.96	YEAR'S TOTAL 28.10
Rain Days.	18	8	19	16	10	5	9	8	10	17	15	9	144

REGISTER OF RAINFALL IN 1914

Kept at collecting Tanks, Eastney
in the County of Hampshire
by The Borough Engineer, Portsmouth

Lat. 50° 45' N Long. 1° 6' W
Time of Observation 9 a.m.
Nearest Railway Station Fratton 1 1/2 miles W.S.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 16 ft.

FORM A.
BRITISH RAINFALL
5 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.02		.03		.15			.04	.12	1
2							.04				.08	.12	2
3			.04	.04	.23			.04				.01	3
4				.23			.02					.29	4
5	.10		.14	.29	.09		.27	.03			.28		5
6		.16	.16	.10	.02	.04	.13				.03	.50	6
7	.02	.56	.14	.12		.07						.25	7
8	.05	.45	.03	.04		.05		.08				.12	8
9	.05		.70						.04			1.28	9
10	.05	.26		.04	.19				.22				10
11		.37	.42		.11	.05	.46		.12		.17	.56	11
12		.20	.19						.29	.05		.44	12
13		.46	.10						.19	.07	.08	.86	13
14		.21	.15			.48		.22		.40	.24	.19	14
15		.04	.19				.18	.59		.02	.92		15
16							.06		.20				16
17		.35	.08									.35	17
18		.02	.42									.42	18
19		.06	.66				1.02				.10	.04	19
20		.38	.23						.01			.33	20
21		.54	.04										21
22		.01	.03		.05	.42	.08			.11			22
23		.04	.22					.02		.11			23
24			.01							.03	.10		24
25			.21				.02	.27		.25	.07		25
26							.08	.01		.16	.09	.67	26
27	.05										.08	.36	27
28					.20					.34	.48	.58	28
29	.11		.19	.02						.28	.10		29
30		X		.03						.13	.59	.39	30
31		X		X		X	.02		X		X		31
Total	.43	4.11	4.35	.93	.89	1.14	2.38	1.41	1.07	1.95	3.39	7.88	29.93
Rain Days.	7	16	21	10	7	7	12	9	7	12	16	20	144

REGISTER OF RAINFALL IN 1915

Kept at Collecting Tanks, Eastney

in the County of Hampshire

by The Borough Engineer, Portsmouth.

Pattern -----

RAIN GAUGE Diameter of top 8 in.

Height of top above Ground - ft. 6

" " " Sea Level 16 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Fratton

Distance 1 1/2 m Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	.17							.24	.14		.36	1
2	.25	.19	.14			.02		.09	.01	.33		.28	2
3	.77		.09	.19	.17					.04		.50	3
4				.05								.56	4
5	.75	.27						.05				.50	5
6	.18	.34		.45			.53	.02				.11	6
7	.02	.39		.08			.05					.16	7
8	.01	.59					.33	.02			.04		8
9	.01	.05		.11				.03			.36	.68	9
10	.17	.67	.03									.34	10
11			.05							.01	.73		11
12	.07	.30		.17	.50						.39	.01	12
13		.47			1.43								13
14		.05						.03	.10			.56	14
15					.07		.02	.20	.05		.10	.29	15
16	.04	.57			.30		1.10	.09				.10	16
17	.01	.23			.56								17
18		.18			.02						.04		18
19		.02			.06		.03						19
20	.24												20
21	.03									.38		.20	21
22	.25	.40	.08				.56					.16	22
23			.01	.08					.61	.15		.72	23
24							.07		.82	.35		.47	24
25							.01					.22	25
26		.01				.19						.79	26
27		.02					.21		.01	.30		.03	27
28		.06				.12			.66	.24		.03	28
29						.34	.05	.08		.03	.35		29
30	.29					.02				.33	.52	.05	30
31	.03						.11	.15		.67		.35	31
Total	3.53	4.98	.40	1.13	3.11	.69	3.07	.76	2.50	2.97	2.53	7.47	33.14
No. of Rain Days	17	19	6	7	8	5	12	10	8	12	8	23	135

REGISTER OF RAINFALL IN 1916.

Kept at COLLECTING TANKS, EASTNEY

in the County of HAMPSHIRE

by The Borough Engineer, Portsmouth.

Lat. 50°48'N. Long. 1°6' W.

Time of Observation 9 a.m.

Nearest Railway Station Fratton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level 16 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.12		.07	.01			.05		.34		1
2	.19	.08	.05		.15					.41	.03		2
3		.41	.06				.06			.53	.34		3
4	.15	.20				.23			.31		.29		4
5	.03	.06			.08					.04	.63		5
6		.08		.03	.01					.09	.38		6
7	.02		.17		.05		.32				.58	.02	7
8					.23							.35	8
9		.45			.08							.09	9
10		.06				.09	.05					.15	10
11				.02		.03						.14	11
12	.03		.01	.10	.04	.02	.05						12
13		.18											13
14		.59			.03								14
15		.20	.22										15
16	.05	.01	.16	.17			.08						16
17	.16	.35		.20				.06	.25	.55			17
18		.06		.04				.06	.23	.03	.45	.11	18
19	.09		.12								.30		19
20	.16		.62	.06							.01	.83	20
21	.01		.27	.03								.32	21
22						.05		.06		.05		.67	22
23						.34				.08	.04	.01	23
24					.10	.04				.18	.03	.35	24
25										.06	.12		25
26			.03			.13		.06	.50	.27		.06	26
27			.87			.01		.05	.09	.45			27
28		.30	.05					.12	.14	.20		.22	28
29		.33			.41	.20		.70	.14	.30		.41	29
30		X								.28			30
31		X		X		X			X	.13	X	.01	31
Total	.96	3.36	2.75	.65	1.25	1.15	.56	1.11	1.71	3.65	3.54	3.74	24.43
Rain Days.	11	15	13	8	11	11	5	7	8	16	13	15	133

REGISTER OF RAINFALL IN 1914

Kept at Collecting Tanks, Eastney
in the County of Hants
by Borough Engineer, Portsmouth

Lat. 50° 48' N Long. 1° 6'
Time of Observation 9 A.M.
Nearest Railway Station Fratton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 16 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.11	.23					.10		.02		1
2			.04	.61				1.43			.13		2
3				.04			.25						3
4			.26					.15		.20	.04		4
5	.17			.11		.23		.04	.16	.40	.06		5
6			.22					.05			.08		6
7	.23									.21		.04	7
8	.30			.05			.19	.09		.28	.14		8
9				.01			.03			.11		.31	9
10	.14		.22	.15	.09	.04		.09				.03	10
11	.14		.19	.21						.26			11
12	.12							.03		.28			12
13	.02	.34	.22					.07	.03	.12			13
14				.08				.05					14
15				.01	.02		.04	.43		.15		.09	15
16				.01	.06			.01		.49		.41	16
17				.07	.03		.34	.06	.26	.09			17
18				.16	.02	.04	.05	.06	.26				18
19		.26	.03					.03	.13				19
20		.05	.15		.01	.07							20
21					.01	.12							21
22					.06			.09		.17			22
23		.20			.02			.18					23
24		.05			.05	.07				.17			24
25		.13	.04			.02				.05	.02		25
26			.03		.01			.43	.05	.01	.28		26
27					.41	.07		1.53					27
28			.05			1.91		.03					28
29					.25	.05	.15	.01		.48		.05	29
30		X	.24				.40	.20					30
31		X	.03	X		X	.17	.01	X	.03	X		31
Total	1.13	1.03	1.83	1.74	1.82	2.53	1.83	5.07	99	3.50	.77	.93	23.17
Rain Days.	8	6	14	13	10	10	12	22	7	17	8	6	133

YEAR'S TOTAL

6x700
REGISTER OF RAINFALL IN 1918

✓ *Report* Collecting Tanks, Eastney

in the County of Hampshire

by Borough Engineer, Portsmouth

Lat. 50° 48' Long. 1° 6'

Time of Observation 9 a.m.

Nearest Railway Station Fratton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level 16 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.19			.39	.13	1
2				.07				.82			.28	.14	2
3				.13	.21			.31			.19	.04	3
4		.11	.02					.01	.17		.64	.02	4
5		.06			.10			.11	.01	.16	.51		5
6	.17	.05		.17				.57				.02	6
7				.14	.60			.01	.18	.05	.09		7
8		.11							.03	.07	.04	.02	8
9		.02		.27		.11	.42		.48	.10		.50	9
10				.10		.06	.08		.27			.40	10
11		.05					.24		.01	.22	.02	.08	11
12					.20				.08				12
13					.07		.22		.17			.03	13
14	.27					.06			.26	.16		.04	14
15	1.32			.11			.02			.07		.10	15
16	.36					.08	.05		.75				16
17	.10			.12			.13	.03				.18	17
18	.37		.07			.31			.56			.11	18
19						.04	.12					.01	19
20	.02	.12		.27		.02	.08		.11	.01			20
21	.16								.29	.09		.09	21
22	.15				.17		.26		.22	.01		.23	22
23	.35						.44		.05			.05	23
24		.22					.11		.14		.16	.02	24
25				.42				.12					25
26							.16		.03		.05	.13	26
27		.05	.01				.01	.03	.26	.02	.12		27
28			.22								.12		28
29			.02						1.12			.03	29
30		X	.43						.01			.07	30
31		X	.16	X		X			X	.11	X		31
Total	3.27	.79	.93	1.80	1.35	.68	2.34	2.20	5.20	1.07	2.61	2.44	24.68
Rain Days.	10	9	7	10	6	7	14	10	21	12	12	22	140
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Collecting Tanks, Eastney
in the County of Hampshire
by Borough Engineer, Portsmouth.

Lat. 50° 48' Long. 1° 6'
Time of Observation 9 a.m.
Nearest Railway Station Fratton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 6 in.
" " " " Sea Level 16 ft.

FORM A.
BRITISH RAINFALL
19 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.30						.30			.02		.86	1
2	.22		.01		.05		.08		.12		.01	.50	2
3	.50		.71		.04							.19	3
4	.24		.40			.03	.08	.02			.20	.07	4
5		.46	.48						.27		.13	.17	5
6			.09		.05							.17	6
7	.22		.41										7
8	.30		.18										8
9	.29		.10	.08	.11						.25		9
10	1.40		.09	.03								.16	10
11	.44		.05	.24	.07							.02	11
12	.17		.01				.05			.04	.02		12
13		.02	.02	.40								.01	13
14	.30	.02		.13			.07		.22			.02	14
15	.21		.01	.05						.02		1.02	15
16	.06	.65	.19								.11		16
17		.14									.06	.01	17
18		.04									.05		18
19	.17	.34	.67			.08	.17	.07			.04		19
20	.41					.55		.18					20
21	.03	.39										.01	21
22							.23		.54			.08	22
23										.03	.04		23
24						.01				.32	.07	.16	24
25				.02		.04		.22				.17	25
26	.05	.07	.06	.08				.06	.09		.31	.41	26
27	.17			.31				.76			.05	.04	27
28	.06		.24					.43			.34	.53	28
29			.12	.03				.24		.07		.11	29
30		X		.19		.02		.87			.50	.70	30
31		X		X		X			X		X	.07	31
Total	5.54	2.13	3.84	1.56	.32	.73	.98	2.85	1.24	.50	2.18	5.48	YEAR'S TOTAL 27.35
Rain Days.	19	9	18	11	5	6	7	9	5	6	15	22	132

REGISTER OF RAINFALL IN 1920.

Kept at collecting tanks, Eastney

in the County of Hampshire

by Borough Engineer, Portsmouth

Lat. 50° 48' Long. 1° 6'

Time of Observation 9 a.m.

Nearest Railway Station Lutton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 6 ft.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12			.10	.16		.17			.86	.40	.28	1
2	.02		.04		.06			.04	.07	.02		.12	2
3	.04						.53			.24		.03	3
4		.10					.46	.18		.33			4
5			.12	.12			.89	.05		.48			5
6			.08		.26		.26			.02			6
7	.03			.05	.12		.12						7
8	.01			.03	.01		.19						8
9	.25				.05	.03							9
10	.82	.23	.11	.02		.09	.25						10
11	.22		.06	.36			.39						11
12	.11	.04		.13		.76							12
13	.20		.21								.01		13
14			.36	.30					.12	.14	.47		14
15	.05	.01	.03	.09	.03				.69	1.17	.05	.19	15
16				.06		.08			.08	.03			16
17					.12				.58				17
18	.03				.05	.11		.56	.07			.04	18
19	.06			.22		.01			.02				19
20	.09	.05		.10		.96						.01	20
21				.03			.90		.10			.17	21
22				.22				.02				.25	22
23							.27					.37	23
24			.13		.03							.05	24
25			.01		.13		.28						25
26	.05		.13	.03			.03		.04			.09	26
27	.46			.07		.06					.09	.26	27
28	.58		.01	.07	.08		.05					.02	28
29	.72		.14		.02						.09	.14	29
30	.05						.04		.12		.11	.18	30
31										.68		.15	31
TOTAL	3.91	.43	1.70	2.00	1.12	2.10	4.83	.85	1.89	3.97	1.25	2.35	YEAR'S TOTAL 26.40
Days with '01 in. or more	14	5	14	17	13	8	15	5	10	10	8	16	140
Days with '04 in. or more	15	4	11	13	9	6	14	4	9	7	6	13	111

Kept at Ellisfield

in the County of

by H. H. H. H.

ELLISFIELD MANOR

HANTS.

1911 - 1914

FORM A2.
BRITISH RAINFALL
25 JAN 1912

in.
Ground ft. 9 in.
Sea Level 635 ft.

Name Bernard

Distance 2 Direction E

the result entered to the

IMPORTANT NOTE.
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	4	2	21		4		1				05	1
2	5			16	46	4		1			15	24	2
3		5			37	4		7			16	23	3
4	8	2	10	sun 10					5	27	37	50	4
5	5			5						44	12		5
6	40		16							64	5	66	6
7	10		10								43	10	7
8	20		35								23	49	8
9	17		4	5							5	09	9
10		14	17		4							1.07	10
11	72										1.18		11
12			70		3				2		19	07	12
13			5						45	5		77	13
14		6	2		19							52	14
15		3	6							3	17	08	15
16	2		3								49	22	16
17						10					85	73	17
18		18	8	2	3	22				7	43	69	18
19		2				53			17	8	06	25	19
20	3	5	8					2	15	8		85	20
21	4	20						68		66		10	21
22	5		24			15		4		21	03	45	22
23		24	3			25			25	3		21	23
24		22				23		11		1.11		26	24
25	4	8		12	72	12		3	8	2		05	25
26		3		32	5	4	1	5		15	sun 04	32	26
27		53	35	32			9	3	11		17	20	27
28		38		42			3	15			05		28
29				50		38			22	42			29
30				5	3					55		03	30
31						4				6			31
Total	198	2.23	2.58	2.32	1.92	2.06	.13	1.20	1.50	4.87	5.22	9.23	TOTAL for year 35.24
No. of Rain Days.	14	15	17	12	9	10	3	11	9	17	19	26	35.74

Kept at Ellisfield Manor Basingstoke
in the County of Hampshire
by H. Hoare

PATTERN
RAIN GAUGE
Diameter of top _____ in.
Height of top above Ground _____ ft. 9 in.
" " " Sea Level 635 ft.
Time of Observation 9 am
Nearest Railway Station { Name Barnard
Distance 2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	4	2	21		1						.05	1
2	5			16	46			1			15	24	2
3		5			37			7			16	23	3
4	8	2	10	sun 10					5	27	37	50	4
5	5			5						44	12		5
6	40		16							64	5	66	6
7	10		10								43	10	7
8	20		35								23	49	8
9	17		4	5							5	09	9
10		14	17		4							1.07	10
11	72										1.18		11
12			20		3				2		19	.07	12
13			5						45	5		.77	13
14		6	2		19							52	14
15		3	6							3	17	.08	15
16	2		3								49	.22	16
17						10					85	.73	17
18		18	8	2	3	22				7	43	.69	18
19		2				53			17	8	.06	.25	19
20	3	5	8					2	15	8		.85	20
21	4	20						68		66		10	21
22	5		24			15		4		21	.03	.45	22
23		24	3			25			28	3		.21	23
24		22				23		11		1.11		.26	24
25	4	8		12	72	12		3	8	2		.05	25
26		3		32	5	4	1	5		15	sun .04	.32	26
27		53	35	32			9	3	11		17	.20	27
28		38		42			3	15			.05		28
29				50		38			22	42			29
30				5	3					55		.03	30
31						4				6			31
Total	198	2.23	2.58	2.32	1.92	2.06	.13	1.20	1.50	4.87	5.22	9.23	TOTAL for year 35.24
No. of Rain Days.	14	15	17	12	9	10	3	11	9	17	19	26	35.74

REGISTER OF RAINFALL IN 1912

18 APR 1913
BRITISH RAINFALL
FORM A.

Kept at Ellisfield Manor
in the County of Hampshire
by H. Hare

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			9			22	5		3	45		23	1
2		Snow .04	17			8	53	3	1	3		~~2~~	2
3	.05		30			21		50	3			6	3
4	22	2	74		21	25		5			25		4
5	25	2	8					55			3	2	5
6	43	18	5		3	3		45				24	6
7	5				13	85		9				23	7
8	36	22	36			13		7				4	8
9		13	9	3		73		2				37	9
10		10						21			10	36	10
11	14	13				3					2	48	11
12	6	9	18		43	32	10				3		12
13		5	3				32	9				8	13
14	4		15		3			8		3	1	13	14
15	3	9	17		10	49						52	15
16	10	2	17		11			17		12			16
17	38		20			7		38			4	6	17
18	60		47					35		5		10	18
19	5	11	14			1	10	42			3		19
20			41				6	34		37	11		20
21		7	47		38			13		10			21
22	10	44	4		4			28		8		6	22
23	37	52	48					47		10	31	6	23
24	14	4	2			23		38				56	24
25	7					46	3	75			24	73	25
26		8				4		22		54	93	36	26
27		2				15	22			62		35	27
28		9				22	22	49	14	82	81	44	28
29		9	5			45	20	43	155	15	12		29
30					17			4	96	23			30
31			27				22	13		3		6	31
Total	3.44	2.55	5.13	.03	1.63	4.97	2.05	7.12	2.72	3.72	3.03	5.54	YEAR'S TOTAL 41.93
Rain Days.	18	21	23	1	10	19	11	26	6	15	14	22	186

REGISTER OF RAINFALL IN 19 13

Kept at Ellsfield Manor, Basingstoke
in the County of Hampshire
by H. Hoare

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hannard
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level 635 ft.

23 FEB 1914
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		33	14	21	05	17			82		25		1
2	7	13	03	12			09		14		14	04	2
3	4		03	12	65					09		11	3
4	56		10		34				1.17	03	56	05	4
5	29	2				14			60	22	03	02	5
6		6	15		07	14	14			54	56	25	6
7		42			11	17	31			30			7
8		6			33	05				19	14	05	8
9		15				03			18		02	02	9
10	4			07	03		10	03			55		10
11	69			38	09						66	02	11
12			03		26						35	03	12
13	15		10					04	09		18		13
14	20	5	26				42	12	04	11	18	02	14
15	18	10	47	55			45		06		03		15
16	20		42	15			02		02				16
17		10	11	03		42	10					02	17
18	3		38	15			06						18
19	77		14		02		17		16				19
20	13		16	12	05	01				48			20
21			20	08						09	66		21
22	43		37	08	02			02	25	05			22
23						07		08		02	03	80	23
24	1			18				01					24
25	7	3		22							02		25
26			06	36				16		55		20	26
27			03	14							03		27
28	24		38	14						01	05		28
29	5		23	88	54			08		39		20	29
30	63		04					45		48	18		30
31	1							48					31
Total	4.79	1.45	3.83	3.98	2.56	1.20	1.86	1.47	3.53	3.55	3.62	1.83	33.67
Rain Days.	20	11	21	18	13	9	10	10	11	15	19	14	171

REGISTER OF RAINFALL IN 1914

Kept at Ellisfield Manor
in the County of Hampshire 5
by H. Moore Esq.

Lat. 57°13' N Long. 1°55' W
Time of Observation 7 a.m.
Nearest Railway Station Leamington
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 650 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.04					.26			.22		1
2								.09			.23	.25	2
3			.14		.43		.14	.09			.09		3
4			.10	.39		.06		.14			.53	.45	4
5	.16		.02	.38	.75		.31	.55			.05		5
6		.01		.22	.03	.04		.04				.20	6
7		1.25	.03	.41	.23	.04	.29	.06				.56	7
8	.13		.58	.03	.05	.11		.33	.15			.04	8
9	.16		.61	.23		.13			.16			1.52	9
10		.30		.05	.26			.05					10
11		.60	.58		.04				.32		.10	.48	11
12		.18	.08				.44		.35			.60	12
13		.58	.32			.02			.26	.20		.68	13
14		.38	.32			.03	.13			.48		.48	14
15			.15					.35		.13	.03		15
16									.03				16
17	.02	.42	.32				.02		.18			.53	17
18		.03	.19									.26	18
19		.15	.21				1.36					.32	19
20		.42	.42										20
21		.64				.03						.04	21
22		.04			.04	.25	.14			.13			22
23		.24	.18		.06	.08	.04			.04			23
24			.10		.05					.16	.38		24
25			.11					.18		.41		.25	25
26			.02					.10		.12	.34	.42	26
27	.05	.03								.02	.05		27
28	.30	.12			.09						.48	.90	28
29	.05		.14							.50	.20		29
30	.12	X	.31							.14	.45	.42	30
31	.14	X		X	.04	X	.12		X	.16	X	.04	31
Total	1.16	5.48	5.30	1.41	2.10	.82	3.11	2.27	1.45	2.55	3.45	9.07	38.44
Rain Days.	9	16	22	4	12	10	10	12	4	12	13	14	149

RE

Kept at

Elve

ELVETHAM PARK

in the County of

Hants

by

W. E. B.

HANTS

1911 - 1920

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL
6 JAN 1912

in.

Ground / ft. in.

Sea Level 217 ft.

Name Winchfield in Fleck

Distance 3 hls. Direction SW

the result entered to the
ersal rule, he is earnestly
ar in the space provided
ent of rain,
ish Rainfall
pplication to

Jan. 1, following.

0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03		0.01	0.24			0.02	0.03				0.01	1
2	0.03		0.02	0.23	0.27			0.02			0.26	0.08	2
3	0.01	0.01		0.01	0.21			0.01			0.09	0.17	3
4	0.05	0.03	0.07	0.15					0.01	0.12	0.26	0.40	4
5	0.02	0.01		0.07						0.10	0.14	0.04	5
6	0.27		0.17	0.01							0.02	0.37	6
7	0.04		0.01	0.01						0.20	0.30	0.24	7
8	0.09		0.22								0.24	0.44	8
9	0.16		0.03	0.02								0.13	9
10		0.13	0.07	0.01	0.36						0.01	0.77	10
11	0.46		0.01								0.74	0.01	11
12			0.46						0.01		0.15		12
13			0.05		0.48				0.42	0.01	0.02	0.71	13
14		0.05	0.01		0.39							0.46	14
15		0.02	0.08							0.01	0.08	0.06	15
16		0.02				0.08					0.31	0.09	16
17						0.16					0.50	0.40	17
18		0.19	0.07	0.02		0.09				0.02	0.52	0.43	18
19		0.03				0.51			0.27	0.04	0.17	0.11	19
20	0.02		0.04					0.02	0.08	0.08		0.75	20
21	0.02	0.17	0.01					0.27	0.01	0.41		0.10	21
22	0.06	0.01	0.47			0.02				0.16	0.01	0.43	22
23		0.18	0.01			0.32			0.09		0.03	0.11	23
24		0.11				0.08		0.07		0.99		0.15	24
25	0.02	0.04	0.02	0.02	1.84	0.16	0.03		0.03			0.01	25
26		0.02		0.20	0.25	0.07	0.04			0.10	0.02	0.20	26
27		0.30	0.17	0.09			0.10	0.01	0.14			0.21	27
28		0.19		0.28				0.06			0.10		28
29				0.19		0.21	0.09		0.14	0.14	0.01		29
30				0.01	0.05	0.05		0.03	0.02	0.28		0.01	30
31							0.01			0.05			31
Total	1.28	1.51	2.00	1.56	3.85	1.75	0.29	0.52	1.22	2.71	3.98	6.86	TOTAL for year 27.53
No. of Rain Days.	14	17	20	16	8	11	6	9	11	15	21	27	175

Kept at Elratham Hall
in the County of Hampshire
by W. G. B. Mitchison

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 217 ft.

Time of Observation

Nearest Railway Station { Name Winchfield on F.R.
Distance 3 miles Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03		0.01	0.24			0.02	0.03				0.01	1
2	0.03		0.02	0.23	0.27			0.02			0.26	0.08	2
3	0.01	0.01		0.01	0.21			0.01			0.09	0.17	3
4	0.05	0.03	0.07	0.15					0.01	0.12	0.26	0.40	4
5	0.02	0.01		0.07						0.10	0.14	0.04	5
6	0.27		0.17	0.01							0.02	0.37	6
7	0.04		0.01	0.01						0.20	0.30	0.24	7
8	0.09		0.22								0.24	0.41	8
9	0.16		0.03	0.02								0.13	9
10		0.13	0.07	0.01	0.36						0.01	0.77	10
11	0.46		0.01								0.74	0.01	11
12			0.46						0.01		0.15		12
13			0.05		0.48				0.42	0.01	0.02	0.71	13
14		0.05	0.01		0.39							0.46	14
15		0.02	0.08							0.01	0.08	0.06	15
16		0.02				0.08					0.31	0.09	16
17						0.16					0.50	0.40	17
18		0.19	0.07	0.02		0.09				0.02	0.52	0.43	18
19		0.03				0.51			0.27	0.04	0.17	0.11	19
20	0.02		0.04					0.02	0.08	0.08		0.75	20
21	0.02	0.17	0.01					0.27	0.01	0.41		0.10	21
22	0.06	0.01	0.47			0.02				0.16	0.01	0.43	22
23		0.18	0.01			0.32			0.09		0.03	0.11	23
24		0.11				0.08		0.07		0.99		0.15	24
25	0.02	0.04	0.02	0.02	1.84	0.16	0.03		0.03			0.01	25
26		0.02		0.20	0.25	0.07	0.04			0.10	0.02	0.20	26
27		0.30	0.17	0.09			0.10	0.01	0.14			0.21	27
28		0.19		0.28				0.06			0.10		28
29				0.19		0.21	0.09		0.14	0.14	0.01		29
30				0.01	0.05	0.05		0.03	0.02	0.28		0.01	30
31							0.01			0.05			31
Total	1.28	1.51	2.00	1.56	3.85	1.75	0.29	0.52	1.22	2.71	3.98	6.86	TOTAL for year 27.53
No. of Rain Days.	14	17	20	16	8	11	6	9	11	15	21	27	175

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at Elvetham Park

in the County of Hampshire

by Mr. E. B. Mitchison

Pattern
RAIN Gauge Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 217 ft.
Time of Observation 8 am
Nearest Railway Station { Name Winchfield or Flat
Distance 3 1/2 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		0.01	0.08	0.01	0.01	0.19	0.06		0.13	0.50		0.20	1
2		0.03	0.11			0.12	0.42	0.07	0.01	0.10		0.01	2
3	0.04		0.13			0.40	0.02	0.36				0.04	3
4	0.18	0.03	0.54		0.07	0.27		0.02			0.18		4
5	0.14	0.04	0.07		0.02			0.53			0.09	0.02	5
6	0.52	0.08	0.01		0.01			0.38	0.02			0.07	6
7	0.03				0.13	1.53		0.42				0.10	7
8	0.28	0.34	0.33			0.06	0.03	0.65	0.01			0.01	8
9		0.19	0.08	0.02		0.55	0.04	0.03				0.17	9
10		0.06	0.04			0.03		0.27	0.01		0.05	0.29	10
11	0.10	0.10									0.01	0.28	11
12	0.05	0.23	0.09		0.34	0.17	0.08	0.07			0.03		12
13	0.03	0.06	0.01				0.20	0.02			0.03	0.05	13
14	0.02		0.03		0.02			0.12		0.01	0.01	0.08	14
15	0.03	0.06	0.12		0.09	0.50		0.01			0.01	0.30	15
16	0.27	0.01	0.06		0.25	0.05		0.04		0.05	0.04		16
17	0.75		0.16			0.03		0.12				0.03	17
18	0.13		0.16					0.17		0.01	0.02	0.09	18
19	0.04	0.07	0.10				0.07	0.96			0.01		19
20	0.03	0.01	0.20				0.02	0.12		0.40			20
21	0.01	0.02	0.47		0.53			0.02		0.03	0.02		21
22	0.16	0.19	0.13		0.04			0.25		0.06		0.02	22
23	0.32	0.38	0.31					0.30		0.12	0.19	0.21	23
24	0.54	0.02				0.12		0.30				0.20	24
25	0.19					0.24		0.33		0.08	0.24	0.58	25
26		0.05					0.18	0.39		0.38	0.59	0.49	26
27			0.02			0.10	0.03			0.27		0.24	27
28		0.03				0.04	0.08	0.23	0.15	0.63	0.69	0.25	28
29		0.02		0.01		0.28	0.17	0.37	1.70	0.12	0.09		29
30					0.20	0.03	0.04		0.97	0.18			30
31			0.18		0.03		0.23	0.06		0.01		0.04	31
Total	3.86	2.03	3.43	0.04	1.74	4.71	1.67	6.61	3.00	2.95	2.30	3.77	TOTAL for year 36.11
No. of Rain Days.	21	22	23	3	13	18	15	27	8	16	17	23	206

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
5-JAN-1914

Kept at Elvetham Hall
in the County of Hampshire
by M^r. G. B. Mitchison

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Fleet or Hindley
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	0.25	0.07	0.13	0.04				0.84		0.15	0.17	1
2	0.09	0.12	0.02	0.08			0.05		0.04	0.30	0.08	0.04	2
3	0.08		0.02	0.09	0.44					0.01		0.09	3
4	0.34		0.05	0.03	0.44				0.04	0.43	0.04	0.07	4
5	0.19	0.01			0.02	0.09	0.07		0.37	0.02	0.01	0.05	5
6		0.04	0.15		0.06	0.09	0.05		0.03	0.61	0.03	0.23	6
7		0.14			0.02	0.06	0.06			0.47	0.07		7
8		0.04			0.25	0.10				0.52	0.05	0.01	8
9		0.10	0.01		0.03			0.09	0.17	0.03	0.05	0.04	9
10	0.01		0.03	0.03			0.05	0.02			0.39		10
11	0.63			0.47	0.05					0.45	0.34		11
12		0.02			0.31					0.01	0.22		12
13	0.10		0.03						0.09		0.16		13
14	0.09	0.03	0.11	0.05				0.03		0.10	0.08	0.01	14
15	0.23	0.08	0.36	0.25			0.07		0.03		0.03		15
16	0.15		0.35	0.17					0.08		0.01		16
17	0.02	0.08	0.05	0.03			0.22		0.01			0.08	17
18			0.16	0.11			0.09		0.03			0.01	18
19	0.85		0.17	0.01			0.09		0.13			0.01	19
20	0.12		0.15	0.09		0.10				0.26	0.02		20
21			0.19	0.05						0.10	0.83		21
22	0.34		0.26	0.03					0.17	0.01			22
23						0.04		0.13	0.03			0.54	23
24	0.02			0.07						0.01	0.06		24
25		0.02		0.19			0.02			0.01		0.01	25
26		0.02	0.07	0.26				0.13		0.54		0.14	26
27		0.02	0.02	0.10						0.02	0.01		27
28	0.30		0.37	0.13						0.30		0.01	28
29	0.04		0.10	0.45	0.45			0.13		0.11	0.01	0.09	29
30	0.38			0.01				0.04		0.31			30
31			0.03					0.42					31
Total	4.01	1.07	2.77	2.83	2.11	0.48	0.77	0.99	2.06	4.62	2.64	1.70	YEAR'S TOTAL
Rain Days.	184	14	22	22	11	6	10	8	44	21	20	17	26.05

REGISTER OF RAINFALL IN 1914

Kept at Elvetham Hall
in the County of Hampshire
by W. G. B. Mitchison

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Winchfield on Feb 15
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 217 ft.

FORM A.
BRITISH RAINFALL
JAN 15

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.74

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.03				0.01	0.08			0.09	0.04	1
2						0.01	0.01	0.07			0.15	0.32	2
3			0.09		0.23		0.74	0.03			0.20	0.03	3
4	0.06		0.06	0.32			0.06	0.30			0.29	0.41	4
5	0.10		0.08	0.33	0.11	0.04	0.24	0.70			0.05		5
6		0.14		0.23		0.07	0.03	0.02				0.18	6
7		0.72	0.21	0.16	0.15	0.06	0.10					0.16	7
8	0.05	0.29	0.69	0.01		0.06	0.07	0.13				0.02	8
9	0.23	0.01	0.60	0.10		0.60		0.01	0.29			1.86	9
10	0.02	0.14	0.03	0.03	0.13				0.09				10
11		0.24	0.36		0.04	0.03			0.21		0.06	0.34	11
12	0.02	0.23	0.11				0.46		0.24		0.02	0.52	12
13	0.01	0.32	0.17						0.12	0.07	0.02	0.55	13
14	0.01	0.23	0.23			0.02	0.09	0.04	0.01	0.59	0.08	0.59	14
15	0.09	0.02	0.08							0.06	0.21	0.02	15
16	0.01		0.03				0.03	0.09			0.06		16
17	0.03	0.44	0.14						0.08	0.01		0.23	17
18		0.02	0.10				0.01					0.42	18
19	0.01	0.02	0.27				0.79		0.02		0.18	0.25	19
20		0.37	0.29						0.03	0.01		0.35	20
21		0.74	0.10					0.08		0.08		0.03	21
22			0.05		0.11	0.04	0.12	0.04		0.17			22
23		0.10	0.15		0.05	0.05				0.09			23
24			0.02		0.09			0.02		0.03	0.08		24
25	0.03		0.06		0.01			0.10		0.24	0.02		25
26			0.02				0.05	0.04		0.07	0.22	0.63	26
27	0.06										0.05	0.17	27
28		0.04			0.11					0.01	0.33	0.89	28
29	0.08		0.10		0.05					0.32	0.13		29
30	0.02	X	0.13							0.17	0.92	0.57	30
31	0.02	X		X	0.07	X	0.03		X	0.03	X	0.07	31
Total	0.85	4.67	4.20	1.18	1.15	0.98	2.84	1.75	1.09	1.95	3.16	8.65	31.87
Rain Days.	17	17	26	7	12	10	16	15	9	15	19	23	186

REGISTER OF RAINFALL IN 1915

Kept at Elvetham Hall
in the County of Hampshire
by Mrs. G. B. Mitchison

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Fleet or Winchester
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.74	0.09	0.03		0.04			0.02	0.28	0.06	0.11	0.45	1
2	0.23	0.19	0.23	0.02		0.06		0.88	0.06	0.13		0.21	2
3	0.72		0.07	0.22	0.04		0.03	0.11	0.02			0.34	3
4	0.12							0.03				0.23	4
5	0.02	0.57		0.07				0.03		0.02		0.36	5
6	0.30	0.08	0.03	0.27			0.59	0.04				0.44	6
7	0.25	0.30	0.04				0.23	0.02				0.22	7
8	0.07	0.69	0.02	0.07			0.09	0.03			0.01		8
9	0.10	0.05		0.09		0.05		0.05			0.34	0.78	9
10	0.11		0.01					0.02				0.19	10
11	0.01		0.03					0.14			0.64	0.06	11
12	0.02	0.10		0.41	0.38			0.23			0.28	0.02	12
13	0.03	0.74			1.36				0.02				13
14	0.02	0.06					0.52	0.07	0.03			0.42	14
15	0.11						0.02	0.18	0.01		0.15	0.25	15
16	0.02	0.43			0.14		0.69	0.22				0.18	16
17		0.35			1.34		0.02	0.02				0.01	17
18		0.16	0.13		0.15								18
19	0.01	0.03			0.04		0.08						19
20	0.18			0.02	0.01							0.14	20
21	0.07	0.02			0.37		0.03			0.03		0.08	21
22	0.72	0.21	0.29	0.01			0.58					0.18	22
23	0.02	0.12	0.04			0.01	0.32		0.15	0.33		0.16	23
24	0.01		0.01			0.01	0.09		1.03	0.31		0.61	24
25			0.02	0.03		0.28	0.83				0.01	0.10	25
26		0.05				0.03	0.29		0.01			0.55	26
27		0.06	0.01			0.46			0.02	0.25		0.19	27
28		0.03				0.03			1.18	0.10			28
29						0.02	0.06	0.10	0.01		0.16	0.04	29
30	0.06	X							0.02	0.22	0.36	0.08	30
31	0.06	X		X		X		0.01	X	2.42	X	0.27	31
Total	4.00	4.33	0.96	1.21	3.87	0.95	4.47	2.20	2.84	3.87	2.06	6.54	37.30
Rain Days.	24	20	14	10	10	9	16	18	13	10	9	26	179

REGISTER OF RAINFALL IN 1916

Kept at Elvetham Hall
in the County of Hampshire
by Mr. G. B. Mitchison

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Winchfield or Fleet
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
no rain

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.12	0.03	0.03		0.22	0.03			0.33	0.02	0.33		1
2	0.18	0.06	0.14		0.49				0.08	0.60	0.01		2
3	0.05	1.20	0.09						0.10	0.35	0.26		3
4	0.15	0.33			0.01	0.25			0.22	0.02	0.62		4
5	0.03	0.02	0.02	0.06	0.22	0.15				0.05	0.80		5
6		0.09	0.11	0.09	0.06	0.15	0.41			0.07	0.64		6
7	0.06		0.55		0.06	0.06	0.58			0.03	0.61	0.04	7
8			0.03		0.26	0.08						0.26	8
9					0.16	0.01				0.12		0.18	9
10		0.32	0.06	0.05		0.21	0.02			0.02	0.01	0.03	10
11	0.07	0.12	0.03	0.06	0.01	0.11			0.02			0.08	11
12	0.04	0.06	0.01	0.06	0.28	0.11	0.02	0.14	0.01	0.01			12
13		0.16	0.25	0.13	0.04	0.05	0.01	0.18	0.01	0.06			13
14		0.35	0.21		0.02			0.10		0.07		0.07	14
15		0.19	0.50	0.01				0.33	0.01	0.01			15
16	0.01	0.06	0.45	0.19			0.09	0.72					16
17	0.08	0.20		0.02			0.01	0.27	0.25	0.41	0.01		17
18	0.01	0.10	0.06	0.03				0.11	0.13	0.10	0.75		18
19	0.09		0.13	0.24		0.02		0.32	0.07		0.31	0.12	19
20	0.12		0.28	0.01							0.01	0.53	20
21	0.01		0.32				0.04					0.50	21
22	0.01	0.01	0.03		0.04	0.01				0.13	0.01	0.52	22
23	0.04	0.20	0.01			0.14		0.03		0.04	0.04	0.05	23
24		0.10			0.09	0.13		0.02		0.28	0.02	0.31	24
25		1.22	0.16					0.07	0.01	0.12	0.14		25
26		0.15	0.13			0.12		0.17	0.10	0.39			26
27	0.02	0.05	1.02			0.01		0.43	0.05	0.24			27
28		0.31	0.09			0.10		0.02	0.39	0.02		0.11	28
29		0.23				0.18		0.95	0.11	0.34	0.02	0.18	29
30		X						0.08		0.39			30
31		X		X		X		0.01	X	0.20	X	0.06	31
Total	1.09	5.56	4.71	0.95	1.96	1.92	1.18	3.95	1.89	4.09	4.39	3.04	34.73
Rain Days.	17	23	24	12	14	19	8	17	16	25	17	15	207

REGISTER OF RAINFALL IN 1917

Kept at Elvetham Park
in the County of Hampshire
by Mr. G. B. Mitchison

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station, Winchester
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 217 ft.

783
FORM A.
BRITISH RAINFALL
Jan. 1, following.
no rain

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.06	0.33				1.36	0.04		0.04		1
2		0.01	0.01	0.12		0.07					0.12		2
3	0.01			0.11			1.21	0.49		0.22	0.01		3
4		0.18	0.10				0.16	0.24		0.34		0.01	4
5	0.25		0.05	0.23		0.02		0.02	0.27	0.42	0.10		5
6			0.28	0.01		0.03			0.08		0.04		6
7	0.13		0.01				0.19			0.34		0.05	7
8	0.32		0.02	0.08			0.55	0.08	0.09	0.22	0.12	0.43	8
9	0.01		0.07	0.04	0.01		0.12	0.68	0.04		0.04	0.08	9
10	0.16		0.15	0.33	0.02			0.08			0.02		10
11	0.10	0.01	0.33	0.13					0.30	0.18			11
12	0.07		0.08	0.04	0.03	0.44		0.17		0.58			12
13	0.07		0.11	0.03				0.07	0.03	0.10		0.02	13
14				0.08				0.17					14
15	0.01						0.09	0.12		0.03		0.01	15
16	0.02	0.11		0.08	0.03		0.28			0.57		0.54	16
17		0.01		0.12	0.30		0.23	0.03	0.41	0.26			17
18	0.03	0.05		0.04	0.04	0.34	0.25	0.18	0.28				18
19	0.02	0.16	0.15		0.01	0.08			0.26		0.01		19
20	0.02	0.09	0.07		0.32		0.01	0.04	0.02		0.01		20
21			0.03		0.02	0.11				0.02			21
22	0.01		0.06			0.02		0.08		0.07			22
23		0.15	0.01		0.08	0.04		0.14				0.04	23
24		0.05				0.04	0.01	0.02		0.17			24
25		0.06	0.04				0.01						25
26			0.04					0.39	0.04	0.03	0.14	0.01	26
27			0.01		0.23			0.75				0.05	27
28		0.01	0.02			1.90		0.07				0.05	28
29			0.03		0.01	0.09	0.46	0.02		0.32		0.11	29
30	0.01	X	0.16				1.71	0.05		0.04	0.03	0.02	30
31	0.02	X	0.11	X		X	0.17		X	0.01	X	0.07	31
Total	1.26	0.89	2.00	1.77	1.10	3.18	5.45	5.28	1.86	3.92	0.68	1.49	28.85
Rain Days.	17	12	24	15	12	12	15	22	12	16	12	14	1.85

REGISTER OF RAINFALL IN 1918

Kept at Elvetham Park
in the County of Hampshire
by Mrs. G. B. Mitchison

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Winchfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 217 ft.

Jan. 1, following.

0.22

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.05		0.07				0.05			0.46	0.12	1
2		0.05		0.13				0.42		0.05	0.21	0.14	2
3		0.02	0.04	0.31	0.33			0.08	0.02	0.02	0.37	0.02	3
4		0.09	0.07	0.01				0.02	0.34		0.99	0.01	4
5		0.04	0.03		0.10			0.06	0.02	0.09			5
6	0.16	0.07		0.28				0.02	0.07	0.02		0.09	6
7	0.03	0.09		0.17	0.48	0.01		0.03	0.16	0.06	0.10	0.02	7
8		0.13							0.14	0.02	0.16	0.02	8
9	0.02	0.05		0.11		0.14	0.28		0.38	0.21		0.20	9
10				0.10		0.03	0.54		0.06	0.01	0.03	0.40	10
11	0.02			0.02			0.65		0.02	0.33	0.08	0.15	11
12		0.04			0.13		0.16		0.16			0.02	12
13	0.07			0.01	0.22		0.15		0.15			0.03	13
14	0.13		0.03		0.01	0.19	0.09		0.24	0.24		0.25	14
15	1.49			0.79			0.34		0.02			0.12	15
16	0.36			0.30		0.17			1.04	0.01		0.03	16
17	0.30		0.02	0.21			0.50	0.05	0.02			0.16	17
18	0.64					0.24	0.17		0.53			0.18	18
19	0.08		0.06	0.05		0.05	0.31	0.01	0.03	0.13		0.02	19
20	0.08	0.13		0.64		0.03	0.19		0.16	0.10			20
21	0.15	0.06		0.32		0.01			0.48	0.06		0.03	21
22	0.13	0.01			0.03		0.05		0.23			0.23	22
23	0.03			0.02	0.14		0.76	0.04	0.11		0.02		23
24		0.37				0.05	0.24		0.11		0.15		24
25							0.33	0.26		0.02			25
26							0.48		0.02	0.05	0.08	0.18	26
27		0.04	0.02				0.04	0.19	0.06		0.08		27
28		0.03	0.21	0.05				0.02			0.18	0.04	28
29									1.20		0.02		29
30		X	0.33						0.06		0.05	0.07	30
31		X	0.03	X		X			X	0.08	X	0.01	31
Total	3.69	1.27	0.84	3.59	1.44	0.92	5.28	1.25	5.83	1.50	2.98	2.54	31.13
Rain Days.	15	16	10	18	8	10	17	13	26	17	15	24	189

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Elvetham Park
 in the County of Hampshire
 by Mr G. B. Mitchison

Lat. _____ Long. _____
 Time of Observation 8 am
 Nearest Railway Station Winchfield
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.22	0.03	0.02	0.01			0.25			0.04	0.05	1.20	1
2	0.27		0.02		0.03		0.01		0.06		0.12	0.12	2
3	0.37		0.37		0.03		0.04	0.04	0.04		0.03	0.35	3
4	0.11		0.46			0.03	0.06		0.12		0.06	0.19	4
5	0.01	0.37	0.76				0.46		0.21		0.04	0.22	5
6	0.21		0.05	0.02	0.03						0.02	0.07	6
7	0.06		0.40								0.04		7
8	0.33		0.08	0.06							0.01		8
9	0.10		0.07	0.05	0.04						0.04		9
10	0.19		0.17	0.09							0.03	0.12	10
11	0.07		0.09	0.26	0.03		0.10			0.01	0.02	0.03	11
12			0.07			0.04	0.20			0.03	0.03	0.01	12
13	0.03			0.36						0.02		0.03	13
14	0.25	0.03		0.39			0.14		1.41	0.05		0.03	14
15	0.27		0.06	0.04						0.04	0.02	0.75	15
16	0.12	0.76		0.01							0.09	0.02	16
17		0.27		0.02							0.23		17
18		0.15	0.24					0.02			0.04	0.04	18
19	0.02	0.09	0.82			0.18	0.29	0.20			0.08	0.02	19
20	0.25	0.06	0.29			0.49	0.09	0.16				0.03	20
21	0.05	0.36	0.02			0.01	0.01		0.04		0.05	0.12	21
22		0.03				0.02	0.26		0.10		0.02	0.28	22
23										0.09	0.04	0.10	23
24				0.03		0.05		0.05		0.35	0.07	0.05	24
25	0.04	0.07			0.01			0.37		0.02		0.04	25
26	0.10	0.25	0.09	0.12				0.10	0.11			0.33	26
27	0.59	0.02		0.61				0.35				0.03	27
28	0.09		0.35					0.88			0.32	0.27	28
29	0.05			0.05				0.19		0.11	0.07	0.07	29
30		~~X~~	0.01	0.28		0.13		0.46		0.03	0.33	0.52	30
31		~~X~~		~~X~~		~~X~~	0.05		~~X~~		~~X~~	0.03	31
TOTAL	3.80	2.49	4.44	2.40	0.17	0.95	1.96	2.80	2.11	0.79	1.85	5.07	YEAR'S TOTAL
Days with 0.1 in. or more	23	13	20	16	6	8	13	10	9	11	24	27	28.83

REGISTER OF RAINFALL IN 1920.

Kept at Elvetham Park
in the County of Hampshire
by Mr. G. B. Mitchison

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Winchfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.24

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11			0.69	0.16		0.24			0.69	~~0.05~~	0.34	1
2			0.02	0.04	0.01		0.21	0.58	0.09	0.08	~~0.09~~	0.09	2
3	0.03	0.04		0.11			0.48		0.01	0.25	~~0.03~~	0.03	3
4		0.05		0.10			0.60	0.08		0.31	~~0.06~~	0.06	4
5			0.04	0.03			0.79	0.11		0.07	~~0.04~~	0.04	5
6			0.18		0.06		0.44			0.03	~~0.03~~	0.03	6
7	0.04		0.01	0.05	0.02		0.15						7
8		0.02		0.21	0.19		0.25	0.04		0.01			8
9	0.20			0.02		0.03	0.02	0.01					9
10	0.53	0.08	0.05	0.02			0.10						10
11	0.27	0.04	0.06	0.21	0.06	0.15	0.24				~~0.02~~	0.02	11
12	0.03	0.02		0.21	0.03	0.53	0.05				0.03		12
13	0.20	0.01	0.20	0.16							0.05		13
14		0.02	0.31	0.23					0.03	0.55	~~0.04~~	0.03	14
15	0.02	0.04	0.09	0.26		0.05	0.04		0.40	0.06	~~0.04~~	0.01	15
16		0.02	0.03	0.15					0.12	0.02	~~0.10~~		16
17	0.02			0.04	0.15		0.03		0.41		~~0.04~~	0.04	17
18	0.06			0.02	0.03	0.01		0.50	0.12		~~0.03~~	0.03	18
19	0.08			0.19				0.04			~~0.02~~	0.02	19
20	0.07	0.24		0.20		0.56					0.01		20
21				0.01			0.73		0.25			0.11	21
22				0.27					0.06			0.38	22
23	0.01						0.45	0.15				0.25	23
24	0.02		0.11					0.01			0.02	0.06	24
25	0.01	0.04	0.09	0.01			0.26						25
26	0.12		0.16	0.02	0.02		0.11					0.06	26
27	0.34	0.05	0.03	0.22		0.05	0.22				0.28	0.15	27
28	0.42	0.01	0.16	0.07	0.15		0.08				0.05	0.03	28
29	0.43		0.11		0.10						0.08	0.18	29
30	0.04	~~X~~		0.03	0.08		0.17		0.18		0.27	0.16	30
31	0.04	~~X~~	0.06	~~X~~		~~X~~			~~X~~	0.94	~~X~~	0.12	31
TOTAL	3.09	0.68	1.71	3.57	1.06	1.38	5.66	1.52	1.67	3.01	1.34	2.24	YEAR'S TOTAL 26.93
Days with 0.1 in. or more	183	14	17	26	13	7	21	9	10	11	11	22	183
Days with 0.4 in. or more	131	8	13	18	8	5	19	7	8	8	8	14	131

copy current
- present

Kept at 1/2 inch

in the County of

by garden

EMSWORTH RECTORII

1913

IMPORTANT
previous day. If

requested to add to

for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A.
BRITISH RAINFALL.
8- JAN 1914

13

ag.

a. m.

Emsworth

5 in.

above Ground ft. 10 in.

Sea Level ft.

and the result entered to the
universal rule, he is earnestly
year in the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.67	.15	.08		.06	.05	.08	.49			.17	1
2	.04			.06					.08	.50	.33		2
3	.06		.05	.13	.30					.14		.22	3
4	.31		.03		.47				.91		.14	.04	4
5	.36	.24	.07		.01	.11			.75		.26	.05	5
6	.02	.06	.06		.16	.11	1.10			1.29	.15	.46	6
7	.02	.20	.11		.20		.22	.08		.25	.10		7
8		.05			.30	.03				.28		.06	8
9		.06			.02		.11	.14	.10		.12		9
10	.03			.02			.15			.61	.40		10
11	.89			.39						.15			11
12					.94				.02		.54	.02	12
13	.24		.08								.18		13
14	.27		.14										14
15	.45	.06	.24	.40			.29	.04	.35	.03			15
16	.21		.47	.13			.03		.21				16
17	.13	.02		.08	.04		.04						17
18	.02		.18	.10			.04				.15		18
19	.24		.05			.12	.05		.22				19
20	.38		.12	.14		.05				.92			20
21			.18	.18						.32	.45		21
22	.47		.24						(.28)				22
23			.10			.04		.20				.93	23
24	.08			.06				.21			.07		24
25				.25							.03		25
26		.02	.34							.54		.32	26
27				.11				.21					27
28	.17		.07	.13						.17			28
29	.12		.17	.39	(.49)			.08		.15		.08	29
30	.47			.08				.31		.10	.02		30
31			.05					1.16		.12			31
Total	4.99	1.41	2.99	2.73	2.93	.52	2.08	2.46	3.41	5.42	3.09	2.35	34.38
Rain Days.	21	9	20	17	10	7	10	9	10	14	15	10	152

copy our station
- from the

REGISTER OF

BRITISH RAINFALL
FORM A.
8-JAN 1914

Kept at The Rectory, Emsworth & RL
in the County of Hants
by gardeners of Rev H. G. Spring

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Emsworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.67	.15	.08		.06	.05	.78	.49			.17	1
2	.04			.06					.08	.50	.33		2
3	.06		.05	.13	.30					.14		.22	3
4	.31		.03		.47				.91		.14	.04	4
5	.36	.24	.07		.01	.11			.75		.26	.05	5
6	.02	.06	.06		.16	.11	1.10			1.29	.15	.46	6
7	.02	.20	.11		.20		.22	.08		.25	.10		7
8		.05			.30	.03				.28		.06	8
9		.06			.02		.11	.17	.10		.12		9
10	.03			.02			.15			.61	.40		10
11	.89			.39						.15			11
12					.94				.02		.54	.02	12
13	.24		.08								.18		13
14	.27		.14										14
15	.45	.06	.27	.40			.29	.04	.35	.03			15
16	.21		.47	.13			.03		.21				16
17	.13	.02		.08	.04		.04						17
18	.02		.18	.10			.04				.15		18
19	.24		.05			.12	.05		.22				19
20	.38		.12	.14		.05				.92			20
21			.18	.18						.32	.45		21
22	.47		.27						(.28)				22
23			.10			.04		.20				.93	23
24	.08			.06				.21			.07		24
25				.25							.03		25
26		.02	.37							.54		.32	26
27				.11				.21					27
28	.17		.07	.13						.17			28
29	.12		.17	.39	(.49)			.08		.15		.08	29
30	.47			.08				.31		.10	.02		30
31			.05					1.16		.12			31
Total	4.99	1.41	2.99	2.73	2.93	.52	2.08	2.46	3.41	5.42	3.09	2.35	34.38
Rain Days.	21	9	20	17	10	7	10	9	10	14	15	10	152

✓

Kept at *Eveley*
in the County of
by *T. L.*

EVELEY

HANTS

1911 - 18

11
5 in.
e Ground 1 ft. 5 in.
Sea Level 295 ft.
Name
Distance Direction

FORM A2.
BRITISH RAINFALL
13 JAN 1912

IMPORTANT NOTE
the result entered to the
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.16			.01	.07				.08	1
2	.06			.12	.87						.16	.27	2
3					.28			.09			.21	.12	3
4	.02		.04	.10 ^M						.04	.39	.66	4
5		.04		.05 ^M						.40	.08		5
6	.51		.13							.02	.20	1.10	6
7	.07			.01 ^M						.25	.43	.18	7
8	.07		.29								.18	.38	8
9	.12											.40	9
10		.10	.18								.03	1.14	10
11	.62		.03								1.17		11
12			.58 ^M		.05						.26	.07	12
13			.03 ^M		.10				.23			.57	13
14		.04	.02 ^M		.15							.68	14
15		.02	.08 ^M								.15	.08	15
16			.02			.35					.64	.25	16
17						.20					.48	.66	17
18		.26	.09	.03		.06				.05	.43	.82	18
19						.17			.57	.28	.10	.35	19
20	.04	.04	.06						.04	.04		1.07	20
21	.05	.29						.02	.03	.75		.13	21
22	.10		.59 ^M			.32				.32		.58	22
23		.35				.36			.15	.09	.05 ^M	.41	23
24		.13				.30		.07		1.34		.40	24
25		.06	.04 ^M	.07	1.88	.08	.45	.42	.07	.07		.16	25
26			.04	.27	.09	.04	.07			.25	.04 ^M	.36	26
27		.45	.38	.37			.12		.07	.17	.05	.21	27
28		.43		.39				.19			.02		28
29				.32		.21	.08		.23	.47			29
30						.02		.34		.56			30
31										.03			31
Total	1.47	2.28	2.60	1.87	2.92	2.11	.73	1.20	1.89	5.13	5.07	11.50	58.27
No. of Rain Days.	11	12	16	11	7	11	5	7	8	17	19	25	149

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

Kept at Evreux
in the County of Hampshire
by T. Carter

PATTERN
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 295 ft.
Time of Observation 9.45 a.m.
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05			.16			.01	.07				.08	1
2	.06			.12	.87						.16	.27	2
3					.28			.09			.21	.12	3
4	.02		.04	.10 ^m						.04	.39	.66	4
5		.06		.05 ^m						.40	.08		5
6	.81		.18							.02	.20	1.10	6
7	.07			.01 ^m						.25	.43	.18	7
8	.07		.29								.18	.38	8
9	.12											.40	9
10		.10	.18								.03	1.14	10
11	.62		.03								1.17		11
12			.58 ^m		.05						.26	.07	12
13			.08 ^m		.10				.23			.57	13
14		.04	.02 ^m		.15							.68	14
15		.02	.08 ^m								.15	.08	15
16			.02			.35					.64	.25	16
17						.20					.48	.66	17
18		.26	.09	.03		.06				.05	.43	.82	18
19						.17			.57	.28	.10	.35	19
20	.04	.04	.06						.04	.04		1.07	20
21	.05	.29						.02	.03	.75		.13	21
22	.10		.59 ^m			.32				.32		.58	22
23		.35				.36			.15	.09	.05 ^m	.41	23
24		.18				.30		.07		1.34		.40	24
25		.06	.04 ^m	.07	1.38	.08	.45	.42	.07	.07		.16	25
26			.04	.27	.09	.04	.07			.25	.04 ^m	.36	26
27		.45	.38	.37			.12		.07	.17	.05	.21	27
28		.45		.39				.19			.02		28
29				.32		.21	.08		.23	.47			29
30						.02		.34		.56			30
31										.03			31
Total	1.47	2.28	2.60	1.87	2.92	2.11	.73	1.20	1.39	5.13	5.07	11.50	38.27
No. of Rain Days.	11	12	16	11	7	11	5	7	8	17	19	25	149

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
3- JAN 1913

Kept at Eveling
in the County of Hampshire
by T. Carter

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Liphook
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.26	.03 ^u		.27	.48			.65		.28	1
2			.36			.08	.27	.19					2
3	.06		.05			.25		.47	.03			.03	3
4	.17	.02 ^u	.90		.04	.18		.02			.17		4
5	.26	.09 ^u	.18					.65			.02	.03	5
6	.41	.08			.04			.22				.07	6
7			.03		.16	.62		.20				.20	7
8	.41	.54	.51			.03		.03				.02	8
9		.55	.23	.03 ^u		.03	.04	.18				.29	9
10		.11	.10					.10			.11	.30	10
11	.08	.19	.06					.01				.37	11
12	.03	.21	.12		.10	.34	.12	.19			.03		12
13		.05	.03				.20	.04			.08	.15	13
14	.02		.06		.04			.02				.06	14
15	.02	.05	.14		.08	.55		.03				.43	15
16	.09		.20		.21	.05		.20		.13	.06		16
17	.72 ^u		.32			.03		.22				.18	17
18	.18		.30					.30		.04		.07	18
19	.09	.09	.12			.03	.09	.59					19
20	.05		.56			.09		.08		.40			20
21		.09	.16		.46			.08		.15			21
22	.12	.61	.04		.22			.20				.15	22
23	.47	.47	.35					.40		.05	.22	.24	23
24	.37	.05				.48		.21				.30	24
25	.15					.60		.64		.15	.25	.91	25
26		.05				.11		.20		.55	.94	.38	26
27						.16	.08			.71		.40	27
28		.08				.24	.35	.25	.20	.83	.65	.41	28
29		.11				.15	.36	.17	2.27	.45	.05		29
30					.22		.08		1.30	.35			30
31			.09				.39	.14		.02		.04	31
Total	3.68	3.24	5.17	.06	1.57	4.29	2.46	6.03	3.80	4.48	2.58	5.29	42.65
Rain Days.	18	18	23	2	10	19	11	28	4	13	11	22	179

REGISTER OF RAINFALL IN 1913

Kept at Eveling
in the County of Hampshire
by T. Carter

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 295 ft.

FORM A.
BRITISH RAINFALL
2 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.52	.18	.09	.02				1.00		.28	.13	1
2	.13	.13	.02	.06			.10		.07	.16	.09		2
3	.11		.05	.15	.66					.06		.16	3
4	.63		.10		.86				1.35	.26	.09	.04	4
5	.25	.04	.02			.10	.05		.40		.06	.04	5
6	.04	.16	.15		.04	.15	.19			.54	.04	.22	6
7		.61	.03		.23	.06	.65			.37	.15		7
8		.05			.31	.02	.03	.09		.16		.03	8
9		.08			.05	.02	.05		.18		.08		9
10							.05	.02			.32		10
11	1.05			.44	.02					.70	.21		11
12					.51				.02		.33	.02	12
13	.21 st		.08						.13		.16		13
14	.29		.24		.04		.48	.14	.07	.04	.17		14
15	.39	.07	.31	.61			.11		.14				15
16	.21		.50	.24					.15				16
17	.04		.07 st	.06			.17				.03	.03	17
18			.40	.13			.02				.04		18
19	.89		.13			.07	.10		.32				19
20	.16		.36	.10		.06				.54	.07		20
21			.24	.11						.16	.86		21
22	.32		.35	.03				.14	.20				22
23			.06			.04		.07				.75	23
24	.03			.10				.03					24
25		.03		.17									25
26			.07	.26				.13		.60		.30	26
27			.22	.24	.04					.13			27
28	.09		.28	.14						.24			28
29	.07		.08	.71	.45			.15		.22		.06 st	29
30	.83			.05				.17		.26			30
31	.03		.07					.57		.03			31
Total	5.99	1.49	4.01	3.69	2.73	.52	2.00	1.51	4.03	4.47	2.98	1.78	YEAR'S TOTAL 35.00
Rain Days.	20	9	23	18	12	8	12	10	12	16	16	11	167

REGISTER OF RAINFALL IN 1914

Kept at Overley
in the County of Lancashire
by J. Carter

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Lepthorpe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 295 ft.

FORM A.
BRITISH RAINFALL
7 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03					.19			.14	.07	1
2				.04		.04		.13			.37	.25	2
3			.07	.02	.42		.09					.03	3
4			.02	.27	.03		.03	.36			.51	.40	4
5	.10		.08	.57	.34	.06	.26	.32			.03		5
6		.21	.02	.22	.07	.09	.21	.03				.48	6
7		1.75	.24	.16	.06	.03	.24					.33	7
8	.06	.65	.41	.04		.04		.36				.12	8
9	.13		.88	.43		.05		.03	.25			2.40	9
10		.35		.09	.15				.21		.10		10
11		.62	.68		.02	.06	.33		.14			.59	11
12		.25	.11				.71		.48	.14	.09	.70	12
13		.87	.40			.04			.21	.05		1.03	13
14		.69	.35			.53	.12			.46	.27	.38	14
15		.02	.21				.03	.13		.02	.35		15
16							.06		.21		.02		16
17		.65	.17						.16			.67	17
18		.02	.26									.62	18
19		.06	.34				.93				.16	.30	19
20		.53	.33			.02	.22					.45	20
21		.72	.12							.25		.05	21
22		.03			.13	.06		.04		.27			22
23		.53	.21			.01				.03			23
24			.12								.17		24
25	.08		.12					.16		.40	.02	.13	25
26							.08	.10		.07	.30	.94	26
27	.04										.08	.40	27
28		.07			.26					.11	.57	.86	28
29	.24		.12				.06			.32	.41		29
30	.02	X	.19							.21	1.00	.85	30
31	.06	X		X	.06	X			X	.07	X	.06	31
Total	.73	8.02	5.48	1.84	1.54	1.03	3.37	1.85	1.66	2.40	4.59	12.11	YEAR'S TOTAL 44.62
Rain Days.	8	17	23	9	10	12	14	11	7	13	17	23	164

REGISTER OF RAINFALL IN 1915

Kept at Evelly
in the County of Hampshire
by T. Carter

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 295 ft.

816
FORM A.
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.93	.17	.09					.03	.10	.10	.12	.50	1
2	.33	.35	.23	.11	.02			.34	.19	.10		.23	2
3	.56		.15	.16	.10							.36	3
4	.09											.63	4
5	.03	.94		.03				.06				.52	5
6	.52	.17		.69			.71	.02				.17	6
7	.44	.57	.03				.46					.34	7
8	.03	.96					.12	.08					8
9	.05	.08		.13		.20		.01			.49	.71	9
10	.33	.04										.22	10
11	.05		.06								.70		11
12	.07	.28		.28	.40			.02			.58		12
13	.04	.74			1.24				.06				13
14	.03	.02					.16	.11	.07			.99	14
15	.09				.08		.08	.25			.10 th	.47	15
16		.93			.16		1.13					.20	16
17		.73			1.60			.04					17
18		.31	.03 th		.24						.04		18
19		.16			.06		.09						19
20	.25			.03	.09							.12	20
21	.10 th	.03			.04		.03			.25		.10	21
22	1.12 th	.30 th	.12				1.12					.27	22
23	.03	.10 th	.07			.03	.16		.50	.31		.40	23
24			.02				.02		.72	.35		.42	24
25				.07		.17						.24	25
26		.10				.15	.19					1.07	26
27		.02				.16			.02	.49		.15	27
28		.08				.20			.69	.06			28
29						.28		.15			.56	.04	29
30	.10	X					.03			.44	.76	.08	30
31	.03 th	X		X		X		.12	X	1.38	X	.62	31
Total	5.22	7.08	.80	1.50	4.03	1.19	4.30	1.23	2.35	3.48	3.35	8.85	43.38
Rain Days.	21	21	9	8	11	7	13	12	8	9	8	2.3	150

REGISTER OF RAINFALL IN 1916

Kept at Evelly
in the County of Hampshire
by S. Carter

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 295 ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.53	.06	.06		.16				.57	.14	.32		1
2	.45	.13	.12 ^W		.50				.08	1.02	.04		2
3	.04	1.22	.21 ^W				.03		.09	.58	.68		3
4	.25	.31				.40			.18	.02	.50		4
5	.04	.10	.06 ^W	.03	.20	.14				.13	1.08		5
6		.32	.04 ^W	.05	.03	.15	.68			.29	.91		6
7	.04	.03	.55 ^W		.06	.12				.05	.75	.03	7
8			.03 ^W		.27	.23						.36	8
9					.32	.06						.17	9
10		.43	.10	.05		.35	.17				.02	.13	10
11	.10	.08	.10	.11	.03	.08						.03	11
12	.05	.11		.04	.07	.06	.09	.03		.06			12
13		.31	.14	.04	.02	.03		.08		.03			13
14		.64	.17	.04	.05					.08		.06 ^W	14
15		.17	.57					.50					15
16		.21	.33	.17			.10	.68					16
17	.34	.18		.06				.45	.37	.82			17
18	.03	.18	.04	.05				.07	.08		.60 ^W	.08 ^W	18
19	.35		.10	.30		.03			.13		.30 ^W	.09 ^W	19
20	.15		.52	.03								.74	20
21			.26				.05					.34	21
22		.03 ^W	.03			.02				.16	.02	.67	22
23	.03	.32 ^W		.02		.26		.03		.04	.11	.05	23
24		.10 ^W			.15			.04		.44	.15	.35	24
25		.52 ^W	.19					.17	.37	.04	.09	.04	25
26		.33 ^W	.08 ^W			.05		.10	.16	.64			26
27	.02	.04 ^W	1.09 ^W					.46	.10	.46			27
28		.40 ^W	.05 ^W	.02		.02		.08	.16	.10	.04	.23	28
29		.22 ^W	.02			.42		.73	.13	.58		.51	29
30		X						.03		.61			30
31		X		X		X		.04	X	.22	X	.03	31
Total	2.22	6.44	4.86	1.01	1.86	2.42	1.12	3.49	2.42	6.51	5.61	3.71	41.67
Rain Days.	14	24	23	14	12	16	6	15	12	21	15	17	189
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Evelly
in the County of Hampshire
by S. Barker

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 295 ft.

FORM A.
BRITISH RAINFALL.

18 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.13	.55 ⁱⁿ				1.54	.09				1
2			.05	.26 ⁱⁿ				.03			.10		2
3				.20 ⁱⁿ			.40	.55		.14	.04		3
4		.10 ⁱⁿ	.12 ⁱⁿ				.05	.20		.32			4
5	.36		.06	.51 ⁱⁿ		.05		.02	.13	.27	.17		5
6			.28	.02 ⁱⁿ		.37			.08		.08		6
7	.27						.06			.52		.07	7
8	.29 ⁱⁿ			.12 ⁱⁿ			.49	.21		.30	.26	.35 ⁱⁿ	8
9			.11 ⁱⁿ	.05 ⁱⁿ			.04		.04		.05	.11	9
10	.20		.24	.34 ⁱⁿ	.03			.15		.03		.03	10
11	.12		.25	.14 ⁱⁿ				.03	.21	.34			11
12	.06		.03	.04				.06		.36			12
13	.10 ⁱⁿ		.12	.13				.11	.03	.11			13
14				.14				.27				.02	14
15							.15	.08		.12		.04	15
16	.05 ⁱⁿ	.18		.13	.04		.02	.04		1.35		.68 ⁱⁿ	16
17				.11	.27		.30	.20	.64	.22			17
18	.05	.05		.02		.05	.26		.54				18
19	.02 ⁱⁿ	.21	.17						.19				19
20		.08	.06 ⁱⁿ		.50			.18	.06				20
21			.05 ⁱⁿ										21
22			.02 ⁱⁿ			.20		.20		.08	.03		22
23		.21			.14	.03		.46					23
24		.10				.08	.10	.04		.36			24
25		.08	.04				.09			.02			25
26			.02 ⁱⁿ					.54	.10	.03	.25		26
27					.33	.03		2.11					27
28			.09			1.83		.16					28
29		~~X~~	.10		.84	.09	.25	.02		.41			29
30		~~X~~	.40 ⁱⁿ				1.09	.13					30
31	.02 ⁱⁿ	~~X~~	.06 ⁱⁿ	~~X~~		~~X~~	.10	.03	~~X~~	.02	~~X~~		31
Total	1.50	1.01	2.58	2.51	2.15	2.71	3.30	6.94	2.11	5.00	.98	1.28	YEAR'S TOTAL 32.27
Rain Days.	11	8	20	15	7	9	14	24	11	18	8	7	152

REGISTER OF RAINFALL IN 1918

137

Kept at E. v. l. y
in the County of Hampshire
by S. Barker

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 295 ft.

FORM A.
BRITISH RAINFALL
1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.03				.03			.62	.03	1
2		.07		.08				.29		.02	.34	.27	2
3		.03	.04	.10	.46			.03	.02	.04	.32		3
4		.32	.10	.02				.03	.27		<u>1.41</u>	.02	4
5		.03	.07		.15			.12	.07	.18		.04	5
6	.35	.16		.34	.14			.02		.05		.11	6
7		.17		.08	.26			.03	.17	.08	.19	.03	7
8		.32							.15	.06	.13	.02	8
9	.02 st	.03		.08		.10	.47		.72	.17		.52	9
10				.09		.07	.62		.20	.05	.03	.23	10
11							.30		.03	.40	.05	.08	11
12		.11			.24		.32					.03	12
13	.19 st				.19		.21		.22			.02	13
14	.23		.10		.02	.13	.05		.30	.15		.29	14
15	1.51			.51 st		.03	.23		.02			.20	15
16	.38 st			.24		.09			.91	.10			16
17	.22			.10			.27	.02				.27	17
18	.83					.37			.77			.13	18
19	.10		.07			.60	.33			.06		.03	19
20	.05	.18		.60 st		.04	.05		.48	.04			20
21	.24	.09		.15 st		.02	.07		.45	.04		.04	21
22	.18	.02			.22		.52		.28			.24	22
23	.11			.02	.06		.60	.03	.02				23
24		.29				.05			.13		.12		24
25				.12			.13	.26		.03			25
26							.57		.04		.09	.16	26
27		.11	.09	.03			.09	.19	.07		.09	.02	27
28			.50	.03				.02		.02	.13	.02	28
29		~~X~~	.03						1.03			.03	29
30		~~X~~	.38					.03	.05	.05	.04	.03	30
31		~~X~~	.03	~~X~~		~~X~~			~~X~~	.16	~~X~~		31
Total	4.21	1.93	1.41	2.62	1.74	1.50	4.83	1.10	6.40	1.70	3.56	2.86	53.86
Rain Days	13	14	10	17	9	10	16	13	22	18	13	27	179

made
Kept at ✓ E. whurs
in the County of H.
by M. D.

RE

ELWHURST PARK
HANTS

1913, 1916

IMPORTANT NOTICE
previous day. If an
requested to add the re
for it at the end of t
the selection and plac
Organization are given
Dr. H. R. MILL, 62, Ca

13.
g.
2 a.m.
Basingstoke
5 in.
above Ground 2 ft. 2 in.
Sea Level ft.
and the result entered to the
universal rule, he is earnestly
year in the space provided
rement of rain,
British Rainfall
n application to
Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 0.10	in. 28	in. 0	in. 0.9	in. 0	in. 0.14	in. 0	in. 0	0.65	0.50	0.19	2.10	21
2	0.4	15	11	0.1	0.4	0	0.4	0	0.2	0.1	0	0.1	2
3	0.2	0	0.4	0.5	0.62	0	0	0	0	0	0	0.13	3
4	49	0	0.3	0	0.16	0.14	0	0	0.49	0.65	0.05	0.08	4
5	14	0.1	0.8	0	0.1	0.10	0.18	0	0.31	0	0.4	0.4	5
6	0.1	0.5	0	0	0.13	0.8	0.27	0.10	0.2	0.55	0.3	0.28	6
7	0	45	13	0	0.15	0.8	0	0	0	0.25	0.9	0.1	7
8	0	13	0	0	0.24	0	0	0	0	0.35	0.3	0.3	8
9	0	12	0	0	0	0	0.1	0.10	0.19	0	0.4	0.5	9
10	0.4	0	0.1	0.4	0	0	0.15	0	0	0	0.57	0	10
11	44	0	0.6	0.37	0.16	0	0	0	0	0.48	0.28	0.3	11
12	0	0.3	0	0	0.24	0	0.2	0	0	0.1	0.18	0	12
13	in. 0.18	0	0.13	0	0	0.1	0	0	0.16	0.1	0.21	0	13
14	18	0.1	0.14	0.6	0	0	0.65	0.7	0.4	0.7	0.11	0.1	14
15	14	0.8	0.16	0.60	0	0	0.19	0	0.19	0	0.3	0	15
16	14	0	0.43	0.29	0	0	0	0	0.1	0	0.2	0	16
17	0.3	with 0.8	0.10	0.4	0	0.21	0.14	0	0	0	0.9	0.1	17
18	0.1	0	0.22	0.22	0.4	0	0	0	0	0	0.8	0	18
19	0.66	0	0.3	0	0	0	0.14	0	0.48	0.2	0	0	19
20	0.12	0	0.12	0.6	0.1	0.16	0	0	0	0.87	0.9	0	20
21	0	0	0.20	0.3	0	0	0.1	0	0	0.8	0.46	0	21
22	0.38	0	0.30	0.1	0	0	0	0.15	0.28	0.1	0	0	22
23	0.1	0	0.1	0	0	0.5	0	0	0.1	0	0.1	0.44	23
24	0	0	0	0.14	0	0	0	0.2	0	0.1	0.1	0	24
25	0	0.2	0	0.20	0	0	0	0	0	0.2	0.1	0.1	25
26	0	0	0.1	0.33	0	0	0	0.15	0	0.44	0	0.19	26
27	0	0.1	0.11	0.10	0	0	0	0	0	0.24	0	0	27
28	0.26	0	0.19	0.23	0	0	0	0	0	0.28	0.1	0	28
29	0.4	0	0.26	1.13	0.49	0	0	0.5	0	0.27	0.4	0.2	29
30	in. 60		0	0	0.1	0	0	0.15	0	0	0.1	0	30
31	0.2		0.7		0		0	0.60		0.23		0	31
Total	4.34	1.42	2.93	4.00	2.30	0.96	1.83	1.49	2.78	5.35	2.93	1.58	31.92
Rain Days.	22	13	23	19	13	9	11	9	13	21	24	16	19

RE

13.

Kept at

Ewhurst Park Gardens

in the County of

Hampshire

by

M. Dorsett

Lat.

Long.

Time of Observation

9 a.m.

Nearest Railway Station

Basingstoke

Diameter of Rain Gauge

5 in.

Height of top of Gauge above Ground

2 ft.

2 in.

Sea Level

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 0.10	in. 28	in. 0	in. 0.9	in. 0	in. 0.14	in. 0	in. 0	0.65	0.50	0.19	2.8	21
2	0.4	15	11	0.1	0.4	0	0.4	0	0.2	0.1	0	0.1	2
3	0.2	0	0.4	0.5	0.62	0	0	0	0	0	0	0.13	3
4	44	0	0.3	0	0.16	0.14	0	0	0.49	0.65	0.05	1.08	4
5	14	0.1	0.8	0	0.1	0.10	0.18	0	0.31	0	0.4	0.4	5
6	0.1	0.5	0	0	0.13	0.8	0.27	0.10	0.2	0.55	0.3	0.28	6
7	0	45	13	0	0.15	0.8	0	0	0	0.25	0.9	0.1	7
8	0	13	0	0	0.24	0	0	0	0	0.35	0.3	0.3	8
9	0	12	0	0	0	0	0.1	0.10	0.19	0	0.4	0.5	9
10	0.4	0	0.1	0.4	0	0	0.15	0	0	0	0.57	0	10
11	44	0	0.6	0.37	0.16	0	0	0	0	0.48	0.28	0.3	11
12	0	0.3	0	0	0.24	0	0.2	0	0	0.1	0.18	0	12
13	in. 0.18	0	0.13	0	0	0.1	0	0	0.16	0.1	0.21	0	13
14	18	0.1	0.14	0.6	0	0	0.65	0.7	0.4	0.7	0.11	0.1	14
15	14	0.8	0.16	2.60	0	0	0.18	0	0.19	0	0.3	0	15
16	14	0	0.43	0.29	0	0	0	0	0.1	0	0.2	0	16
17	0.3	with 0.8	0.10	0.4	0	0.21	0.14	0	0	0	0.2	0.1	17
18	0.1	0	0.22	0.22	0.4	0	0	0	0	0	0.8	0	18
19	0.66	0	0.3	0	0	0	0.14	0	0.48	0.2	0	0	19
20	0.12	0	0.12	0.6	0.1	0.16	0	0	0	0.87	0.9	0	20
21	0	0	0.20	0.3	0	0	0.1	0	0	0.8	0.46	0	21
22	0.38	0	0.30	0.1	0	0	0	0.15	0.28	0.1	0	0	22
23	0.1	0	0.1	0	0	0.5	0	0	0.1	0	0.1	0.47	23
24	0	0	0	0.14	0	0	0	0.2	0	0.1	0.1	0	24
25	0	0.2	0	0.20	0	0	0	0	0	0.2	0.1	0.1	25
26	0	0	0.1	0.33	0	0	0	0.15	0	0.44	0	0.19	26
27	0	0.1	0.11	0.10	0	0	0	0	0	0.24	0	0	27
28	0.26	0	0.19	0.23	0	0	0	0	0	0.28	0.1	0	28
29	0.4	0	0.25	1.13	0.49	0	0	0.5	0	0.27	0.4	0.2	29
30	in. 60	0	0	0	0.1	0	0	0.15	0	0	0.1	0	30
31	0.2	0.7	0	0	0	0	0	0.60	0.23	0.23	0	0	31
Total	4.34	1.42	2.93	4.00	2.30	0.96	1.83	1.49	2.78	5.35	2.93	1.58	31.92
Rain Days.	22	13	23	19	13	9	11	9	13	21	24	16	193

REGISTER OF RAINFALL IN 1916

Kept at Exhurst Park, Basingstoke
in the County of Hampshire
by His Grace The Duke of Wellington K.G.

Lat. & Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Basingstoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft. in.
" " " " Sea Level 450 ft.

817
FORM A.
BRITISH RAINFALL
90 JAN 1917
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	.04	—	.15	—	—	—	.60	—	.41	—	1
2	.38	.18	.23*	—	.48	.05	—	—	.10	.30	.31	—	2
3	.15	1.33	—	—	.03	.04	—	—	—	.60	.12	—	3
4	.02	.24	—	—	.04	—	—	—	.12	.41	.30	—	4
5	.02	.05	.08*	—	.23	.50	—	—	.20	—	.62	—	5
6	.11	.13	.28	.04	.08	.10	—	—	—	.10	.71	.21	6
7	.10	—	—	—	.07	.40	—	—	—	—	—	—	7
8	—	—	.05	—	.23	—	.70	—	—	—	—	—	8
9	—	—	.06	—	.31	—	.50	—	—	—	—	.12	9
10	—	.45	.10	.05	.02	—	—	—	—	.42	—	.14	10
11	.09	—	—	.07	—	.41	—	—	—	—	—	—	11
12	.06	.06	.15	.05	.12	—	—	—	—	—	—	—	12
13	—	.40	.03	.10	.02	—	—	—	—	—	—	—	13
14	—	.48	.40	—	—	—	.03	.60	—	.12	—	—	14
15	—	.37	.36	—	—	—	—	—	—	—	—	.22*	15
16	—	.12	—	.16	.03	—	—	.65	.03	.10	—	.10*	16
17	.24	.25	—	—	—	—	.10	.74	—	—	—	—	17
18	.03	.09	.04	.02	—	—	—	.80	.26	—	—	—	18
19	.16	—	.05	.55	—	—	—	—	.12	.61	.40	—	19
20	.21	—	.56	.04	—	—	—	—	—	—	.62	.26*	20
21	.02	—	.46	—	—	—	—	—	—	—	.41	.02	21
22	—	.02	.02	—	—	—	—	—	—	—	.09	.50	22
23	.06	—	—	—	—	—	—	—	—	—	—	—	23
24	—	.09*	—	—	.26	—	—	.30	—	—	—	—	24
25	.01	.46*	.12	—	—	—	—	—	—	.13	.21	—	25
26	.04	.06*	.10	—	—	.30	—	—	—	.10	—	—	26
27	—	—	1.32	—	—	.22	—	.08	.40	.40	—	—	27
28	—	.49	.03	—	—	.04	—	.09	.10	.10	—	—	28
29	—	.28	—	—	—	.16	—	.60	.46	.30	—	.42	29
30	—	X	—	—	—	.51	—	.81	—	.51	—	.20	30
31	—	X	—	X	—	X	—	—	X	.42	X	—	31
Total	1.84	5.55	4.48	1.08	2.07	2.73	1.33	4.67	2.39	4.52	4.20	2.19	37.95
Rain Days.	17	19	20	9	14	11	4	9	10	15	11	10	149

RE

EWSHOTT

Kept at Warren Corner

in the County of Hampshire

by Frederick

WARREN CORNER

1911 - 1920

FORM A2.
BRITISH RAINFALL.

Level 5.60 ft. estimated

Farnham
ce 2 1/2 Direction S E
result entered to the

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.25			.02	.05			.01	.05	1
2				.19	.27						.12	.14	2
3		.02			.20			.05			.13	.13	3
4		.01	.05	.15						.14	.21	.44	4
5				.04				.01		.33	.09		5
6	.20		.17	.01							.07	.55	6
7	.03		.01	.04						.20	.31	.10	7
8	.13		.21	.01							.17	.47	8
9	.17		.02								.03	.16	9
10	.01		.08								.02	.63	10
11	.47	.17	.01								.78		11
12		.01	.54		.15						.17	.04	12
13		.08	.05		.15				.41	.02		.56	13
14		.05	.01		.24							.42	14
15	.01		.14							.01	.08	.05	15
16			.01			.16					.36	.11	16
17		.01				.32					.55	.40	17
18		.20	.10	.01		.09				.02	.50	.41	18
19						.65			.55	.12	.15	.19	19
20	.02	.03	.05			.05			.10	.01		.71	20
21	.02	.15						.31		.56		.12	21
22	.07		.26					.01		.04		.42	22
23		.20				.40			.13	.01	.05	.12	23
24		.13				.13		.04		1.01		.24	24
25		.04	.04	.02		.14	.18	.02		.13		.01	25
26		.02	.03	.27	1.65	.09	.04	.01			.01	.24	26
27	.02	.29	.18	.16	.03		.14	.01	.13		.04	.21	27
28		.19		.26				.10		.02	.04	.01	28
29				.37		.16	.06		.14	.21	.01		29
30				.01	.12	.01		.05	.02	.29		.01	30
31										.05			31
Total	1.15	1.52	1.96	1.79	2.81	2.20	.44	.66	1.48	3.17	3.90	6.94	TOTAL for year 28.02
No. of Rain Days	11	15	18	14	8	11	5	11	7	17	22	27	166

RE

FORM A2.
BRITISH RAINFALL.
3-JAN-1912Kept at Wansey Corner - Ewshotin the County of Hantsby Frederick Wilkin

Pattern Snowdon
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft.
 " " " Sea Level 560 ft. Estimated
 Time of Observation 9am
 Nearest Railway Station { Name Farnham
 Distance 2 1/2 Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.25			.02	.05			.01	.05	1
2				.19	.27						.12	.14	2
3		.02			.20			.05			.13	.13	3
4		.01	.05	.15						.14	.21	.44	4
5				.04				.01		.33	.09		5
6	.20		.17	.01							.07	.55	6
7	.03		.01	.04						.20	.31	.10	7
8	.13		.21	.01							.17	.47	8
9	.17		.02								.03	.16	9
10	.01		.08								.02	.63	10
11	.47	.17	.01								.78		11
12		.01	.54		.15						.17	.04	12
13		.08	.05		.15				.41	.02		.56	13
14		.05	.01		.24							.42	14
15	.01	.08	.14							.01	.08	.05	15
16			.01			.16					.36	.11	16
17		.01				.32					.55	.40	17
18		.20	.10	.01		.09				.02	.50	.41	18
19						.65			.55	.12	.15	.19	19
20	.02	.03	.05			.05			.10	.01		.71	20
21	.02	.15						.31		.56		.12	21
22	.07		.26					.01		.04		.42	22
23		.20				.40			.13	.01	.05	.12	23
24		.13				.13		.04		1.01		.24	24
25		.04	.04	.02		.14	.18	.02		.13		.01	25
26		.02	.03	.27	1.65	.09	.04	.01			.01	.24	26
27	.02	.29	.18	.16	.03		.14	.01	.13		.04	.21	27
28		.19		.26				.10		.02	.04	.01	28
29				.37		.16	.06		.14	.21	.01		29
30				.01	.12	.01		.05	.02	.29		.01	30
31										.05			31
Total	1.15	1.52	1.96	1.79	2.81	2.20	.44	.66	1.48	3.17	3.90	6.94	TOTAL for year 28.22
No. of Rain Days	11	15	18	14	8	11	5	11	7	17	22	27	166

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3-JAN-1913

Kept at Warren Corner Cwshot

in the County of Hants 8

by Frederick Wilkin

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 560 ft.
Time of Observation 9am
Nearest Railway Station { Name Farnham
Distance 4.400 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	<u>.03</u>	<u>.10</u>	<u>.02</u>	<u>.09</u>	<u>.12</u>	<u>.01</u>	<u>.02</u>	<u>.60</u>	<u>.01</u>	<u>.18</u>			2
3	<u>.04</u>	<u>.14</u>	<u>.26</u>	<u>.12</u>	<u>.01</u>	<u>.37</u>	<u>.03</u>	<u>.02</u>	<u>.01</u>	<u>.02</u>			3
4	<u>.168</u>	<u>.02</u>	<u>.47</u>	<u>.26</u>	<u>.12</u>	<u>.01</u>	<u>.44</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>			4
5	<u>.148</u>	<u>.08</u>	<u>.04</u>	<u>.01</u>	<u>.44</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>			5
6	<u>.41</u>	<u>.04</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>	<u>.02</u>			6
7	<u>.01</u>	<u>.01</u>	<u>.08</u>	<u>.08</u>	<u>.96</u>	<u>.16</u>	<u>.09</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			7
8	<u>.26</u>	<u>.33</u>	<u>.36</u>	<u>.05</u>	<u>.01</u>	<u>.14</u>	<u>.03</u>	<u>.03</u>	<u>.19</u>	<u>.01</u>			8
9	<u>.01</u>	<u>.24</u>	<u>.08</u>	<u>.06</u>	<u>.18</u>	<u>.02</u>	<u>.05</u>	<u>.26</u>	<u>.02</u>	<u>.01</u>			9
10	<u>.01</u>	<u>.08</u>	<u>.01</u>	<u>.03</u>	<u>.40</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			10
11	<u>.08</u>	<u>.23</u>	<u>.01</u>	<u>.08</u>	<u>.10</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			11
12	<u>.04</u>	<u>.23</u>	<u>.09</u>	<u>.13</u>	<u>.56</u>	<u>.08</u>	<u>.03</u>	<u>.03</u>	<u>.02</u>	<u>.01</u>			12
13	<u>.01</u>	<u>.07</u>	<u>.01</u>	<u>.01</u>	<u>.15</u>	<u>.03</u>	<u>.03</u>	<u>.04</u>	<u>.08</u>	<u>.01</u>			13
14	<u>.01</u>	<u>.02</u>	<u>.04</u>	<u>.03</u>	<u>.40</u>	<u>.24</u>	<u>.01</u>	<u>.01</u>	<u>.04</u>	<u>.01</u>			14
15	<u>.01</u>	<u>.13</u>	<u>.08</u>	<u>.10</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.35</u>	<u>.01</u>			15
16	<u>.24</u>	<u>.11</u>	<u>.33</u>	<u>.03</u>	<u>.06</u>	<u>.06</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			16
17	<u>.72</u>	<u>.22</u>	<u>.06</u>	<u>.06</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			17
18	<u>.13</u>	<u>.26</u>	<u>.16</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			18
19	<u>.05</u>	<u>.13</u>	<u>.05</u>	<u>.08</u>	<u>.25</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			19
20	<u>.02</u>	<u>.30</u>	<u>.02</u>	<u>.02</u>	<u>.20</u>	<u>.34</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			20
21	<u>.01</u>	<u>.03</u>	<u>.01</u>	<u>.43</u>	<u>.05</u>	<u>.05</u>	<u>.05</u>	<u>.05</u>	<u>.05</u>	<u>.05</u>			21
22	<u>.13</u>	<u>.30</u>	<u>.05</u>	<u>.26</u>	<u>.26</u>	<u>.04</u>	<u>.15</u>	<u>.18</u>	<u>.04</u>	<u>.04</u>			22
23	<u>.42</u>	<u>.48</u>	<u>.01</u>	<u>.04</u>	<u>.21</u>	<u>.14</u>	<u>.15</u>	<u>.12</u>	<u>.12</u>	<u>.12</u>			23
24	<u>.30</u>	<u>.02</u>	<u>.15</u>	<u>.22</u>	<u>.02</u>	<u>.20</u>	<u>.34</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			24
25	<u>.07</u>	<u>.41</u>	<u>.35</u>	<u>.02</u>	<u>.20</u>	<u>.73</u>	<u>.05</u>	<u>.05</u>	<u>.05</u>	<u>.05</u>			25
26	<u>.05</u>	<u>.15</u>	<u>.21</u>	<u>.49</u>	<u>.52</u>	<u>.40</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			26
27	<u>.08</u>	<u>.30</u>	<u>.11</u>	<u>.52</u>	<u>.64</u>	<u>.24</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>			27
28	<u>.07</u>	<u>.14</u>	<u>.26</u>	<u>.11</u>	<u>.86</u>	<u>.17</u>	<u>.04</u>	<u>.04</u>	<u>.04</u>	<u>.04</u>			28
29	<u>.20</u>	<u>.01</u>	<u>.02</u>	<u>.09</u>	<u>1.08</u>	<u>.18</u>	<u>.06</u>	<u>.06</u>	<u>.06</u>	<u>.06</u>			29
30	<u>.17</u>	<u>.02</u>	<u>.21</u>	<u>.12</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>			30
31	<u>.02</u>	<u>.12</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>			31
Total	<u>3.27</u>	<u>2.54</u>	<u>2.74</u>	<u>1.66</u>	<u>3.89</u>	<u>1.92</u>	<u>4.58</u>	<u>3.07</u>	<u>3.06</u>	<u>1.97</u>	<u>2.66</u>	<u>2.66</u>	TOTAL for year
No. of Rain Days	<u>22</u>	<u>20</u>	<u>21</u>	<u>13</u>	<u>20</u>	<u>16</u>	<u>29</u>	<u>4</u>	<u>17</u>	<u>17</u>	<u>26</u>	<u>26</u>	<u>3236</u>

REGISTER OF RAINFALL IN 1913

Kept at Warren Corner, Ewshot

in the County of Hants

by

Lat. Long.

Time of Observation 9am

Nearest Railway Station Barmham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level about 560 ft.

BRITISH RAINFALL FORM A. 15 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.29	.07	.09	.02	.03			1.23		.15	.26	1
2	.08	.11	.01	.06			.07		.09	.09	.05	.02	2
3	.07		.01	.13	.52					.01		.06	3
4	.18		.10	.02	.35				.38	.15	.05	.03	4
5					.02	.10	.04		.42		.01	.03	5
6	.04	.04	.16		.05	.10	.30			.55	.01	.22	6
7		.33			.08	.03	.33			.35	.15		7
8		.03			.14	.04				.26		.02	8
9		.08			.03	.01		.04	.19		.08		9
10	.02			.02	.05		.04	.03			.32	.02	10
11	.58	.01		.34	.11					.49	.58		11
12	.01	.01			.29					.01	.18		12
13	.09		.05						.04		.18		13
14	.14	.02	.17	.01			.03	.02	.01	.09	.09		14
15	.21	.07	.39	.36			.12		.04		.01		15
16	.22		.32	.12			.01		.08		.01		16
17	.015	.085	.085	.06			.22					.07	17
18			.21	.08			.02				.06		18
19	.50		.10		.02		.10		.13				19
20	.10		.47	.05	.01	.14				.39	.05		20
21			.30	.10						.10	.96	.01	21
22	.22		.31	.15				.21	.15	.01	.01	.01	22
23			.01			.01		.03				.63	23
24				.05						.01			24
25		.02		.15							.02		25
26		.02	.06	.18				.13		.56		.15	26
27			.12	.11						.07			27
28	.11		.25	.10						.20			28
29	.04		.09	.65	.47			.16		.13		.08	29
30	.42			.04				.09		.34			30
31			.06					.39		.10			31
Total	3.05	1.11	3.31	2.87	2.16	.46	1.28	1.10	2.76	3.91	2.97	1.61	26.59
Rain Days.	19	13	21	21	14	8	11	9	11	19	19	14	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at

Warren Corner

in the County of

Hants

by

Frederick Wilkin

Lat. 51° 13.35' Long. 0° 49.40' W

Time of Observation 9 am

Nearest Railway Station Farnham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Sea Level 560 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02					.09			.15	.08	1
2	.01					.05		.11			.28	.18	2
3			.07	.04	.24		.27	.16			.07	.01	3
4	.02		.04	.21			.04	.08			.47	.35	4
5	.09		.06	.27	.42	.11	.20	.40			.04	.03	5
6		.16	.02	.17	.01	.09	.07	.02				.23	6
7		.33	.28	.40	.04	.02	.14					.12	7
8	.06	.31	.64	.06	.01	.05		.19				.05	8
9	.20		.65	.16		.10		.01	.24			1.97	9
10		.18	.07	.03	.12				.21			.01	10
11	.04	.23	.39			.03			.09		.11	.31	11
12	.01	.20	.07				.63		.21	.06		.58	12
13		.37	.19						.13	.01	.03	.73	13
14		.28	.19			.05	.12	.02		.87	.09	.66	14
15	.04	.02	.15				.07	.07		.01	.21		15
16			.01				.02		.05		.02		16
17		.48	.07									.30	17
18			.16						.03			.35	18
19		.055	.32			.08	.69		.03	.01	.16	.35	19
20		.435	.34									.33	20
21		.41	.09			.01				.18		.02	21
22		.04	.04		.22	.09	.09	.02		.31		.01	22
23		.10	.13		.03	.01				.04			23
24			.05		.03					.01	.06		24
25	.04		.10					.11		.27	.01	.14	25
26							.06	.03		.07	.17	.49	26
27	.05										.04	.20	27
28		.05	.01		.20					.01	.42	.82	28
29	.10		.09		.03					.30	.25		29
30	.01		.12							.16	.59	.49	30
31	.04				.18		.04			.04		.03	31
Total	.71	4.14	4.37	1.34	1.53	.69	2.44	1.41	.99	2.35	3.17	8.84	31.98
Rain Days.	13	16	27	8	12	12	13	13	8	15	18	26	181

6022 241
REGISTER OF RAINFALL IN 1915

Kept at Warren Corner Erwshot
in the County of Hants
by Frederick Wilkin

Lat. 51. 13. 35 N Long. 0. 49. 40 W
Time of Observation 9 am
Nearest Railway Station Farnham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 560 ft.

825
FORM A.
BRITISH RAINFALL
24 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.62	.08	.02	—	.02	—	.09	.01	.20	.08	.07	.46	1
2	.21	.23	.16	.04	—	.02	—	.68	.08	.07	—	.18	2
3	.68	.01	.09	.16	.06	—	—	.01	—	—	—	.30	3
4	.11	—	—	—	—	—	—	.13	—	—	—	.23	4
5	.02	.48	—	.03	—	—	—	.04	—	.02	—	.40	5
6	.38	.16	.01	.35	—	—	.61	.04	—	—	—	.59	6
7	.36	.255	.03	—	—	—	.36	.01	—	—	—	.14	7
8	.06	.685	.01	.03	—	—	.07	.09	—	—	.01	—	8
9	.06	.07	—	.07	—	.08	—	.02	—	—	.43	.68	9
10	.16	.01	—	—	—	—	—	.06	—	—	—	.21	10
11	.01	—	.05	—	—	—	—	—	—	—	.65	.05	11
12	.03	.15	—	.21	.35	—	—	—	—	—	.29	—	12
13	.04	.64	—	—	1.29	—	—	—	.02	—	—	—	13
14	.03	.02	—	—	—	—	.24	.08	.02	—	—	.52	14
15	.25	—	—	—	—	—	.04	.09	—	—	.15	.27	15
16	.03	.43	—	—	.20	—	.74	—	—	—	—	.19	16
17	—	.35	—	—	1.50	—	—	—	—	—	—	—	17
18	—	.225	.15	—	.11	—	—	—	—	—	.02	—	18
19	—	.02	—	—	.02	—	.06	—	—	—	—	—	19
20	.19	—	—	.01	—	—	—	—	—	—	—	.15	20
21	.14	.03	—	—	.02	—	.08	—	—	.13	—	.08	21
22	.905	.22	.20	—	—	—	.94	—	.01	—	—	.17	22
23	.035	.14	.05	—	—	.01	.24	—	.17	.42	—	.23	23
24	—	—	.01	—	—	—	.05	—	.89	.35	—	.54	24
25	—	—	—	.06	—	.40	.17	—	—	—	—	.19	25
26	—	.06	—	—	—	.05	.48	—	—	—	—	.85	26
27	—	.08	—	—	—	.51	.02	—	—	.34	—	.08	27
28	—	.08	—	—	—	.08	—	—	.84	.18	—	—	28
29	—	—	—	—	—	.28	.13	.12	—	.04	.32	.04	29
30	.05	X	—	—	—	.18	—	—	—	.28	.50	.05	30
31	.03	X	—	X	—	X	—	—	X	2.00	X	—	31
Total	4.39	4.41	.78	.96	3.57	1.61	4.32	1.38	2.23	3.91	2.44	6.60	36.60
Rain Days.	22	22	11	9	9	9	16	13	8	11	9	23	162
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1916

Kept at Warron Corner Croshott
in the County of Hants
by Frederick Wilkin

Lat. 51. 13. 35 Long. 0. 49. 40 W
Time of Observation 9am
Nearest Railway Station Farnham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 560 ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.07	.03	—	.29	—	—	—	.45	.08	.40	—	1
2	.15	.065	.14	—	.41	—	—	—	.21	.75	.05	—	2
3	.08	1.005	.15	—	—	—	.01	—	.07	.40	.39	—	3
4	.19	.13	—	—	—	.38	—	—	.22	—	.40	—	4
5	.03	.02	—	.02	.19	.11	—	—	—	.07	.65	—	5
6	—	.275	.09	.06	.01	.19	.35	—	—	.12	.67	—	6
7	.03	—	.55	—	.06	.08	.02	—	—	.06	.66	.05	7
8	—	—	—	—	.23	.06	—	—	—	—	—	.35	8
9	—	—	—	—	.14	.02	—	—	—	.03	—	.15	9
10	—	.345	.13	.05	.01	.35	.04	—	—	.03	—	.15	10
11	.10	.10	.08	.09	.02	.14	—	—	.02	—	.01	.03	11
12	.08	.03	.01	.01	.16	.10	.02	.20	—	.03	—	—	12
13	—	.22	.21	.08	.04	.03	—	.19	.06	.02	—	—	13
14	—	.34	.27	.01	.01	—	—	.05	—	.04	—	.18	14
15	—	.20	.53	—	—	—	—	.54	—	—	—	.03	15
16	.01	.02	.40	.18	—	—	.08	.65	—	—	—	—	16
17	.12	.19	—	—	—	—	.01	.27	.47	.55	—	.02	17
18	.01	.09	.07	.01	—	—	—	.08	.08	.05	.71	.02	18
19	.15	—	.15	.24	—	.04	—	.17	.03	—	.26	.05	19
20	.10	—	.37	.03	—	—	—	—	—	—	.02	.60	20
21	.02	—	.43	—	—	—	.05	—	—	—	—	.28	21
22	.01	—	.03	—	—	.02	—	—	—	.06	.01	.44	22
23	.015	.235	.01	—	—	.23	—	.03	—	.11	.045	.04	23
24	—	.08	—	—	.07	.25	—	.04	—	.28	.075	.30	24
25	—	.78	.24	—	—	—	—	.07	.09	.03	.11	.02	25
26	—	.24	—	—	—	.10	—	.29	.07	.35	—	—	26
27	—	—	1.00	—	—	—	—	.34	.05	.28	—	—	27
28	.015	.435	.12	—	—	.18	—	.10	.19	.05	.02	.16	28
29	—	.29	—	—	—	.15	—	1.00	.08	.50	—	.20	29
30	—	X	—	—	—	X	—	.04	—	.56	X	—	30
31	—	X	—	X	—	X	—	.03	X	.20	X	.07	31
Total	1.25	5.13	5.01	0.78	1.64	2.43	58	3.99	2.09	4.65	4.47	3.14	35.16
Rain Days.	17	21	21	11	13	17	8	17	14	23	16	19	197

REGISTER OF RAINFALL IN 1917

Kept at Warren Corner
in the County of Hants
by Frederick Wilkin

Lat. 51.13.35 N Long. 0.49.40
Time of Observation 9 am
Nearest Railway Station Farnham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level (est) 560 ft.

FORM A.
BRITISH RAINFALL.

JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.065	.16	—	—	—	1.26	.02	—	.04	—	1
2	—	\$.01	.01	\$.15	—	.17	—	—	—	.01	.12	—	2
3	—	—	—	\$.15	—	—	1.05	.50	—	.18	—	—	3
4	—	\$.17	.05	.01	—	—	.01	.14	—	.30	—	—	4
5	.20	—	.05	\$.30	—	.01	—	—	.24	.42	.14	—	5
6	—	—	.26	\$.01	—	.04	—	—	.07	.22	.07	—	6
7	.16	—	—	—	—	—	.32	—	—	.21	—	.04	7
8	\$.29	—	\$.01	.04	—	—	.48	.06	.07	.21	.11	.37	8
9	\$.01	—	\$.04	\$.12	.01	—	.09	.10	.05	—	.08	.09	9
10	\$.17	—	.17	\$.26	.03	—	—	.13	—	—	.02	.03	10
11	.09	\$.01	.31	\$.14	—	—	—	—	.41	.25	—	—	11
12	\$.09	—	.03	\$.04	.02	.25	—	.15	—	.41	—	—	12
13	\$.10	—	.14	.06	—	—	—	.07	.03	.05	—	—	13
14	\$.01	—	.01	.11	—	—	—	.50	—	—	—	—	14
15	—	—	—	—	—	—	.28	.02	—	.05	—	.03	15
16	\$.03	.10	—	.11	.07	—	.09	.02	—	.81	—	\$.53	16
17	—	.02	—	.12	.19	—	.25	.17	.44	.21	—	—	17
18	\$.04	.04	—	.05	.05	.55	.35	—	.38	—	—	—	18
19	\$.04	.18	.13	—	—	.04	—	—	.18	—	—	—	19
20	\$.02	.07	\$.04	—	.61	—	—	.01	.03	—	—	—	20
21	\$.01	—	\$.03	—	—	.09	—	—	—	—	.02	—	21
22	—	—	\$.06	—	—	—	—	.09	—	.05	.02	—	22
23	—	.17	\$.01	—	.13	.13	—	.16	—	.03	—	.05	23
24	—	.05	—	—	—	.13	.07	.06	—	.18	.01	—	24
25	—	.07	.03	—	—	—	—	—	—	—	—	—	25
26	—	—	\$.08	—	—	—	—	.44	.05	—	.12	—	26
27	—	—	\$.02	—	.02	.04	—	.91	—	—	—	\$.02	27
28	—	—	\$.04	—	—	1.22	—	.07	—	—	—	\$.06	28
29	—	—	.08	—	.67	.10	.24	.02	—	.27	—	\$.09	29
30	\$.02	X	\$.40	—	—	—	1.39	.12	—	.03	—	—	30
31	\$.02	X	\$.05	X	—	X	.21	.05	X	.01	X	\$.04	31
Total	1.30	.89	2.14	1.82	1.80	2.77	4.83	5.05	1.97	4.00	.75	1.35	28.67
Rain Days.	16	11	24	16	10	12	13	22	12	19	11	11	177

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Warren Corner

in the County of Hants

by Frederick Wilkin

Lat. 51. 13. 35 Long. 0. 49. 40

Time of Observation 9 am

Nearest Railway Station Farnham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.05	—	—	—	—	—	.09	—	—	.44	.09	1
2	—	.04	—	.04	—	—	—	.55	—	.02	.30	.19	2
3	—	.01	.04	.23	.42	—	—	.02	—	.02	.33	.02	3
4	—	.11	.08	—	—	—	—	.02	.31	—	.90	.01	4
5	—	.05	—	—	.16	—	—	.08	.03	.13	—	.02	5
6	.13	.18	—	.37	.14	—	—	.01	.02	—	—	.06	6
7	.01	.14	—	.14	.31	—	—	.12	.09	.08	.18	.05	7
8	—	.08	—	—	—	—	—	—	.07	.06	.09	.02	8
9	.01	.05	—	.14	—	.14	.33	—	.37	.13	—	.27	9
10	—	—	—	.13	—	.11	.96	—	.09	.03	.05	.30	10
11	.02	—	—	.01	—	—	1.61	—	.10	.37	.08	.13	11
12	—	.05	—	—	.17	—	.20	—	.01	—	—	.01	12
13	.11	—	—	—	.14	—	.23	—	.21	.02	—	.03	13
14	.17	—	.07	—	—	.21	.05	—	.17	.15	—	.27	14
15	1.50	—	—	1.64	—	.04	.20	—	—	—	—	.14	15
16	.46	—	.02	.22	—	.03	—	—	.73	.08	—	.01	16
17	.29	—	—	.17	—	—	.26	.08	.08	.03	—	.18	17
18	.64	—	—	—	—	.22	.13	—	.61	—	—	.06	18
19	.11	—	.08	.05	—	.16	.31	—	.04	.09	—	.01	19
20	.05	.13	—	1.54	—	.05	.03	—	.25	.08	—	—	20
21	.19	.05	—	1.24	—	—	.03	—	.69	.04	—	.03	21
22	.15	.01	—	—	.10	—	.39	—	.23	—	—	.16	22
23	.05	—	—	—	.15	.01	.55	.03	.22	—	—	.02	23
24	—	.28	—	—	—	.05	.36	—	.11	—	.14	—	24
25	—	—	—	.01	—	—	.24	.19	—	—	—	—	25
26	—	—	—	—	—	—	.65	—	.01	.05	.04	.13	26
27	—	.05	.05	.02	—	—	.37	.21	.07	—	.08	.01	27
28	—	1.03	.22	—	—	—	—	.02	—	—	.16	.01	28
29	—	—	.03	—	—	—	—	—	1.17	—	.02	—	29
30	—	X	.31	—	—	—	—	—	.07	.01	.06	.06	30
31	—	X	—	X	—	X	—	—	X	.09	X	.02	31
Total	3.89	1.31	.90	2.95	1.59	1.02	6.90	1.52	5.75	1.48	2.90	2.31	32.52
Rain Days.	15	16	9	15	8	10	18	12	24	18	14	27	186

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Warren Corner Ewshot
in the County of Hants
by Frederick Wilkin

Lat. 51. 13. 35" N Long. 0. 49. 40" W
Time of Observation 9am
Nearest Railway Station Farnham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 560 ft.

728
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.03	.08	—	.01	—	.14	—	—	.04	.08	1.89	1
2	.30	—	.01	—	.03	—	.04	—	.11	—	.03	.05	2
3	.43	—	.44	—	.02	—	.05	—	—	—	.06	.27	3
4	.14	.05	.43	—	—	.03	.05	.02	.11	—	.05	.16	4
5	.01	.32	.95	—	—	—	.44	—	.17	—	.02	.16	5
6	.21	—	.04	—	.02	—	—	—	—	—	.24	.21	6
7	.08	—	.52	—	—	—	—	—	—	—	.01	—	7
8	.23	—	.11	—	—	—	—	—	—	—	—	—	8
9	.18	—	.04	.05	.05	—	—	—	—	—	.05	—	9
10	.23	—	.28	.04	—	—	—	—	—	—	.04	.14	10
11	.04	—	.09	.23	.05	—	.32	—	—	—	.03	.06	11
12	.01	—	.03	.01	—	.02	.08	—	—	.11	.03	—	12
13	.03	—	—	.45	—	—	—	—	—	.01	—	.05	13
14	.37	—	—	.32	—	—	.10	—	1.26	.02	—	.04	14
15	.41	.03	.03	.03	—	—	—	—	—	.04	—	.08	15
16	.03	.70	—	.01	—	—	—	—	.1	—	.09	.01	16
17	—	.30	—	.01	—	—	—	—	—	—	.13	.01	17
18	—	.12	.24	—	—	—	.01	—	—	—	.05	.03	18
19	.03	.16	.83	—	—	.20	.29	.29	—	—	.06	.01	19
20	.26	.16	.12	—	—	.50	.03	.16	—	—	—	—	20
21	.08	.38	.02	—	—	.03	.01	—	—	—	.02	.08	21
22	—	—	—	—	—	.24	—	.23	—	—	—	.29	22
23	—	—	—	—	—	—	.01	—	.06	.05	.05	—	23
24	—	—	—	.02	—	.03	—	.02	—	.30	.05	.06	24
25	.03	.11	—	—	—	—	.19	—	—	—	.03	.07	25
26	.06	.19	.08	.13	—	—	.02	.10	—	—	—	.34	26
27	.40	—	—	.66	—	—	—	.60	—	—	—	.05	27
28	—	—	.28	.01	—	—	—	.66	—	—	.26	.26	28
29	.08	—	—	.02	—	.01	—	.26	—	.11	.06	.02	29
30	—	X	.02	.27	—	.16	—	.57	—	.04	.44	.60	30
31	.03	X	.02	X	—	X	.04	—	X	.02	X	.07	31
Total	3.96	2.55	4.66	2.26	.18	.98	1.83	2.81	1.98	.75	1.94	5.86	29.76
Rain Days	24	12	21	15	6	8	13	12	6	10	23	26	176

REGISTER OF RAINFALL IN 1920

Kept at Warren Corner Crusht
in the County of Hants
by Fredrick Wilkin

Lat. 51.13.35 Long 0.49.40 W
Time of Observation 9 am
Nearest Railway Station Farnham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	S.06	—	.01	.52	.15	—	.24	—	—	.57	.03	.32	1
2	S.01	—	.05	.03	—	—	.37	.45	.14	.02	—	.11	2
3	S.04	.04	—	.09	—	—	.09	—	.01	.21	—	.03	3
4	—	.10	.02	.15	—	—	1.82	.09	—	.33	—	.01	4
5	—	—	.07	.03	—	—	.85	.08	—	.05	—	—	5
6	—	—	.21	—	.08	—	.30	—	—	—	—	.04	6
7	.04	—	S.01	.07	—	—	.07	—	—	—	—	—	7
8	—	.02	—	.10	.18	—	.19	.01	—	—	—	—	8
9	.22	.02	.01	.03	~~.03~~	.03	.14	—	—	—	—	—	9
10	.59	.09	.05	.01	—	.20	—	—	—	—	—	—	10
11	.49	.04	.08	.26	.03	.01	.26	—	—	—	—	S.05	11
12	.03	.02	.01	.16	—	.71	.01	—	—	—	.04	—	12
13	.16	.03	.17	.10	—	—	—	—	—	—	.03	—	13
14	—	.02	S.34	.46	—	.06	—	—	.13	.16	.45	.03	14
15	.02	.03	S.03	.36	—	.01	—	—	.60	.12	.10	S.01	15
16	—	—	.03	—	.23	.11	—	—	.05	—	—	—	16
17	.01	—	—	.01	.16	.03	.02	—	.37	—	—	.05	17
18	.08	—	—	—	.05	—	—	.75	.09	—	—	.03	18
19	.08	—	—	.20	—	.06	—	.02	.02	—	—	.03	19
20	.07	.05	—	.20	—	.42	—	—	—	—	—	.05	20
21	—	—	—	.05	—	—	.74	—	.28	—	—	.14	21
22	.02	—	—	.28	—	—	.01	—	.01	—	—	.44	22
23	.01	—	—	—	—	—	.41	.14	—	—	—	.36	23
24	.02	.01	.09	—	—	—	—	—	—	—	.03	.08	24
25	—	.11	.04	—	.02	—	.22	—	—	—	—	—	25
26	.02	—	.17	.02	—	—	.18	—	—	—	.01	.08	26
27	.42	.04	.01	.16	—	.07	.12	—	—	—	.47	.20	27
28	.34	—	.24	.10	.23	—	.11	—	—	—	.06	.02	28
29	.36	—	.09	—	.02	.03	—	—	—	—	.09	.26	29
30	.02	~~X~~	.01	—	—	—	.15	—	.14	—	.31	.20	30
31	.05	~~X~~	.18	~~X~~	—	~~X~~	—	—	~~X~~	.97	~~X~~	.14	31
TOTAL	3.16	.62	1.92	3.39	1.15	1.74	6.30	1.54	1.84	2.43	1.62	2.68	2839
Days with ".1 in. or more	23	14	22	22	10	12	20	7	11	8	11	22	182

FACCOMBE

HANTS

1911 - 16

Kept at

in the County of

by

IMPORTANT

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		02	83	Same as Facombe Manor 1910? YES								1
2	.03			11									2
3				01									3
4	.02	.03	09										4
5	.02												5
6	.07		11	04									6
7	.04												7
8			20										8
9	.17											47	9
10	.24	.13	34		80						70	71	10
11	.40		03								94	03	11
12			72		08						36	07	12
13			03		09				32	01	01	55	13
14		.03										69	14
15		.03	02						01	33		08	15
16		.01				01					48	18	16
17											27	14	17
18			13	05		26			05	08		65	18
19		.23				08		23	05	04		75	19
20			07			60		14	44			24	20
21	.06	.19				05	.73		60			18	21
22	.01		13			23	.01		10			70	22
23		.31				10			02	02		33	23
24		.19				26	18		44			09	24
25	.03	.09	03	13	33	19	29	04	05			10	25
26		.05		24	38	07	04			10		25	26
27		.90	22	09		04	14	08	21	04		28	27
28		.10		31		05				06		01	28
29				22		29	04		41				29
30			01	04	10	10		02	29	05		02	30
31									14				31
Total	1.56	2.29	2.15	1.60	2.32	2.33	.04	1.72	.81	3.24	4.97	8.45	TOTAL for year
No. of Rain Days.	12	13	15	12	8	14	1	9	5	18	22	28	157

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at Faccombe
in the County of Hampshire 4
by (G. Warwick Gardens) to H. Gibson

RAIN GAUGE { Pattern Self. Glass Copper
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 760 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Wentbury G.V.R.
Distance 5 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		02	83							02	06	1
2	.03			11	26					06	26	30	2
3				01	28			08			26	06	3
4	.02	.03	09							02	33	49	4
5	.02							23		32	04		5
6	.07		11	04							45	67	6
7	.04										13	12	7
8			20							02	01	25	8
9	.17			03								47	9
10	.24	.13	34		80						70	71	10
11	.40		03								94	03	11
12			72		08						36	07	12
13			03		09				32	01	01	55	13
14		.03										69	14
15		.03	02							01	23	08	15
16		.01				01					48	18	16
17											27	14	17
18			13	05		26				06	08	65	18
19		.23				08			23	05	04	75	19
20			07			60			14	44		24	20
21	.06	.19				05		.73		60		18	21
22	.01		13			23		.01		10		70	22
23		.31				10				02	02	33	23
24		.19				26		18		44		09	24
25	.03	.09	03	13	33	19		29	04	05		10	25
26		.05		24	38	07		04			10	25	26
27		.90	22	09		04		14	08	21	04	28	27
28		.10		31		05					06	01	28
29				22		29	04			41			29
30			01	04	10	10		02		29	05	02	30
31										14			31
Total	1.56	2.29	2.15	1.60	2.32	2.33	.04	1.72	.81	3.24	4.97	8.45	TOTAL for year 157
No. of Rain Days.	12	13	15	12	8	14	1	9	5	18	22	28	

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Facombe
in the County of Hampshire 4
by G. Warwick

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01	15			34	11			53		22	1
2			15	01		15	29	06		11			2
3			14			17	14	41	03		02	11	3
4	16		86		19	45	04	08			20		4
5	40	12	10		02	03		50	02		05	06	5
6	54	11	02		03		04	56			01	23	6
7	54	27			15	49		11				12	7
8	45	28	51			05	05	04	02			05	8
9	04	30	14	05		43	01	07			01	37	9
10		11						25	02		16	30	10
11	11	08				01					07	39	11
12	07	45	24		07		29				05	01	12
13	06	10	03				04	18			04	03	13
14	06		27		09					05		05	14
15	02	07	02		12	47						57	15
16	34	06	30		20			19		06	04		16
17	1.32		39			13		83				03	17
18	10		48					24		05	03	12	18
19	07	16	13				13	15		01			19
20	03		56				23	19		30	05		20
21	02	08	38		26			10		19			21
22	22	18					05	19		09	02	10	22
23	42	40	59					49		03	26	17	23
24	13	07	02			11		20		01	01	23	24
25	14	01				37		59		03	32	69	25
26		02					23	19		54	58	48	26
27		04	01				35			69	01	64	27
28		09			01	09	10	61	25	65	55	42	28
29		14				11	26	20	1.20	56	06	02	29
30						20	03		69	21			30
31			27		02		40	07		02		06	31
Total	5.24	3.15	5.76	06	1.16	3.60	2.79	6.50	2.23	4.13	2.54	5.47	TOTAL for year 4263
No. of Rain Days.	21	22	22	2	11	16	18	24	7	18	20	24	205

82. ✓ cond. for with 12-11-14 MWD

REGISTER OF RAINFALL IN 1913

BRITISH FORM A. 102
22 JAN 1914

Kept at Facombe Manor
in the County of Hampshire
by H. Gibson, E. A. Clark

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	17	20	.05	11	10			.41				1
2	.06	23	.05						.81		.25	.25	2
3	.05		.05	10	.52		.04		.03	.13	.14		3
4	.64		.04		.46					.03		.33	4
5	.07	.03	.04				.02		1.42	.41	.08	.08	5
6		.07			.21	.15	.08		.61		.03	.11	6
7		.48			.20	.15	.60		.03	.61	.11	.40	7
8	.02	.10			.36	.14	.65	.02		.74	.13		8
9		.20		.02						.45	.03	.03	9
10	.03		.10	.07	.02		.01	.15	.15	.01	.02	.06	10
11	.88			.37	.13		.12	.01			.54		11
12					.37					.18	.64	.02	12
13	.09		.14				.01				.28		13
14	.17		.17	.07				.01	.20		.20		14
15	.14	.09	.29	.53			.14	.04	.10	.09	.18		15
16	.19		.56	.32			.13		.22		.08		16
17	.03	.05	.09	.04									17
18	.02		.28	.28		.11	.11		.01				18
19	.75		.17				.03				.08		19
20	.12		.08	.11	.02		.18		.54				20
21			.25	.10	.08					.91	.06		21
22	.48		.28	.09	.02					.03	.98		22
23	.01		.02					.09	.26				23
24	.01		.01	.26		.06		.06			.03	.50	24
25				.20							.03		25
26		.07		.42								.03	26
27		.03		.13				.13		.33		.20	27
28	.23		.42	.23						.03			28
29	.05		.44	.73						.22			29
30	.66				.28					.80	.04		30
31	.02		.07							.36			31
Total	4.80	1.52	3.75	4.12	2.78	.71	2.12	.51	4.79	5.33	3.93	2.01	YEAR'S TOTAL 36.37
Rain Days.	23	11	21	19	13	6	13	.92	4.38	12	16	20	174

REGISTRATION NO. 20-11-15
REGISTER OF RAINFALL IN 1914

Kept at Jacombe Manor
in the County of Hampshire
by Herbert Gibson

Lat. _____ Long. _____
Time of Observation daily 9 a.m.
Nearest Railway Station E. Woodhay
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 760 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06	.16			.01		.08			.37	.80	1
2							.01	.24			.09	.05	2
3				.02			.78	.61			.97	.09	3
4	.06		.32	.04	.42		.20	.05			.14	.06	4
5	.06		.10	.38	.02		.03	.52			.40	.35	5
6	.07		.15	.25	.50	.01	.20	.38			.45	.17	6
7		.24		.21	.05	.02	.09	.07			.12	.32	7
8		.53	.18	.25	.70	.06	.20	.05				.43	8
9	.12	.14	.72	.05	.07	.22	.28	.25				.06	9
10	.16		.60	.11	.05	1.11		.02	.24			.91	10
11	.02	.23		.10	.27				.41			.20	11
12		.43	.70	.02	.02	.15	.40		.06		.15	.18	12
13		.13	.17						.35	.09	.01	.70	13
14		.45	.44						.25	.08	.03	.44	14
15		.37	.53			.01	.15	.02	.02	.65	.20	.17	15
16	.05		.23				.03	.34	.09	.06		.01	16
17									.15				17
18		.80	.35				.02		.06			.55	18
19			.10			.04	.10					.30	19
20		.18	.52				1.00				.16	.22	20
21		.85	.28			.06							21
22		1.08	.12			.15		.05		.15			22
23		.08			.16	.12	.02	.04		.83			23
24		.32	.20		.08	.02	.01			.17			24
25		.08	.16		.05			.01		.06	.16		25
26	.10		.10					.35		.57	.18	.30	26
27			.03				.02	.05			.17	.67	27
28											.14	.54	28
29	.09		.04		.58		.07			.33	.30	.50	29
30	.25	X	.07							.16	.25	.10	30
31	.02	X	.23	X		X			X	.15	X	.91	31
	.06	.16			.01		.08			.37	.80	.04	
Total	1.00	5.97	6.50	1.43	2.97	1.98	3.61	3.13	1.63	3.30	4.29	9.03	45.84
Rain Days.	11	16	24	10	15	13	16	17	9	13	18	25	186

82
contd. W.D. 15.iii.16

REGISTER OF RAINFALL IN 1915

Kept at Facombe Manor

in the County of Hampshire

by W. G. Langdon

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

53

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	10	03				05	07			1.54	20	1
2	77	15	03		06			03	07	23	10	37	2
3	23	60	46	02				1.00	01	33		35	3
4	77		15	15	10			05				39	4
5	23							03				35	5
6	16	26		01				14				45	6
7	34	63		40			50	23				10	7
8	30	57	03	01			27					35	8
9	13	48					06	03					9
10	05	04		17				04			60	97	10
11	10	01		02								15	11
12	23		07	03				40			1.01		12
13	08	58		35	46			60		02	46	03	13
14	04	60			1.04			12	07				14
15	07						24	13	04			1.49	15
16	17				10		14	05	02			48	16
17		83			24		1.14	03			06	20	17
18		47	02		2.00							03	18
19		33	04		15								19
20		01			06		14					10	20
21	23			05	02							14	21
22		03			02		03					07	22
23	43	06	55				1.07			07		05	23
24	27	54	04			03	65		15	54		31	24
25		04	04	02		02	50		1.11	40		33	25
26			01	01		95	14			05		13	26
27		14				08	10					70	27
28		05				22	14		03	54		06	28
29						15			1.25				29
30		X				02		03			25	04	30
31	04	X		X		X			X	40	X	34	31
Total	4.68	6.51	1.47	1.24	4.25	1.47	5.17	2.98	2.75	2.58	4.02	8.18	45.30
Rain Days.	4.74	6.44	1.44	1.24	4.25	1.52	5.19	2.91	2.75	4.12	2.68	8.51	45.79
	20	21	12	12	11	7	15	15	9	9	7	26	165

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

Kept at Facombe Manor
in the County of Hampshire
by W. E. Langdon

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	53		70			05							1
2	11				15								2
3	44	28	06		30	01							3
4	04	1.45	07		03	47							4
5	15	17		02	02	15							5
6	03	05			31	10							6
7	02	10	07		03								7
8	09	01	27		02	03							8
9	01		56		20	30							9
10			45		15	04							10
11		57	07	10	03	19							11
12	11	03	05	07	01	04							12
13	05	09	08	12	15	01							13
14		30	02	07									14
15		42	01	04	04								15
16		45	24	06									16
17		06	20	18	03								17
18	23	32											18
19	03	07		07									19
20	17		05	16	01								20
21	21		50	02									21
22		01	30										22
23		03	05			02							23
24		x	02	05		32							24
25		x	10		20								25
26	03	x	08			29							26
27		x	20			20							27
28		x	1.05			50							28
29		(1.53)	20										29
30		X	02										30
31		X		X	05	X			X		X		31
Total	1.72	(6.64)	4.72	.96	1.73	2.67							YEAR'S TOTAL
Rain Days.	16	22	25	12	16	15							

Kept at Fair Oak

in the County of

by G. H. F.

FAIR OAK PARK.

HANTS

1911 - 1915

11

5 in.

ve Ground 1 ft. in.

Sea Level ft.

clock.

Name Eastleigh.

Distance 3 mls Direction S.W.

and the result entered to the

Jan. 1, following.

IMPORTANT NOTE. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.3	—	—	.36	—	—	—	—	—	—	0.4	0.7	1
2	—	—	—	.10	.37	—	—	—	—	—	.18	.21	2
3	—	—	—	—	.22	—	—	—	—	—	.20	.18	3
4	—	—	0.5	.11	—	—	—	0.4	—	.11	.20	.31	4
5	0.4	—	—	0.4	—	—	—	—	—	.16	0.3	—	5
6	.36	—	.11	.01	—	—	—	—	—	—	—	.96	6
7	—	—	—	—	—	—	—	—	—	.11	.37	—	7
8	.05	—	.30	—	—	—	—	—	—	—	.28	.63	8
9	.20	—	.02	.01	—	—	—	—	—	—	0.2	—	9
10	—	.02	.36	—	0.7	—	—	—	—	—	—	1.00	10
11	.44	—	.01	—	—	—	—	—	—	—	1.06	—	11
12	—	—	.82	—	.04	—	—	—	—	—	.10	.13	12
13	—	—	.01	—	.10	—	—	—	.23	—	—	.53	13
14	—	.10	—	—	—	—	—	—	—	—	—	.52	14
15	—	.01	—	—	—	—	—	—	—	—	.13	.02	15
16	—	—	—	—	—	.22	—	—	—	—	.45	.12	16
17	—	—	—	—	—	.18	—	—	—	—	.60	.60	17
18	—	.14	0.4	—	—	.06	—	—	—	0.5	.37	.52	18
19	—	0.4	—	—	—	.24	—	—	.50	.15	—	.23	19
20	0.6	—	.09	—	—	—	—	—	0.4	—	—	.82	20
21	.02	.17	—	—	—	—	—	—	—	.64	—	.08	21
22	0.9	.01	.23	—	—	.13	—	—	—	.38	—	.50	22
23	—	.23	.02	—	—	.23	—	—	.15	.22	.06	.28	23
24	.02	.16	—	—	—	0.6	—	.12	—	1.14	—	.02	24
25	—	0.4	—	.01	.79	.44	—	—	.05	—	—	.10	25
26	—	.37	.01	.45	.27	0.4	—	—	—	.30	—	.33	26
27	—	—	.12	.21	—	—	—	—	.10	.25	.15	.22	27
28	—	.25	—	.53	—	—	—	.20	—	—	.02	—	28
29	—	—	—	.12	—	.15	.62	—	.14	.32	—	—	29
30	—	—	—	.12	—	.10	—	.10	—	.31	—	.03	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.31	1.54	2.19	2.07	1.86	1.85	0.2	.46	1.21	4.44	4.26	8.41	TOTAL for year
No. of Rain Days.	10	12	14	12	7	11	1	4	7	13	17	24	29.32

Kept at Fair Oak Park, Eastleigh.

in the County of Hampshire.

by G. H. Pember Esq.

RAIN
GAUGE

Pattern Agatti & Lombard
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 1 ft.

Time of Observation 9 o'clock.

Nearest Railway Station { Name Eastleigh.
Distance 3 mls. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.3	—	—	.36	—	—	—	—	—	—	0.4	.07	1
2	—	—	—	.10	.37	—	—	—	—	—	.18	.21	2
3	—	—	—	—	.22	—	—	—	—	—	.20	.18	3
4	—	—	.05	.11	—	—	—	.04	—	.11	.20	.31	4
5	.04	—	—	.04	—	—	—	—	—	.16	.03	—	5
6	.36	—	.11	.01	—	—	—	—	—	—	—	.96	6
7	—	—	—	—	—	—	—	—	—	.11	.37	—	7
8	.05	—	.30	—	—	—	—	—	—	—	.28	.63	8
9	.20	—	.02	.01	—	—	—	—	—	—	.02	—	9
10	—	.02	.36	—	.07	—	—	—	—	—	—	1.00	10
11	.44	—	.01	—	—	—	—	—	—	—	1.06	—	11
12	—	—	.82	—	.04	—	—	—	—	—	.10	.13	12
13	—	—	.01	—	.10	—	—	—	.23	—	—	.53	13
14	—	.10	—	—	—	—	—	—	—	—	—	.52	14
15	—	.01	—	—	—	—	—	—	—	—	.13	.02	15
16	—	—	—	—	—	.22	—	—	—	—	.45	.12	16
17	—	—	—	—	—	.18	—	—	—	—	.60	.60	17
18	—	.14	.04	—	—	.06	—	—	—	.05	.37	.52	18
19	—	.04	—	—	—	.24	—	—	.50	.15	—	.23	19
20	.06	—	.09	—	—	—	—	—	.04	—	—	.82	20
21	.02	.17	—	—	—	—	—	—	—	.64	—	.08	21
22	.09	.01	.23	—	—	.13	—	—	—	.38	—	.50	22
23	—	.23	.02	—	—	.23	—	—	.15	.22	.06	.28	23
24	.02	.16	—	—	—	.06	—	.12	—	1.14	—	.02	24
25	—	.04	—	.01	.79	.44	—	—	.05	—	—	.10	25
26	—	.37	.01	.45	.27	.04	—	—	—	.30	—	.33	26
27	—	—	.12	.21	—	—	—	—	.10	.25	.15	.22	27
28	—	.25	—	.53	—	—	—	.20	—	—	.02	—	28
29	—	—	—	.12	—	.15	.62	—	.14	.32	—	—	29
30	—	—	—	.12	—	.10	—	.10	—	.31	—	.03	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.31	1.54	2.19	2.07	1.86	1.85	.02	.46	1.21	4.44	4.26	8.41	TOTAL for year
No. of Rain Days.	10	12	14	12	7	11	1	4	7	13	17	24	29.32

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
8-JAN 1913

Kept at Fair Oak Park, Castlough
in the County of Lants.
by G H Pember Esq.

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Castlough
Diameter of Rain Gauge 5 inches in.
Height of top of Gauge above Ground 1 foot ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
1912

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	7	—	—	248	14	—	2	13	—	30	1
2	—	—	14	—	—	9	44	5	—	70	—	—	2
3	—	—	12	—	—	27	1	65	1	—	3	—	3
4	13	—	66	—	—	5	—	3	—	—	22	—	4
5	30	12	21	—	—	—	—	62	—	—	3	4	5
6	62	17	—	—	18	—	2	16	3	—	—	3	6
7	—	—	—	—	19	95	—	8	—	—	—	20	7
8	41	35	42	—	—	37	—	2	—	—	—	2	8
9	—	28	12	—	—	27	2	14	—	—	—	28	9
10	—	10	—	—	—	—	—	29	—	—	4	34	10
11	12	14	—	—	—	—	—	3	—	—	2	30	11
12	3	17	11	—	36	38	7	10	—	—	—	—	12
13	—	10	—	—	—	—	4	25	—	—	5	5	13
14	—	—	—	—	4	—	—	17	—	2	—	—	14
15	—	12	25	—	4	62	—	1	—	—	—	33	15
16	—	—	21	—	—	6	—	16	—	9	2	—	16
17	3	—	16	—	—	7	—	38	—	—	—	9	17
18	100	—	23	—	—	—	—	25	—	4	—	5	18
19	—	—	21	—	—	—	15	23	—	—	1	—	19
20	—	2	32	—	—	2	4	17	—	36	6	—	20
21	—	12	13	—	26	—	—	7	—	23	—	—	21
22	12	25	—	—	3	—	—	22	—	—	—	6	22
23	40	45	27	—	—	1	—	39	—	—	20	24	23
24	36	4	2	—	—	2	—	34	—	—	—	20	24
25	16	—	—	—	—	62	—	65	—	17	21	58	25
26	—	4	—	—	—	—	41	15	—	13	37	64	26
27	—	—	—	—	—	15	33	—	—	70	—	13	27
28	—	4	—	—	—	17	15	42	—	62	59	31	28
29	—	20	—	—	—	9	29	5	90	19	3	—	29
30	—	—	—	—	8	—	10	11	144	18	—	—	30
31	—	—	25	—	—	—	36	10	—	3	—	5	31
Total	368	271	390	Nil	118	469	257	629	159	449	188	424	3722
Rain Days.	12	17	18	—	8	18	15	29	5	14	14	20	170

REGISTER OF RAINFALL IN 1913.

Kept at Fair Oak Park.
in the County of Hampshire
by G. H. Pember, Esq.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Eastleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level ft.

BRITISH RAINFALL
FORM A.
12 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	7	9	37	10	6	3	-	-	76	-	18	11	1
2	9	28	01	2	3	-	3	-	3	28	10	-	2
3	5	12	-	8	41	-	-	-	-	3	-	7	3
4	56	-	9	-	30	2	6	-	56	15	9	4	4
5	41	-	-	-	-	8	15	-	19	-	8	5	5
6	8	-	-	-	11	17	33	-	-	88	3	60	6
7	-	26	10	-	21	10	11	43	-	38	20	-	7
8	8	30	-	-	31	3	-	11	-	5	-	5	8
9	-	4	-	-	2	01	4	28	6	-	4	01	9
10	2	-	-	4	-	-	46	-	-	-	62	-	10
11	1 10	-	-	33	6	-	-	-	-	38	38	-	11
12	-	-	-	-	55	-	-	-	2	-	44	-	12
13	18	-	5	-	-	-	-	5	17	-	18	-	13
14	32	-	11	-	-	01	01	6	2	3	-	-	14
15	25	-	35	38	-	-	14	-	54	-	10	-	15
16	19	-	43	8	-	-	3	-	5	-	2	-	16
17	11	-	3	3	-	2	4	-	-	-	2	-	17
18	-	-	39	13	-	-	6	-	2	-	9	-	18
19	72	-	7	-	2	-	5	-	24	-	-	-	19
20	17	-	36	12	-	01	-	-	-	45	7	-	20
21	-	-	30	15	-	-	-	-	-	18	72	-	21
22	36	-	23	01	-	-	-	-	29	4	-	-	22
23	-	-	8	-	-	6	-	5	-	-	3	82	23
24	5	-	-	13	-	-	-	-	-	-	01	-	24
25	-	-	-	19	-	-	-	-	-	-	01	01	25
26	-	-	-	20	-	-	-	18	-	48	-	25	26
27	-	-	15	6	-	-	-	-	-	2	-	-	27
28	55	-	10	13	-	-	-	-	-	25	-	-	28
29	10	-	20	67	75	-	-	7	-	58	-	7	29
30	(24)	-	-	14	01	-	-	-	-	26	-	-	30
31	12	-	6	-	-	-	-	68	-	13	-	-	31
Total	5.82	1.09	3.48	2.99	2.84	54	1.51	1.91	2.95	4.57	3.41	2.08	33.19
Rain Days.	22	6	19	19	13	11	13	9	13	17	20	11	173

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914.

Kept at Fair Oak Park.

in the County of Hampshire

by G. A. Pember Esq.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Eastleigh.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level ft.

FORM A.
BRITISH RAINFALL
5 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	6	-	-	-	-	41	-	-	24	9	1
2	-	-	-	-	-	-	2	-	-	-	28	28	2
3	-	-	15	7	43	-	13	24	-	-	4	-	3
4	-	-	3	25	5	-	-	50	-	-	34	30	4
5	8	-	9	44	22	01	25	35	-	-	21	2	5
6	-	24	-	9	4	3	15	8	-	-	3	44	6
7	-	57	12	-	4	8	24	-	-	-	-	20	7
8	7	25	43	10	3	3	-	15	-	-	-	5	8
9	7	3	62	34	-	-	-	-	22	-	-	1.89	9
10	6	40	5	11	23	-	-	-	30	-	-	-	10
11	-	48	45	-	10	2	35	-	-	-	8	58	11
12	-	-	20	-	-	-	-	-	41	17	01	92	12
13	-	50	14	-	-	-	-	-	26	9	10	90	13
14	-	32	27	-	-	4	14	12	-	40	33	48	14
15	-	-	21	-	-	-	-	45	-	2	22	-	15
16	-	-	-	-	-	-	12	-	29	-	-	-	16
17	-	80	19	-	-	-	-	-	-	-	-	50	17
18	-	2	17	-	-	-	4	-	-	-	-	53	18
19	-	5	41	-	-	-	1 19	-	-	-	18	24	19
20	-	32	29	-	-	5	-	-	-	-	-	15	20
21	-	70	4	-	-	-	-	-	-	21	-	6	21
22	-	-	01	-	3	-	14	5	-	19	-	-	22
23	-	9	22	-	3	8	-	-	-	16	-	-	23
24	-	-	3	-	-	-	-	-	-	3	13	-	24
25	-	-	17	-	-	-	6	35	-	38	3	3	25
26	-	-	-	-	-	-	14	10	-	11	25	95	26
27	13	-	5	-	-	-	-	-	-	01	10	40	27
28	2	6	7	-	24	-	4	-	-	3	44	83	28
29	15	-	16	12	-	-	-	-	-	35	22	-	29
30	01	X	8	-	-	-	-	-	-	11	62	77	30
31	5	X	-	X	2	X	-	-	X	25	X	7	31
Total	64	4.83	4.71	1.52	1.46	34	3.01	2.80	1.48	2.51	3.85	10.68	37.83
Rain Days.	9.	15.	26.	8.	12.	8.	14.	11.	5.	15.	19.	23.	165

REGISTER OF RAINFALL IN 1915.

Kept at Fair Oak Park.
in the County of Hampshire.
by G. A. Pember Esq.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Eastleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	69	22	-	-	04	03	-	03	21	14	01	28	1
2	20	-	28	02	-	3	-	36	6	18	-	30	2
3	80	-	10	22	15	-	-	01	-	-	-	43	3
4	02	-	-	01	-	-	-	6	-	-	-	49	4
5	-	58	-	-	-	-	-	9	-	-	-	33	5
6	57	16	3	60	-	-	52	10	-	-	-	20	6
7	24	56	4	03	6	-	24	01	-	-	-	33	7
8	02	81	-	-	-	-	03	7	-	-	5	02	8
9	03	02	-	9	-	-	-	01	-	-	50	80	9
10	20	-	-	-	-	-	-	-	-	03	-	31	10
11	-	-	11	4	-	-	-	-	-	-	91	5	11
12	09	36	-	22	58	-	-	-	-	-	39	-	12
13	04	33	-	-	15	-	-	-	17	-	-	-	13
14	08	-	-	-	-	-	30	73	6	-	-	83	14
15	02	-	-	-	11	-	4	11	-	-	6	44	15
16	-	85	-	-	36	-	36	22	-	-	-	58	16
17	-	33	-	-	91	-	-	01	-	-	-	-	17
18	-	28	-	-	12	-	01	-	-	-	-	-	18
19	30	09	-	-	12	-	9	-	-	-	-	-	19
20	-	-	-	5	-	-	-	-	-	-	-	9	20
21	-	33	-	-	-	-	8	-	-	82	-	16	21
22	30	35	29	01	-	-	90	-	-	-	-	-	22
23	05	02	17	-	-	06	57	-	23	45	-	56	23
24	-	-	01	-	-	-	33	-	28	43	-	53	24
25	-	-	4	4	-	-	5	-	-	-	-	14	25
26	-	08	-	-	-	32	32	-	-	-	-	94	26
27	-	03	-	-	-	85	-	-	-	63	-	4	27
28	-	08	-	-	-	30	-	-	77	02	-	-	28
29	15	-	-	-	-	32	4	14	-	-	45	4	29
30	-	X	-	-	-	4	-	-	-	69	84	23	30
31	-	X	-	X	-	X	-	29	X	131	X	37	31
Total	4.00	5.48	1.07	1.33	3.60	1.92	5.02	2.24	3.78	4.70	3.21	8.69	45.04
Rain Days.	17.	18	9.	11.	10.	7.	15.	15.	7.	10.	8.	24.	151.

REG

Kept at Fishers Pond
 in the County of South
 by Gregory M. M.

FAIR OAK FISHERS POND HANTS 1919 - 20

FORM A.
BRITISH RAINFALL

5 in.
 1 ft. — in.
 91 ~~XX~~ ~~87~~ ft.
 It entered to the
 e, he is earnestly
 space provided

IMPORTANT NOT
 previous day. If an Ob
 requested to add the read
 for it at the end of this

Instructions for the measurement of rain,
 the selection and placing of rain gauges, and particulars as to the British Rainfall
 Organization are given in "Rules for Rainfall Observers," sent post-free on application to
 THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	35		7				27			7		128	1
2	39			~~8~~	8		3		47		10	6	2
3	41		48		3				~~47~~ ²⁰ ₂			13	3
4	25		65			1		3	~~47~~ ²⁰ ₂			4	4
5		42	87				51		90		11	11	5
6	33		8		21							14	6
7	11		46										7
8	33		19	8	2								8
9	10		12	10	11						20		9
10	51		33	8								38	10
11	9		6	26	9							4	11
12	1			5			22			9	snow 10		12
13	4		2	47								7	13
14	25			18			6		14			18	14
15	21			3						3		118	15
16	4	100						2			11		16
17		38									3		17
18			23					1				2	18
19	20	37	115			8	44	17	7		11	1	19
20	58	6	1			42		14			2		20
21	8	56					3						21
22							16		41		2	11	22
23										10	1	3	23
24		3		4		2	1			34	7		24
25		6				3		32				11	25
26	11	15	8	snow 3				3	5		16	50	26
27	11			snow 37				48				2	27
28			48 snow					95			42	43	28
29	19			2				24		10		4	29
30		X		17		9		40		1	67	59	30
31		X		X		X			X		X	20	31
Total	469	303	528	190	54	65	173	279	218	74	2.225.67		YEAR'S TOTAL 31.42
Rain Days	21	9	16	14	6	6	9	11	7	7	15	23	144

REG

Kept at Fishers Pond: Fan Oak
 in the County of Southampton
 by Gregory M. Matthews

Lat. 1° 20' W. Long. 51° 2' N.
 Time of Observation 8.49 A.M.
 Nearest Railway Station Shawford
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 91 ~~XX~~ 87 ft.

FORM A.
 BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily, at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	35		7				27			7		128	1
2	39			~~8~~ 8			3		47		10	6	2
3	41		48		3				~~47~~ ²⁰ ₂			13	3
4	25		65			1		3			9	4	4
5		42	87				51		90		11	11	5
6	33		8		21							14	6
7	11		46										7
8	33		19	8	2								8
9	10		12	10	11						20		9
10	51		33	8							10	38	10
11	9		6	26	9							4	11
12	1			5			22			9	snow 10		12
13	4		2	47								7	13
14	25			18			6		14			18	14
15	21			3						3		118	15
16	4	100						2			11		16
17		38									3		17
18			23					1				2	18
19	20	37	115			8	44	17	1		11	1	19
20	58	6	1			42		14			2		20
21	8	56					3						21
22							16		41		2	11	22
23										10	1	3	23
24		3		4		2	1			34	7	11	24
25		6				3		32					25
26	11	15	8	snow 3				3	5		16	50	26
27	11			snow 37				48				2	27
28			48 snow					95			42	43	28
29	19			2				24		10		4	29
30		XX		17		9		40		1	67	59	30
31		XX		XX		XX			XX		XX	20	31
Total	469	303	528	190	54	65	173	279	218	74	2.225.67		YEAR'S TOTAL 31.42
Rain Days.	21	9	16	14	6	6	9	11	7	7	15	23	144

REGISTER OF RAINFALL IN 1920

Kept at Yokers Pond: Yan Oak
in the County of Southampton
by Gregory M. Matthews

Lat. 1.20 W Long. 51.2 N
Time of Observation 8.49 A.M.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6		2	42	15		40			60	30	33	1
2	10		2	15			21	42	6	~~60~~			2
3	15				5		115			18		2	3
4		4					41	25		53			4
5			13	15			87	33		37		5	5
6			13		28		49			9			6
7	2			22	4		25			1			7
8	2			7	5		35	2					8
9	21	3		5	4		9						9
10	52	14				X	27				1		10
11	30		13	59	7	130	64				6	5	11
12	6	5		31		X	1						12
13	10		31	45							56		13
14		3	48		2			7		20			14
15	4	1	2	17	6			43		27	4		15
16		2		2				21		3			16
17					23		2		65			2	17
18	7			3	10		2	42				2	18
19	3			30				1	3				19
20	6	6		16		85					1	5	20
21				1			71		5			13	21
22	2			30				3	8			45	22
23							32					36	23
24			18								2		24
25	3		3		12		40						25
26	6		20								3	11	26
27	54		2	15		11					38	23	27
28	43	2			10		16					3	28
29	48		3	2	14						15	17	29
30	5	X				6	6		24		25	18	30
31	7	X	31	X		X		X		88	X	15	31
TOTAL	342	40	205	357	133	232	683	148	182	374	181	235	YEAR'S TOTAL
Days with 0.1 in. or more	22	9	14	19	13	5	19	7	10	11	12	16	31-12

RE

FAIRTHORNE MANOR

Kept at Fairthor

in the County of Ha

by H. S. S.

HANTS

1915 - 20

FORM A.
BRITISH RAINFALL
28 JUL 1916

Day 8 in.

and 1 ft. in.

Level ft.

result entered to the
rule, he is earnestly
the space providedIMPORTANT N
previous day. If an
requested to add the r

for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.55	.19	—	—	.05	—	—	.05	.67	.13	.02	.32	1
2	.26	.38	.20	.05	—	.04	—	.18	.09	.20	—	.36	2
3	.90	—	.14	.25	.19	—	—	.01	.02	.01	.01	.42	3
4	.03	—	—	.03	—	—	—	.04	.04	—	—	.53	4
5	.03	.32	—	—	—	—	—	.12	—	—	—	.48	5
6	.71	.22	.04	.56	—	.01	.56	.06	—	—	—	.25	6
7	.22	.58	.03	.05	—	—	.17	—	—	—	—	.42	7
8	.03	.70	—	—	—	—	.21	.04	—	—	.04	.03	8
9	.03	.08	—	.11	—	.04	—	.02	—	—	.54	.78	9
10	.15	.03	.03	—	—	—	—	—	—	.03	—	.24	10
11	.01	—	.09	.02	—	—	—	—	—	.03	.97	.04	11
12	.10	.44	—	.22	.56	—	—	.01	—	—	.38	—	12
13	—	.35	—	—	1.40	—	—	—	.15	—	—	—	13
14	.04	.01	—	—	—	—	.30	1.17	.07	—	—	.75	14
15	.13	—	—	—	.11	—	.04	—	—	—	.08	.29	15
16	.04	.91	—	—	.37	—	1.24	.30	—	—	—	.33	16
17	—	.31	.02	—	.93	—	—	.07	—	—	—	—	17
18	—	.23	—	—	.15	—	.02	—	—	—	.03	—	18
19	—	.15	—	—	.13	—	.08	—	—	.5	—	.5	19
20	.38	—	—	.07	—	—	—	—	—	—	—	.09	20
21	—	.06	—	—	—	—	.08	—	—	.57	—	.16	21
22	.56	.49	.30	.02	—	—	.93	—	—	.01	—	.22	22
23	.02	.08	.10	.01	—	.14	.61	—	.28	.49	—	.45	23
24	—	—	.16	—	—	—	.40	—	2.16	.47	—	.38	24
25	.02	—	.04	.06	—	—	.07	—	.02	.02	—	.19	25
26	—	.06	—	—	—	.20	.09	—	—	—	—	.91	26
27	—	.05	—	—	—	.30	—	—	—	.53	—	.01	27
28	—	.10	—	—	—	.30	.02	—	.75	—	.02	—	28
29	—	—	—	—	—	.50	.06	.17	—	—	.45	.04	29
30	.16	X	—	—	—	.20	—	—	—	.72	.91	.16	30
31	.06	X	—	X	—	X	—	.33	X	1.39	X	.45	31
Total	4.43	5.74	1.15	1.45	3.89	1.73	4.88	2.57	4.25	4.61	3.45	8.30	46.75
Rain Days.	21	21	11	12	9	9	16	14	10	13	11	25	172
YEAR'S TOTAL													46.44

RI

Kept at *Fairthorne Manor,*in the County of *Hampshire*by *W. D. J. Sailer*

Lat. _____ Long. _____

Time of Observation *9 am*Nearest Railway Station *Botley*Diameter of Funnel of Rain Gauge *8* in.Height of top of Gauge above Ground *1* ft. _____ in.

" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
28 JUL 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.55	.19	—	—	.05	—	—	.05	.67	.13	.02	.32	1
2	.26	.38	.20	.05	—	.04	—	.18	.09	.20	—	.36	2
3	.90	—	.14	.25	.19	—	—	.01	.02	.01	.01	.42	3
4	.03	—	—	.03	—	—	—	.04	.04	—	—	.53	4
5	.03	.32	—	—	—	—	—	.12	—	—	—	.48	5
6	.71	.22	.04	.56	—	.01	.56	.06	—	—	—	.25	6
7	.22	.58	.03	.05	—	—	.17	—	—	—	—	.42	7
8	.03	.70	—	—	—	—	.21	.04	—	—	.04	.03	8
9	.03	.08	—	.11	—	.04	—	.02	—	—	.54	.78	9
10	.15	.03	.03	—	—	—	—	—	—	.03	—	.24	10
11	.01	—	.09	.02	—	—	—	—	—	.03	.97	.04	11
12	.10	.44	—	.22	.56	—	—	.01	—	—	.38	—	12
13	—	.35	—	—	1.40	—	—	—	.15	—	—	—	13
14	.04	.01	—	—	—	—	.30	1.17	.07	—	—	.75	14
15	.13	—	—	—	.11	—	.04	—	—	—	.08	.29	15
16	.04	.91	—	—	.37	—	1.24	.30	—	—	—	.33	16
17	—	.31	.02	—	.93	—	—	.07	—	—	—	—	17
18	—	.23	—	—	.15	—	.02	—	—	—	.03	—	18
19	—	.15	—	—	.13	—	.08	—	—	.5	—	.5	19
20	.38	—	—	.07	—	—	—	—	—	—	—	.09	20
21	—	.06	—	—	—	—	.08	—	—	.57	—	.16	21
22	.56	.49	.30	.02	—	—	.93	—	—	.01	—	.22	22
23	.02	.08	.10	.01	—	.14	.61	—	.28	.49	—	.45	23
24	—	—	.16	—	—	—	.40	—	2.16	.47	—	.38	24
25	.02	—	.04	.06	—	—	.07	—	.02	.02	—	.19	25
26	—	.06	—	—	—	.20	.09	—	—	—	—	.91	26
27	—	.05	—	—	—	.30	—	—	—	.53	—	.01	27
28	—	.10	—	—	—	.30	.02	—	.75	—	.02	—	28
29	—	—	—	—	—	.50	.06	.17	—	—	.45	.04	29
30	.16	X	—	—	—	.20	—	—	—	.72	.91	.16	30
31	.06	X	—	X	—	X	—	.33	X	1.39	X	.45	31
Total	4.43	5.74	1.15	1.45	3.89	1.73	4.88	2.57	4.25	4.61	3.45	8.30	46.75
Rain Days.	21	21	11	12	9	9	16	14	10	13	11	25	172

REGISTER OF RAINFALL IN 1916

Kept at Fairthorne Manor
in the County of Hampshire
by D. H. Lacey

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Botley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. Sea Level 70 ft.

FORM A.
BRITISH RAINFALL.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.11	.08	—	.20	.03	.01	—	.44	.20	.32	—	1
2	.29	.11	.03	—	.08	—	.01	—	.01	.54	.04	—	2
3	.03	.60	.09	—	.01	—	—	—	.01	.75	.29	—	3
4	.18	.18	—	—	.02	.39	—	—	.37	.05	.36	—	4
5	.07	.08	.01	.02	.10	.15	.04	—	—	.09	.67	—	5
6	.01	.08	^{Snow} .18	.02	.02	.04	.41	—	—	.14	.49	—	6
7	.03	—	^{Snow} .40	—	.03	.34	.02	—	—	.01	.90	.08	7
8	.01	—	.01	—	.25	—	—	—	—	—	—	.78	8
9	—	—	—	—	.20	—	.01	—	—	—	.01	.20	9
10	—	.66	.02	.08	.04	.20	.27	—	—	.08	.03	.15	10
11	.04	.03	.02	.16	—	.02	—	—	.02	—	.01	.12	11
12	.04	.08	.01	.04	.06	.02	.11	.05	—	.05	.02	.01	12
13	—	.26	.01	.01	—	.01	.03	.01	—	.02	—	.02	13
14	.02	.70	—	.02	.04	—	—	.03	—	.04	—	—	14
15	—	.11	.14	—	—	—	—	.27	—	.02	—	—	15
16	.06	.04	.22	.16	—	—	.16	.26	—	.02	—	—	16
17	.19	.36	—	.21	—	—	—	.15	.38	.74	^{Snow} .02	—	17
18	.08	.08	.11	.11	—	—	—	.09	.11	.10	^{Snow} .42	.13	18
19	.14	.01	.11	.03	—	.14	—	—	—	.01	.36	.05	19
20	.15	.02	.89	.17	—	—	—	—	—	—	.12	1.04	20
21	.01	.02	.30	—	—	—	.11	—	—	—	.02	.19	21
22	—	—	.01	—	—	.04	—	—	—	.14	.01	.68	22
23	.04	^{Snow} .15	^{Snow} .01	.01	—	.16	—	.05	—	.26	.10	.02	23
24	—	^{Snow} .04	—	—	.12	.01	—	.07	—	.44	.19	.40	24
25	—	^{Snow} .60	.11	—	—	—	—	.20	.24	.03	.06	—	25
26	.04	^{Snow} .20	.02	—	—	.23	—	.17	.02	.44	—	—	26
27	.01	—	1.00	—	—	.08	—	.07	.18	.39	—	.02	27
28	—	.48	^{Snow} .09	—	—	—	—	.05	.56	.27	.03	.27	28
29	—	.31	.01	—	—	.35	—	1.26	.28	.26	.01	.34	29
30	—	X	.02	—	.33	.01	—	.02	.01	.57	.01	.03	30
31	—	X	—	X	—	X	—	.06	X	.25	X	.04	31
Total	1.50	5.31	3.82	1.04	1.50	2.22	1.18	2.81	2.63	5.41	4.59	4.57	37.08
Rain Days.	20	24	25	13	14	17	11	16	13	26	23	19	22

W D L
REGISTER OF RAINFALL IN 1917

Kept at Fairthorne Manor, Botley
in the County of Hampshire
by W. J. H. Lacey

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Botley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 70 ft.

714
FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	/	.02	.28	.20	/	.04	/	1.11	.03	/	.06	/	1
2	/	.01	.06	.88	/	/	/	.01	.02	.04	.16	/	2
3	.03	/	/	.22	/	/	.53	.23	.01	.12	.11	/	3
4	/	.12	.23	.01	/	/	.02	.10	/	.25	/	.05	4
5	.19	.02	.04	.39	/	.16	/	.23	.18	.44	.09	/	5
6	/	/	.36	.01	/	/	/	/	.03	.05	.13	/	6
7	.27	/	.01	.06	/	/	.08	.01	/	.33	/	.06	7
8	.32	/	.08	.02	/	/	.23	.19	.04	.19	.21	.46	8
9	.01	/	.11	/	.13	/	(.05)	.02	.02	.03	.05	.01	9
10	.22	/	.28	.30	/	/	/	.16	/	.07	/	.01	10
11	.15	/	.29	.16	/	/	/	.05	.06	.33	.01	/	11
12	.16	/	.04	.01	.05	/	/	.37	/	.35	.01	.01	12
13	.03	/	.28	.01	/	/	/	.07	.06	.06	.01	.01	13
14	.01	/	/	.08	/	/	/	.05	/	.19	/	/	14
15	/	/	.01	.01	.02	/	.09	.50	.01	1.62	/	.09	15
16	.02	.18	/	.15	.09	/	/	.03	/	.18	/	.48	16
17	/	.03	/	.17	.04	/	.36	.15	.45	.03	/	/	17
18	.01	.05	.01	.02	.01	.04	.16	/	.45	.01	.03	/	18
19	.01	.26	.20	/	/	.02	/	.37	.27	/	/	/	19
20	/	.11	.33	/	.89	.05	/	.09	.06	/	.02	/	20
21	.03	.01	.07	/	.05	/	.04	/	/	/	.01	/	21
22	/	/	.05	/	/	.02	/	.07	/	.18	.01	/	22
23	/	.23	/	/	.11	/	/	.30	/	.01	/	.06	23
24	/	.23	.01	/	/	.10	.09	.01	/	.17	.07	.03	24
25	/	.08	.07	/	/	/	.02	.01	.03	.01	.01	/	25
26	/	.01	.02	/	.05	.09	/	.27	.12	.05	.14	.01	26
27	/	/	.02	/	.49	.11	/	1.22	/	.03	/	.02	27
28	/	.01	.04	/	.40	2.98	/	.14	/	/	/	.04	28
29	/	/	.05	/	.12	.04	.88	.02	/	.45	/	.06	29
30	.03	X	.49	/	/	/	.64	.22	/	.01	/	/	30
31	.01	X	.07	X	/	X	.12	.02	X	.06	X	.04	31
Total	1.50	1.37	3.50	2.70	2.45	3.65	3.31	6.02	1.84	5.26	1.13	1.44	YEAR'S TOTAL 34.17
Rain Days.	16	15	26	17	13	11	14	28	16	26	17	16	215

REGISTER OF RAINFALL IN 1918

Kept at *Fairthorne Manor*
in the County of *Damphshire*
by *D. F. Lailey*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Botley*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *70* ft.

FORM A.
BRITISH RAINFALL
6.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	.01	—	.02	.01	—	—	.79	—	—	.42	.06	1
2	—	.13	—	—	—	—	—	.29	—	—	.24	.21	2
3	—	.04	.03	.22	.37	—	—	.63	.04	.02	.04	.04	3
4	—	.19	.03	—	—	—	—	.10	.16	.04	.45	.08	4
5	—	.10	.04	.02	.06	—	—	.28	.04	.18	—	.03	5
6	.20	.11	—	.48	.08	—	—	.12	.08	.06	—	.11	6
7	.02	.13	—	.21	.52	—	—	.04	.18	.09	.30	—	7
8	—	.21	—	—	—	—	—	—	.11	.13	—	.04	8
9	.03	.01	—	.31	—	.13	—	—	.62	.24	—	.43	9
10	.04	—	—	.08	—	.03	.29	—	.34	.05	.03	.49	10
11	.01	—	—	—	—	—	.36	—	.05	.15	.03	.09	11
12	—	.11	—	—	.32	—	.12	—	.13	—	—	.01	12
13	.30	—	—	.02	.09	—	.04	—	.43	.02	—	.05	13
14	.24	.01	.03	—	.02	.10	.43	—	.33	.25	—	.12	14
15	1.64	.02	—	.28	.01	.01	.06	—	.01	—	—	.16	15
16	.45	—	.01	(.12)	—	.04	.29	—	.45	.06	—	.03	16
17	.18	—	.01	.25	—	—	.70	—	.33	—	—	.14	17
18	.53	—	—	—	—	.58	—	—	.71	—	—	.22	18
19	.08	.01	.08	—	—	.04	.34	.05	.03	.04	—	.06	19
20	.04	.15	—	.46	—	.02	.05	—	.49	.04	—	(.04)	20
21	.17	.09	—	.01	—	.02	.28	—	.41	.05	—	.09	21
22	.14	.01	—	—	.11	—	.62	—	.25	—	—	—	22
23	.10	—	—	—	.06	—	.37	.05	.06	—	—	.04	23
24	—	.36	—	—	—	.03	—	—	.22	.02	.16	—	24
25	.02	—	—	.01	—	—	.12	.36	.01	.03	—	—	25
26	—	—	—	.02	—	—	.91	—	.04	—	.06	.18	26
27	.01	.10	.05	.03	—	—	.04	.13	.09	.04	.14	.01	27
28	—	.02	.19	.03	—	.01	—	—	—	.01	.21	.05	28
29	—	—	.04	.05	—	—	—	—	1.04	.01	.01	.02	29
30	—	X	.44	—	—	—	—	—	.03	.05	.14	.02	30
31	.03	X	.09	X	—	X	—	.03	X	.16	X	—	31
Total	4.32	1.81	1.10	2.32	1.65	1.04	5.05	2.84	6.44	1.44	2.62	2.85	34.14
Rain Days.	19	19	12	18	11	11	16	12	24	22	13	26	206

REGISTER OF RAINFALL IN 1919

Kept at Fairthorne Manor
in the County of Hampshire
by W. J. & L. Lacey

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Batley L.S.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	—	.11	—	.02	—	.23	—	—	.09	.03	1.15	1
2	.39	—	.04	—	.05	—	.08	—	.27	.01	.05	.04	2
3	.40	—	.67	.01	.03	—	.02	—	.03	—	—	.25	3
4	.29	.06	.50	—	—	.03	.02	.04	.06	—	.12	.06	4
5	.01	.43	.74	—	—	—	.03	—	.39	—	.13	.18	5
6	.36	.01	.10	—	.18	—	—	—	—	—	—	.23	6
7	.11	—	.47	—	—	—	—	—	—	—	—	—	7
8	.35	—	.16	.08	—	—	—	—	—	—	—	—	8
9	.25	—	.14	.23	.17	—	—	—	—	—	.19	—	9
10	.66	—	.33	.04	—	—	—	—	—	—	—	.31	10
11	.15	—	.04	.24	.10	—	.08	—	—	—	—	.03	11
12	.03	—	.05	.07	—	—	.06	—	—	.13	.12	—	12
13	.05	—	.02	.85	—	—	.07	—	—	—	—	.08	13
14	.36	.06	—	.25	—	—	—	—	.47	—	—	.16	14
15	.23	.12	—	.05	—	—	—	—	—	.05	—	1.46	15
16	.09	.80	—	—	.02	—	—	—	—	—	.12	—	16
17	—	.14	—	—	—	—	—	—	—	—	.07	.05	17
18	—	.15	.26	—	—	—	—	.05	—	—	.12	.02	18
19	.45	.49	1.20	—	—	.15	.39	.12	—	—	.04	.02	19
20	.65	.09	.13	—	—	.43	—	.20	—	—	—	—	20
21	.03	.60	—	—	—	—	.03	—	—	—	.02	.07	21
22	—	.01	.01	—	—	—	.20	—	.48	—	.02	.17	22
23	—	.01	—	—	—	—	—	—	—	—	.02	.13	23
24	—	.07	—	.03	—	.05	.03	—	—	.39	.13	.24	24
25	.06	.04	—	.08	—	—	—	.30	—	—	—	.18	25
26	.02	.15	.01	.05	—	—	—	.03	.12	—	.36	.45	26
27	.10	—	.09	.38	—	—	—	1.02	—	—	.02	.03	27
28	.15	—	.50	—	—	—	—	.45	—	—	.53	.50	28
29	.02	—	—	—	—	—	—	.37	—	.12	—	.07	29
30	—	~~X~~	—	.20	—	.10	—	.71	—	—	.70	.70	30
31	—	~~X~~	.14	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	.22	31
TOTAL	5.65	3.23	5.71	2.56	.57	.76	1.25	3.29	1.82	.79	2.79	6.80	YEAR'S TOTAL 35.22
Days with ".01 in. or more	24	16	21	14	7	5	12	10	7	6	18	25	165

REGISTER OF RAINFALL IN 1920.

Kept at *Fairthorne Manor*
in the County of *Hampshire*
by *D. F. Lacey*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Bottley*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *—* in.
" " " " Sea Level *70* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.01	.06	.37	.20	—	.33	.02	—	.66	.59	.35	1
2	.08	—	.03	.08	.02	—	.21	.30	.06	.09	—	.16	2
3	.04	.01	—	.12	.11	—	.15	—	.01	.32	—	.03	3
4	—	.05	.02	—	—	—	.29	.33	—	.35	—	.04	4
5	—	—	.16	.22	—	—	1.01	.45	—	.57	—	—	5
6	—	—	.13	—	.35	—	.33	—	—	.02	—	.02	6
7	.05	—	.01	.15	—	—	.23	—	—	—	—	—	7
8	.02	.02	—	.06	.27	—	.22	—	—	—	—	—	8
9	.27	.05	.03	.04	—	.07	.07	—	—	—	—	—	9
10	.85	.17	.07	.01	—	.21	.31	—	—	—	—	.09	10
11	.15	—	.08	.56	.07	.03	.42	—	—	—	—	—	11
12	.10	.08	.10	.22	—	.88	—	—	—	—	.06	—	12
13	.22	.01	.35	.01	—	—	—	—	—	—	.01	—	13
14	—	.04	.43	.46	—	—	.01	—	.18	.15	.75	—	14
15	.07	.02	.06	.30	.07	.04	—	—	.35	.36	.13	.02	15
16	—	.02	.01	.08	—	.05	—	—	.22	.03	—	.03	16
17	.02	—	—	.06	.27	—	.03	—	.63	—	—	—	17
18	.14	.01	.02	.03	.07	.16	—	.45	.07	—	—	.03	18
19	.03	—	—	.22	—	.04	—	—	.03	—	.02	.01	19
20	.06	.07	—	.16	—	.72	—	—	—	—	—	.11	20
21	—	—	—	.03	—	—	.83	—	.08	—	—	.22	21
22	.04	—	—	.32	—	—	.03	.05	.04	—	—	.34	22
23	—	—	—	—	—	—	.26	—	—	—	—	.41	23
24	.03	—	.21	—	—	—	—	—	—	—	.04	.14	24
25	.02	—	.02	.02	.21	—	.40	—	—	—	—	—	25
26	.05	—	.22	—	.01	.04	.04	—	—	—	.04	.09	26
27	.54	.04	.02	.20	.01	.08	.18	—	—	—	.22	.27	27
28	.48	.03	.02	.02	.06	—	.10	—	—	—	.02	.05	28
29	.63	—	.04	.04	.08	.05	—	—	—	—	.15	.33	29
30	.08	~~X~~	—	.01	—	—	.02	—	.31	.01	.43	.27	30
31	.06	~~X~~	.31	~~X~~	—	~~X~~	—	—	~~X~~	.65	~~X~~	.17	31
TOTAL	~~4.10~~ 4.00	.63	2.40	3.79	1.80	2.37	5.47	1.60	1.98	3.21	2.46	3.18	32.89
Days with ".01 in. or more	24	15	22	25	14	12	21	6	11	11	12	21	194
Days with ".04 in. or more	19	7	13	18	11	11	17	5	9	8	9	15	142

Kept at Burpham
in the County of Hants
by W. Sinclair

FAREHAM
BURPHAM HSE
HANTS
1912 - 1919

FORM A.
BRITISH RAINFALL.
4-JAN 1919
in.
nd 1 ft 6 in.
level 3.0 ft.
ctions for the measurement
ent post-free on application

NOTE.—Rain should be measured of rain and particulars as to the to Dr. H. R. MILL, 62, Camden

Date.	Jan.	Feb.	Mar.								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—		—	—	.20	.30	.01	—	.73	—	.22	1
2	—	—		—	.02	—	.36	.09	—	—	—	—	2
3	—	—		—	—	.26	—	.60	—	—	.01	—	3
4	.29	.03		—	.02	.21	—	.02	—	—	.25	—	4
5	.39	.09		—	—	—	—	.35	—	—	—	—	5
6	.43	.24		—	.17	—	—	.35	—	—	—	.07	6
7	—	—		—	.26	.73	—	.03	—	—	—	.03	7
8	.43	.25		—	—	.11	—	.34	—	—	—	—	8
9	.05	.24		.08	—	.02	.06	.14	—	—	—	.14	9
10	—	.05		—	—	—	—	.12	—	—	.12	.37	10
11	.10	.16		—	—	.05	—	.01	—	—	.01	.23	11
12	.01	.08		—	.19	.42	.09	.25	—	.01	—	—	12
13	—	.06		—	—	—	.02	.06	—	—	.02	.07	13
14	.06	—		—	.02	—	—	.16	—	.01	—	.01	14
15	—	.15		—	.06	.51	—	—	—	—	—	.29	15
16	.25	—		—	—	.01	—	.20	—	.09	.12	—	16
17	.76	—		—	.01	.08	—	.23	—	—	—	.27	17
18	.03	—		—	—	—	—	.15	—	—	—	.02	18
19	.06	.08		—	—	.05	.08	.60	—	—	—	—	19
20	—	—		—	—	.01	—	.25	—	.45	.05	—	20
21	—	.12		—	.14	—	—	.18	—	.10	—	—	21
22	.06	.42		—	—	—	—	.26	—	—	—	.07	22
23	.42	.14		—	—	—	—	.38	—	.03	.20	.10	23
24	.18	.02		—	—	—	—	.16	—	—	—	.15	24
25	.16	—		—	—	.24	—	.66	—	.04	.22	.59	25
26	—	.01		—	—	.02	.15	.29	—	.40	.33	.17	26
27	—	—		—	—	.11	.27	—	—	.21	.01	.49	27
28	—	.07		—	—	.15	.18	.18	.02	.61	(.65)	.12	28
29	—	.08		—	—	.02	.44	.12	1.22	.34	—	—	29
30	—	—		—	.08	—	.23	.09	1.13	.15	—	—	30
31	—	—		1	—	1	.22	.08	1	.03	1	.05	31
Total	3.68	2.29	(3.50)	.08	.97	3.20	2.40	6.36	2.37	3.20	(1.99)	3.46	TOTAL 33.50
No. of Rain Days	16	18	(20)	1	10	18	12	29	3	14	(12)	19	(172)

Refuse 108
Wrote re Nov 26
22 Feb 13
Kept at Burgham House, Fareham
in the County of Hampshire
by W. Sinclair Stevenson

FORM A.
BRITISH RAINFALL.
4- JAN 1913
Lat. _____ Long. _____
Nearest Railway Station Fareham
Time of Observation 9.0 A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 30 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	.20	.30	.01	—	.73	—	.22	1
2	—	—	—	—	.02	—	.36	.09	—	—	—	—	2
3	—	—	—	—	—	.26	—	.60	—	—	.01	—	3
4	.29	.03	—	—	.02	.21	—	.02	—	—	.25	—	4
5	.39	.09	—	—	—	—	—	.35	—	—	—	—	5
6	.43	.24	—	—	.17	—	—	.35	—	—	—	.07	6
7	—	—	—	—	.26	.73	—	.03	—	—	—	.03	7
8	.43	.25	—	—	—	.11	—	.34	—	—	—	—	8
9	.05	.24	—	.08	—	.02	.06	.14	—	—	—	.14	9
10	—	.05	—	—	—	—	—	.12	—	—	.12	.37	10
11	.10	.16	—	—	—	.05	—	.01	—	—	.01	.23	11
12	.01	.08	—	—	.19	.42	.09	.25	—	.01	—	—	12
13	—	.06	—	—	—	—	.02	.06	—	—	.02	.07	13
14	.06	—	—	—	.02	—	—	.16	—	.01	—	.01	14
15	—	.15	—	—	.06	.51	—	—	—	—	—	.29	15
16	.25	—	—	—	—	.01	—	.20	—	.09	.12	—	16
17	.76	—	—	—	.01	.08	—	.23	—	—	—	.27	17
18	.03	—	—	—	—	—	—	.15	—	—	—	.02	18
19	.06	.08	—	—	—	.05	.08	.60	—	—	—	—	19
20	—	—	—	—	—	.01	—	.25	—	.45	.05	—	20
21	—	.12	—	—	.14	—	—	.18	—	.10	—	—	21
22	.06	.42	—	—	—	—	—	.26	—	—	—	.07	22
23	.42	.14	—	—	—	—	—	.38	—	.03	.20	.10	23
24	.18	.02	—	—	—	—	—	.16	—	—	—	.15	24
25	.16	—	—	—	—	.24	—	.66	—	.04	.22	.59	25
26	—	.01	—	—	—	.02	.15	.29	—	.40	.33	.17	26
27	—	—	—	—	—	.11	.27	—	—	.21	.01	.49	27
28	—	.07	—	—	—	.15	.18	.18	.02	.61	(.65)	.12	28
29	—	.08	—	—	—	.02	.44	.12	1.22	.34	—	—	29
30	—	—	—	—	.08	—	.23	.09	1.13	.15	—	—	30
31	—	—	—	—	—	—	.22	.08	—	.03	—	.05	31
Total	3.68	2.29	(3.50)	.08	.97	3.20	2.40	6.36	2.37	3.20	(1.39)	3.46	TOTAL for year 33.50
No. of Rain Days	16	18	(20)	1	10	18	12	29	3	14	(12)	19	(172)

REGISTER OF RAINFALL IN 1913

1024
FORM A.
BRITISH RAINFALL
22 JAN 1914

Kept at Fareham Burgham House
in the County of Hampshire
by W. S. Stevenson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.40	.14	.05		.18			.50		.16	.04	1
2		.08					.05		.11	.20	.09		2
3	.05		.03	.07	.30					.14		.22	3
4	.19		.01		.40		.08		.71	.29	.16		4
5	.30	.21	.01			.06	.06		.50	.15	.21	.03	5
6		.05	.04		.18	.16	.44			.88	.21	.56	6
7		.20	.10		.26	.06	.07	1.16		.22	.07	.01	7
8		.04			.20			.17		.14		.07	8
9	.05	.06			.01		.32	.07	.03		.03		9
10							.14			.09	.53		10
11	.73			.32	.05					.75	.56		11
12					.59				.03		.39	.03	12
13	.12		.06					.02	.05		.17		13
14	.29	.01	.18	.01				.01	.06	.03	.08		14
15	.17	.06	.25	.38		.04	.16		.03				15
16	.08		.41	.17			.04		.16		.01		16
17	.32			.03			.03				.04		17
18	.02		.13	.08							.06		18
19	.50		.04		.02	.10	.03		.25		.01		19
20	.10		.42	.11						.41	.04		20
21			.22	.10					.29	.27	.49		21
22	.32		(.20)					.24		.03			22
23			.06			.02					.01	.85	23
24	.07			.08				.09			.04		24
25		.02		.25							.02		25
26				.08				.15		.45		.27	26
27			.33	.04						.08			27
28	.22		.12	.11						.18			28
29	.09		.20	.76	.76			.03		.12		.05	29
30	.46			.06						.13			30
31			.02					1.00		.17			31
Total	4.08	1.13	(2.97)	2.70	2.77	.62	1.42	2.94	2.72	4.68	3.38	2.13	31.54
Rain Days.	18	10	20	17	10	7	11	10	12	19	21	10	165

YEAR'S TOTAL

slip made 2/3/15

cont by rain stat 20.11.15

REGISTER OF RAINFALL IN ~~1915~~ 1914

FORM A.
BRITISH RAINFALL
11 JAN 1915

Kept at Burgham House
Fareham
in the County of Hampshire
by Dr W. Sinclair Stevenson

Lat. _____ Long. _____
Time of Observation 9.0 A.M.
Nearest Railway Station Fareham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground Drift. 200 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	01	—	—	—	—	19	—	—	05	05	1
2	—	—	—	—	—	—	12	02	—	—	19	19	2
3	—	—	06	03	30	—	08	04	—	—	—	03	3
4	—	—	01	16	14	—	02	08	—	—	31	31	4
5	10	—	12	32	15	—	30	10	—	—	10	—	5
6	—	12	02	32	03	04	—	08	—	—	—	49	6
7	03	44	21	11	02	02	20	—	—	—	—	33	7
8	05	30	28	—	—	14	—	13	—	—	—	02	8
9	06	01	97	09	—	10	—	—	13	—	—	2.00	9
10	05	25	—	07	24	—	—	—	20	—	—	—	10
11	—	42	53	—	09	—	88	—	17	—	23	95	11
12	—	16	23	—	—	03	05	—	60	06	—	77	12
13	—	36	13	—	—	—	—	—	28	29	18	74	13
14	—	25	19	—	—	85	12	23	—	50	15	43	14
15	—	—	21	—	—	—	02	45	—	05	40	—	15
16	—	—	—	—	—	—	16	—	15	—	—	—	16
17	—	42	08	—	—	—	—	—	05	—	—	32	17
18	—	—	40	—	—	—	—	—	—	—	—	44	18
19	—	11	50	—	—	—	1.30	—	02	—	13	14	19
20	—	25	22	—	—	05	—	—	—	—	—	26	20
21	—	62	04	—	—	—	—	—	—	22	—	01	21
22	—	05	03	—	17	03	13	07	—	19	—	—	22
23	—	14	15	—	—	63	—	—	—	05	—	—	23
24	—	—	04	—	—	—	01	—	—	05	13	—	24
25	—	—	18	—	—	—	04	26	—	22	02	14	25
26	—	—	—	—	—	—	10	23	—	22	19	48	26
27	09	—	—	—	—	—	—	—	—	—	14	24	27
28	—	04	03	—	41	—	04	—	—	27	31	74	28
29	18	—	19	11	03	—	—	—	—	28	34	—	29
30	02	X	04	15	—	—	—	—	—	15	68	37	30
31	04	X	—	X	07	X	13	—	X	15	X	04	31
Total	62	394	477	136	165	189	370	188	160	270	355	949	37.15
Rain Days.	9	16	25	9	11	9	17	12	8	14	16	23	169
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1915

Kept at Burpham House, Farnham
in the County of Hants
by Dr W.S. Stearn

Lat. _____ Long. _____
Time of Observation 9.0 A.M.
Nearest Railway Station Farnham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 30 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.57	.17	—	—	.03	—	—	.09	.34	.10	—	.87	1
2	.30	.29	.21	.03	—	.02	—	.05	.04	—	—	.23	2
3	.98	—	.13	.26	.06	—	—	—	.08	—	—	.71	3
4	.01	—	—	.03	—	—	—	.46	—	—	—	.56	4
5	.03	.30	—	.01	—	—	—	.14	—	—	—	.52	5
6	.77	.20	.01	.48	—	—	.50	.03	—	—	—	.36	6
7	.21	.41	—	.05	—	—	.10	—	—	—	—	.37	7
8	.03	.80	—	—	—	—	.24	.03	—	—	.03	.03	8
9	.01	.07	—	.06	—	.09	—	.03	—	—	.30	.91	9
10	.11	.02	.01	—	—	—	—	—	—	—	—	.02	10
11	—	—	.12	—	—	—	—	—	—	—	.83	—	11
12	.07	.22	—	.24	.53	—	—	—	—	—	—	—	12
13	—	.56	—	—	1.65	—	—	—	.14	—	.33	—	13
14	.04	—	—	—	—	—	.08	.04	.07	—	—	.56	14
15	.07	—	—	—	.08	—	.06	—	—	—	.09	.20	15
16	—	.67	—	—	.50	—	.94	.35	—	—	—	.33	16
17	—	.36	—	—	.56	—	—	—	—	—	—	.06	17
18	—	.06	—	—	.26	—	—	—	—	—	—	—	18
19	—	.19	—	—	.09	—	.09	—	—	—	—	—	19
20	.25	—	—	.03	.01	—	—	—	—	—	—	.08	20
21	.02	—	.12	—	—	—	—	—	—	.80	—	.23	21
22	.56	.75	.15	—	—	—	.80	—	—	—	—	.20	22
23	—	.10	.10	—	—	.09	.06	—	.33	.50	—	.40	23
24	—	—	.05	—	—	—	.06	—	1.76	.49	—	.12	24
25	—	—	—	—	—	—	.07	—	—	.42	—	.12	25
26	.02	.05	—	—	—	.09	—	—	—	—	—	.87	26
27	—	.05	—	—	—	.09	—	—	—	—	—	—	27
28	—	.06	—	—	—	.15	.02	—	.93	.08	—	—	28
29	—	~~X~~	—	—	—	.45	—	.16	—	.01	.40	.04	29
30	.17	~~X~~	—	—	—	—	—	—	—	.95	.71	.07	30
31	.07	~~X~~	—	~~X~~	—	~~X~~	—	.58	~~X~~	1.00	~~X~~	.38	31
Total	4.29	5.33	.90	1.19	3.77	.98	3.02	1.96	3.69	4.35	2.69	8.24	40.41.
Rain Days.	19	19	9	9	10	7	12	11	8	9	7	24	144
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Burpham House
Fareham
in the County of Hants
by W.S. Stimson Esq. M.D.

Lat. _____ Long. _____
Time of Observation 9.0 A.M.
Nearest Railway Station Fareham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 30 ft.

FORM A.
BRITISH RAINFALL.
4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.05	.06	—	.10	.04	—	—	.20	.20	.27	—	1
2	.35	.19	.02	—	.10	—	—	—	—	.66	.03	—	2
3	—	.47	.06	—	.01	—	.02	—	—	.64	.37	—	3
4	.28	.06	—	—	—	.31	—	—	.32	—	.26	—	4
5	.04	.03	—	.07	.03	.05	—	—	—	.04	.71	—	5
6	—	.06	.05	.03	—	.03	.46	—	—	.04	.42	—	6
7	.02	—	.36	—	.04	.16	—	—	—	.08	.49	.05	7
8	—	—	—	—	.21	—	—	—	—	—	—	.43	8
9	—	—	—	—	.09	—	—	—	—	—	—	.11	9
10	—	.64	.03	.04	—	.10	—	—	—	.02	.02	.17	10
11	.03	.06	.03	.17	—	.03	.08	—	—	—	—	.09	11
12	—	.07	—	.05	.06	.03	.08	—	—	.03	.01	—	12
13	—	.20	.06	—	—	.02	.01	—	—	.02	—	—	13
14	—	.44	—	—	.04	—	—	.11	—	—	—	—	14
15	—	.10	.09	—	—	—	—	.19	—	—	—	—	15
16	.07	.01	.22	.20	—	—	.11	.28	—	.03	—	—	16
17	.76	.40	—	.18	—	—	—	.09	.30	.75	—	—	17
18	—	.03	.07	.18	—	—	—	.03	.20	.11	.48	.12	18
19	.10	—	.11	.06	—	.08	—	—	.02	—	.29	—	19
20	.16	—	.80	.05	—	—	—	—	—	—	.04	.94	20
21	—	—	.30	—	—	—	.05	—	—	—	—	~~.21~~	21
22	—	—	.02	—	.01	.02	—	—	—	.31	—	.58	22
23	.03	.03	—	—	—	.34	—	.05	—	.17	.08	.03	23
24	—	—	—	—	.21	.01	—	.05	—	.29	.15	.40	24
25	—	.54	.20	—	—	—	—	.21	.19	.08	.04	—	25
26	.03	.26	—	—	—	.22	—	.16	.03	.45	—	—	26
27	—	~~.42~~	.97	—	—	.20	—	.02	.16	.20	—	—	27
28	—	.42	.08	—	—	—	—	.08	.47	.32	—	.28	28
29	—	.30	—	—	—	.30	—	<u>1.06</u>	.20	.20	—	.40	29
30	—	X	—	—	.41	.01	—	.01	—	.20	—	—	30
31	—	X	—	X	—	X	—	.05	X	.30	X	.01	31
Total	139	4.36	3.53	1.03	1.31	1.95	.81	2.39	2.09	5.14	3.66	3.80	31.46
Rain Days.	12	20	18	10	12	17	17	14	10	22	15	14	171

REGISTER OF RAINFALL IN 1917

Kept at Burpham House, Farnham
in the County of Hampshire
by W.S. Stevenson Esq. M.D.

Lat. _____ Long. _____
Time of Observation 9.0 A.M.
Nearest Railway Station Farnham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 30 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	22	14		01	-	1.24	07	-	05	-	1
2	-	-	08	53		-	-	-	-	-	25	-	2
3	02	-	-	34		-	39	22	-	05	05	-	3
4	-	03	23	-		-	02	13	-	23	-	02	4
5	12		04	17		17	-	1.02	14	46	08	-	5
6	-		25	-		-	-	31	02	06	11	-	6
7	26		-	-			14	-	-	23	-	04	7
8	30		14	06			21	09	03	30	20	40	8
9	-		02	03				-	-	06	03	01	9
10	20		23	22	22			19	-	05		02	10
11	12		25	15	-			03	-	37		-	11
12	16		04	-	03			08	-	23		-	12
13	02		29	01				07	07	21		-	13
14			01	04				1.17	-	01		-	14
15				-			08	39	-	15		07	15
16		27		08			-	03	-	83		43	16
17		02		17	03		43	13	40	18			17
18		05			08		11	09	49	01			18
19		33	01		-	07	-	06	43	-			19
20		11	28		1.01	07	-	-	03	-			20
21		-	05		-	-	13	-		03			21
22		-	05		-	01	-	02		18			22
23		23	-		12	-	-	20		-			23
24		18	-		-	06	13	-		21		02	24
25		10	05		-	-	04	-				-	25
26		-	-		14	-	-	30	11		22	-	26
27		-	-		46	10	-	1.42			-	-	27
28		-	07		07	1.84	-	17			-	01	28
29		~~X~~	02		07	10	49	01		44	-	08	29
30	02	~~X~~	40		-	-	51	21		-	-	01	30
31	-	~~X~~	14	~~X~~	-	~~X~~	15	02	~~X~~	04	~~X~~	02	31
Total	1.22	1.32	2.87	1.94	2.23	2.43	2.83	7.60	1.79	4.33	.99	1.13	YEAR'S TOTAL 30.68
Rain Days.	9	9	21	12	10	9	13	24	10	21	8	12	158

REGISTER OF RAINFALL IN 1918

Kept at *Burpham House*
in the County of *Fareham Hants*
by *Dr. W. Sinclair Stevenson*

Lat. _____ Long. _____
Time of Observation *9.0 A.M.*
Nearest Railway Station *Fareham*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
" " " " Sea Level *30* ft.

BRITISH RAINFALL
FORM A.
4.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	'05	—	—	—	—	—	—	'34	'06	1
2	—	'08	—	'010	—	—	—	'73	—	—	'34	'15	2
3	—	—	—	'22	'40	—	—	'35	—	'03	'08	'05	3
4	—	'09	'03	—	—	—	—	'15	'15	—	'52	'04	4
5	—	'02	'03	—	'15	—	—	'39	'05	'11	—	—	5
6	'15	'06	—	'19	—	—	—	'12	'03	'01	—	'07	6
7	—	'09	—	'20	'46	—	—	'02	'23	—	'32	—	7
8	—	'05	—	—	—	—	—	—	'15	'14	—	'04	8
9	'02	—	—	'26	—	'24	'16	—	'37	'14	—	'64	9
10	'02	—	—	'06	—	'07	'06	—	'32	—	—	'24	10
11	—	—	—	—	—	—	'18	—	'05	'14	—	'14	11
12	—	'10	—	—	'24	—	—	—	'11	—	—	—	12
13	'40	—	—	—	'07	—	'25	—	'26	—	—	—	13
14	'16	—	—	—	'01	—	'04	—	'26	'17	—	—	14
15	'30	—	—	'20	—	'06	'09	—	—	—	—	'23	15
16	'37	—	—	'03	—	'10	—	—	'70	'04	—	—	16
17	'21	—	—	'20	—	'02	'29	—	—	—	—	'18	17
18	'39	—	—	—	—	'45	—	—	'78	—	—	'17	18
19	'03	—	'10	—	'25	'02	'30	'05	—	—	—	—	19
20	'03	'15	—	'42	—	—	'03	—	'23	'05	—	—	20
21	'14	'03	—	—	—	—	—	—	'33	'07	—	'18	21
22	'16	'01	—	—	'15	—	'29	—	'13	—	—	'12	22
23	'09	—	—	—	'05	—	'04	—	'10	—	—	'04	23
24	—	'33	—	—	—	—	'29	'23	'17	—	'11	—	24
25	—	—	—	'14	—	—	—	—	—	'03	—	—	25
26	—	—	—	—	—	—	'25	—	'03	—	'05	'18	26
27	—	'11	'04	—	—	—	—	'09	'20	'01	'19	'01	27
28	—	—	'16	'01	—	—	—	—	—	—	'16	'03	28
29	—	—	'04	—	—	—	—	—	'65	—	—	—	29
30	—	X	'45	—	—	—	—	—	—	'04	—	—	30
31	—	X	'20	X	—	X	—	—	X	'20	X	—	31
Total	3'47	1'12	1'05	2'08	1'78	'96	2'27	2'13	6'30	1'18	2'11	2'57	27'02
Rain Days.	14	12	8	13	9	7	13	9	21	14	9	18	147

REGISTER OF RAINFALL IN 1919.

Kept at Burpham House

in the County of Hants

by W. S. Sturges - R.D.

Lat. _____ Long. _____

Time of Observation 9.0 A.M.

Nearest Railway Station Farnham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Sea Level 3.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	-	.04	.05	.01	-	.10	-	-	.09	-	1.03	1
2	.28	-	-	-	.13	-	.10	-	.19	-	-	.05	2
3	.52	-	.56	-	.02	-	.11	-	-	-	-	-	3
4	.32	-	.50	-	-	.01	.01	.05	.03	-	.15	-	4
5	-	.47	.96	-	-	-	-	-	.20	-	.15	.21	5
6	.33	.1	.08	-	.14	-	-	-	-	-	-	.14	6
7	.12	-	.47	-	-	-	-	-	-	-	-	-	7
8	.20	-	.24	.04	-	-	.1	-	-	-	-	-	8
9	.13	-	.08	.12	.10	-	-	-	-	-	.23	-	9
10	.68	-	.14	.04	-	-	-	-	-	-	-	.21	10
11	.28	-	.08	.26	.05	-	.03	-	-	-	-	.03	11
12	.03	-	-	.02	-	-	.10	-	-	.08	-	-	12
13	.02	-	.05	.44	-	-	-	-	-	-	-	.07	13
14	.26	.02	-	.12	-	-	.09	-	.30	.02	-	-	14
15	.11	.15	-	.07	.01	-	-	-	-	-	-	1.19	15
16	.06	.79	-	-	-	-	-	-	-	-	12	-	16
17	-	.18	.22	-	-	-	-	-	-	-	18	.05	17
18	-	.09	.95	-	-	-	-	.05	-	-	12	-	18
19	.26	.40	.04	-	-	.10	.31	.15	-	-	.04	-	19
20	.53	.08	-	-	-	.46	-	.18	-	-	-	-	20
21	.03	.48	-	-	-	-	-	-	-	-	-	.05	21
22	-	-	-	-	-	-	.20	-	-	-	-	-	22
23	-	-	-	-	-	.04	-	-	.43	.05	.04	-	23
24	-	.02	-	-	-	-	.04	-	.15	.35	.09	.17	24
25	.04	.02	-	.06	-	-	-	.30	-	-	-	.18	25
26	-	.14	.05	.05	-	-	-	.05	-	-	.26	.53	26
27	.10	-	.06	.30	-	-	-	.59	.06	-	.02	.03	27
28	.09	-	.44	-	-	-	-	.87	-	-	.75	.50	28
29	-	~~X~~	-	.03	-	-	-	.26	-	.11	-	.15	29
30	-	~~X~~	-	.20	-	.09	-	.61	-	-	.62	.63	30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	.14	31
TOTAL	4.79	2.84	4.96	1.80	.46	.70	1.09	3.11	1.36	.70	2.77	5.41	YEAR'S TOTAL
Days with 0.1 in. or more	21	12	17	14	7	5	10	10	7	6	13	18	140

Kept at Fareham
in the County of Hants
by H. R. P.

FAREHAM
THE MOUNT
HANTS

1911 - 20

FORM A2.
BRITISH RAINFALL
23 JAN 1912

1 ft. 6 in.
level 250 ft.

Direction
result entered to the
rule, he is earnestly

IMPORTANT NOTE
previous day. If an
requested to add the re... on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 03	in.	in.	in. 35	in.	in.	in.	in.	in.	in.	in. 04	in. 01	1
2				08	33						29	24	2
3					13			05			15	06	3
4				05						01	13	28	4
5		01		01		16		01		37			5
6	19		07									81	6
7	02									68	75	01	7
8	02		20								30	46	8
9	21										02	23	9
10		16	18									63	10
11	28		03								97		11
12			82								33	08	12
13					05				23	06		51	13
14		10			03							40	14
15		01									11	05	15
16						46					70	25	16
17						11					51	18	17
18		16	07	01						03	36	32	18
19		07				09			31	15	01	21	19
20	02		09					06	14			71	20
21	02	16						01		37		25	21
22	15	01	04	01		05		63		15	01	58	22
23		08				50			16	44		30	23
24	01	11				25		21		144		52	24
25			02	06	79	10		06	02	01		12	25
26				30	3.13	02	50			27		39	26
27		44	12	03					07		13	22	27
28		17		21				21					28
29				08		16			19	45			29
30				11		05				31		01	30
31													31
Total	95	1.48	1.64	1.30	4.46	1.95	50	1.24	1.12	4.74	4.81	7.83	TOTAL for year 32.02
No. of Rain Days	10	12	10	12	6	11	1	8	7	14	16	26	133

DL

23 JAN 1912
BRITISH RAINFALL
FORM A2

Kept at Fareham, The Mount
in the County of Hampshire
by H. P. Pink

Pattern _____
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 250 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03			35							04	01	1
2				08	33						29	24	2
3					13			05			15	06	3
4				05						01	13	28	4
5		01		01		16		01		37			5
6	19		07									81	6
7	02									68	75	01	7
8	02		20								30	46	8
9	21										02	23	9
10		16	18									63	10
11	28		03								97		11
12			82								33	08	12
13					05				23	06		51	13
14		10			03							40	14
15		01									11	05	15
16						46					70	25	16
17						11					51	18	17
18		16	07	01						03	36	32	18
19		07				09			31	15	01	21	19
20	02		09					06	14			71	20
21	02	16						01		37		25	21
22	15	01	04	01		05		63		15	01	58	22
23		08				50			16	44		30	23
24	01	11				25		21		144		52	24
25			02	06	79	10		06	02	01		12	25
26				30	3.13	02	50			27		39	26
27		44	12	03					07		13	22	27
28		17		21				21					28
29				08		16			19	45			29
30				11		05				31		01	30
31													31
Total	95	1.48	1.64	1.30	4.46	1.95	50	1.24	1.12	4.74	4.81	7.83	TOTAL for year 32.02
No. of Rain Days	10	12	10	12	6	11	1	8	7	14	16	26	133

6.11.13 W J.C.
REGISTER OF RAINFALL IN 1912

100
FORM A2.
BRITISH RAINFALL

Kept at The Mount, Fareham
in the County of Hampshire 5
by H. R. Pink

RAIN GAUGE
Pattern
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12		02	20	23		02	76		22	1
2			14				44	15					2
3	02		05			26		65			03	01	3
4	26	06	71		02	20		06			21		4
5	30	15	15		01			30				06	5
6	55	01			08	01		36				05	6
7		01	04		35	72	01	03				07	7
8	48	26	26	02		12		19					8
9	03	23	08	08		03	05	09				15	9
10		02						26			13	36	10
11	11	25				01		01			01	24	11
12	02	06	09		22	46	06	25		02			12
13		05	04				02	13			03	10	13
14	03		01		03			10				02	14
15	09	19	18		07	50						34	15
16	15		10			05		20		10	11		16
17	86		21		01	09		22				23	17
18	02		23					19		02			18
19	07	04	17			09	03	60					19
20	01		28					29		45	06		20
21	01	18	16		20			18		09			21
22	05	50	08		0054			26				07	22
23	45	07	24		005	09		39		05	22	09	23
24	19	04	01			01		21		01		30	24
25	18					24		80		01	23	39	25
26		02					15	21		50	39	12	26
27		01		01		15	28			18		50	27
28		05				11	15	22	03	71	62	17	28
29		07				02	43	03	1.18	45			29
30					07		27	05	1.18	15			30
31			11		01		19	12		11		03	31
Total	3.88	2.27	3.46	11	1.10	3.36	2.31	6.55	2.41	3.61	2.04	3.52	TOTAL for year 34.62
No. of Rain Days.	20	20	22	3	13	19	13	28	4	15	11	20	188

REGISTER OF RAINFALL IN 1913

104
FORM A.
BRITISH RAINFALL
22 JAN 1914

Kept at Fareham, The Mount
in the County of Hampshire
by H. R. Pink

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.04	.40	.14	.05		.34			.42		.12	.08	1
2	.01	.10		.03			.05		.15	.32	.06		2
3	.22		.04	.10	.50					.73		.25	3
4	.38		.03		.21		.06		.73	.11	.06		4
5	.01	.21	.03			.05	.06		.61		.27	.53	5
6		.06	.05		.13	.05	.36			.65	.15		6
7		.22	.11		.21	.06	.04	.69		.40	.06		7
8		.10			.24	.03		.10		.30		.06	8
9		.02			.02		.12	.02	.05		.02	.01	9
10				.02			.17			.02	.53		10
11	.82			.33	.02					.68	.44	.01	11
12					.80				.02		.33		12
13	.20		.08						.02		.23		13
14	.20		.20				.02	.07		.04	.05		14
15	.16	.07	.32	.40			.18		.05				15
16	.07		.38	.11					.11				16
17	.29			.04		.01	.08				.08		17
18			.22	.08		.03							18
19	.49		.02		.005		.02		.23				19
20	.16		.53	.14						.45	.02		20
21			.28	.11	.005					.39	.44		21
22	.35		.20					.06	.25			.03	22
23			.03					.18				.82	23
24	.08			.06				.06			.05		24
25				.22						.06			25
26		.02	.34	.06				.17		.40		.29	26
27				.04				.01		.10			27
28	.18			.12						.14			28
29	.12		.16	.86	.67			.03		.07		.07	29
30	.48			.06				.89		.11			30
31			.03							.31			31
Total	4.26	1.20	3.21	2.83	2.81	.57	1.16	2.28	2.64	5.28	2.91	2.15	31.30
Rain Days.	18	9	19	18	10	7	11	11	11	18	16	10	159

YEAR'S TOTAL
158

REGISTER OF RAINFALL IN 1914

Kept at The Mount, Fareham
in the County of Hampshire
by H. B. Pink

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				01				22			05	12	1
2											10	14	2
3			08	04	29		04	06			01	02	3
4	01		01	16	15		02	15			28	24	4
5	03		03	31	10		31				08		5
6		15	09	28				09				25	6
7	05	25	03	10		05	16	01				48	7
8	07	49	31	04	06	01		12	07			08	8
9	06		78	07								1.67	9
10	07	40		08	20				15				10
11		28	46		03	01	56		21		14	80	11
12		08	23				01		42	04	01	1.00	12
13		28	10						24	29	05	54	13
14		18	12			87	18	22		46	20	32	14
15			12				01	40		08	41		15
16							17		19				16
17		38	08						01			34	17
18		02	30									38	18
19		11	69				96				15	10	19
20		28	12			06			01			15	20
21		56	03							18		02	21
22		03	10		04	01	15	05		28			22
23		21	16			60				05			23
24			03				01			05	13	20	24
25			16				03	13		20	03	48	25
26	05						08	34		16	16	50	26
27	07									01	03	22	27
28		03			29					20	42	73	28
29	19		19	19	07					30	20		29
30	01		06	14						15	50	37	30
31					03		09			13		04	31
Total	61	3.73	4.28	1.42	1.26	1.61	2.78	1.79	1.30	2.58	2.95	9.19	33.50
Rain Days.	10	16	23	11	10	7	15	11	8	15	18	24	168

REGISTER OF RAINFALL IN 1915

Kept at Mount Fareham

in the County of Hampshire

by H. R. Pink

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.55	16						.11	.28	.10	.01	.61	1
2	.48	.21	.17	.10	.02			.05	.06	.28		.50	2
3	.84		.14	.15	.05	.01			.01			.50	3
4	.01			.02	.01			.22				.40	4
5	.05	.10		.03				.11				.40	5
6	.71	.37		.43			.50	.02				.42	6
7	.16	.20		.03			.05	.01				.35	7
8	.01	1.02		.07			.10	.01			.03	.30	8
9	.01	.17		.02		.10		.05			.24	.70	9
10	.10		.05							.02		.08	10
11	.01		.07								.40	.01	11
12	.08	.48		.19	.44					.02	.76		12
13		.23			1.73				.13				13
14	.02						.05	.03	.04			.60	14
15	.05				.08		.10	.03	.01		.07	.23	15
16	.03	.69			.80		.80	.16				.26	16
17		.20			.44			.01					17
18		.22			.10		.03				.02		18
19		.06			.08		.04						19
20	.21			.01	.03							.01	20
21	.04						.02			.59		.27	21
22	.52	.49	.22	.005			.62					.60	22
23		.06	.08	.005		.09	.04		.40	.45		.33	23
24			.15				.06		1.51	.58		.21	24
25			.05	.005			.04					.11	25
26		.04				.07	.12					.85	26
27		.04				.08	.02			.33			27
28		.06				.14	.01		.80	.12		.01	28
29						.65		.09		.02	.20	.04	29
30	.16	X				.06				.40	.79	.05	30
31	.04	X		X		X		.41	X	1.27	X	.31	31
Total	4.08	4.80	.93	1.065	3.78	1.20	2.60	1.31	3.24	4.18	2.52	8.15	37.855
Rain Days.	20	18	8	12	11	8	16	14	9	12	9	25	162

REGISTER OF RAINFALL IN 1916

734
83
FORM A.
BRITISH RAINFALL

Kept at Mount Fitcham
in the County of Hampshire
by H. R. Pink

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08	12	08		11	02			26	50	28		1
2	17	06	02		20		01			31	02		2
3	01	40	04				04			57	03		3
4	11	10				23			34		20		4
5	04	02	03	02	12	07				01	50		5
6	01	04	21	02	01		55			03	34		6
7	0051		20		02	10	03			06	49	06	7
8	005				21							44	8
9					15	01						19	9
10		70	02	04	01	01	05					16	10
11			04	16		06						05	11
12	05	05	01	04	06	03	06			01		04	12
13		17	02	02		02	01	01					13
14		38	01		04			16		05			14
15		06	15					33					15
16	15		30	16			09	11		02			16
17	10	38		14				08	17	69			17
18		02	05	07					30	09	46	15	18
19	06		45	03		08			01	01	29		19
20	11		50	05			10				03	99	20
21	01		26									09	21
22						01		01		16		65	22
23	02	02				16				19	04		23
24		70			13	40		08		27	14	39	24
25		05	23					27	01	01			25
26	03	02				12		22	17	45		18	26
27		01	64			16		03	28	25			27
28		30	40					20	40	32	04	39	28
29		46				26		90	31	15			29
30		X			37	X				17		01	30
31		X		X				05	X	15	X	02	31
Total	96	4.06	3.66	75	1.43	1.74	94	2.45	2.25	4.47	2.86	3.81	29.38
Rain Days.	15	20	20	11	12	16	9	13	10	22	13	15	176

703
77
REGISTER OF RAINFALL IN 1917

Kept at Fareham, The Mount-
in the County of Hampshire
by H. R. Pink

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01		14	12		02		1.03	06		05		1
2			10	18						03	25		2
3	01			20			33	24			15		3
4		18	25				03	06		19			4
5	20		20	16		18		22	16	46	14		5
6			13						02	04			6
7	10						08			30		03	7
8	41		20	05			20	10	03	11	15	38	8
9			15	01	10					07	05	02	9
10	26		08	21	22	01		13		10			10
11	05		24	10						19			11
12	10		02					05		17			12
13	01		32	03	03			06	01	18			13
14								40					14
15					01		04	60		21		02	15
16		12		13	07			04		20		47	16
17				14	05		05	05	45	40			17
18		07			01	05	40	08	45	03			18
19		45	15					05	15				19
20			20		1.34	03		07		(02)			20
21	01		03			01	26			09	01		21
22			03			02			03		01	01	22
23		22			09			02		08		04	23
24		30				04	13	12		15			24
25		10	09				01						25
26					20				09	01	21		26
27					34	18		1.20					27
28					03	1.71		64					28
29			40		15	15	42	02		36			29
30		X	06				48	20	01				30
31		X		X		X	30	01	X	03	X	13	31
Total	1.16	1.44	2.79	1.33	2.64	2.40	2.73	5.39	1.46	3.42	1.02	1.10	26.88
Rain Days.	10	7	18	11	13	11	13	22	11	22	9	8	155

YEAR'S TOTAL

82 ✓ REGISTER OF RAINFALL IN 1918

Kept at Fareham, The Mount

in the County of Hampshire

by H. D. Pink

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

68
FORM A.
BRITISH RAINFALL.
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				03				01			15	10	1
2		10		07				99			50	16	2
3		06		30	32			18			05		3
4		05	03					08	08	09		05	4
5		02	05		13			03	01	01		03	5
6	16	08		19				48	03	03		06	6
7		06		20	40			03	12		65		7
8		04							13	04		03	8
9	01	15		25		11	20		42	14		50	9
10	01			07		13	10		32	07	01	30	10
11	01						22		02	09	02	04	11
12		06			20				27			06	12
13	25				12		13		01			03	13
14	25		02			04	16		44	17		24	14
15	119			10		12	06		01			06	15
16	36			08		01	01		62	05			16
17	40			22			29					15	17
18	20					35			62			15	18
19	04		11		34	11	16	04	24				19
20				39		01	10		14	04			20
21	16	15					02		06	06		05	21
22					17		30		12			24	22
23							35	01	20			04	23
24	26					01	15		13		14		24
25		25		04			15	29		02			25
26							33		01	01	04	02	26
27		16	03				05	05	18		15	10	27
28			13	10							21		28
29			06	01					1.40			03	29
30		X	41						02	05	10	02	30
31		X	24	X		X		03	X	20	X		31
Total	3.30	1.18	1.08	2.05	1.68	.89	2.78	2.22	5.60	1.07	2.02	2.46	26.33
Rain Days.	13	12	9	14	7	8	17	12	24	15	11	22	165
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1919

Kept at Fareham, The Mount
in the County of Hampshire
by H. P. Pink

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36		.03		.005		.09			.06		1.02	1
2	.30		.01		.08		.01		.14		.02	.02	2
3	.57		.60				.02		.01		.15	.28	3
4	.32	.05	.30					.04	.03		.24	.03	4
5		.40	1.26			.02	.02		.24			.17	5
6	.27		.09		.14						.01	.14	6
7	.15		.39										7
8	.16		.29	.20									8
9	.18		.01	.02	.15						.19		9
10	.71		.08									.26	10
11	.22		.09	.23	.06		.02						11
12	.01		.11				.09			.06			12
13	.01		.02	.50			.02				.10	.05	13
14	.21	.06		.06			.07		.40			.06	14
15	.09	.18		.04								1.19	15
16	.07	.95									.16		16
17		.17										.04	17
18		.07						.03			.02	.01	18
19	.24	.48	1.14				.25	.03	.01		.08		19
20	.60	.02	.04			.50		.22					20
21	.01	.42									.01	.04	21
22							.19		.51	.02		.12	22
23										.41	.03	.09	23
24								.05			.07	.06	24
25		.03		.31		.05		.25				.24	25
26	.04	.15	.25				.02	.03			.20	.45	26
27	.16							.80	.06		.10	.04	27
28	.08		.33	.03				.55			.64	.50	28
29								.24		.10		.15	29
30		X		.19		.10		.63			.46	.55	30
31	.01	X	.05	X		X			X		X	.16	31
Total	4.77	2.98	5.09	1.58	.435	.67	.80	2.87	1.40	.65	2.48	5.67	29.395
Rain Days.	22	12	18	9	5	4	11	11	8	5	16	23	144

54
REGISTER OF RAINFALL IN 1920.

Kept at Fareham, The Mount

in the County of Hampshire

by H. R. Pink

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09			.16									1
2			.06	.08									2
3	.08												3
4		.10	.01	.01									4
5			.17	.16									5
6			.14	.12									6
7	.02			.02									7
8	.01			.05									8
9	.02	.02	.03	.05									9
10	.61	.13	.12	.02									10
11	.37		.07	.46									11
12	.11	.03	.02	.03									12
13	.23		.17										13
14	.02		.40	.30									14
15	.05		.03	.30									15
16				.02									16
17	.01												17
18	.05		.03										18
19	.07	.05		.24									19
20	.11	.02		.03									20
21				.31									21
22	.03												22
23													23
24			.08										24
25		.02	.02										25
26	.03		.42										26
27	.32	.01	.04	.13									27
28	.47			.03									28
29	.51		.11	.04									29
30	.05	~~X~~											30
31	.01	~~X~~	.35	~~X~~	~~X~~			~~X~~		~~X~~			31
TOTAL	3.27	.38	2.27	2.56									YEAR'S TOTAL
Days with ".01 in. or more	22	8	18	20									

REGIST

Kept at Fareham House
Fareham
 in the County of Southampton
 by D. Sinclair &

FAREHAM
 FAREHAM HSE

1920

IMPORTANT NOTE.—
 previous day. If an Observ
 requested to add the reading
 for it at the end of this pa
 the selection and placing of
 Organization are given in "R
 Dr. H. R. MILL, 62, Camden

FORM A.
 BRITISH RAINFALL
 18 JAN 1921
 A. H. -
 chann
 in.
 ound 1 ft. 6 in.
 a Level 3.0 ft.
 result entered to the
 l rule, he is earnestly
 n the space provided
 of rain,
 Rainfall
 ication to
 Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				26	19					72	43	35	1
2					03		25	23	07	12			2
3	02		08	09			05			17		10	3
4	05						42	19		27		02	4
5			12	07			87			55			5
6			26		38		55			02		03	6
7				09	03		25						7
8				03	06		25						8
9	35	14		04		05	21						9
10	76		15			17	18						10
11	15		08	46	07	01	38					05	11
12	10		02	26		91					04		12
13	23	02	20	06							01		13
14			40	36					13	73	15	59	14
15	08		04	17	10	08			62		03		15
16			01	26		08	01		11	58			16
17				06	19		01			05			17
18	13					10		56	16				18
19	02			20		08			19				19
20		08		12		80							20
21							80		08			31	21
22	03			30				03	01			24	22
23							34					40	23
24			18								03	15	24
25		03	02		41		40				03		25
26	04		55			03	05					06	26
27	43			15	05	08					20	15	27
28	40		03				14				02	24	28
29	59		09	06	11						08	11	29
30		X					02		22		36	24	30
31		X	26	X		X			X	83	X	18	31
Total	3.38	2.27	2.49	3.04	1.62	2.39	5.18	1.01	1.59	3.46	1.82	2.63	YEAR'S TOTAL 28.88
Rain Days.	15	4	16	18	11	11	18	4	9	10	11	15	142

REGIST

Kept at Farcham House
Farcham
 in the County of Southampton - Hants
 by Dr. Sinclair Stevenson

Time of day 10 A.M.
 Nearest Railway Station Farcham
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 30 ft.

FORM A.
 BRITISH RAINFALL.
 8 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				26	19					72	43	35	1
2					03		25	23	07	12			2
3	02		08	09			05			17		10	3
4	05						42	19		27		02	4
5			12	07			87			55			5
6			26		38		55			02		03	6
7				09	03		25						7
8				03	06		25						8
9	35	14		04		05	21						9
10	76		15			17	18						10
11	15		08	46	07	01	38					05	11
12	10		02	26		91					04		12
13	23	02	20	06							01		13
14			40	36					13 73	15	59		14
15	08		04	17	10	08			62		03		15
16			01	26		08	01		11	58			16
17				06	19		01			05			17
18	13					10		56	16				18
19	02			20		08			19✓				19
20		08		12		80							20
21							80		08			31	21
22	03			30				03	01			24	22
23							34					40	23
24			18								03	15	24
25		03	02		41		40				03		25
26	04		55			03	05					06	26
27	43			15	05	08					20	15	27
28	40		03				14				02	24	28
29	59		09	06	11						08	11	29
30		X					02		22		36	24	30
31		X	26	X		X			X	83	X	18	31
Total	3.38	2.27	2.49	3.04	1.62	2.39	5.18	1.01	1.59	3.46	1.82	2.63	28.88
Rain Days.	15	14	16	18	11	11	18	4	9	10	11	15	142

11 JAN 1921

Kept at *Farlington*
in the County of *Hants*
by *W. R. Mill*

FARLINGTON P.S.
HANTS

1911 - 1920

5 in.
ve Ground 1 ft.
Sea Level 77 ft.
A.M.
Name
Distance Direction
d the result entered to the
iversal rule, he is earnestly
year in the space provided
ement of rain,
British Rainfall
application to
Jan. 1, following.

IMPORTANT NOTE
previous day. If an O
requested to add the rea
for it at the end of th
the selection and placi
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.27				.05			.06	.03	1
2	.03			.08	.30						.35	.17	2
3	.03				.13			.05			.17	.08	3
4			.01	.08						.02	.09	.24	4
5				.01		.04				.41			5
6	.15		.07								.18	.51	6
7	.06									.57	.59	.04	7
8	.03		.16								.26	.44	8
9	.14		.04								.04	.12	9
10		.16	.13		.08							.37	10
11	.23		.03								.95		11
12			.85						.02		.10	.10	12
13			.01		.19				.06	.22		.45	13
14		.10			.08							.46	14
15		.01									.06	.03	15
16						.43					.53	.11	16
17						.05					.38	.19	17
18		.13	.06			.03				.06	.29	.40	18
19		.10				.09			.48	.10	.02	.18	19
20	.04	.01	.08					.03	.14			.69	20
21	.02	.14	.03			.02				.58		.21	21
22	.12	.01	.01			.08		.58		.17	.01	.40	22
23	.01	.08				.39			.17	.27	.01	.18	23
24	.01	.13				.15	.01	.19		1.41		.44	24
25		.06	.01	.08	1.24	.05	.74	.01	.02	.05		.10	25
26				.20	.68	.01	.01			.14		.38	26
27		.39	.10	.05			.06		.06	.21	.06	.19	27
28		.14		.18			.16						28
29				.04		.17	.02		.20	.16			29
30					.02	.10				.19			30
31													31
Total	.87	1.46	1.59	.99	2.72	1.61	.84	1.07	1.15	4.56	4.15	6.51	TOTAL for year 27.52
No. of Rain Days.	12	13	14	9	8	13	5	7	8	15	18	25	147

Kept at Hanington.
in the County of Hampshire
by The Portsmouth Waterworks Co.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 77 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.27				.05			.06	.03	1
2	.03			.08	.30						.35	.17	2
3	.03				.13			.05			.17	.08	3
4			.01	.08						.02	.09	.24	4
5				.01		.04				.44			5
6	.15		.07								.18	.51	6
7	.06									.57	.59	.04	7
8	.03		.16								.26	.44	8
9	.14		.04								.04	.12	9
10		.16	.13		.08							.37	10
11	.23		.03								.95		11
12			.85						.02		.10	.10	12
13			.01		.19				.06	.22		.45	13
14		.10			.08							.46	14
15		.01									.06	.03	15
16						.43					.53	.11	16
17						.05					.38	.19	17
18		.13	.06			.03				.06	.29	.40	18
19		.10				.09			.48	.10	.02	.18	19
20	.04	.01	.08					.03	.14			.69	20
21	.02	.14	.03			.02				.58		.21	21
22	.12	.01	.01			.08		.58		.17	.01	.40	22
23	.01	.08				.39			.17	.27	.01	.18	23
24	.01	.13				.15	.01	.19		1.44		.44	24
25		.06	.01	.08	1.24	.05	.74	.01	.02	.05		.10	25
26				.20	.68	.01	.01			.14		.38	26
27		.39	.10	.05			.06		.06	.21	.06	.19	27
28		.14		.18				.16					28
29				.04		.17	.02		.20	.16			29
30					.02	.10				.19			30
31													31
Total	.87	1.46	1.59	.99	2.72	1.61	.84	1.07	1.15	4.56	4.15	6.51	TOTAL for year 27.52
No. of Rain Days.	12	13	14	9	8	13	5	7	8	15	18	25	147

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Farlington.
in the County of Hants
by Boro' of Portsmouth Waterworks Co.

Lat. _____ Long. _____
Time of Observation 9 am.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09		.01	.18	.26	.05	.01	.71		.17	1
2			.22			.02	.29	.02		.01			2
3	.03		.02			.15	.01	.66	.01		.03	.02	3
4	.19	.05	.66		.02	.34		.01			.21		4
5	.24	.03	.11					.40			.04	.03	5
6	.48	.02			.15	.01	.03	.48	.05			.12	6
7			.04		.30	.66		.02				.09	7
8	.46	.21	.17			.04		.26					8
9	.02	.15	.07	.08		.01	.04	.07				.09	9
10		.04						.55			.15	.30	10
11	.06	.19	.02			.05		.04			.01	.15	11
12	.01	.05	.09		.18	.33	.05	.23					12
13		.07	.02				.09	.29			.01	.07	13
14	.03							.19		.02		.01	14
15	.01	.13	.16		.07	.55		.01				.32	15
16	.17	.01	.13			.01		.12		.05	.09		16
17	.67		.30		.01	.08		.20				.20	17
18	.08		.18					.08		.01		.04	18
19	.07	.04	.12			.02	.01	.51			.01	.01	19
20		.01	.33					.09		.40	.06		20
21		.15	.04		.25			.12		.11			21
22	.05	.41	.09					.32				.05	22
23	.40	.14	.22		.01			.37		.06	.19	.06	23
24	.14	.03						.23				.09	24
25	.13					.23		1.08		.05	.24	.54	25
26		.02					.12	.16		.35	.20	.10	26
27						.06	.25			.13		.48	27
28		.04				.02	.20	.22	.10	.53	.46	.14	28
29		.06				.02	.16	.23	1.28	.19	.01		29
30					.13		.08	.12	1.02	.11			30
31			.08				.17	.20		.04		.02	31

Total	3.24	1.85	3.16	.08	1.13	2.78	1.76	7.33	2.47	2.77	1.71	3.10	YEAR'S TOTAL 31.38
Rain Days.	18	20	21	1	10	18	14	30	6	15	14	22	189
	3.30	1.89	3.25	.08	1.18	2.78	1.77	7.52	2.52	2.78	1.71	3.12	Monthly Gauge

REGISTER OF RAINFALL IN 1913

Kept at Haslington
in the County of Hampshire
by The Bishop of Portsmouth & Waterbury

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 77 ft.

FORM A.
BRITISH RAINFALL
6-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.48	.13	.06		.07			.52		.10	.06	1
2	.06	.07		.01			.02		.06	.48	.09	.01	2
3	.02		.02	.07	.32					.08		.19	3
4	.22		.01		.43		.02		.89	.09	.12	.01	4
5	.31	.24	.02			.06	.04		.60		.23	.04	5
6		.03	.04		.06	.12	.56			1.07	.10	.41	6
7		.13	.08		.16	.04	.13	.27		.30	.09	.01	7
8		.03			.22	.01		.06		.40		.04	8
9		.06					.11	.02	.05		.01		9
10	.03			.01			.19	.01			.64		10
11	.72			.31	.01					.45	.40		11
12					.75				.01		.62		12
13	.17		.06					.01	.02		.13		13
14	.18		.08				.02	.01		.03	.10		14
15	.18	.06	.19	.27			.26		.04				15
16	.11		.33	.07			.02		.20				16
17	.04			.02			.03				.05		17
18	.03		.07	.07							.05		18
19	.21		.03		.02	.02	.07		.17				19
20	.25		.24	.11						.53	.01		20
21			.20	13						.40	.37		21
22	.37		.19					.13	.31	.01		.02	22
23	.01		.06			.02		.06				.80	23
24	.07			.04				.14			.03		24
25		.02		.22							.03		25
26				.04				15		.43		.23	26
27		.01	.27	.05						.02			27
28	.20		.08	.09						.08			28
29	.09		.16	.55	.70			.04		.04		.06	29
30	.37			.07				.18		.07			30
31			.01					.97		.07			31
Total	3.71	1.13	2.27	2.19	2.67	.34	1.41	2.05	2.87	4.55	3.17	1.88	28.24
Rain Days.	21	10	20	18	9	7	12	13	11	17	18	12	168

REGISTER OF RAINFALL IN 1914

Kept at

Hartington.

in the County of

Yants. 5

by *Hebriq. Portsmouth Waterworks Co.*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *—* in.

" " " " Sea Level *77* ft.

FORM A.
BRITISH RAINFALL
9 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01	.01				.20			.10	.10	1
2							.05				.07	.12	2
3			.05	.04	.24		.03				.01	.03	3
4			.02	.11	.05			.13			.30	.19	4
5	.09		.10	.29	.07		.19				.03		5
6		.16	.02	.36	.03	.01		.04				.38	6
7	.03	.37	.16	.12	.01	.15	.14					.23	7
8	.06	.41	.19	.01	.02	.02		.08				.03	8
9	.06		.64	.03	.01	.04		.01	.07			1.59	9
10	.07	.19		.07	.22				.24				10
11		.33	.46		.06	.01	1.18		.07		.12	.40	11
12		.12	.21				.09		.36	.02	.01	.45	12
13		.27	.07						.25	.10	.08	.67	13
14		.14	.10			.88	.07	.15		.35	.11	.25	14
15		.01	.18				.03	.44		.02	.67		15
16							.08		.12				16
17		.29	.06						.03			.20	17
18			.25									.32	18
19		.12	.54				1.19				.14	.06	19
20		.26	.16			.03			.06	.02		.33	20
21		.45	.04							.15		.02	21
22		.02	.01		.04	.03	.11	.05		.21			22
23		.15	.17			.49				.06			23
24			.03				.03			.01	.14		24
25	.02		.17				.03	.28		.19	.01	.11	25
26							.08	.10		.19	.19	.47	26
27	.05						.01				.05	.25	27
28		.04			.18		.02			.13	.48	.63	28
29	.12		.17	.05						.29	.08		29
30	.02	X	.03	.10						.12	.49	.26	30
31		X	X	X	.04	X	.04		X	.05	X	.04	31
Total	52	3.43	3.84	1.19	.97	1.66	3.37	1.48	1.20	1.91	3.08	7.13	29.78
Rain Days.	9	16	24	11	12	9	17	10	8	15	18	23	172

REGISTER OF RAINFALL IN 1915

Kept at

Farlington

in the County of

Hants

by

The Bournemouth Waterworks Co.

Lat.

Long.

Time of Observation

9 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft. - in.

" " " " Sea Level

77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.12			.02			.10	.27	.20	.01	.45	1
2	.94	.16	.22	.03		.03		.03	.07	.35		.31	2
3	.99		.14	.20	.33							.78	3
4				.02				.18				.44	4
5	.04	.21						.08				.48	5
6	.84	.23	.03	.45			.50	.03				.17	6
7	.19	.32		.05			.04					.25	7
8	.01	.62					.01	.03			.01	.02	8
9	.01	.05		.07				.02			.26	.71	9
10	.10	.14	.03			.03				.01		.26	10
11			.08								.73	.01	11
12	.08	.20		.19	.50					.01	.21		12
13	.02	.35			1.67		.04		.14				13
14	.03	.01					.03	.06	.04			.51	14
15	.07				.07		.02	.12			.07	.19	15
16	.02	.41			.35		.75	.07				.08	16
17		.20			.66		.05	.04				.01	17
18		.13			.06								18
19		.08			.09		.05						19
20	.27			.02	.01					.03		.07	20
21	.03						.02			.33		.16	21
22	.90	.50	.12	.01			.48					.13	22
23		.04	.18			.01	.05		.41	.30		.55	23
24			.06				.02		1.04	.65		.61	24
25			.01									.18	25
26	.01	.03				.16	.31					.77	26
27		.07				.07			.05	.27			27
28		.11				.14	.01		.51	.11	.04		28
29						.55		.12			.35	.04	29
30	.20	X				.09				.43	.67	.04	30
31	.04	X		X		X		.40	X	.84	X	.22	31
Total	4.60	3.98	.87	1.04	3.76	1.08	2.38	1.28	2.53	3.53	2.35	7.44	YEAR'S TOTAL 34.84
Rain Days.	20	20	9	9	10	8	15	13	8	12	9	25	158

REGISTER OF RAINFALL IN 1916

Kept at Farlington
in the County of Hampshire
by The Borough of Portsmouth Water Works Co.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 44 ft.

FORM A.
BRITISH RAINFALL
10 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.04	.08		.15	.05			.14	.08	.41		1
2	.18	.06	.03		.12		.01		.03	.68	.01		2
3		.21	.06		.01		.03			.54	.44		3
4	.10	.10				.26			.32		.23		4
5	.05	.02			.16	.06				.05	.24		5
6		.05	.06	.03	.01		.14			.04	.23		6
7			.42		.02	.14				.04	.40	.06	7
8			.01		.28							.36	8
9					.06							.10	9
10		.65	.01	.03		.14	.04				.02	.10	10
11	.03	.04	.04	.14		.06						.04	11
12	.02	.06	.04	.04	.05	.02	.06	.02		.05	.01	.01	12
13		.15				.02		.02	.03				13
14		.33			.04								14
15		.08	.14					.41		.01			15
16	.08	.02	.15	.19			.11	.15					16
17	.21	.31		.12				.09	.38	.54			17
18		.12	.02	.08				.04	.19	.11	.44	.08	18
19	.05		.09	.04		.04			.02		.36	.02	19
20	.08		.65	.03							.01	.49	20
21			.20				.03					.16	21
22						.04				.04		.59	22
23	.03	.04	.01			.41		.05		.05	.01	.03	23
24					.10	.03		.03		.14	.11	.36	24
25		.52	.06					.18	.43	.04	.04		25
26	.03	.13				.11		.05	.06	.22		.01	26
27			.44						.14	.24			27
28		.39	.06					.14	.35	.14	.03	.23	28
29		.24				.26		.41	.14	.28		.36	29
30		X			.38	.02		.01		.14		.02	30
31		X		X		X		.02	X	.04	X	.03	31
Total	.90	3.62	2.93	.40	1.38	1.42	.42	1.92	2.23	3.41	3.29	3.38	26.50
Rain Days.	12	20	19	9	12	15	7	14	12	20	16	18	174

YEAR'S TOTAL

706
REGISTER OF RAINFALL IN 1917

Kept at Hatlington
in the County of Hampshire
by the Plymouth Waterworks Company

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.12	.15				1.40	.03		.07		1
2				.32						.03	.16		2
3	.01			.11			.43	.15		.05	.13		3
4		.18	.25				.15	.07		.16			4
5	.23			.12		.10		.03	.17	.36	.05		5
6			.20					.01	.02	.02	.14		6
7	.25						.02			.28		.03	7
8	.30		.02	.05			.23	.13		.23	.19	.34	8
9	.02		.09		.15		.02	.09	.01	.10	.01	.02	9
10	.16		.24	.21		.04							10
11	.16		.24	.13		.01				.34			11
12	.15		.01		.02			.10		.28			12
13	.03		.34					.05	.03	.12			13
14				.03				.30					14
15					.05		.02	.09		.11		.05	15
16		.14		.04	.07					.40		.35	16
17				.20	.04		.42	.13	.32	.17			17
18		.07			.03	.03	.06		.25				18
19		.32	.12			.02		.04	.29				19
20		.10	.11		.97	.13							20
21	.02		.03				.05			.04	.01		21
22			.05			.04		.06		.20			22
23		.22			.03			.07				.02	23
24		.10				.05	.10			.19	.02	.01	24
25		.10	.04									.02	25
26			.03					.30	.09		.25		26
27					.58	.23		1.12					27
28			.04			2.25		.14					28
29			.01		.31	.03	.22	.01		.35		.09	29
30		~~X~~	.38				.42	.27		.01			30
31		~~X~~		~~X~~		~~X~~	.20	.05	~~X~~	.02	~~X~~	.02	31
Total	1.34	1.23	2.32	1.36	2.25	2.93	2.34	4.61	1.21	3.46	1.03	.95	YEAR'S TOTAL 25.03
Rain Days	11	8	18	10	10	11	13	21	9	20	10	10	151

REGISTER OF RAINFALL IN 19/8

Kept at Harlington
in the County of Hampshire
by The Portsmouth Waterworks Co.

Lat. _____ Long. _____
Time of Observation 9 AM.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 77 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01		.02				.65			.29	.16	1
2		.04		.09				.32			.28	.17	2
3		.02		.13	.25			.06		.03	.29	.04	3
4		.08	.05	.02				.02	.10		.30	.03	4
5		.07	.03		.10			.21		.09		.01	5
6	.16	.09		.16	.08			.52	.06	.04		.04	6
7		.12		.15	.30			.05	.08	.06	.09		7
8		.03							.06	.08	.06	.05	8
9				.25		.20	.35		.33	.07		.57	9
10	.02			.05		.05	.08		.31	.01		.30	10
11	.03						.13		.04	.23	.02	.08	11
12		.07			.25		.01		.20			.05	12
13	.23						.23		.24			.03	13
14	.14		.02		.06	.09	.05		.19	.22		.03	14
15	1.26			.15		.07	.07			.01		.22	15
16	.42			.03		.02			.66	.02			16
17	.14			.10			.18					.14	17
18	.29		.01			.32			.60			.15	18
19	.02		.10			.08	.14	.05				.02	19
20	.02	.12		.46		.01	.05		.13	.03			20
21	.14	.04							.26	.09		.12	21
22	.16				.08		.56		.16			.15	22
23	.09				.02		.19		.12			.05	23
24		.25				.03	.07		.14		.17		24
25				.30				.26		.01			25
26							.39		.03	.01	.05	.12	26
27		.10	.01				.02	.09	.26	.01	.12		27
28			.09							.01	.20	.02	28
29			.02						1.37			.02	29
30		X	.44						.02	.03	.06	.02	30
31		X	.04	X		X			X	.15	X		31
Total	3.12	1.04	.81	1.91	1.14	.87	2.52	2.23	5.36	1.20	1.93	2.59	YEAR'S TOTAL. 24.72
Rain Days.	14	13	.10	13	8	9	15	10	21	19	12	24	168

REGISTER OF RAINFALL IN 1919.

Kept at Farlington

in the County of Hants.

by The Boro' of Portsmouth Waterworks Co.

Lat. 50° 51' Long. W. 1° 2'

Time of Observation 9 a.m.

Nearest Railway Station Bosham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.02	.03		.02		.32			.04		.88	1
2	.24		.01		.05		.03		.13	.02		.02	2
3	.52	.01	.60		.05		.02		.01			.33	3
4	.31		.49			.03	.05	.05	.02		.24	.03	4
5	—	.39	.84				.01		.59		.19	.24	5
6	.21		.10		.02						.01	.16	6
7	.05		.35									.01	7
8	.17		.18										8
9	.23		.10	.15	.30						.17		9
10	1.28		.08	.04								.11	10
11	.35		.05	.27	.08							.04	11
12	.02		.02		.02		.11			.08	.07	.01	12
13	.01		.01	.39								.01	13
14	.19	.02		.08			.09		.39	.03		.08	14
15	.22	.04		.06						.01		1.07	15
16	.06	.79									.11		16
17		.20									.05	.04	17
18		.07	.22								.06		18
19	.19	.50	.86				.12	.22	.08		.02		19
20	.45	.04	.03			.37		.13					20
21	.02	.40					.02					.02	21
22	—						.16		.45			.13	22
23	—						.01			.03	.04	.08	23
24	—	.02				.03				.31	.11	.14	24
25	—	.02				.07		.21				.30	25
26	.04	.09	.08	.07				.07	.08		.29	.41	26
27	.17			.25				.72			.04	.01	27
28	.02		.41					.45			.33	.55	28
29				.03				.24		.09		.15	29
30		X		.21		.05		.53			.46	.54	30
31	.02	X	.02	X		X			X		X	.10	31
TOTAL	5.10	2.61	4.48	1.55	.54	.67	1.04	2.51	1.67	.61	2.19	5.46	YEAR'S TOTAL
Days with .01 in. or more	22	14	19	10	7	6	11	10	7	8	15	25	28.43
													154

Per pro. The Borough of
Portsmouth Water Works Company
Herbert Ashley
ENGINEER & GENERAL MANAGER.
9/1/1920

REGISTER OF RAINFALL IN 1920.

Kept at Farlington

in the County of Hampshire

by The Borough of Portsmouth

Waterworks Company

Lat. 50° 51' Long. 1° 2' W.

Time of Observation 9 am.

Nearest Railway Station Bosham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.02	.09	.14		.18	.09		.49	.45	.21	1
2	.01		.05	.09	.05			.09	.08	.02		.10	2
3	.04						.25			.29		.01	3
4		.06	.01				.73	.15		.32			4
5			.19	.10			.95	.26		.46		.03	5
6			.08		.35		.42						6
7	.03			.10			.13						7
8	.01			.02	.10		.14						8
9	.25	.02	.04	.02	.06	.05	.13						9
10	.60	.14	.12	.03		.11	.24						10
11	.12		.05	.34	.03	.04	.34					.08	11
12	.07	.05		.13		.83					.01		12
13	.22	.01	.18	.03							.01		13
14		.02	.39	.31					.22	.14	.43		14
15	.09		.05	.10	.02				.68	.60	.03		15
16			.01			.04			.26	.01			16
17	.01				.13				.37				17
18	.06				.03	.10		.69	.05			.04	18
19	.07			.15		.06							19
20	.12			.07		.75						.01	20
21							.93		.07			.16	21
22	.02			.27				.01				.23	22
23							.32					.40	23
24	.01	.08	.12	.02							.02	.07	24
25		.02	.01		.31		.31		.07		.01		25
26	.02		.15	.04		.04	.08				.01	.08	26
27	.26			.13		.05					.23	.20	27
28	.50	.02	.03		.02		.08					.03	28
29	.46		.15	.08							.10	.14	29
30	.02	X				.04	.03		.19		.16	.20	30
31		X	.38	X		X			X	.75	X	.09	31
TOTAL	3.07	.42	2.03	2.12	1.24	2.11	5.26	1.29	1.99	3.08	1.46	2.08	YEAR'S TOTAL 26.15
Days with '01 in. or more	22	9	18	19	11	11	16	6	9	9	11	17	158

FARNHAM

Kept at Farnham; Hants
(Jan Feb) M.
in the County of
by B. W. Ben

1912

FORM A2.
BRITISH RAINFALL
11 JAN 1913

in.
nd 1 ft. 3 in.
Level ft.
e Alton
ance 1.50 yds Direction SE

result entered to the
rule, he is earnestly

IMPORTANT
previous day. If an

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			HOOBY BOURNE			.25	.40		ALTON	.57		.25	1
2			?			.08	.35						2
3	.03		?		.03	.31	.01	.39					3
4	.16		?		.06	.34		.12			.16		4
5	.07		?					.73			.02		5
6	.38		?		.06			.35				.12	6
7	.01		1.71		.04	.86		?				.18	7
8	.31			.01		.04	.04	.14				.03	8
9			.16			.19		.07					9
10				.02				.08			.11	.56	10
11	.08		?					.05			.01		11
12	.05				.23	.11	.13				.02	.26	12
13			?				.26	.06			.06	.08	13
14	.01							.06				.07	14
15	?		.38			.56		?				.52	15
16			.10		.40	.01		.13		.09	.03		16
17	?		.22			.03						.02	17
18	1.03		.40					.45		.04			18
19	.07						.08	.64					19
20	.06		.38					.09		.36	.05		20
21	.02		.24		.70					.11			21
22	.12							.20				.15	22
23			.35					.50		.07	.25	.22	23
24	.50					.25		.27				.15	24
25	.24					.61		.60			.17	.65	25
26	.10					.02		.17		.53	.58	.51	26
27						.12	.16			.35		.33	27
28						.09	.28	.12	.26	.66	.75	.30	28
29						.20	.26	.25	1.91	.14			29
30					.19	.01	.02		1.04	.22			30
31			.22		.01		.35	.09		.01		.05	31
Total	3.24	1.80	4.16	.03	1.72	4.08	2.34	5.56	3.21	3.15	2.21	4.45	TOTAL for year
No. of Rain Days.	19	12	18	2	9	18	12	24	3	12	12	18	35.72

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
11 JAN 1913

Kept at Farnham: Holybourne Haunts: Alton Haunts
(Jan Feb.) Meu - Aug: : Sept - onwards
in the County of _____

by B. W. Bentinck

Pattern _____
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level _____ ft.
Time of Observation 8 AM
Nearest Railway Station { Name Alton
Distance 150 yds Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			HOLYBOURNE			.25	.40		ALTON	.57		.25	1
2			?			.08	.35						2
3	.03		?		.03	.31	.01	.39					3
4	.16		?		.06	.34		.12			.16		4
5	.07		?					.73			.02		5
6	.38		?		.06			.35				.12	6
7	.01		1.71		.04	.86		?				.18	7
8	.31			.01		.04	.04	.14				.03	8
9			.16			.19		.07					9
10				.02				.08			.11	.56	10
11	.08		?					.05			.01		11
12	.05				.23	.11	.13				.02	.26	12
13			?				.26	.06			.06	.08	13
14	.01							.06				.07	14
15	?		.38			.56		.2?				.52	15
16			.10		.40	.01		.13		.09	.03		16
17	?		.22			.03						.02	17
18	1.03		.40					.45		.04			18
19	.07						.08	.64					19
20	.06		.38					.09		.36	.05		20
21	.02		.24		.70					.11			21
22	.12							.20				.15	22
23			.35					.50		.07	.25	.22	23
24	.50					.25		.27				.15	24
25	.24					.61		.60			.17	.65	25
26	.10					.02		.17		.53	.58	.51	26
27						.12	.16			.35		.33	27
28						.09	.28	.12	.26	.66	.75	.30	28
29						.20	.26	.25	1.91	.14			29
30					.19	.01	.02		1.04	.22			30
31			.22		.01		.35	.09		.01		.05	31
Total	3.24	1.80	4.16	.03	1.72	4.08	2.34	5.56	3.21	3.15	2.21	4.45	TOTAL for year
No. of Rain Days.	19	12	18	2	9	18	12	24	3	12	12	18	35.92

made

R

FAREHAM

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at *Cams Hall*
in the County of *SA*
by *Capt. J. S.*

CAMS HALL

1911 - 12

ft.
el *40* ft.
in
Fareham
16 Direction
sult entered to the
ule, he is earnestly

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<i>in.</i> <i>0</i>	<i>in.</i> <i>0</i>	<i>in.</i> <i>.08</i>	<i>in.</i> <i>.40</i>	<i>in.</i> <i>0</i>	<i>in.</i> <i>0</i>	<i>in.</i> <i>.23</i>	<i>in.</i> <i>.03</i>	<i>in.</i> <i>0</i>	<i>in.</i> <i>0</i>	<i>in.</i> <i>.04</i>	<i>in.</i> <i>.05</i>	1
2	<i>0</i>	<i>0</i>	<i>0</i>	<i>.08</i>	<i>.30</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.30</i>	<i>.15</i>	2
3	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.15</i>	<i>0</i>	<i>0</i>	<i>.08</i>	<i>0</i>	<i>0</i>	<i>.30</i>	<i>.17</i>	3
4	<i>0</i>	<i>0</i>	<i>.03</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.03</i>	<i>0</i>	<i>.20</i>	4
5	<i>0</i>	<i>0</i>	<i>0</i>	<i>.08</i>	<i>0</i>	<i>.18</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.35</i>	<i>0</i>	<i>0</i>	5
6	<i>.31</i>	<i>0</i>	<i>.06</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.35</i>	<i>.71</i>	6
7	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.54</i>	<i>.73</i>	<i>0</i>	7
8	<i>.11</i>	<i>0</i>	<i>.19</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.43</i>	8
9	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.02</i>	<i>.33</i>	9
10	<i>0</i>	<i>.16</i>	<i>.16</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.34</i>	10
11	<i>.11</i>	<i>0</i>	<i>.04</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1.25</i>	<i>0</i>	11
12	<i>0</i>	<i>0</i>	<i>.50</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	12
13	<i>0</i>	<i>0</i>	<i>.38</i>	<i>0</i>	<i>.10</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.20</i>	<i>.08</i>	<i>.07</i>	<i>.49</i>	13
14	<i>0</i>	<i>.11</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.40</i>	14
15	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.11</i>	<i>0</i>	15
16	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.47</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.20</i>	16
17	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.09</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.57</i>	<i>0</i>	17
18	<i>0</i>	<i>.24</i>	<i>.06</i>	<i>0</i>	<i>0</i>	<i>.09</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1.10</i>	<i>.46</i>	18
19	<i>0</i>	<i>.08</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.06</i>	<i>0</i>	<i>0</i>	<i>.35</i>	<i>.17</i>	<i>0</i>	<i>.13</i>	19
20	<i>.10</i>	<i>.02</i>	<i>.06</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.06</i>	<i>.14</i>	<i>.03</i>	<i>0</i>	<i>.95</i>	20
21	<i>.17</i>	<i>.13</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.38</i>	<i>0</i>	<i>.14</i>	21
22	<i>.13</i>	<i>.08</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.11</i>	<i>0</i>	<i>.66</i>	<i>0</i>	<i>.16</i>	<i>.02</i>	<i>.46</i>	22
23	<i>0</i>	<i>.05</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.39</i>	<i>0</i>	<i>0</i>	<i>.15</i>	<i>.92</i>	<i>0</i>	<i>.21</i>	23
24	<i>0</i>	<i>.15</i>	<i>.03</i>	<i>0</i>	<i>0</i>	<i>.27</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.81</i>	<i>0</i>	<i>.58</i>	24
25	<i>0</i>	<i>.03</i>	<i>0</i>	<i>.08</i>	<i>.90</i>	<i>.06</i>	<i>.30</i>	<i>.25</i>	<i>.02</i>	<i>.17</i>	<i>0</i>	<i>0</i>	25
26	<i>0</i>	<i>0</i>	<i>0</i>	<i>.27</i>	<i>3.22x</i>	<i>.03</i>	<i>0</i>	<i>.03</i>	<i>0</i>	<i>.22</i>	<i>0</i>	<i>.55</i>	26
27	<i>0</i>	<i>.43</i>	<i>.11</i>	<i>.05</i>	<i>0</i>	<i>0</i>	<i>.10</i>	<i>0</i>	<i>.08</i>	<i>0</i>	<i>.11</i>	<i>.21</i>	27
28	<i>0</i>	<i>.13</i>	<i>0</i>	<i>.23</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.20</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	28
29	<i>0</i>	<i>0</i>	<i>0</i>	<i>.08</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.19</i>	<i>.20</i>	<i>0</i>	<i>0</i>	29
30	<i>0</i>	<i>0</i>	<i>0</i>	<i>.08</i>	<i>.37</i>	<i>0</i>	<i>.05</i>	<i>0</i>	<i>0</i>	<i>.31</i>	<i>0</i>	<i>0</i>	30
31	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	31
Total	<i>.93</i>	<i>1.61</i>	<i>1.70</i>	<i>1.35</i>	<i>5.04</i>	<i>1.75</i>	<i>.68</i>	<i>1.31</i>	<i>1.13</i>	<i>4.37</i>	<i>4.96</i>	<i>7.16</i>	TOTAL for year <i>32.00</i>
No. of Rain Days	<i>6</i>	<i>12</i>	<i>12</i>	<i>9</i>	<i>6</i>	<i>10</i>	<i>4</i>	<i>7</i>	<i>7</i>	<i>14</i>	<i>13</i>	<i>20</i>	<i>120</i>

x This fell in less than two hours

R

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Ann Hall, Fareham
in the County of Hants
by Capt. J. Ramsay

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground ft.
" " " Sea Level 40 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Fareham
Distance 1 1/2 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 0	in. 0	in. .08	in. .40	in. 0	in. 0	in. .23	in. .03	in. 0	in. 0	in. .04	in. .05	1
2	0	0	0	.08	.30	0	0	0	0	0	.30	.15	2
3	0	0	0	0	.15	0	0	.08	0	0	.30	.17	3
4	0	0	.03	0	0	0	0	0	0	.03	0	.20	4
5	0	0	0	.08	0	.18	0	0	0	.35	0	0	5
6	.34	0	.06	0	0	0	0	0	0	0	.35	.71	6
7	0	0	0	0	0	0	0	0	0	.54	.73	0	7
8	.11	0	.19	0	0	0	0	0	0	0	0	.43	8
9	0	0	0	0	0	0	0	0	0	0	.02	.33	9
10	0	.16	.16	0	0	0	0	0	0	0	0	.34	10
11	.11	0	.04	0	0	0	0	0	0	0	1.25	0	11
12	0	0	.50	0	0	0	0	0	0	0	0	0	12
13	0	0	.38	0	.10	0	0	0	.20	.08	.07	.49	13
14	0	.11	0	0	0	0	0	0	0	0	0	.40	14
15	0	0	0	0	0	0	0	0	0	0	.11	0	15
16	0	0	0	0	0	.47	0	0	0	0	0	.20	16
17	0	0	0	0	0	.09	0	0	0	0	.57	0	17
18	0	.24	.06	0	0	.09	0	0	0	0	1.10	.46	18
19	0	.08	0	0	0	.06	0	0	.35	.17	0	.13	19
20	.10	.02	.06	0	0	0	0	.06	.14	.03	0	.95	20
21	.17	.13	0	0	0	0	0	0	0	.38	0	.14	21
22	.13	.08	0	0	0	.11	0	.66	0	.16	.02	.46	22
23	0	.05	0	0	0	.39	0	0	.15	.92	0	.21	23
24	0	.15	.03	0	0	.27	0	0	0	.81	0	.58	24
25	0	.03	0	.08	.92	.06	.30	.25	.02	.17	0	0	25
26	0	0	0	.27	3.22x	.03	0	.03	0	.22	0	.55	26
27	0	.43	.11	.05	0	0	.10	0	.08	0	.11	.21	27
28	0	.13	0	.23	0	0	0	.20	0	0	0	0	28
29	0	0	0	.08	0	0	0	0	.19	.20	0	0	29
30	0	0	0	.08	.37	0	.05	0	0	.31	0	0	30
31	0	0	0	0	0	0	0	0	0	0	0	0	31
Total	.93	1.61	1.70	1.35	5.04	1.75	.68	1.31	1.13	4.37	4.96	7.16	TOTAL for year 32.00
No. of Rain Days	6	12	12	9	6	10	4	7	7	14	13	20	120

x This fell in less than two hours

REGISTER OF RAINFALL IN 1912

FORM A
BRITISH RAINFALL

Kept at *Cambridge, Farleigh*
in the County of *Hampshire*
by *Capt. J. Ramsay*

RAIN GAUGE
Pattern
Diameter of top *5* in.
Height of top above Ground *1* ft. *6* in.
" " " Sea Level *110* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Farleigh*
Distance *1 1/2* Direction *W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	.15	0	.03	.22	.33	0	0	.78	0	.11	1
2	0	0	.15	0	0	0	.36	.15	0	0	0	0	2
3	.03	0	0	0	0	.26	0	.60	0	0	.02	0	3
4	.25	0	.72	0	0	.23	0	.06	0	0	.24	0	4
5	.75	0	.10	0	0	0	0	.20	0	0	0	0	5
6	.08	.17	0	0	0	0	0	.32	0	0	0	0	6
7	.0	0	0	0	.41	.73	0	.48	0	0	0	.03	7
8	0	.26	.26	0	0	.11	0	0	0	0	0	.02	8
9	.52	.21	.05	.08	0	0	0	.27	0	0	0	.11	9
10	.10	.10	0	0	0	.03	0	0	0	0	.13	.27	10
11	0	0	0	0	0	0	0	0	0	0	.02	.23	11
12	.02	.30	.10	0	.19	.46	.07	.30	0	0	0	.10	12
13	.06	.02	0	0	0	0	0	0	0	0	0	.10	13
14	0	.03	.21	0	0	.52	0	0	0	.02	.10	.02	14
15	.33	.11	0	0	.03	0	0	.20	0	0	0	.31	15
16	.33	0	.17	0	.06	0	0	.16	0	.08	0	0	16
17	.35	0	.31	0	0	.07	0	.20	0	0	0	.25	17
18	0	0	0	0	0	0	0	.14	0	.02	.07	0	18
19	.12	.08	.23	0	0	.13	.08	.54	0	0	0	0	19
20	0	0	.33	0	0	0	0	.42	0	.45	0	0	20
21	0	0	.15	0	.13	0	0	.11	0	.10	.21	0	21
22	.07	.50	.15	0	0	0	0	.34	0	0	0	.08	22
23	.46	.10	.07	0	0	0	0	.32	0	.04	.22	.09	23
24	.18	.02	0	0	0	0	0	.07	0	0	.37	.12	24
25	.16	0	0	0	0	.21	0	.66	0	0	0	.54	25
26	0	0	0	0	0	0	0	.21	0	.48	.70	.18	26
27	0	0	0	0	0	.11	.39	.23	0	.18	0	.47	27
28	0	.08	0	0	0	0	.45	.23	.03	.62	0	.11	28
29	0	0	0	0	0	.07	.24	.26	1.00	.40	0	0	29
30	0	0	0	0	.12	0	.15	0	1.00	.15	0	0	30
31	0	0	.11	0	0	0	.04	.08	—	.05	0	.05	31
Total	3.81	1.98	3.26	.08	.97	3.15	2.11	6.32	2.03	3.37	2.08	3.09	TOTAL for year 1912
No. of Rain Days.	16	13	16	1	7	13	9	23	3	13	10	18	142

FARNBOROUGH

SCHOOL

HANTS

1913 - 20

line

Nov'r Wee^y

Jan.	Feb.	Mar.									Nov'r	Wee ^y
1	01	24	07								14	32
2	19	13	01	01			15			08	09	01
3	04		02	12	47					03	01	07
4	28		04	01	17					02	12	05
5	14					10	07			40		01
6	02	03	21		05	09	08				53	03
7		26			07	02	32				32	10
8		02			16	08					32	
9		12			03		02	05	21			03
10	01		01	09	04		01					34
11	49			39	03						77	50
12		02			23							19
13	11		01							05		14
14	10	01	09	07			04	06			11	04
15	31	07	45	30			18			20		01
16	17		35	10						09		02
17	01	04	04	03			38					
18			28	06								05
19	48		11		04		14			18		
20	12		32	04		19					44	02
21	01		31	08	01						12	78
22	29		29	02			02			15		
23			01			01		26				01
24	01			01								52
25		01		15								03
26		03	11	16				16			58	
27			02	13							10	16
28	15		37	16							14	
29	03		09	64	57			17			20	01
30	37			01								28
31			05					43			04	
Totals.	3.34	98	2.26	2.68	1.87	49	1.41	1.13	2.31	4.16	2.64	1.48
Rain Days	21	12	22	21	12	6	11	6	10	16	20	12

	Jan.	Feb.	Mar.	April	May	June	July	Aug't	Sept.	Oct'r.	Nov'r.	Dec'r.	
1	01	24	07	10					98		14	32	
2	19	13	01	01			15			08	09	01	
3	04		02	12	47				03	01		07	
4	28		04	01	17				02	12	05	05	
5	14					10	07		40		01	07	
6	02	03	21		05	09	08			53	03	19	
7		26			07	02	32			32	10		
8		02			16	08				32		01	
9		12			03		02	05	21		03	02	
10	01		01	09	04		01				34		
11	49			39	03					77	50		
12		02			23						19		
13	11		01						05		19		
14	10	01	09	07			04	06		11	04	01	
15	31	07	45	30			18		20		01		
16	17		35	10					09		02		
17	01	04	04	03			38					05	
18			28	06							05		
19	48		11		04		14		18				
20	12		32	04		19				44	02		
21	01		31	08	01					12	78		
22	29		29	02			02		15				
23			01			01		26			01	52	
24	01			01							03		
25		01	—	15									
26		03	14	16				16		58		16	
27			02	13						10			
28	15		37	16						14			
29	03		09	64	57			17		20	01		
30	37			01						28			
31			05					43		04			
Totals.	3.34	98	2.26	2.68	1.87	49	1.41	1.13	2.31	4.16	2.64	1.48	25.75
Rain Days	21	12	22	21	12	6	11	6	10	16	20	12	

YEAR 1914

Farnborough School
Hampshire

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct. ^r	Nov. ^r	Dec. ^r	
1			.05					.07				.04	
2						.03		.13			.16	.19	
3			.08		.20		.11	.09				.02	
4			.06	.41	.02		.03	.11			.32	.38	
5	.18		.07	.21	.24	.07	.22	.58					
6		.15	.01	.19		.16	.17				.02	.17	
7		.72	.22	.25	.45	.06						.18	
8	.05	.39	.71			.02	.02					.05	
9	.23	.01	.59	.11		.18			.10			2.10	
10	.02	.20	.04	.03	.11								
11		.24	.40		.02	.03			.22		.19	.36	
12		.18	.09				.72		.33			.49	
13		.36	.20						.12		.02	.60	
14		.26	.18			.08	.03			.70	.10	.60	
15	.05		.12					.09		.02	.28	—	
16			.01				.01		.03				
17		.46	.13						.03			.30	
18		.01	.20									.28	
19		.02	.30				.22				.19	.32	
20		.45	.37			.06			.02			.36	
21		.54	.08			.04				.10		—	
22		.04	.11		.22		.16	.08				—	
23		.06	.15									—	
24			.01		.04			.11			.12		
25	.02		.10		.03					.20		.12	
26			.05				.04	.04		.02	.25	.63	
27	.04		.01								.03	.11	
28											.39	1.07	
29	.05		.09							.32	.26		
30			.10							.15	.59	.61	
31	.02				.10		.03					.07	
Totals	.66	4.09	4.53	1.20	1.43	.73	1.77	1.30	.85	1.51	2.92	9.15	30.03
Rain Days	9	16	28	6	10	10	12	9	7	7	14	22	150

YEAR. 1915.

Farmborough School

Hampshire

	Jan.	Feb.	Mar.	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	
1	.82	.15			.03	.05	.34	.02	.13	.01	.09	.50	
2	.27	.25	.29	.05				.61	.02	.10		.20	
3	.65		.08	.15				.08				.30	
4	.11							.03				.20	
5		.58		.03				.02		.03		.39	
6	.36	.14	.03	.30			.74	.04				.68	
7	.20	.25	.01				.33	.02				.11	
8	.09	.74	.01	.05			.23	.08					
9	.02	.09		.14		.07	—	.03			.42	.66	
10	.12		.01					.01				.23	
11			.04								.65	.05	
12	.04	.13		.23	.33			.04			.30	.01	
13		.90			1.09								
14		.04					.29	.19				.41	
15	.14				.04		.03	.03			.17	.24	
16		.48			.06		.70	.13				.16	
17		.38			1.25			.04					
18		.20	.11		.08								
19		.03			.02		.05						
20	.22			.01	.04							.14	
21		.07			.11		.03			.06		.03	
22	^{Snow.} 1.07	.13	.24				.82					.18	
23	.03	^{Snow.} .15	.05			.03	.44		.25	.37		.14	
24			.02			.01	.09		.69	.32		.45	
25				.08		.09	.14					.16	
26		.05				.15	.29					.71	
27		.08				.65				.39		.14	
28		.05	.01			.08			1.12	.11			
29	—					.03	.31	.11		.06	.26		
30	.05					.01				.28	.30	.08	
31	.08									1.60		.30	
Total	4.127	4.89	.90	1.04	3.05	1.17	4.83	1.48	2.21	3.33	2.19	6.47	35.83
Rain Days	16	20	12	9	10	10	15	16	5	11	7	24	155

Year's Total.

Register of Rainfall in 1916

Farnborough School.
Hampshire

Time of observation 9 a.m.
Diameter of gauge 5 in.
Height 1 ft. 2.5 in above ground 250 ft above MSL

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
1	.08	.04	.02			.02			.39	.03	.35		
2	.19	.07	.12		.39				.14	.50	.04		
3	.04	.84	.09				.01		.11	.32	.38		
4	.11	.14				.24			.23	.03	.53		
5	.04	.01		.04	.14					.07	.65		
6		.09	.09	.06		.06	.36				.63		
7	.04		.44		.08	.02	.03				.63	.13	
8					.32					.04		.26	
9										.07		.26	
10		.28	.10	.05		.20	.03					.10	
11	.03	.10	.08	.06		.23						.05	
12					.11	.09	.01	.24		.01			
13		.15	.19	.24		.04		.10	.02	.09			
14		.38	.20					.09				.13	
15	.02	.14	.43					.49		.02			
16		.02	.38	.17				.38					
17	.10	.19		.02				.31	.30	.48			
18	.02	.10	.05	.04			.13	.18	.17	.10	.80		
19	.10		.23	.16		.02	.02				.30		
20	.08		.28								.01	.59	
21			.27									.32	
22	.02		.03										
23	.02	.11			.17	.08		.02		.08	.05		
24						.13				.28	.06		
25			.25					.03		.30			
26		.69	.08			.09		.28	.10	.36			
27			.94					.84	.05	.33			
28		.45	.11			.14		.06	.14	.05		.42	
29		.29				.16		.89	.10	.43			
30								.07		.48			
31									.19		.07	Total.	
Total	.89	4.09	4.38	.84	1.21	1.52	.59	3.98	1.75	4.26	4.43	2.33	30.27
Raindays	14	18	20	9	6	14	7	14	11	21	12	10	146

Farnborough School
Hampshire

1914

	Jan	Feb	Mar.	Apr.	May	June	July	Aug	Sept.	Oct	Nov	Dec
1				.20				1.23	.03		.04	
2				.22		.05	.11	.01			.12	
3				.02			.96	.51		.12		
4		.28	.12					.24		.28		
5	.24			.21		.01			.44	.35	.10	
6				.02		.05			.14		.05	
7	.14						.18			.24		.04
8				.04			.24	.11	.04	.20	.15	.33
9	.20		.12	.04	.02		.08	.24	.03	.01		.13
10	.02		.14	.19	.02			.10				
11	.06		.29	.11				.03	.30	.19		
12	.04			.18	.04	.02		.10		.52		
13	.08		.20	.06				.09	.03			
14				.13				.49				
15							.25	.02		.05		
16	.05	.13			.03		.08			.63		.45
17		.18			.34		.33	.09	.35	.25		
18					.19	.63	.16	.08	.30			
19			.19		.03				.12			
20					.35		.01	.03			.09	
21			.04		.01							
22						.92		.09				
23		.14		.08	.16	.03		.11				.06
24		.05	.03	.14		.07	.04	.02		.06		
25		.06		.06						.14		
26			.03					.41	.03		.19	
27			.02		.15	1.21		.84				
28			.02					.08				.04
29			.01		.53	.08	.23			.28		.14
30			.14				1.33	.05		.05		
31			.35				.32			.01		
Total	0.92	0.84	1.40	1.43	1.90	3.04	4.35	4.94	1.84	3.38	0.44	1.19
Rain days	8	6	14	15	12	10	14	22	11	16	4	4

26.66 ✓
27.11
142.

1918



	Jan	Feb	Mar	Apr.	May	June	July	Aug	Sept	Oct	Nov.	Dec	
1		.05		.02			.03				.48	.20	
2		.05		.04				.62			.20	.10	
3			.04	.27	.45			.03			.40		
4		.11	.08					.09	.58		.81		
5					.08				.05	.16		.02	
6	.18	.23		.31	.06				.18			.07	
7				.09	.42			.03	.09	.03	.14	.03	
8		.07							.10		.08	.03	
9				.11		.13	.41		.43	.22		.25	
10				.06		.03	.73		.03	.06	.02	.35	
11							1.22			.37	.03	.18	
12		.08			.16		.10		.12				
13	.18						.15		.13				
14	.04		.04			.40	.10		.18	.17		.27	
15	1.35					.02	.28					.07	
16	.25			.87		.17			.70			.02	
17	.24			.18			.27	.04	.06				
18	.52					.10	.15		.50	.07		.03	
19	.10	.09	.08	.30		.10	.28			.07			
20	.05			.28			.81		.18	.07			
21	.16		.21	.46					.61			.19	
22	.13				.20		.04		.16	.04		.03	
23					.10		.81	.03				.02	
24		.32					.30		.13		.13		
25							.26	.14		.03			
26									.03	.03	.06	.16	
27			.02				.04	.20	.10		.13		
28											.07	.03	
29		.04							1.11		.06		
30			.33									.07	
31										.12			
Total	3.20	1.04	.80 ✓ -.82	2.99	1.47	0.95	5.98	1.18	5.47	1.44	2.61	2.12	29.25 ✓ 29.27 143.
Rain } days	11	9	7	12	7	7	17	8	20	13	13	19	

Framborough School
Hampshire

1919



	Jan	Feb	March	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	
1	.21						.01				.04	1.30	
2	.33				.02		.09		.09		.05	.09	
3	.40										.02	.36	
4	.06		.38			.04	.08		.09		.05	.13	
5		.48	.69				.88		.22		.07	.21	
6	.21										.02	.08	
7	.08		.42								.12		
8	.20		.10	.02									
9	.14		.04	.02	.06						.06		
10	.36		.14	.03							.03	.12	
11	.02		.06		.03							.03	
12			.05	.25		.02	.48			.10	.02		
13				.03								.03	
14	.22			.28			.04		.91	.04		.04	
15	.31		.02	.03								.45	
16	.04	.68		.08							.09		
17		.26								.35	.20		
18	.	.10	.22								.02	.04	
19		.13	.85			.16	.46	.18			.04	.02	
20		.09	.16			.58	.04	.11	.01				
21	.13	.33	.02						.02		.02	.15	
22						.02	.29		.15			.26	
23						.01					.02	.04	
24				.04		.05					.05		
25		.04						.23				.08	
26	.09	.14	.08	.12				.04	.10			.35	
27	.58	.42		.52			.02	.43				.02	
28			.26					.89			.42	.24	
29						.01		.38		.13	.02		
30				.35		.11		.28		.03	.30	.54	
31							.05					.04	
Total	3.38	2.64	3.49	1.80	.11	1.00	2.44	2.54	1.59	0.65	1.66	5.01	26.34
Rain days	15	11	15	12	3	9	11	8	8	5	20	22	139

Farnborough School
Hampshire

1920

	Jan	Feb	Mar.	Apr.	May	June	July	Aug	Sept	Oct	Nov	Dec	
1	.07			.56	.15		.19			.50	.05	.37	
2	.02		.05	.02			.09	.39	.05	.04		.10	
3	.02			.07			.09	.04		.15			
4		.09	.01	.17			.97	.09		.22			
5			.05	.01			.67					.02	
6			.10		.05		.36						
7							.10						
8				.23	.13		.16						
9	.20		.02	.02	.13		.02						
10	.36	.10	.03	.05	.13		.04						
11	.28		.07	.29		.14	.24					.10	
12	.13			.20		1.02	.01						
13			.15	.13							.08		
14			.29	.29						.19	.33		
15		.03	.09	.41		.03				.05	.04		
16			.03	.18					.72				
17									.40				
18	.04					.01			.04			.06	
19	.09			.20	.18								
20	.08	.03		.16		.59						.04	
21				.02			.85		.29			.10	
22				.36					.03			.56	
23	.02						.33	.11				.20	
24			.08				.01					.08	
25		.03		.01			.23						
26	.11		.08	.01		.01	.21					.04	
27	.38	.01		.21			.14				.45	.16	
28	.36		.43	.05	.22		.05				.04		
29	.33	.01									.04		
30				.04	.09	.03	.13		.20		.30	.16	
31	.03		.04							.58		.07	
Total	2.52	0.30	1.52	3.69	1.08	1.83	4.89	0.63	1.73	1.93	1.33	2.06	23.31
Rainy days	15	7	15	23	8	7	20	4	8	7	8	14	136.

✓ R
Kept at Oaklands
in the County of Hants
by S. B. Praker

FORDINGBRIDGE
OAKLANDS
HANTS

1911 - 1920

IMPORTANT NOTE
previous day. If an
requested to add the re
for it at the end of th
the selection and plac
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Rules for Rainfall Observers, 1911

11

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

8 in.
Ground 1 ft. in.
Sea Level 135 ft.

Name _____
Distance _____ Direction _____
and the result entered to the
universal rule, he is earnestly
year in the space provided
ement of rain,
British Rainfall
application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2				09							01	15	2
3				07	36			01		07	28	26	3
4	01		06		17						09	15	4
5	03							04		14	22	34	5
6	42		09							19		86	6
7	06										49	01	7
8	02		27								19	55	8
9	04										03	30	9
10	06	05	28		65							63	10
11	53		01		10						1.08	02	11
12			81								16	22	12
13			01						28	06		44	13
14		03										46	14
15		02	02			04					22	01	15
16						23					35	37	16
17			02			13					82	46	17
18		14	06	03		21				02	13	55	18
19		18				23			15	22		20	19
20	04	02	06					05	15	03		81	20
21	01	26	07	02				01	02	74		13	21
22	11	02	15	03		08				19		42	22
23		17				17			13	17	06	35	23
24	01	21				38		12		52		31	24
25	01	04		12	06	05		32	07	02		18	25
26		01		39	10	04		03		23		39	26
27		55	07	18					08	24	13	19	27
28		28		36				14			09	01	28
29				31		21	12		11	28	01		29
30				10	07	07		12		26		02	30
31										01		01	31
Total	1.35	1.98	1.98	1.70	1.51	1.84	12	84	99	3.39	4.36	8.80	TOTAL for year 28.86
No. of Rain Days	13	14	14	11	7	12	1	9	8	17	17	29	152

SL ✓

REGISTER

FORM A2.
BRITISH RAINFALL
23 JAN 1912

Kept at Oaklands, Fordingbridge
in the County of Hampshire 3
by S. B. Pike

Pattern _____
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. _____ in.
" " " Sea Level 135 ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				09							01	15	1
2				07	36			01		07	28	26	2
3					17						09	15	3
4	01		06							14	22	34	4
5	03							04		19			5
6	42		09									86	6
7	06										49	01	7
8	02		27								19	55	8
9	04										03	30	9
10	06	05	28		65							63	10
11	53		01		10						1.08	02	11
12			81								16	22	12
13			01						28	06		44	13
14		03										46	14
15		02	02			04					22	01	15
16						23					35	37	16
17			02			13					82	46	17
18		14	06	03		21				02	13	55	18
19		18				23			15	22		20	19
20	04	02	06					05	15	03		81	20
21	01	26	07	02				01	02	74		13	21
22	11	02	15	03		08				19		42	22
23		17				17			13	17	06	35	23
24	01	21				38		12		52		31	24
25	01	04		12	06	05		32	07	02		18	25
26		01		39	10	04		03		23		39	26
27		55	07	18					08	24	13	19	27
28		28		36				14			09	01	28
29				31		21	12		11	28	01		29
30				10	07	07		12		26		02	30
31										01		01	31
Total	1.35	1.98	1.98	1.70	1.51	1.84	12	84	99	3.39	4.36	8.80	TOTAL for year
No. of Rain Days	13	14	14	11	7	12	1	9	8	17	17	29	152

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Oaklands, Fordingbridge
in the County of Hampshire
by S B Pike

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			07		01	22	08			61		30	1
2			22	02		07	37						2
3	01		08			33	01	73	01		04	04	3
4	10	02	59			39					17		4
5	43	10	23			04		45			01	12	5
6	57	03			14	01	09	37				13	6
7	02	45	14		26	58		05				06	7
8	59	23	55	02		52		07				02	8
9	02	13	18	07		10		07				52	9
10	01	11				02		12			03	39	10
11	22	13				16		13				34	11
12	06	34	10		1.00	69	04	23			01		12
13		03	02					01				07	13
14	15		22		02			09		01			14
15	16	20	06		04	63						26	15
16	47		44		08			15		09	02	01	16
17	60		27		01	07		84				04	17
18	18		24					67			01	04	18
19	05	09	23			02	05	29					19
20	02	04	33			06	11	06		35	02		20
21		15	42		63			08		16			21
22	21	47	10				03	19				07	22
23	19	31	25					67		10	24	50	23
24	20	05	02			06		23		09		24	24
25	09					25		34		09	25	60	25
26		04					13	21		42	44	31	26
27		02				10	17			76		43	27
28		13				30	17	55	17	87	68	74	28
29		11				20	25	04	2.00	22	02		29
30			13			05	05	01	67	30			30
31			47				21	02				02	31
Total	4.35	3.18	5.36	11	2.19	4.87	1.76	6.67	2.55	4.07	1.94	5.25	TOTAL for year 42.60
No. of Rain Days.	21	21	23	3	9	22	14	26	4	13	13	22	191

REGISTER OF RAINFALL IN 1913

Kept at Fordingbridge Caklands
 in the County of Hampshire
 by S. B. Pike

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

BRITISH RAINFALL
 FORM A.
 22 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		29	15	04	01	04			65		25	09	1
2	02	09	01						01	50	20	02	2
3	11		02	03	50					16		08	3
4	87		03		38	01	02		76	55	05	04	4
5	19	07				06	10		28		14	18	5
6	01	11	07		17	12	19			47	01	49	6
7		34	10		34	12	05	12		44	20	02	7
8	02	07			27		01			09		07	8
9		15				04	08	22	08		14	02	9
10	06	01		08	04		49	01		12	53		10
11	102	01		30	06					13	26		11
12					50					01	42		12
13	14		10			01			09		14		13
14	29	01	15			02		03	10		13		14
15	31	09	29	47			76	02	21		02		15
16	22		35	07		01			06				16
17	02			04			01				02		17
18	02		33	09							07		18
19	83		03		01	14	02		41				19
20	16		18	10						63	09	01	20
21			25	40			01			04	81	01	21
22	41		18					18	23			03	22
23			07			05		02			04	82	23
24	04			19							01		24
25		10		22									25
26		01		36				16		23		26	26
27	03		29	08						02			27
28	14		07	16						20	01		28
29	14		28	79	21			03	01	57			29
30	57				05			02		54			30
31	02		04		03			87		05			31
Total	5.64	1.35	2.99	3.42	2.57	.62	1.74	1.68	2.89	4.75	3.54	2.14	33.33
Rain Days.	23	13	20	16	13	11	11	11	12	17	20	14	181

YEAR'S TOTAL

82
✓
REGISTER OF RAINFALL IN 1914

Kept at Oaklands, Fordingbridge
in the County of Hampshire
by S. B. Pike

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

86
FORM A.
BRITISH RAINFALL
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			07					46			12	09	1
2					03		16	03			94	20	2
3			08	05	48		17	01	01		05	07	3
4	06		03	20	12		05	50			63	31	4
5	02		08	34	15		33	74			84	02	5
6		26	01	06	03	01	08	07			06	42	6
7	02	54	08	17	01		10	05			01	19	7
8	03	21	46		07	16		25				11	8
9	03	02	32	26	03	13			17			82	9
10	08	39		06	12			01	22		01	02	10
11		38	65		15	01	89		06		06	46	11
12		12	20						34	23		63	12
13		54	25						07		24	49	13
14		27	40			03	13	43		42	36	43	14
15	01		24				27	47	01	08	31	01	15
16							14		31				16
17		45	28						05			64	17
18		03	10				09					65	18
19		05	44				83				12	20	19
20		84	18			02						24	20
21		59				05		01		30			21
22		04	05		22	02	10	05		20			22
23		16	22		02	03	03			10		02	23
24	01	02	04		04		05		01	04	10	02	24
25	06	01	21				05	30		34	04	25	25
26	01						02	06		04	32	73	26
27	07										15	30	27
28	01	08	17		05					01	42	63	28
29	26		16	02	10			01		34	47	02	29
30	02		10			13				20	73	80	30
31	10						06			52		06	31
Total	79	5.00	4.82	1.16	1.62	59	3.55	3.44	1.25	2.82	5.98	8.83	3985
Rain Days.	15	19	24	8	15	10	18	16	9	13	20	28	196

81 ✓

REGISTER OF RAINFALL IN 1915

764
FORM A.
BRITISH RAINFALL

Kept at Oakhlands, Fordingbridge
in the County of Hampshire
by S. B. Pike

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.20			.03				.25	.26		.27	1
2	.63	.21	.23	.07		.05		.44		.33		.34	2
3	.51	.02	.15	.03	.13			.01		.04		.41	3
4	.01									.01		.31	4
5	.05	.82		.03				.16				.54	5
6	.68	.09		.51		.01	.41	.06	.01	.01	.02	.35	6
7	.39	.60	.01	.05	.13	.03	.24					.31	7
8	.05	.83		.01				.05			.03	.02	8
9	.01	.03		.21		.01		.01			.41	.65	9
10	.25	.02	.04	.01					.01	.03		.13	10
11	.04	.01	.03	.09					.01	.01	.75	.02	11
12	.15	.52		.13	.53			.01		.04	.41		12
13	.01	.54			.96			.01	.13	.01	.09		13
14	.05						.58	.46	.07			.87	14
15	.08	.04			.14		.08	.06		.04	.02	.30	15
16		1.05			.39		1.13	.05				.20	16
17		.49			.45			.04	.01				17
18		.19			.07		.01		.01	.01			18
19		.02			.11		.12						19
20	.31	.01		.12	.16							.04	20
21	.02	.44			.42		.09			.39		.13	21
22	.25	.24	.47	.03			.80		.02	.01		.32	22
23		.03	.21				.18		.23	.65	.01	.36	23
24				.02			.29		.68	.62		.52	24
25			.02	.04		.04			.01			.20	25
26		.16				.02	.16		.01			.77	26
27		.08				.60				.43	.01	.01	27
28		.06				.07			.57	.06	.01	.02	28
29					.32	.02	.09			.05	.34	.09	29
30	.19	X				.04				.62	.66	.32	30
31	.03	X		X		X	.01	.02	X	1.08	X	.38	31
Total	4.11	6.70	1.16	1.35	3.52	1.19	4.12	1.47	2.02	4.70	2.76	7.88	40.98
Rain Days.	20	24	8	14	12	10	14	14	14	14	12	26	188

REGISTER OF RAINFALL IN 1916

Kept at Fordingbridge, Oaklands
in the County of Hampshire
by S. D. Pake

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	17	15	07		82	03	01		83	21	64	01	1
2	23	19	03	01	11					26	14		2
3		1.34			01					68	42		3
4	24	08			05	37	37		35	02	57		4
5	06	10	02		22	16	10			15	60		5
6	01	14	05		03	03	69			18	93		6
7	01	02	23		03	07				06	68	13	7
8		02	02		31	40					02	24	8
9		01			02	02	01			01	01	38	9
10	01	54	01	05	02	48	10			04	02	04	10
11	03		02	04		11						07	11
12	04	05		06	11	01	07	03		06	01		12
13		29	11	04			15	18			01		13
14	02	53		02	05			12		05			14
15		14	15	01				30					15
16	03	09	04	19			03	1.05					16
17	24	20		07				18	31	65	13		17
18	03	06	06	15			02		06	06	30	18	18
19	11		35	05					02		16	03	19
20	21	05	55	11							03	1.41	20
21		05	18		10		04					32	21
22	01	01								20	02	46	22
23	02	02	01	03		15		13		04	22	05	23
24		03		02				03		42	13	29	24
25		37	14		21			1.03	03	06	09		25
26	01	09	08			24		15	07	62	01		26
27		02	90			01		25	43	31		02	27
28		22	09	09				12	39	30	02	39	28
29		46	01		03	37		1.55	32	24	04	23	29
30		X								78		05	30
31	01	X		X		X		03	X	42	X	03	31
Total	1.49	5.27	3.12	.94	2.12	2.45	1.59	5.15	2.81	5.82	5.20	4.33	40.29
Rain Days.	19	27	21	15	15	14	11	14	10	23	23	18	210

REGISTER OF RAINFALL IN 1917

Kept at Oaklands, Fordingbridge
in the County of Hampshire
by S. D. Drake

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			16	07		06		1.05	04		08		1
2			02	1.05		07		02		01	04		2
3	04			01			5.8	10	01	12	10		3
4		05	26					06		32		01	4
5	15		05	41		13			13	27	10		5
6			31			01		01		05	12	02	6
7	41						33	07		29	01	03	7
8	37		11	09			41	28	07	29	18	17	8
9			10	01	03		05	01	02	01	28		9
10	14		38	32	05	01		22					10
11	05		45	12				01		30			11
12			02		03			01		24	01		12
13			19	01				27	02	07		01	13
14		01	02	08			01	15			01	03	14
15				01			14	18		15		08	15
16	01	14		12	11			01		1.39	01	68	16
17		02		06	06	16	35	21	59	22			17
18		03			02	33	27	01	55	01			18
19		30	13			02		21	27		01		19
20		08	14		35			02	02		03		20
21	04	02	14			12			01	04	01	01	21
22			07					06		11			22
23		17			10	01		21		01		03	23
24		29				03	12	03		20	07	01	24
25		03	04				07	02	04	04			25
26		01	04		15			43	09	02	03		26
27					48	13		1.02		03		02	27
28			05		05	1.56		16		01		03	28
29			12		03	08	15	03	01	64		12	29
30		X	23				80	11	01	03			30
31		X	10	X		X	10	07	X	21	X	02	31
Total	1.21	1.15	3.13	2.36	1.46	2.72	3.38	5.04	1.88	5.08	1.09	1.27	29.77
Rain Days.	8	12	22	13	12	14	13	29	15	26	16	15	195

REGISTER OF RAINFALL IN 1918

628

Kept at *Oakhlands, Fordingbridge*
in the County of *Hampshire*
by *S. B. Pake*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
22-1 10

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04		.08	.02			.83			.62	.03	1
2	.02	.14		.16				.34	.03		.12	.12	2
3		.09	.02	.17	.35			.21	.01	.02	.08	.02	3
4		.18	.01					.71	.05	.01	1.11	.07	4
5		.06	.14		.09			.33	.07	.21		.06	5
6	.25	.16		.23				.11	.04	.01		.12	6
7		.20		.12	.46			.01	.34	.12	.37	.07	7
8		.35							.14	.23	.01	.03	8
9		.01		.39		.16	.13		.33	.21		.36	9
10	.07			.08		.03	.57		.17	.33		.48	10
11				.01			.28		.05	.06	.06	.11	11
12		.09			.41		.08		.10			.03	12
13	.48				.03		.49		.41			.01	13
14	.18		.03		.02	.11	.05		.26	.23		.11	14
15	1.30			.52			.20		.01		.01	.29	15
16	.50		.04	.14		.08	.01		.38			.02	16
17	.17			.16			.73	.01	.15			.15	17
18	.69	.01				.54	.05		.35			.29	18
19	.13	.02	.07	.02			.24	.02	.03	.01		.11	19
20	.03	.11		.18		.02		.01	.33	.06	.01		20
21	.21	.08	.01				.19		.91	.18	.01	.10	21
22	.14	.01			.06		.67		.17			.13	22
23	.25				.10	.02	.43		.02		.04	.01	23
24		.29					.03		.09		.16		24
25	.01						.16	.78		.02	.03		25
26	.01	.01					.37		.01	.03	.09	.27	26
27		.14	.04					.12	.06		.14	.02	27
28	.01		.24	.03						.01	.19	.07	28
29			.10						1.19				29
30	.02	X	.47	X		X			X	.04	.09	.02	30
31	.01	X	.10	X		X		.03	X	.13	X		31
Total	4.48	1.99	1.27	2.29	1.54	.96	4.68	2.91	5.70	1.91	3.14	3.10	33.97
Rain Days.	19	18	12	14	9	7	17	13	26	18	17	26	196

REGISTER OF RAINFALL IN 1919

Kept at Cahlands, Fordingbridge
in the County of Hampshire
by S. B. Pike

Lat. 51° 15' N Long. 1° 15' W
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	51		10		03		09		02	07	04	1.20	1
2	25		01		04				80		02	02	2
3	92		40		04	02			06			20	3
4	25	14	75			13		01	19		02	08	4
5	01	43	56		11		45		05		12	21	5
6	52	03	15		27						01	23	6
7	24		47	03									7
8	26		23								01		8
9	18		05	15	03				01		06		9
10	12		38	02	02					01		44	10
11	14		10	26	13		26					06	11
12	05		01	02	01		05			03	09	01	12
13	06	01	02	94			02					08	13
14	62	13		20			01		08	02		16	14
15	57	05		03						01		65	15
16	06	95						05			16	02	16
17	03	16							01		16	02	17
18		11	51				01	04			22	02	18
19	45	33	1.11			13	57	23	08		12	03	19
20	51	03	03			36		25				02	20
21	04	65					04		01		02	04	21
22		01					14		23			21	22
23										13	05	04	23
24		02				07	03			38	06	18	24
25	07	09		19		05		23				18	25
26	04	08	13	04				02	07		10	44	26
27	08		03	32				93				05	27
28		01	43					39			47	52	28
29	01							09		05		09	29
30		X		14		16		66			54	73	30
31		X		X		X			X		X	21	31
Total	5.99	3.23	5.47	2.34	.68	.92	1.67	2.90	1.61	.70	2.27	6.14	33.92
Rain Days.	24	17	19	12	9	7	11	11	12	8	18	28	1760

REGISTER OF RAINFALL IN 1920.

Kept at Fordingbridge, Oaklands
in the County of Hampshire
by S. D. Pike

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08	01	01	16	21		50	07	02	21	65	42	1
2	21			10			19	30	10	15		18	2
3	05	06		01	06		25			62		01	3
4		06	03				56	37		29	01		4
5			15	04	03		74	39		43	01	01	5
6		01	15	01	24		32			01			6
7	03			29	04		42					01	7
8	07	04		13	09		39	05	01	01			8
9	43	07	06	05		09	01						9
10	55	17	11	11		35	42						10
11	22		08	39	15	04	19		01	01		05	11
12	23	11	01	21		1.03	01				02		12
13	22	01	47	08						01	02		13
14	05	03	33	51			01		20	62	43		14
15	06	04	03	11	06	02			06	36	10		15
16	01	01	03	01			04		12	01			16
17	02	01		09	32		04		32			01	17
18	10	01	01	02	01	08	01	41	13		01		18
19	01			23		18					02		19
20	03	12		18		56					01	08	20
21	01						33		02			20	21
22	05	01	01	15			01	03	02		02	33	22
23							34			01		39	23
24	02	01	21	01							09	09	24
25	02	06	24		17		35			01	02	02	25
26	11		18			01	14		01	01	05	13	26
27	48	03	04	14		20	03			01	09	29	27
28	48	02	01	04	01	01	13			01		08	28
29	54		12	04		03			01		22	35	29
30	09	~~X~~				14	06		32		33	34	30
31	05	~~X~~	16	~~X~~		~~X~~	01		~~X~~	39	~~X~~	26	31
TOTAL	4.22	.89	2.44	3.11	1.39	2.74	5.50	1.62	1.35	3.17	2.10	3.25	YEAR'S TOTAL 31.78
Days with 01 in. or more	27	20	21	24	12	13	25	7	14	18	17	19	217

REG

FOWLEY

HANTS

1917-1920

Kept at Fowley
in the County of Hants
by Edw. A. Art

9' 20" W
hook
ge 5 in.
ound ft. 10 in.
a Level 295 ft.

result entered to the

IMPORTANT NOT
previous day. If an Ob

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.13	.31	—	—	—	1.60	.26	—	.02	.02	1
2	—	—	.02	.23	—	—	—	.05	—	—	.15	—	2
3	—	—	—	.19	—	—	.80	.35	—	.19	.04	—	3
4	—	.18	.15	—	—	—	.07	.46	—	.35	—	.03	4
5	.36	—	.07	.50	—	.09	—	—	.15	.25	.16	—	5
6	—	—	.27	—	—	.31	—	—	.07	.02	.10	—	6
7	.28	—	—	—	—	—	.09	—	—	.37	—	.10	7
8	.31	—	—	.11	—	—	.48	.11	.01	.32	.22	.43	8
9	—	—	.12	.02	.04	—	.10	.02	.01	.01	.06	.17	9
10	.20	—	.27	.32	—	—	—	.20	—	.02	.02	.01	10
11	.14	—	.27	.17	—	—	—	.14	.11	.42	—	—	11
12	.06	—	.01	.03	.01	—	—	.60	—	.25	—	—	12
13	.11	—	.22	.13	—	—	—	.44	.03	.20	—	—	13
14	—	—	—	.11	—	—	—	.31	—	—	—	.01	14
15	—	—	—	—	—	—	.11	.05	—	.20	—	.03	15
16	.02	.16	—	.12	.05	—	.07	.02	—	1.22	—	.61	16
17	—	.01	—	.10	.28	—	.22	.15	.63	.11	—	—	17
18	.03	.05	—	.02	.02	—	.28	.02	.42	.01	—	—	18
19	.02	.20	.17	—	—	.03	—	.10	.19	—	—	—	19
20	.01	.07	.06	—	.62	—	—	.06	.06	—	—	—	20
21	—	—	.04	—	—	—	—	—	—	.02	.02	—	21
22	—	—	.04	—	—	.08	—	.23	—	.09	—	—	22
23	—	.24	—	—	.10	.03	—	.19	—	.01	—	.04	23
24	—	.10	—	—	—	.10	.14	.02	—	.42	.11	—	24
25	—	.05	.04	—	—	—	.12	—	—	.07	—	—	25
26	—	—	.03	—	—	—	—	.40	.08	.02	.23	.02	26
27	—	—	—	—	.18	.02	—	1.83	—	—	—	—	27
28	—	—	.06	—	—	1.95	—	.30	—	—	—	.06	28
29	—	X	.07	—	1.33	.12	.50	.03	—	.45	—	.11	29
30	.01	X	.42	—	—	—	1.40	.15	—	—	—	—	30
31	.01	X	.08	X	—	X	.18	.10	X	.04	X	.03	31
Total	1.56	1.06	2.54	2.36	2.63	2.73	4.56	7.93	2.02	5.06	1.13	1.67	35.25
Rain Days	13	9	20	14	9	9	14	26	12	23	11	14	174

REGISTER

Kept at Fowley Liphook
in the County of Hants
by Edw^d Arthur Lee

Lat. 51° 4' N. Long. 9° 20' W.
Time of Observation 9 a.m.
Nearest Railway Station Liphook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 295 ft.

FORM A.
BRITISH RAINFALL
1918
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.13	.31	—	—	—	1.60	.26	—	.02	.02	1
2	—	—	.02	.23	—	—	—	.05	—	—	.15	—	2
3	—	—	—	.19	—	—	.80	.35	—	.19	.04	—	3
4	—	.18	.15	—	—	—	.07	.46	—	.35	—	.03	4
5	.36	—	.07	.50	—	.09	—	—	.15	.25	.16	—	5
6	—	—	.27	—	—	.31	—	—	.07	.02	.10	—	6
7	.28	—	—	—	—	—	.09	—	—	.37	—	.10	7
8	.31	—	—	.11	—	—	.48	.11	.01	.32	.22	.43	8
9	—	—	.12	.02	.04	—	.10	.02	.01	.01	.06	.17	9
10	.20	—	.27	.32	—	—	—	.20	—	.02	.02	.01	10
11	.14	—	.27	.17	—	—	—	.14	.11	.42	—	—	11
12	.06	—	.01	.03	.01	—	—	.60	—	.25	—	—	12
13	.11	—	.22	.13	—	—	—	.44	.03	.20	—	—	13
14	—	—	—	.11	—	—	—	.31	—	—	—	.01	14
15	—	—	—	—	—	—	.11	.05	—	.20	—	.03	15
16	.02	.16	—	.12	.05	—	.07	.02	—	1.22	—	.61	16
17	—	.01	—	.10	.28	—	.22	.15	.63	.11	—	—	17
18	.03	.05	—	.02	.02	—	.28	.02	.42	.01	—	—	18
19	.02	.20	.17	—	—	.03	—	.10	.19	—	—	—	19
20	.01	.07	.06	—	.62	—	—	.06	.06	—	—	—	20
21	—	—	.04	—	—	—	—	—	—	.02	.02	—	21
22	—	—	.04	—	—	.08	—	.23	—	.09	—	—	22
23	—	.24	—	—	.10	.03	—	.19	—	.01	—	.04	23
24	—	.10	—	—	—	.10	.14	.02	—	.42	.11	—	24
25	—	.05	.04	—	—	—	.12	—	—	.07	—	—	25
26	—	—	.03	—	—	—	—	.40	.08	.02	.23	.02	26
27	—	—	—	—	.18	.02	—	1.83	—	—	—	—	27
28	—	—	.06	—	—	1.95	—	.30	—	—	—	.06	28
29	—	X	.07	—	1.33	.12	.50	.03	—	.45	—	.11	29
30	.01	X	.42	—	—	—	1.40	.15	—	—	—	—	30
31	.01	X	.08	X	—	X	.18	.10	X	.04	X	.03	31
Total	1.56	1.06	2.54	2.36	2.63	2.73	4.56	7.93	2.02	5.06	1.13	1.67	35.25
Rain Days	13	9	20	14	9	9	14	26	12	23	11	14	174

REGISTER OF RAINFALL IN 1918

131

FORM A.
BRITISH RAINFALL

Kept at Fowley - Liphook

in the County of Hants

by Edwa Arthur Lee

Lat. 51° 4' 15" N Long. 0° 49' 20" W

Time of Observation 9 a.m.

Nearest Railway Station Liphook

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.02	—	—	—	.04	—	.08	.61	.04	1
2	—	.06	—	.12	—	—	—	.36	—	.01	.40	.34	2
3	—	.03	.04	.12	.50	—	—	.06	—	.02	.23	.03	3
4	—	.28	.09	.02	—	—	—	.03	.14	—	1.13	.04	4
5	—	.07	.09	—	.13	—	—	.16	.07	.16	—	.04	5
6	.14	.18	—	.34	.16	—	—	.04	.02	.05	—	.13	6
7	—	.19	—	.08	.23	—	—	.03	.33	.06	.35	.05	7
8	—	.50	—	—	—	—	—	—	.17	.05	.06	.02	8
9	.01	.03	—	.10	—	.10	.50	—	.66	.17	—	.55	9
10	—	—	—	.10	—	.03	.34	—	.22	.05	.02	.33	10
11	.02	—	—	—	—	—	.34	—	.01	.37	.07	.13	11
12	—	.15	—	—	.25	—	.26	—	.02	—	—	.01	12
13	.23	—	—	—	.12	—	.28	—	.23	—	—	.05	13
14	.22	—	.11	—	.02	.13	.06	—	.38	.15	—	.27	14
15	1.40	—	—	.50	—	.06	.13	—	.01	—	—	.20	15
16	.45	—	.02	.20	—	.10	.01	—	.88	.02	—	—	16
17	.23	—	—	.11	—	—	.29	.03	—	—	—	.31	17
18	.80	—	—	—	—	.40	.03	—	.65	—	—	.18	18
19	.09	—	.08	—	—	.36	.28	.01	.02	.06	—	.04	19
20	.05	.23	—	.59	—	.03	.08	—	.69	.09	.02	—	20
21	.23	.10	—	.17	—	.02	.22	—	.40	.06	—	.05	21
22	.20	.02	—	—	.26	—	.60	—	.29	.01	.01	.21	22
23	.12	—	—	—	.14	—	.25	.04	.04	—	—	.01	23
24	—	.28	—	—	—	.02	.01	—	.14	—	.11	—	24
25	—	—	—	.40	—	—	.30	.20	—	.04	—	—	25
26	—	—	—	.01	—	—	.35	—	.07	.01	.10	.18	26
27	—	.19	.11	.05	—	—	.11	.21	.09	—	.11	.04	27
28	—	.05	.35	.04	—	—	—	—	—	—	.15	.05	28
29	—	X	.05	—	—	—	—	—	.95	—	—	.01	29
30	—	X	.45	—	—	—	—	—	.08	.06	.05	.05	30
31	—	X	.05	X	—	X	—	—	X	.20	X	—	31
Total	4.19	2.36	1.44	2.97	1.81	1.25	4.44	1.21	6.56	1.72	3.42	3.36	YEAR'S TOTAL 34.73
Rain Days	14	15	11	17	9	10	19	12	24	20	15	26	192

REGISTER OF RAINFALL IN 1919.

Kept at Fowley Liphook
in the County of Hants
by Edw^d Arthur Lee

Lat. 51° 4' 15" N Long. 0° 49' 20" W
Time of Observation 9 a.m.
Nearest Railway Station Liphook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.53	.02	.05	—	—	—	.15	.01	.01	.02	.02	1.38	1
2	.62	.01	.02	—	.15	—	—	—	.13	—	.07	.10	2
3	.35	—	.52	—	.01	—	.21	—	.25	—	.01	.28	3
4	.28	.04	.55	—	—	.03	.11	.07	.17	—	.06	.11	4
5	—	.29	1.20	—	—	—	.30	—	.34	—	.17	.33	5
6	.40	—	.10	.07	.13	—	—	—	—	—	—	.12	6
7	.10	—	.63	—	—	—	—	—	—	—	—	—	7
8	.33	—	.17	.05	—	—	—	—	—	—	—	—	8
9	.23	—	.06	.16	.15	—	—	—	—	—	.14	—	9
10	1.02	—	.27	.04	—	—	—	—	—	—	—	.37	10
11	.10	—	.10	.29	.12	—	.14	—	—	—	—	.04	11
12	—	—	.04	.08	—	.01	.06	—	—	.07	.02	—	12
13	.06	—	—	.90	—	—	—	—	—	—	—	.06	13
14	.66	—	—	.40	—	—	.22	—	.58	.02	—	.08	14
15	.25	—	.02	.02	—	—	—	—	—	—	—	1.14	15
16	.05	.70	—	—	—	—	—	—	—	—	.12	—	16
17	—	.24	—	—	—	—	—	—	—	—	.15	.02	17
18	—	.17	.30	—	—	—	—	.12	—	—	.11	.02	18
19	.12	.38	1.13	—	—	.17	.42	.26	—	—	.09	.01	19
20	.61	.14	.13	—	—	.40	.04	.28	—	—	—	.04	20
21	.08	.61	—	—	—	—	.03	—	—	—	.02	.05	21
22	—	.01	.01	—	—	—	.20	—	.50	—	.02	.25	22
23	—	—	—	—	—	—	—	—	.07	.03	.05	.03	23
24	—	—	—	—	—	.05	—	—	—	.20	.08	.05	24
25	—	.12	—	—	—	.02	—	.35	—	—	—	.07	25
26	.08	.21	.13	.08	—	—	.01	.01	.13	—	.03	.56	26
27	.70	—	.01	.65	—	—	—	.70	—	—	.03	.05	27
28	.02	—	.33	.02	—	—	—	.97	—	—	.56	.46	28
29	.04	~~—~~	—	.03	—	.02	—	.47	—	.12	—	.09	29
30	—	~~—~~	.03	.21	—	.11	—	.43	—	.01	.65	1.00	30
31	.02	~~—~~	—	~~—~~	—	~~—~~	—	—	~~—~~	—	~~—~~	.11	31
TOTAL	6.65	2.94	5.80	3.00	.56	.81	1.89	3.67	2.18	.47	2.40	6.82	YEAR'S TOTAL 37.19
Days with of in. or more	22	13	21	14	5	8	12	11	9	7	19	26	167

REGISTER OF RAINFALL IN 1926.

Kept at Fowley - Liphook
in the County of Hants
by Edw. Arthur Lee

Lat. 51° 4' 15" N Long. 0° 49' 20" W
Time of Observation 9 a.m.
Nearest Railway Station Liphook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	—	.01	.20	.20	—	.37	—	—	.75	.02	.41	1
2	.04	—	.12	.04	.03	—	.03	.26	.08	.10	—	.23	2
3	.21	.06	—	.03	.24	—	.08	—	—	.48	—	.04	3
4	—	.09	.02	.22	—	—	1.43	.24	—	.34	—	.11	4
5	—	—	.21	.08	—	—	.81	.24	—	.07	—	.09	5
6	—	—	.38	—	.25	—	.40	—	—	.01	—	.05	6
7	.07	—	—	.25	—	—	.20	—	—	—	—	—	7
8	—	.01	—	.04	.11	—	.27	—	—	—	—	—	8
9	.46	.06	—	.10	—	.04	.17	—	—	—	—	—	9
10	.95	.34	.06	.02	—	.25	.21	—	—	—	—	—	10
11	.36	—	.10	.62	.03	—	.26	—	—	—	—	.11	11
12	.05	.11	—	.24	—	.55	—	—	—	—	.07	—	12
13	.14	.02	.25	.13	—	—	—	—	—	—	.14	—	13
14	—	.02	.44	.50	—	—	—	—	.15	.26	.74	.02	14
15	.04	.05	.03	.30	—	.01	—	—	.70	.18	.16	.01	15
16	—	—	.02	.15	—	—	—	—	.25	—	—	—	16
17	.01	—	—	—	.05	—	.02	—	.71	—	—	.05	17
18	.15	—	—	—	.25	—	—	.84	.13	—	—	.06	18
19	.08	—	—	.23	—	.04	—	.01	.03	—	—	.02	19
20	.07	.11	—	.21	—	.63	—	—	—	—	—	.05	20
21	—	—	—	.01	—	—	.72	—	.20	—	—	.23	21
22	.05	—	—	.25	—	—	.02	.02	.23	—	—	.46	22
23	.01	—	—	—	—	—	.38	.12	—	—	—	.48	23
24	.02	—	.20	.02	—	—	—	—	—	—	.03	.19	24
25	—	—	.04	—	.01	—	.49	—	—	—	—	—	25
26	.11	—	.43	—	—	.09	.03	—	—	—	.01	.14	26
27	.85	.01	.02	.19	—	.06	.01	—	—	—	.37	.28	27
28	.47	.01	.15	.02	—	.01	.11	—	—	—	.03	.03	28
29	.73	—	.09	—	—	—	—	—	—	—	.22	.47	29
30	.07	~~X~~	—	—	—	.04	.15	—	—	.03	.27	.48	30
31	.15	~~X~~	.23	~~X~~	.03	~~X~~	—	—	~~X~~	1.20	~~X~~	.26	31
TOTAL	5.25	.89	2.80	3.85	1.20	1.72	6.16	1.73	2.48	3.42	2.06	4.27	YEAR'S TOTAL 35.83
Days with .01 in. or more	23	12	18	22	10	10	20	7	9	10	11	23	175
Days with .04 in. or more	20	7	13	17	6	8	15	5	8	8	7	19	133

✓
Kept at *F 209*
in the County of
by *R B Se*

FROYLT

HANTS

1914 - 16

FORM A2.
BRITISH RAINFALL
JAN 1915
1 ft.
el 350 ft.

Bentley
2 1/2 Direction *N 2*

result entered to the
rule, he is earnestly

Jan. 1, following.

IMPORTANT NOTE
previous day. If an ()
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. —	in. 02	in. —	in. —	in. —	in. —	in. —	in. 14	in. —	in. —	in. 13	in. 03	1
2	01	—	01	—	—	02	01	06	—	—	12	21	2
3	—	—	10	01	25	—	10	17	—	—	24	32	3
4	03	—	05	25	01	—	05	10	—	—	35	31	4
5	09	—	09	48	37	05	19	57	—	—	04	04	5
6	—	11	02	14	02	10	02	04	—	—	—	22	6
7	01	71	22	15	04	01	19	—	—	—	—	14	7
8	08	31	59	03	04	04	01	18	—	—	—	04	8
9	24	—	47	20	—	05	—	03	21	—	—	194	9
10	03	13	08	05	16	—	—	—	20	—	01	01	10
11	—	16	47	—	04	02	11	—	08	—	09	16	11
12	—	19	11	—	—	—	56	—	35	09	—	37	12
13	—	44	18	—	—	—	—	—	19	05	06	74	13
14	—	39	21	—	—	—	15	01	2	58	14	50	14
15	01	05	14	—	—	—	02	18	02	02	20	01	15
16	01	—	—	—	—	—	02	—	08	—	02	—	16
17	—	55	11	—	—	—	01	—	03	—	—	41	17
18	—	—	18	—	—	—	01	—	—	—	—	34	18
19	—	08	19	—	—	02	86	—	—	02	16	36	19
20	—	40	43	—	—	01	—	—	08	—	—	30	20
21	—	49	15	—	—	01	—	—	—	14	—	03	21
22	—	03	—	—	11	09	07	02	—	27	—	01	22
23	—	09	11	—	01	05	02	—	—	06	—	02	23
24	—	—	06	—	02	—	—	—	—	03	16	—	24
25	04	—	12	—	—	—	—	14	—	28	01	16	25
26	—	—	—	—	—	—	03	05	—	08	18	59	26
27	05	—	—	—	—	—	—	—	—	—	08	21	27
28	—	05	01	—	12	—	01	—	—	—	56	71	28
29	12	X	10	—	09	—	—	—	—	26	27	01	29
30	02	X	10	—	—	—	—	—	—	10	50	42	30
31	02	X	—	X	05	X	03	—	X	04	X	03	31
Total	.76	4.20	4.25	1.31	1.33	.47	2.47	1.69	1.24	2.02	3.32	8.34	TOTAL for year 31.40
No. of Rain Days	14	17	25	8	14	12	20	13	9	14	19	29	194

Kept at

in the County of

by

RAIN
GAUGE

Pattern

Diameter of top in.

Height of top above Ground ft.

Sea Level ft.

Time of Observation

Nearest Railway Station

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	01	—	01	—	—	02	01	06	—	—	12	21	2
3	—	—	10	01	25	—	10	17	—	—	24	02	3
4	03	—	05	25	01	—	05	10	—	—	35	31	4
5	09	—	09	48	37	05	19	57	—	—	04	04	5
6	—	11	02	14	02	10	02	04	—	—	—	22	6
7	01	71	22	15	04	01	19	—	—	—	—	14	7
8	08	31	59	03	04	04	01	18	—	—	—	04	8
9	24	—	47	20	—	05	—	03	21	—	—	1.94	9
10	03	13	08	05	16	—	—	—	20	—	01	01	10
11	—	16	47	—	04	02	11	—	08	—	09	16	11
12	—	19	11	—	—	—	56	—	35	09	—	37	12
13	—	44	18	—	—	—	—	—	19	05	06	74	13
14	—	39	21	—	—	—	15	01	2	58	14	50	14
15	01	05	14	—	—	—	02	18	02	02	20	01	15
16	01	—	—	—	—	—	02	—	08	—	02	—	16
17	—	55	11	—	—	—	01	—	03	42	—	41	17
18	—	—	18	—	—	—	01	—	—	—	—	34	18
19	—	08	19	—	—	02	86	—	—	02	16	36	19
20	—	40	43	—	—	01	—	—	08	—	—	30	20
21	—	49	15	—	—	01	—	—	—	14	—	03	21
22	—	03	—	—	11	09	07	02	—	27	—	01	22
23	—	09	11	—	01	05	02	—	—	06	—	02	23
24	—	—	06	—	02	—	—	—	—	03	16	—	24
25	04	—	12	—	—	—	—	14	—	28	01	16	25
26	—	—	—	—	—	—	03	05	—	08	18	59	26
27	05	—	—	—	—	—	—	—	—	—	08	21	27
28	—	05	01	—	12	—	01	—	—	—	56	71	28
29	12	X	10	—	09	—	—	—	—	26	22	01	29
30	02	X	10	—	—	—	—	—	—	10	50	42	30
31	02	X	—	X	05	X	03	—	X	04	X	03	31
Total	.76	4.20	4.25	1.31	1.33	1.47	2.47	1.69	1.24	2.02	3.32	8.34	TOTAL for year
No. of Rain Days	14	17	25	8	14	12	20	13	9	14	19	29	194

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Park Edge, Troyle
in the County of Hampshire
by R. B. Sedgwick Esq.

Lat. _____ Long. _____
Nearest Railway Station Bentley, L. & S. W. R.
Time of Observation 9.0 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
" " " Sea Level 350 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.11	.12	—	.05	—	—	.04	.15	.10	1.25	.35	1
2	.16	.29	.19	.08	—	—	—	.69	.02	.09	.04	.22	2
3	.55	.01	.12	.12	.05	—	—	—	.03	—	—	.36	3
4	.10	—	.01	—	—	—	—	—	—	—	—	.24	4
5	.03	.43	—	.03	—	—	—	—	—	—	—	.38	5
6	.41	.11	—	.38	—	—	.51	.17	—	—	—	.46	6
7	.43	.37	.02	—	.04	—	.28	.02	—	—	—	.26	7
8	.06	.72	—	—	—	—	.08	.12	—	—	.02	.01	8
9	.07	.11	—	.12	—	.08	—	.06	—	—	.54	.62	9
10	.18	.03	—	—	—	—	—	—	—	—	—	.25	10
11	.05	.01	.04	—	—	—	—	—	—	—	.43	.03	11
12	.05	.21	—	.30	.32	—	—	—	—	—	.33	—	12
13	.04	.66	—	—	1.35	—	—	.03	.03	—	—	—	13
14	.05	.02	—	—	—	—	.22	.13	.01	—	—	.50	14
15	.09	—	—	—	.05	—	.04	.16	—	—	.10	.17	15
16	—	.71	—	—	.19	—	.74	—	—	—	—	.13	16
17	—	.39	—	—	1.22	—	—	—	—	—	—	.01	17
18	—	.26	.05	—	.09	—	—	—	—	—	—	—	18
19	—	.04	—	—	.04	—	.10	—	—	—	—	—	19
20	.27	—	—	.01	.05	—	—	—	—	—	—	.12	20
21	.11	.02	—	—	.23	—	.15	—	—	.16	—	.06	21
22	.81	.34	.21	.02	—	—	1.90	—	—	—	—	.22	22
23	.02	.10	.09	—	—	.03	.46	—	.16	.30	—	.29	23
24	—	—	—	—	—	—	.04	—	.85	.36	—	.31	24
25	—	—	—	.03	—	.54	.17	—	—	—	—	.17	25
26	—	.05	—	—	—	.05	.52	—	.01	—	—	.88	26
27	—	.10	—	—	—	.77	—	—	—	.35	—	.10	27
28	—	.09	—	—	—	.15	—	—	.80	.10	—	—	28
29	—	X	—	—	—	.17	—	.09	—	—	.37	.05	29
30	.10	X	—	—	—	.01	—	—	—	.22	.54	.05	30
31	.07	X	—	X	—	X	—	—	X	—	X	.24	31
Total	3.95	5.18	.85	1.09	3.68	1.80	5.21	1.51	2.06	1.68	3.62	6.48	TOTAL for year
No. of Rain Days	21	23	9	9	12	8	13	11	9	8	9	26	158

REGISTER OF RAINFALL IN 1916

FORM A7.
BRITISH RAINFALL.

Kept at Park Edge, Tring

in the County of Hampshire

by Mrs. A. D. Sedgwick

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground one ft. 10 in.
" " " Sea Level 350 ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.10	—	—	.18	.02	—	—	.57	.18	.40	—	1
2	.34	.07	.12	—	.43	—	—	—	.10	.80	.06	—	2
3	.02	.79	.06	—	.01	—	—	—	.9	.32	.34	—	3
4	.26	.13	—	—	—	.31	—	—	—	.01	.46	—	4
5	.04	.02	—	.01	.11	.10	—	—	—	.06	.95	—	5
6	—	.13	.09	.05	.03	.02	.52	—	—	.18	.66	—	6
7	—	.10	.29	—	.07	.11	.06	—	—	.06	.62	.04	7
8	—	—	.02	—	.28	.06	—	—	—	.01	.01	.46	8
9	—	—	—	—	—	.03	—	—	—	.06	—	—	9
10	—	.32	—	.04	—	.51	.12	—	—	.05	.01	.16	10
11	.03	.04	.02	.02	.19	.06	—	—	—	—	—	.11	11
12	.04	.06	.06	.07	.09	.07	.04	.18	.01	.07	—	.02	12
13	—	.25	.11	.07	.01	.02	—	.11	.04	.07	—	—	13
14	—	.60	.14	.02	—	—	—	.02	—	.08	—	—	14
15	—	.18	.54	—	—	—	—	.62	—	.05	—	.11	15
16	.01	.03	.22	.16	—	—	.07	.64	—	—	—	—	16
17	.19	.20	—	.02	—	—	.02	.40	.31	.89	—	—	17
18	.01	.08	.07	.01	—	—	—	.01	.22	.02	.89	.11	18
19	.13	—	.09	.36	—	.08	—	—	—	—	.45	—	19
20	.09	—	.27	—	—	—	—	—	—	—	.03	.64	20
21	.01	—	.23	—	—	—	.03	—	—	—	—	.24	21
22	—	—	.02	—	—	.03	—	—	—	.16	—	.36	22
23	.02	.10	.01	—	—	.27	—	.02	—	.16	.05	—	23
24	—	.03	—	—	.21	.32	—	.04	—	.42	.08	.22	24
25	—	.50	.21	—	—	—	—	.10	.21	.03	.10	—	25
26	—	.08	.01	—	—	.08	—	.05	.19	.54	—	—	26
27	.02	.04	1.00	—	—	—	—	.53	.04	.24	.02	—	27
28	—	.34	.03	—	—	.12	—	—	.14	.04	.02	.31	28
29	—	.21	—	—	—	.21	—	1.01	.10	.50	—	.26	29
30	—	X	—	—	—	—	—	.01	—	.80	—	—	30
31	—	X	.02	+	—	X	—	.07	X	.28	X	.03	31
Total	1.33	4.40	3.63	.85	1.61	2.42	.86	13.81	2.04	6.06	4.45	.07	TOTAL for year
No. of Rain Days	15	23	22	11	11	18	7	15	12	26	17	14	34

Si made ✓

REGI

Kept at Fyfield Rect

in the County of Hants

by Rev E. R. Reynold

FYFIELD
RECTORY
HANTS

1913, 16, 17, 19, 20.

Dr. 3 APR 1914
FORM A.
BRITISH RAINFALL

a.m.
Fyfield
in.

Ground 1 ft. 4 1/2 in.

Sea Level 260 ft.

The result entered to the
usual rule, he is earnestly
in the space provided
of rain,
sh Rainfall
plication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
13 1	.02	.16	.12	.03	.18	.02	.00	.00	.84	.00	.13	.22	1
2	.03	.06	.01	.00	.00	.00	.00	.00	.06	.13	.14	.01	2
3	.03	.02	.00	.65	.31	.00	.00	.00	.00	.01	.00	.07	3
4	.45	.21	.02	.00	.32	.00	.01	.00	1.40	.74	.06	.13	4
5	.07	.06	.00	.00	.00	.09	.10	.00	.21	.00	.02	.11	5
6	.00	.03	.08	.00	.17	.09	.67	.00	.01	.42	.08	.59	6
7	.00	.21	.00	.00	.32	.06	.21	.00	.00	.57	.14	.00	7
8	.01	.06	.00	.00	.23	.06	.00	.00	.00	.10	.00	.01	8
9	.00	.11	.00	.00	.00	.00	.04	.06	.08	.01	.07	.02	9
10	.03	.00	.03	.03	.04	.00	.09	.02	.00	.01	.61	.00	10
11	.26	.00	.00	.33	.13	.00	.00	.00	.00	.13	.61	.00	11
12	.00	.00	.00	.00	.30	.00	.04	.00	.00	.01	.21	.00	12
13	.15	.00	.00	.00	.00	.00	.00	.03	.23	.00	.19	.00	13
14	.17	.00	.16	.03	.00	.00	.02	.03	.12	.03	.11	.00	14
15	.13	.04	.14	.24	.00	.00	.25	.00	.72	.00	.04	.00	15
16	.26	.00	.31	.07	.00	.00	.00	.00	.00	.00	.00	.00	16
17	.01	.05	.06	.02	.00	.01	.05	.00	.01	.00	.00	.00	17
18	.01	.00	.21	.06	.00	.00	.03	.00	.00	.00	.03	.00	18
19	.66	.00	.05	.00	.02	.01	.13	.00	.50	.00	.00	.00	19
20	.11	.00	.08	.06	.03	.00	.00	.00	.00	.83	.02	.00	20
21	.00	.00	.24	.12	.02	.00	.00	.00	.00	.04	.62	.00	21
22	.49	.00	.21	.15	.00	.00	.00	.14	.32	.03	.00	.01	22
23	.00	.00	.00	.00	.00	.06	.00	.00	.00	.00	.02	.50	23
24	.01	.00	.00	.13	.00	.00	.00	.03	.00	.00	.01	.00	24
25	.00	.03	.00	.30	.00	.00	.00	.00	.00	.00	.00	.01	25
26	.00	.01	.00	.32	.00	.00	.00	.18	.00	.26	.00	.08	26
27	.00	.00	.16	.12	.00	.00	.00	.00	.00	.05	.00	.00	27
28	.22	.00	.18	.11	.00	.00	.00	.00	.00	.10	.00	.00	28
29	.06	X	.33	.68	.12	.00	.00	.06	.00	.76	.00	.00	29
30	.42	X	.00	.00	.02	.00	.00	.01	.00	.32	.01	.00	30
31	.05	X	.05	X	.01	X	.00	.41	X	.01	X	.00	31
99 Total	4.15	.78	2.44	2.85	2.19	.49	1.64	.97	4.12	4.56	3.12	1.76	YEAR'S TOTAL 29.45
Rain Days.	22	11	18	18	15	8	12	10	12	20	19	12	177

REGISTER OF RAINFALL IN 1913

Kept at Feyfield Rectory W. Audon
in the County of Hants. 4
by Rev E. K. Reynolds

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Weyhill
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 4 1/2 in.
" " " " Sea Level 260 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
13 1	.02	.16	.12	.03	.18	.02	.00	.00	.84	.00	.13	.22	1
2	.03	.06	.01	.00	.00	.00	.00	.00	.06	.13	.14	.01	2
3	.03	.02	.00	.05	.31	.00	.00	.00	.00	.01	.00	.07	3
4	.45	.21	.02	.00	.32	.00	.01	.00	1.40	.74	.06	.13	4
5	.07	.06	.00	.00	.00	.09	.10	.00	.21	.00	.02	.11	5
6	.00	.03	.08	.00	.17	.09	.67	.00	.01	.42	.08	.59	6
7	.00	.21	.00	.00	.32	.06	.21	.00	.00	.57	.14	.00	7
8	.01	.06	.00	.00	.23	.06	.00	.00	.00	.10	.00	.01	8
9	.00	.11	.00	.00	.00	.00	.04	.06	.08	.01	.07	.02	9
10	.03	.00	.03	.03	.04	.00	.09	.02	.00	.01	.61	.00	10
11	.26	.00	.00	.33	.13	.00	.00	.00	.00	.13	.61	.00	11
12	.00	.00	.00	.00	.30	.00	.04	.00	.00	.01	.21	.00	12
13	.15	.00	.00	.00	.00	.00	.00	.03	.23	.00	.19	.00	13
14	.17	.00	.16	.03	.00	.00	.02	.03	.12	.03	.11	.00	14
15	.13	.04	.14	.24	.00	.00	.25	.00	.72	.00	.04	.00	15
16	.26	.00	.31	.07	.00	.00	.00	.00	.00	.00	.00	.00	16
17	.01	.05	.06	.02	.00	.01	.05	.00	.01	.00	.00	.00	17
18	.01	.00	.21	.06	.00	.00	.03	.00	.00	.00	.03	.00	18
19	.66	.00	.05	.00	.02	.01	.13	.00	.50	.00	.00	.00	19
20	.11	.00	.08	.06	.03	.00	.00	.00	.00	.83	.02	.00	20
21	.00	.00	.24	.12	.02	.00	.00	.00	.00	.04	.62	.00	21
22	.49	.00	.21	.15	.00	.00	.00	.14	.32	.03	.00	.01	22
23	.00	.00	.00	.00	.00	.06	.00	.00	.00	.00	.02	.50	23
24	.01	.00	.00	.13	.00	.00	.00	.03	.00	.00	.01	.00	24
25	.00	.03	.00	.30	.00	.00	.00	.00	.00	.00	.00	.01	25
26	.00	.01	.00	.32	.00	.00	.00	.18	.00	.26	.00	.08	26
27	.00	.00	.16	.12	.00	.00	.00	.00	.00	.05	.00	.00	27
28	.22	.00	.18	.11	.00	.00	.00	.00	.00	.10	.00	.00	28
29	.06		.33	.68	.12	.00	.00	.06	.00	.76	.00	.00	29
30	.42		.00	.00	.02	.00	.00	.01	.00	.32	.01	.00	30
31	.05		.05		.01		.00	.41		.01		.00	31
99 Total	4.15	.78	2.44	2.85	2.19	.49	1.64	.97	4.12	4.56	3.12	1.76	YEAR'S TOTAL 29.45
Rain Days.	22	11	18	18	15	8	12	10	12	20	19	12	177

REGISTER OF RAINFALL IN 1916

Kept at Fyfield Rectory, Andover
in the County of Hants
by Rev EKR Reynolds

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Weyhill
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level _____ ft.

719
BRITISH RAINFALL
FORM A.
7 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.00	.03	.00	.08	.02	.01	.00	.25	.19	.46	.00	1
2	.19	.09	.04	.00	.27	.00	.04	.00	.04	.77	.05	.00	2
3	.01	1.18	.02	.00	.03	.00	.00	.00	.09	.42	.45	.00	3
4	.08	.09	.00	.00	.01	.19	.00	.00	.26	.03	.16	.00	4
5	.02	.02	.00	.00	.24	.16	.00	.00	.00	.00	1.08	.00	5
6	.02	.10	.08	.00	.03	.05	.60	.00	.00	.08	.73	.00	6
7	.06	.04	.10	.00	.04	.00	.24	.00	.00	.05	.68	.11	7
8	.00	.01	.02	.00	.11	.05	.00	.00	.00	.00	.00	.15	8
9	.01	.01	.02	.00	.24	.08	.01	.00	.00	.12	.00	.13	9
10	.00	.50	.02	.68	.05	.12	.03	.00	.00	.01	.00	.01	10
11	.05	.03	.01	.04	.00	.23	.00	.00	.01	.00	.00	.30	11
12	.06	.03	.02	.05	.17	.02	.08	.00	.00	.07	.00	.00	12
13	.00	.10	.12	.00	.00	.00	.00	.05	.00	.00	.00	.00	13
14	.00	.33	.00	.10	.05	.00	.00	.25	.00	.03	.00	.00	14
15	.00	.27	.10	.01	.00	.00	.00	.75	.00	.00	.00	.00	15
16	.01	.06	.12	.14	.00	.00	.22	.25	.00	.00	.00	.00	16
17	.12	.28	.00	.02	.00	.00	.00	.30	.24	.49	.00	.00	17
18	.00	.10	.02	.17	.00	.00	.00	.15	.25	.02	.12	.07	18
19	.04	.00	.10	.25	.00	.00	.00	.05	.02	.00	.49	.00	19
20	.22	.00	.52	.00	.00	.00	.00	.00	.00	.00	.02	1.20	20
21	.01	.00	.42	.00	.00	.00	.00	.00	.00	.00	.00	.79	21
22	.00	.00	.01	.00	.05	.00	.00	.00	.00	.15	.01	.50	22
23	.01	.04	.00	.04	.00	.01	.00	.22	.00	.01	.09	.07	23
24	.00	.02	.00	.00	.12	.41	.00	.04	.00	.26	.02	.27	24
25	.00	.15	.09	.00	.00	.00	.00	.50	.00	.01	.11	.00	25
26	.00	.49	.06	.00	.00	.23	.00	.06	.07	.56	.00	.00	26
27	.01	.00	1.01	.00	.00	.10	.00	.29	.09	.36	.00	.00	27
28	.00	.26	.15	.00	.00	.02	.00	.04	.02	.12	.02	.27	28
29	.00	.55	.03	.00	.00	.35	.00	.78	.11	.42	.01	.32	29
30	.00	X	.00	.00	.00	.00	.00	.02	.00	.37	.00	.00	30
31	.00	X	.00	X	.00	X	.00	.03	X	.12	X	.13	31
Total	.99	4.83	3.19	.90	1.49	2.04	1.23	3.78	1.45	4.66	4.44	4.32	33.29
Rain Days.	17	23	23	10	14	15	8	14	14	22	16	14	190
													YEAR'S TOTAL
													33.29

REGISTER OF RAINFALL IN 1917

Kept at Fyfield Rectory w Andover
in the County of Hants.
by Rev EKR Reynolds

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Weyhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 14 in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

Jan. 1, following.

.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.23	.04	.00	.02	.00	.71	.09	.00	.02	.00	1
2	.00	.00	.03	.30	.00	.01	.00	.02	.00	.01	.03	.00	2
3	.02	.00	.00	.09	.00	.00	.65	.14	.00	.24	.04	.00	3
4	.00	.20	.05	.00	.00	.00	.08	.09	.00	.23	.00	.00	4
5	.30	.00	.05	.22	.00	.09	.00	.00	.08	.27	.06	.00	5
6	.00	.00	.62	.00	.00	.03	.00	.00	.00	.14	.07	.00	6
7	.25	.00	.00	.23	.00	.00	.11	.01	.07	.13	.00	.02	7
8	.25	.00	.01	.06	.00	.00	.36	.21	.03	.23	.10	.30	8
9	.00	.00	.10	.62	.06	.00	.07	.40	.00	.01	.06	.01	9
10	.25	.00	.23	.19.25	.07	.00	.00	.15	.03	.05	.00	.00	10
11	.09	.00	.57	.05.29	.00	.00	.00	.01	.01	.17	.01	.00	11
12	.07	.00	.02	.00	.00	.00	.00	.01	.00	.27	.00	.00	12
13	.00	.00	.12	.07	.00	.00	.00	.25	.08	.02	.00	.00	13
14	.00	.00	.00	.14	.00	.00	.00	.29	.01	.01	.01	.00	14
15	.00	.00	.00	.01	.00	.00	.33	.11	.00	.07	.00	.01	15
16	.00	.11	.00	.11	.05	.00	.05	.00	.00	.98	.00	.94	16
17	.00	.03	.00	.15	.24	.00	.46	.18	.64	.28	.00	.00	17
18	.00	.41	.00	.01	.01	.24	.16	.08	.46	(.06)	.00	.00	18
19	.02	.00	.06	.00	.00	.01	.00	.00	.29	.00	.00	.00	19
20	.00	.07	.29	.01	.78	.02	.00	.02	.05	.00	.00	.00	20
21	.00	.00	.11	.00	.00	.34	.00	.00	.00	.04	.02	.00	21
22	.00	.00	.17	.00	.04	.06	.00	.07	.00	.02	.00	.00	22
23	.00	.18	.13	.00	.09	.00	.00	.12	.00	.00	.00	.00	23
24	.00	.09	.00	.00	.00	.01	.01	.10	.00	.28	.00	.00	24
25	.00	.05	.03	.00	.00	.00	.03	.07	.03	.07	.00	.00	25
26	.00	.00	.08	.00	.11	.10	.00	.98	.10	.00	.10	.02	26
27	.00	.00	.00	.00	.70	.40	.00	.82	.00	.05	.00	.01	27
28	.00	.00	.07	.00	.00	1.73	.00	.72	.00	.07	.00	.02	28
29	.00		.06	.00	.09	.03	.20	.32	.00	.69	.00	.07	29
30	.00	X	.10	.00	.00	.00	.60	.16	.00	.08	.00	.00	30
31	.00	X	.04	X	.00	X	.04	.08	X	.01	X	.01	31
Total	1.38	1.14	3.17	1.64	2.24	3.09	3.15	6.18	1.97	4.68	.52	1.43	YEAR'S TOTAL 30.56
Rain Days.	9	8	22	16	11	14	14	26	14	26	11	11	182

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Pyfford Rectory, Andover
in the County of Hampshire
by Rev E K R Reynolds

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Weyhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	.01	.06	.09	.08	.00	.06	.00	.00	.07	.05	1.00	1
2	.13	.00	.31	.00	.03	.00	.01	.00	.60	.00	.03	.08	2
3	.83	.00	.02	.00	.03	.00	.03	.00	.45	.00	.05	.35	3
4	.14	.03	.50	.00	.00	.18	.25	.04	.09	.00	.09	.10	4
5	.00	.41	.07	.00	.02	.00	.13	.00	.09	.00	(.63)	.12	5
6	.35	.01	.09	.01	.25	.00	.00	.00	.00	.00	.00	.20	6
7	.06	.00	.47	.01	.15	.00	.00	.00	.00	.00	.05	.01	7
8	.31	.00	.11	.00	.05	.00	.00	.00	.00	.00	.00	.00	8
9	.00	.00	.03	.06	.05	.00	.00	.00	.00	.00	.12	.00	9
10	.00	.00	.22	.00	.00	.00	.00	.00	.00	.01	.00	.15	10
11	.03	.00	.08	.33	.00	.00	.00	.00	.00	.00	.00	.01	11
12	.01	.00	.02	.00	.00	.02	.23	.00	.00	.11	.02	.00	12
13	.00	.00	.00	.46	.00	.00	.00	.00	.00	.01	.00	.02	13
14	.35	.02	.00	.40	.00	.00	.06	.00	.10	.00	.02	.09	14
15	.39	.02	.01	.02	.00	.00	.00	.00	.00	.03	.00	.82	15
16	.09	.88	.00	.00	.01	.00	.00	.00	.00	.00	.11	.01	16
17	.00	.11	.02	.00	.00	.00	.00	.00	.00	.00	.24	.00	17
18	.00	.01	.35	.00	.00	.00	.00	.01	.02	.00	.08	.03	18
19	(.25)	.24	.92	.00	.00	.00	.29	.26	.08	.00	.05	.03	19
20	.05	.03	.16	.00	.00	.46	.00	.16	.04	.01	.00	.08	20
21	.30	.47	.01	.00	.00	.10	.06	.00	.00	.00	.01	.05	21
22	.00	.02	.00	.00	.00	.00	.05	.01	.48	.15	.00	.27	22
23	.00	.00	.00	.00	.00	.00	.00	.00	.00	.43	.02	.10	23
24	.00	.02	.00	.01	.00	.03	.00	.00	.00	.00	.09	.20	24
25	.04	.03	.00	.00	.00	.01	.00	.43	.00	.00	.00	.20	25
26	.04	.08	.15	.30	.00	.00	.16	.18	.05	.00	.00	.35	26
27	.25	.02	.00	.00	.00	.00	.00	.58	.00	.00	.00	.30	27
28	.28	.00	.33	.01	.00	.00	.00	.55	.00	.00	.00	.40	28
29	.00		.00	.01	.00	.00	.00	.10	.00	.11	.35	.04	29
30	.00	X	.00	.19	.00	.14	.00	.35	.00	.00	.35	.55	30
31	.01	X	.00	X	.00	X	.00	.00	X	.00	X	.11	31
Total	4.30	2.41	4.73	1.90	.67	1.05	1.43	2.87	2.00	.93	1.76	5.67	YEAR'S TOTAL 29.142
Rain Days.	20	17	20	13	9	8	11	11	10	9	18	27	173

REGISTER OF RAINFALL IN 1920.

Kept at Fyfield Rectory
in the County of Hampshire
by Rev. E. K. Reynolds

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Weyhill
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 15 ft. 15 in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	.00	.56	.18	.00	.50	.00	.00	.29	.17	.46	1
2	.06	.00	.01	.07	.00	.00	.29	.61	.07	.08	.00	.07	2
3	.03	.06	.00	.00	.00	.00	.58	.00	.01	.51	.00	.03	3
4	.00	.04	.00	.00	.00	.00	.43	.24	.00	.20	.00	.01	4
5	.00	.01	.04	.01	.00	.00	.62	.09	.00	.51	.00	.02	5
6	.00	.00	.12	.00	.25	.00	.51	.00	.00	.08	.00	.00	6
7	.01	.00	.02	.25	.04	.00	.30	.00	.00	.01	.00	.00	7
8	.00	.05	.00	.28	.05	.00	.42	.04	.00	.01	.00	.00	8
9	.33	.01	.02	.09	.00	.13	.01	.01	.00	.00	.00	.00	9
10	.26	.18	.05	.06	.00	.27	.30	.00	.00	.00	.00	.00	10
11	.44	.02	.09	.34	.13	.04	.16	.00	.00	.00	.00	.00	11
12	.05	.02	.00	.38	.00	.78	.01	.00	.00	.00	.04	.00	12
13	.15	.01	.38	.04	.00	.00	.00	.00	.00	.05	.05	.00	13
14	.02	.02	.25	.51	.00	.00	.10	.00	.11	.25	.39	.00	14
15	.02	.02	.03	.17	.03	.03	.07	.00	.06	.23	.29	.00	15
16	.00	.00	.02	.14	.02	.04	.00	.00	.04	.02	.01	.00	16
17	.00	.00	.02	.12	.20	.25	.04	.00	.43	.00	.02	.03	17
18	.05	.00	.01	.04	.10	.66	.00	.45	.04	.00	.00	.01	18
19	.03	.00	.00	.20	.00	.10	.00	.00	.00	.00	.07	.00	19
20	.04	.13	.00	.20	.00	.48	.00	.00	.00	.00	.00	.06	20
21	.02	.00	.00	.01	.00	.00	.43	.00	.05	.00	.00	.03	21
22	.02	.00	.00	.14	.00	.00	.01	.03	.02	.00	.00	.30	22
23	.01	.00	.00	.00	.00	.00	.54	.01	.00	.00	.00	.50	23
24	.00	.00	.11	.00	.00	.00	.00	.01	.00	.00	.09	.01	24
25	.00	.05	.10	.00	.00	.00	.47	.00	.00	.00	.00	.00	25
26	.09	.00	.18	.04	.04	.00	.07	.00	.00	.00	.02	.08	26
27	.38	.01	.01	.32	.01	.13	.01	.00	.00	.00	.12	.41	27
28	.48	.00	.01	.04	.13	.01	.08	.00	.00	(.20)	.03	.03	28
29	.16	.00	.10	.02	.05	.00	.00	.00	.00	.00	.15	.15	29
30	.04	X	.00	.04	.06	.08	.34	.00	.18	.00	.25	.16	30
31	.20	X	.34	X	.00	X	.03	.00	X	.56	X	.12	31
TOTAL	2.91	.64	1.91	4.07	1.29	2.40	6.32	1.49	1.01	2.80	1.64	2.48	YEAR'S TOTAL
Days with .01 in. or more	23	14 ⁵	20	24	14	13	24	9	10	13	14	18	28.96
Days with .04 in. or more	14	6	11	21	11	11	19	5	8	10	9	10	197
													135

REC

Kept at Cuckoo Hill.
in the County of Hants
by Heywoods

GORLEY STH
CUKOO HILL
HANTS
1911 - 1920

IMPORTANT NOTE
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in "Rules for Rainfall Observations"
Dr. H. R. MILL, 62, Camden Square, London, N.W.

in.
round ft. 8
ea Level 150 ft. about.
clock For Longbridge
ame Heywoods
istance 4 Direction N.W.
the result entered to the
ersal rule, he is earnestly
r in the space provided
ent of rain,
ish Rainfall
plication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.01</u>			<u>.41</u>							<u>.05</u>	<u>.14</u>	1
2	<u>.02</u>			<u>.08</u>	<u>.38</u>			<u>.04</u>			<u>.27</u>	<u>.28</u>	2
3					<u>.16</u>					<u>.05</u>	<u>.13</u>	<u>.13</u>	3
4			<u>.07</u>								<u>.13</u>	<u>.37</u>	4
5			<u>.01</u>	<u>.01</u>				<u>.06</u>		<u>.04</u>	<u>.02</u>		5
6	<u>.43</u>		<u>.12</u>							<u>.14</u>	<u>.02</u>	<u>1.03</u>	6
7	<u>.07</u>		<u>.02</u>							<u>.01</u>	<u>.35</u>	<u>.11</u>	7
8	<u>.02</u>		<u>.32</u>								<u>.24</u>	<u>.69</u>	8
9	<u>.05</u>			<u>.01</u>							<u>.02</u>	<u>.34</u>	9
10	<u>.04</u>	<u>.06</u>	<u>.32</u>		<u>.58</u>						<u>.01</u>	<u>.91</u>	10
11	<u>.37</u>	<u>.03</u>	<u>.02</u>		<u>.01</u>						<u>1.20</u>		11
12		<u>.02</u>	<u>.89</u>		<u>.06</u>			<u>.04</u>			<u>.05</u>	<u>.20</u>	12
13			<u>.02</u>						<u>.31</u>		<u>.01</u>	<u>.47</u>	13
14		<u>.03</u>								<u>.02</u>		<u>.48</u>	14
15		<u>.01</u>				<u>.01</u>					<u>.20</u>	<u>.01</u>	15
16						<u>.37</u>					<u>.39</u>	<u>.30</u>	16
17			<u>.02</u>		<u>.05</u>	<u>.18</u>					<u>.75</u>	<u>.53</u>	17
18		<u>.15</u>	<u>.11</u>	<u>.03</u>		<u>.14</u>				<u>.02</u>	<u>.18</u>	<u>.63</u>	18
19		<u>.15</u>				<u>.34</u>			<u>.20</u>	<u>.24</u>	<u>.01</u>	<u>.10</u>	19
20	<u>.04</u>	<u>.03</u>	<u>.09</u>	<u>.01</u>		<u>.01</u>			<u>.15</u>	<u>.04</u>		<u>.87</u>	20
21	<u>.02</u>	<u>.23</u>	<u>.06</u>	<u>.02</u>		<u>.11</u>		<u>.14</u>	<u>.03</u>	<u>.63</u>		<u>.27</u>	21
22	<u>.16</u>	<u>.05</u>	<u>.09</u>	<u>.01</u>		<u>.20</u>				<u>.16</u>		<u>.44</u>	22
23	<u>.02</u>	<u>.20</u>				<u>.11</u>			<u>.14</u>	<u>.16</u>	<u>.08</u>	<u>.48</u>	23
24		<u>.15</u>				<u>.65</u>		<u>.14</u>		<u>.46</u>		<u>.28</u>	24
25		<u>.06</u>		<u>.11</u>	<u>.08</u>	<u>.08</u>		<u>.23</u>	<u>.06</u>	<u>.03</u>		<u>.09</u>	25
26				<u>.33</u>	<u>.01</u>	<u>.04</u>				<u>.25</u>		<u>.48</u>	26
27		<u>.55</u>	<u>.09</u>	<u>.09</u>					<u>.11</u>	<u>.34</u>	<u>.06</u>	<u>.13</u>	27
28		<u>.36</u>		<u>.49</u>				<u>.14</u>			<u>.11</u>	<u>.01</u>	28
29				<u>.30</u>		<u>.22</u>	<u>.32</u>		<u>.16</u>	<u>.31</u>			29
30				<u>.07</u>	<u>.02</u>	<u>.05</u>		<u>.53</u>		<u>.25</u>			30
31													31
Total	<u>1.25</u>	<u>2.08</u>	<u>2.25</u>	<u>1.67</u>	<u>1.35</u>	<u>2.51</u>	<u>.32</u>	<u>1.32</u>	<u>1.16</u>	<u>3.15</u>	<u>4.28</u>	<u>9.77</u>	TOTAL for year <u>31.11</u>
No. of Rain Days	<u>12</u>	<u>15</u>	<u>15</u>	<u>14</u>	<u>9</u>	<u>14</u>	<u>1</u>	<u>8</u>	<u>8</u>	<u>17</u>	<u>21</u>	<u>26</u>	<u>160</u>

REGISTER

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Cuckoo Hill. South Gyley
in the County of Hants
by Heywood Sumner

RAIN GAUGE Diameter of top in.
Height of top above Ground ft. 8
" " " Sea Level 150 ft. about.
Time of Observation 9 o'clock
Nearest Railway Station { Name Heywood Sumner
Distance 4 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.01</u>			<u>.01</u>							<u>.05</u>	<u>.14</u>	1
2	<u>.02</u>			<u>.08</u>	<u>.38</u>			<u>.04</u>			<u>.27</u>	<u>.28</u>	2
3					<u>.16</u>					<u>.05</u>	<u>.13</u>	<u>.13</u>	3
4			<u>.07</u>								<u>.13</u>	<u>.37</u>	4
5			<u>.01</u>	<u>.01</u>				<u>.06</u>		<u>.04</u>	<u>.02</u>		5
6	<u>.43</u>		<u>.12</u>							<u>.14</u>	<u>.02</u>	<u>1.03</u>	6
7	<u>.07</u>		<u>.02</u>							<u>.01</u>	<u>.35</u>	<u>.11</u>	7
8	<u>.02</u>		<u>.32</u>								<u>.24</u>	<u>.69</u>	8
9	<u>.05</u>			<u>.01</u>							<u>.02</u>	<u>.34</u>	9
10	<u>.04</u>	<u>.06</u>	<u>.32</u>		<u>.58</u>						<u>.01</u>	<u>.91</u>	10
11	<u>.37</u>	<u>.03</u>	<u>.02</u>		<u>.01</u>						<u>1.20</u>		11
12		<u>.02</u>	<u>.89</u>		<u>.06</u>			<u>.04</u>			<u>.05</u>	<u>.20</u>	12
13			<u>.02</u>						<u>.31</u>		<u>.01</u>	<u>.47</u>	13
14		<u>.03</u>								<u>.02</u>		<u>.48</u>	14
15		<u>.01</u>				<u>.01</u>					<u>.20</u>	<u>.01</u>	15
16						<u>.37</u>					<u>.39</u>	<u>.30</u>	16
17			<u>.02</u>		<u>.05</u>	<u>.18</u>					<u>.75</u>	<u>.53</u>	17
18		<u>.15</u>	<u>.11</u>	<u>.03</u>		<u>.14</u>				<u>.02</u>	<u>.18</u>	<u>.63</u>	18
19		<u>.15</u>				<u>.34</u>			<u>.20</u>	<u>.24</u>	<u>.01</u>	<u>.10</u>	19
20	<u>.04</u>	<u>.03</u>	<u>.09</u>	<u>.01</u>		<u>.01</u>			<u>.15</u>	<u>.04</u>		<u>.87</u>	20
21	<u>.02</u>	<u>.23</u>	<u>.06</u>	<u>.02</u>		<u>.11</u>		<u>.14</u>	<u>.03</u>	<u>.63</u>		<u>.27</u>	21
22	<u>.16</u>	<u>.05</u>	<u>.09</u>	<u>.01</u>		<u>.20</u>				<u>.16</u>		<u>.44</u>	22
23	<u>.02</u>	<u>.20</u>				<u>.11</u>			<u>.14</u>	<u>.16</u>	<u>.08</u>	<u>.48</u>	23
24		<u>.15</u>				<u>.65</u>		<u>.14</u>		<u>.46</u>		<u>.28</u>	24
25		<u>.06</u>		<u>.11</u>	<u>.08</u>	<u>.08</u>		<u>.23</u>	<u>.06</u>	<u>.03</u>		<u>.09</u>	25
26				<u>.33</u>	<u>.01</u>	<u>.04</u>				<u>.25</u>		<u>.48</u>	26
27		<u>.55</u>	<u>.09</u>	<u>.09</u>					<u>.11</u>	<u>.34</u>	<u>.06</u>	<u>.13</u>	27
28		<u>.36</u>		<u>.49</u>				<u>.14</u>			<u>.11</u>	<u>.01</u>	28
29				<u>.30</u>		<u>.22</u>	<u>.32</u>		<u>.16</u>	<u>.31</u>			29
30				<u>.07</u>	<u>.02</u>	<u>.05</u>		<u>.53</u>		<u>.25</u>			30
31													31
Total	<u>1.25</u>	<u>2.08</u>	<u>2.25</u>	<u>1.67</u>	<u>1.35</u>	<u>2.51</u>	<u>.32</u>	<u>1.32</u>	<u>1.16</u>	<u>3.15</u>	<u>4.28</u>	<u>9.77</u>	TOTAL for year <u>31.11</u>
No. of Rain Days	<u>12</u>	<u>15</u>	<u>15</u>	<u>14</u>	<u>9</u>	<u>14</u>	<u>1</u>	<u>8</u>	<u>8</u>	<u>17</u>	<u>21</u>	<u>26</u>	<u>160</u>

REGISTER OF RAINFALL IN 1912

Kept at Cuckoo Hill, St. Giles, Tordingley
in the County of Hants
by Heywood Sumner

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

FORM A2.
BRITISH RAINFALL
JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.25	.08		.01	.55		.36	1
2			.10	.01		.03	.39				.02		2
3			.15			.30		.57			.03	.02	3
4	.10	.02	.68			.33		.01			.19		4
5	.44	.09	.25			.03		.55			.02	.07	5
6	.52	.04			.14	.01	.20	.20				.08	6
7	.03	.43	.08		.25	.61		.15				.07	7
8	.48	.27	.44	.03		.15		.16				.02	8
9	.07	.07	.17	.08		.07	.01	.02				.48	9
10	.01	.08				.08	.01	.23			.04	.37	10
11	.21	.17				.16	.01	.16				.37	11
12	.05	.25	.12		.50	1.38		.24		.02	.02		12
13		.02	.02					.02				.05	13
14	.14		.14		.01							.01	14
15	.18	.21			.03	.58		.06				.29	15
16	.63	.01	.43		.09			.21		.09	.07	.05	16
17	.42		.16		.01	.09		.96				.05	17
18	.57		.29					.20		.01		.04	18
19	.05	.09	.18			.03	.07	.19					19
20			.38		.02	.08	.08	.07		.45	.03		20
21		.09	.37		.53			.09		.12			21
22	.18	.51	.05		.05		.04	.22				.10	22
23	.26	.35	.28			.01		.60		.10	.30	.28	23
24	.25	.05	.01			.10		.33		.02		.26	24
25	.08	.01	.01			.28		.32			.24	.61	25
26		.04					.13	.25		.47	.38	.32	26
27		.01				.13	.17			.75		.45	27
28		.13				.15	.14	.56	.17	.75	.60	.70	28
29		.08				.10	.12	.10	1.94	.33	.05		29
30			.03			.04	.05		70	.28			30
31			.56				.27	.02		.01		.05	31
Total	4.67	3.02	4.96	.12	1.63	4.99	1.77	6.49	2.82	3.95	1.99	5.05	TOTAL for year 21.46
No. of Rain Days.	19	22	23	3	10	23	15	26	4	14	13	22	194

REGISTER OF RAINFALL IN 1913

Kept at Cuckoo Hill, South Gyley, Fordingbridge
in the County of Hampshire
by Heywood Sumner

Lat. _____ Long. _____
Time of Observation 9 o'clock A.M.
Nearest Railway Station Fordingbridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level about 150 ft.

FORM A.
BRITISH RAINFALL
3 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.27	.16	.09	.02	.12			.61		.28	.09	1
2	.04	.08	.06	.01					.05	.25	.15	.02	2
3	.14			.06	.42				.01	.02		.05	3
4	.89		.03		.37				.75	.32	.07	.03	4
5	.21	.03	.05		.01	.11	.08		.26	.	.10	.14	5
6	.03	.25	.05		.07	.12	.20			.54	.02	.44	6
7		.36	.06		.32	.14	.01	.01		.50	.12	.02	7
8	.01	.08			.33	.01		.03		.03			8
9		.11				.01	.03	.21	.06	.02	.16		9
10	.10			.11	.04	.02	.52			.11	.63		10
11	.92			.38	.08					.20	.25	.01	11
12					.50						.26	.07	12
13	.19		.13			.02			.11		.19		13
14	.32		.14					.03	.24	.02	.10		14
15	.12	.13	.26	.57			.71	.02	.19				15
16	.22		.38	.15					.06		.03		16
17	.02		.01	.03									17
18	.01		.26	.08			.03				.06		18
19	.80		.02		.02	.08	.04		.32	.80			19
20	.18		.30	.10	.01					.85	.08		20
21			.20	.42	.02					.11	.85	.03	21
22	.42		.25					.16	.24			.01	22
23	.01		.13								.04	.83	23
24	.08			.20				.01					24
25		.08		.25							.01		25
26		.02		.40				.19		.25		.27	26
27	.05		.28	.03						.01		.01	27
28	.10		.04	.15				.07		.46	.01		28
29	.14		.26	.76	.22				.01	.22		.01	29
30	.50									.45			30
31	.02		.04		.14			1.43		.05			31
Total	5.53	1.41	3.06	3.79	2.57	.63	1.62	2.46	2.91	4.42	3.41	2.05	33.56
Rain Days.	25	10	20	17	15	9	8	10	13	19	19	15	180

2.16

33.56

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.

Kept at Cuckoo Hill. South Gyley. Fordingbridge
in the County of Hants.
by Heywood Sumner

Lat. Long.
Time of Observation 9 o'clock A.M.
Nearest Railway Station Fordingbridge (4 miles)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.10				.05	.43			.19	.05	1
2					.03		.14				.85	.26	2
3	.01		.06	.08	.47		.28				.05	.04	3
4	.06		.02	.22	.02			.23			.57	.35	4
5	.02		.07	.28	.17		.35	.63			.47	.01	5
6		.24	.01	.08	.03	.02	.08	.07			.15	.49	6
7	.01	.60	.08	.09	.02		.14	.05	.01			.20	7
8	.02	.29	.45	.01		.05		.31				.16	8
9	.01	.01	.41	.26		.10			.17			1.05	9
10	.07	.47		.07	.19				.29			.01	10
11		.30	.68	.07	.09		.50		.03		.08	.54	11
12		.13	.22						.38	.17		.67	12
13		.57	.23						.08	.02	.15	.58	13
14		.32	.33			.10	.18	.39		.44	.40	.36	14
15		.50	.23				.32	.50		.05	.17		15
16							.18		.26				16
17		.50	.35						.08			.53	17
18			.17				.11					.78	18
19		.06	.47				.86				.15	.33	19
20		.61	.08			.04						.35	20
21		.70	.01			.10				.24		.02	21
22		.05	.08		.23	.04	.11			.10			22
23		.12	.23		.02	.24	.02			.12			23
24			.03		.44		.08			.05	.10		24
25	.06		.21				.03	.32		.29	.05	.21	25
26			.01				.05	.45		.05	.22	.82	26
27	.07									.02	.07	.37	27
28		.09	.19		.05						.39	.57	28
29	.25		.10	.01	.03					.31	.42	.01	29
30	.01		.20							.27	.75	.98	30
31	.09						.05			.51		.08	31
Total	.68	5.07	5.02	1.17	1.49	.69	3.53	3.38	1.30	2.64	5.23	9.82	40.02
Rain Days.	12	17	26	10	13	8	18	10	8	14	18	26	180

REGISTER OF RAINFALL IN 1915

Kept at Cuckoo Hill, 5th Gorsey
in the County of Hampshire
by Itaywood Sumner

Lat. _____ Long. _____
Time of Observation 9. A.M.
Nearest Railway Station Fordingbridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 150 ft.

703
FORM A.
BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	.20							.30	.29		.38	1
2	.55	.23	.26	.06		.06		.41		.31		.25	2
3	.39	.02	.14	.04	.12					.04		.50	3
4												.37	4
5	.05	.85						.19				.60	5
6	.68	.15		.61			.47	.06				.62	6
7	.29	.65	.01			.05	.40					.37	7
8	.05	.65					.01	.05			.04	.03	8
9		.04		.25	.25	.02		.02			.45	.75	9
10	.25		.01	.01						.05		.50	10
11	.04		.05	.08				.01		.01	.92	.01	11
12	.15	.46		.16	.53					.03	.55		12
13	.01	.14			1.07		.02	.05	.16		.05		13
14	.04	.02					.40	.73	.09			.85	14
15	.13	.16			.15		.03	.06		.03	.07	.30	15
16		1.09			.40		1.24	.02				.35	16
17		.40			.44			.08				.01	17
18		.25					.01						18
19					.12		.15	.01					19
20	.40			.13	.11							.03	20
21	.04	.34			.14	.01	.10			.34		.10	21
22	.27	.22	.29	.03			.97		.03			.28	22
23			.21				.14		.20	.69		.29	23
24	.01			.02			.71		.74	.58		.38	24
25			.03	.04		.02						.48	25
26		.16				.03	.18		.02			.80	26
27		.09				.17				.43		.05	27
28		.10				.10			.53	.01	.04	.02	28
29						.19		.05		.07	.43	.07	29
30	.26	X				.02				.70	.75	.25	30
31		X		X		X	.01	.31	X	1.01	X	.37	31
Total	4.06	6.22	1.00	1.43	3.33	.67	4.84	2.05	2.07	4.59	3.30	9.01	YEAR'S TOTAL 42.57
Rain Days.	18	20	8	11	10	10	15	14	8	15	9	27	165

REGISTER OF RAINFALL IN 1916

Kept at Cuckoo Hill. S. Gorley. Fordingbridge
in the County of Hants
by Heywood Sumner.

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Fordingbridge.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 150 ft.

FORM A
BRITISH RAINFALL
2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.08			.58	.03	.01		.71	.10	.34		1
2	.27		.11 snow		.21					.41	.34		2
3		1.39			.031					.73	.37		3
4	.25	.09			.02	.40	.26		.32	.07	.55		4
5	.05	.07	.03 snow	.01	.18	.19	.02			.13	.70		5
6		.09	.02 snow		.02	.04	.71			.16	1.76		6
7	.01		.31 snow		.04	.08				.05	.82	.12	7
8		.01			.31	.01					.02	.22	8
9					.04	.30	.01				.01	.37	9
10	.01	.60	.05	.05	.04	.35	.29			.02	.02	.07	10
11	.02	.01		.04		.01						.12	11
12	.05	.01		.09	.09		.11	.04		.08			12
13		.29	.11	.043				.04			.01		13
14	.01	.61			.05			.14		.05			14
15		.07	.16					.95					15
16	.02	.11	.04	.19			.03	1.76					16
17	.29	.15		.10				.18	.30	.84	.01		17
18	.01	.08	.06	.08					.09	.06	.44	.23	18
19	.11		.34	.07					.04		.17	.02	19
20	.25	.02	.46								.06	1.32	20
21	.01	.07		.29			.07					.28	21
22			.01		.05					.16	.01	.59	22
23	.01	.07 snow				.16		.13			.23	.02	23
24				.03	.20			.05		.42	.12	.32	24
25	.01	.51 snow	.17	.01				.59	.01	.10	.11	.02	25
26	.01	.16 snow	.08			.12		.02	.07	.62			26
27		.05 snow	1.00 S.A.T.			.02		.04	.48	.33			27
28		.30 snow	.09	.18				.13	1.16	.38	.01	.28	28
29		.50 snow	.01			.38		1.76	.31	.21	.04	.26	29
30		X			.06			.01		.55		.05	30
31		X		X		X		.04	X	.54	X		31
Total	1.50	5.34	3.05	1.17	1.90	2.09	1.51	5.82	3.49	6.01	5.34	4.29	YEAR'S TOTAL 41.47
Rain Days.	18	23	17	13	15	13	9	15	10	21	21	16	191

REGISTER OF RAINFALL IN 1917

Kept at Cuckoo Hill. S. Gosley

in the County of Hants.

by Heywood Sumner.

Lat. Long. Time of Observation 9 o'clock A.M. Nearest Railway Station Fordingbridge. 4 miles Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 11 ft. Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.14	.10		.06		1.22	.02		.07		1
2				.63		.01		.05		.07	.02		2
3	.01						.50	.11		.17	.15		3
4		.06	.38				.01	.07	.01	.23			4
5	.13	.01	.05			.15		.01	.15	.24	.10		5
6			.34						.01	.05	.10	.05	6
7	.45						.35	.06		.32		.03	7
8	.32		.20	.27			.65	.23	.07	.29	.16	.21	8
9			.04	.01	.02		.05	.11	.02	.02	.25		9
10	.16		.34	.28	.08			.26					10
11	.02		.51	.12					.09	.30			11
12			.04					.05		.24			12
13			.20	.05	.05			.16	.02	.06			13
14			.04	.06				.04					14
15				.03			.02	.08		.20		.15	15
16		.17		.12	.02		.08		.01	1.44		.86	16
17		.02		.08	.16	.07	.42	.24	.54	.18		.02	17
18		.03			.02	.18	.27	.01	.45	.01			18
19		.30	.12			.03		.25	.35		.03		19
20		.07			.31	.02			.02		.02		20
21			.12			.50				.04	.01		21
22			.10					.05		.12			22
23		.19			.08	.01		.13					23
24		.37				.04	.12	.05		.14	.06		24
25		.07	.12				.05	.01	.03		.01		25
26					.08	.06		.42	.10	.01	.03		26
27					.60	.15		1.14		.01			27
28			.03		.05	1.88		.16					28
29			.05		.05	.15	.20	.03		.61		.19	29
30		X	.29				1.01	.14				.02	30
31		X	.09	X		X	.11	.08	X	.21	X	.01	31
Total	1.09	1.29	3.20	1.75	1.52	3.31	3.84	5.16	1.89	4.96	1.01	1.54	30.56
Rain Days.	6	10	19	11	12	14	14	26	15	22	13	9	171

REGISTER OF RAINFALL IN 1918

Kept at Cuckoo Hill. S. Gorley.

in the County of Hampshire

by Heywood Sumner

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Fordingbridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level (about) 150 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.07	.04			.68			.64	.03	1
2		.12		.06				.46	.02	.01	.15	.10	2
3		.09		.18	.43			.63		.03	.05	.02	3
4		.13	.02	.01				.44	.04		1.15	.03	4
5		.10			.15			.52	.08	.23		.10	5
6	.26	.8	.16	.23				.11	.06	.05		.14	6
7		.18		.16	.48			.01	.21	.07	.34	.08	7
8		.21							.11	.23		.04	8
9				.34		.32	.21		.63	.20		.36	9
10	.03			.08		.03	.67		.14	.33	.02	.41	10
11							.17		.07	.07	.04	.13	11
12		.11			.41		.10		.16				12
13	.55			.01	.06		.43		.41			.01	13
14	.20		.04		.02	.14	.09		.26	.25		.15	14
15	1.51			.55		.04	.22					.12	15
16	.48		.03	.16		.10	.02		.30			.01	16
17	.21			.16			.69	.02	.06			.10	17
18	.70					.65			.38			.28	18
19	.11		.06	.02		.01	.30	.01	.03	.03		.11	19
20	.03	.13		.22		.01	.02	.01	.34	.10			20
21	.18	.4					.01		.98	.26		.14	21
22	.11				.09		.50		.12			.14	22
23	.18	.01			.13	.02	.63	.02	.02		.07		23
24		.31							.08		.21		24
25								.62		.04	.03		25
26	.01	.01					.05		.01	.04	.15	.29	26
27		.11	.03				.36	.10	.08		.10	.02	27
28			.22	.02			.02		.02		.13	.07	28
29			.07						1.21			.01	29
30		X	.53							.05	.08	.02	30
31	.02	X	.06	X		X		.07	X	.17	X		31
Total	4.58	1.66	1.22	2.27	1.81	1.32	4.49	3.70	5.82	2.16	3.16	2.91	YEAR'S TOTAL 35.10
Rain Days.	15	15	10	15	9	9	17	14	25	17	14	25	185

REGISTER OF RAINFALL IN 1919

Kept at Cuckoo Hill. S. Gorse.

in the County of Hampshire

by Heywood Sumner

Lat. _____ Long. _____
 Time of Observation 9 o'clock. A.M.
 Nearest Railway Station Fordingbridge
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level at 150 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.53		.10		.02		.13			.09	.04	1.43	1
2	.30		.01						1.00		.03	.03	2
3	.69		.60		.05				.20			.19	3
4	.31	.34	.70		.05	.25		.04	.15		.04	.04	4
5	.02	.45	.84		.58		.08		.05		.12	.21	5
6	.52	.04	.14						.02		.01	.24	6
7	.30		.42	.05									7
8	.30		.26	.07									8
9	.11		.04	.16	.07						.02		9
10	.23		.40		.02							.50	10
11	.09		.07	.23	.12		.18			.03		.07	11
12	.05					.02	.13			.04	.08		12
13	.04		.01	.55			.03					.10	13
14	.62	.11		.23			.02		.16	.03		.22	14
15	.46	.05		.03								.78	15
16	.05	.89						.12			.15		16
17	.02	.15									.15	.03	17
18		.03	.55					.04	.05		.24	.03	18
19	.60	.37	1.16			.12	.64	.20	.04		.14	.03	19
20	.49	.03	.04			.48	.05	.22				.01	20
21	.05	.71							.02		.02	.03	21
22									.37			.15	22
23											.04	.02	23
24		.04				.04	.03			.15	.10	.17	24
25				.18		.10		.28		.41		.28	25
26		.17	.12	.02					.08			.47	26
27				.27				.79			.04	.04	27
28			.51					.64			.53	.53	28
29								.17		.05		.08	29
30		X		.15		.17		1.16			.60	.92	30
31		X		X		X			X		X	.18	31
Total	5.78	3.38	6.05	1.94	.91	1.18	1.29	3.66	2.14	.80	2.40	6.78	36.31
Rain Days	20	13	17	11	7	7	9	10	11	7	17	26	155

REGISTER OF RAINFALL IN 1920.

Kept at Cuckoo Hill. S. Gorley.
in the County of Southampton.
by Hegwood Sumner

Lat. _____ Long _____
Time of Observation 9 o'clock
Nearest Railway Station Fordingbridge
Diameter of Tunnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level at 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.14	.15		.51	.03	.03	.28	.83	.59	1
2	.43			.08			.27	.20	.11	.23		.18	2
3		.06		.03	.03		.48			.59		.07	3
4		.06	.03				.44	.36		.25			4
5			.14	.05	.01		.62	.26		.45			5
6			.15		.27		.36					.02	6
7	.03			.28	.09		.22						7
8	.08	.05		.16	.10		.43	.05					8
9	.39	.08	.06	.05		.08	.16						9
10	.69	.12	.10	.07		.30	.41						10
11	.16		.09	.39	.15	.01	.21					.11	11
12	.23	.10	.01	.21		1.10	.02				.05		12
13	.20		.50	.10							.02		13
14	.04	.03	.43	.45	.08				.22	.23	.38		14
15	.04	.04	.04	.24			.01		.09	.39	.10		15
16			.02	.02			.02		.12	.02			16
17	.02			.14	.30		.05		.56			.02	17
18	.08		.01	.04	.05	.10	.05	.38	.09				18
19	.02			.19		.08			.05				19
20	.01	.10		.24		.60			.02			.04	20
21				~~.19~~			.46		.05			.27	21
22	.05			.19			.01	.03	.06			.35	22
23							.28					.43	23
24	.03		.22	.03							.33	.10	24
25		.04	.08		.18		.29				.02	.01	25
26			.24			.05	.11				.04	.12	26
27	.45	.03	.03	.10		.17	.01				.18	.27	27
28	.47	.02		.03	.05	.01	.14					.07	28
29	.57		.11	.03	.01	.02			.02		.20	.34	29
30	.10	~~X~~				.12	.06		.19	.02	.29	.40	30
31	.04	~~X~~	.16	~~X~~		~~X~~	.01		~~X~~	.39	~~X~~	.24	31
TOTAL	4.13	.73	2.42	3.28	1.47	2.64	5.73	1.31	1.61	2.85	2.44	3.63	YEAR'S TOTAL
Days with .01 in. or more	21	12	18	23	13	12	25	7	13	10	11	18	32.24.
	16	9	13	17	10	9	19	5	10	6	9	16	141

REG

Kept at Grayscott
in the County of Hamp
by Mrs Lyndon

GRAYSHOTT
HANTS

1911 - 1920

IMPORTANT NOTE.-
previous day. If an Obser
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "1
Dr. H. R. MILL, 62, Camden Square, London, W.1.

FORM A2.
BRITISH RAINFALL.

in.
ound 1 ft.
a Level 661 ft.

me
stance Direction
he result entered to the
sal rule, he is earnestly
in the space provided
t of rain,
sh Rainfall
plication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 03	in.	in.	in. 18	in. 01	in.	in. 02	in. 09	in.	in.	in. 02	in. 09	1
2	12	01		13	32					01	17	22	2
3	01	03			21			08		02	22	06	3
4	03	01	06	10						06	40	63	4
5	01			07						40	07	02	5
6	31		15	01						01	16	89	6
7	04		01	01						18	46	22	7
8	08		27								16	56	8
9	14		02								01	23	9
10		16	19	01							02	1.21	10
11	54		01								1.10	01	11
12	01	01	64		04				01		19	02	12
13			01		08				22			73	13
14		03	02		21					04		70	14
15		02	07							01	14	06	15
16			02			44					61	20	16
17						14					50	47	17
18		22	11	03		03				01	46	75	18
19						28			43	26	08.28	26	19
20	02	03	08					07	07	04		97	20
21	03	24						03	04	56		19	21
22	10	01	43			28				33	01	55	22
23		27				41			17	11	05	27	23
24	01	16				13	01	05	01	1.83		37	24
25	01	06	05	08	78	13	58	61	07	06		09	25
26		01	07	25	06	03	07	02		24	08	34	26
27		40	41	37			16		08	16	02	23	27
28		36	01	32				17			02		28
29		X		44		20	08	01	22	43			29
30		X		04		02		12	01	48		01	30
31		X		X		X		X	X	03	X	01	31
Total	1.49	2.03	2.63	2.04	1.71	2.09	.92	1.25	1.33	5.27	4.95	10.36	36.07
No. of Rain Days	16	19	19	14	8	11	6	10	11	21	22	29	184

REG

Kept at

Grayscott

in the County of

Hampshire

7

by

Mrs Lyndon

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 66 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 03	in.	in.	in. 18	in. 01	in.	in. 02	in. 09		in.	in. 02	in. 09	1
2	12	01		13	32					01	17	22	2
3	01	03			21			08		02	22	06	3
4	03	01	06	10						06	40	63	4
5	01			07						40	07	02	5
6	31		15	01						01	16	89	6
7	04		01	01						18	46	22	7
8	08		27								16	56	8
9	14		02								01	23	9
10		16	19	01							02	121	10
11	54		01								110	01	11
12	01	01	64		04				01		19	02	12
13			01		08				22			73	13
14		03	02		21					04		70	14
15		02	07							01	14	06	15
16			02			44					61	20	16
17						14					50	47	17
18		22	11	03		03				01	46	75	18
19						28			43	26	08	26	19
20	02	03	08					07	07	04		97	20
21	03	24						03	04	56		19	21
22	10	01	43			28				33	01	55	22
23		27				41			17	11	05	27	23
24	01	16				13	01	05	01	183		37	24
25	01	06	05	08	78	13	58	61	07	06		09	25
26		01	07	25	06	03	07	02		24	08	34	26
27		40	41	37			16		08	16	02	23	27
28		36	01	32				17			02		28
29		X		44		20	08	01	22	43			29
30		X		04		02		12	01	48		01	30
31		X		X		X			X	03	X	01	31
Total	1.49	2.03	2.63	2.04	1.71	2.09	92	1.25	1.33	5.27	4.95	10.36	36.07
No. of Rain Days	46	19	19	14	8	11	6	10	11	21	22	29	184

DL

8x. Hsb

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

2/6

Kept at Grayscott

in the County of Hampshire

by C. Lyndon

Pattern _____

RAIN GAUGE { Diameter of top _____ in.

Height of top above Ground _____ ft. _____ in.

" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____

Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			21		04	29	32		01	68		24	1
2		01	30			06	40	37				01	2
3	06		13			24	01	50	01			02	3
4	19	01	76		13	16		03			19	01	4
5	15	08	20		02			59			06	04	5
6	43	12			03			18	02		01	14	6
7	01		03		14	57		12				21	7
8	40	49	39			04		05				03	8
9	01	24	15	01		08	02	13				31	9
10	01	13	11	01				16			11	30	10
11	05	45	03					02			01	38	11
12	03	27	10		08	26	13	18		01	02		12
13		13	03				35	05			05	17	13
14	01		05		03			04		01		11	14
15	02	04	16		13	61		02				43	15
16	17	01	23		15	02		22		08	03		16
17	31		27			05		21				25	17
18	42		36					24		04		08	18
19	07	08	06				22	54			01	01	19
20	04		52			04		12		45			20
21		09	20		37			13		24	02		21
22	09	58	01		12			23		01		10	22
23	66	42	36			06		40		09	17	22	23
24	25	06	01			29	01	21				22	24
25	12	01				74		51		08	25	86	25
26		06				07	04	17		59	76	34	26
27		02				12	05			60		40	27
28		07				19	24	22	14	87	54	37	28
29		10				08	44	27	271	48	05		29
30	01				25	02	17	01	1.32	34			30
31			09		05		37	16		01		01	31
Total	3.51	3.47	4.76	02	1.54	3.99	2.77	6.08	4.21	4.58	2.28	5.26	TOTAL for year 42.47
No. of Rain Days	22	22	24	2	13	20	14	29	6	16	15	25	208

82

REGISTER OF RAINFALL IN 1913

28 JAN 1914
BRITISH RAINFALL
FORM A.
2/6

Kept at Grayscott
in the County of Hampshire
by C Lyndon

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 6.61 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	33	15	12	01	01			68	01	28	16	1
2	04	11	02	08			10		16	10	08	01	2
3	09		08	16	73					46		25	3
4	65		16	03	43				1.38	29	09	01	4
5	32	04	04		01	14	19		47	01	08	05	5
6	06	14	15		12	13	51		01	59	07	24	6
7		56	03		19	08	37			78	16		7
8		05			30	02	01			18.18	01	03	8
9		09	01	01	03	02	04		17	01	06	02	9
10	01	01		03			05	03			45		10
11	1.15	01		37	15					66	32	01	11
12		01		01	77				03	01	29		12
13	31		06						07		15		13
14	36	01	26	01	01		71	02		04	16	01	14
15	36	07	28	49			25		19		01		15
16	23	01	42	20			02		24				16
17	04		08	07			25		01		01		17
18	01		34	15			04				06	04	18
19	46		08	01	01	01	18		25				19
20	22		32	10		05				99	06		20
21	01		29	21						20	80		21
22	31		34	05			01	06	20	01	02	01	22
23	01		14			01		12	01			72	23
24	03		01	07				01			03	01	24
25		01		22						01	01		25
26			09	18				13		66		27	26
27			10	16	02					07			27
28	12		30	14					01	17			28
29	05		11	52	66			15		11	01	02	29
30	68			06				24		35			30
31	03		10					59		07		01	31
Total	5.57	1.45	3.96	3.45	3.44	47	2.73	1.35	3.88	5.78	3.21	1.87	37.16
Rain Days.	24	14	25	24	14	9	14	9	15	22	22	17	26

REGISTER OF RAINFALL IN 1914

Kept at Grayshott
in the County of Hampshire
by C. Lyndon

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 661 ft.

23 JAN 1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.*	Sept.	Oct.	Nov.	Dec.	Date.
1			02					18			12	03	1
2	01		01	01		04	01	05			15	26	2
3			06	06	34		08				01	03	3
4	02		02	28	03		02	37			71	40	4
5	09		07	55	31	07	35	29			01		5
6		22	03	19	08	15	03	03				48	6
7		1.26	24	19	11	04	23				01	36	7
8	07	66	39	10		15	01	38				18	8
9	17	01	92	25		14		02	21			2.06	9
10	06	25	07	09	15				23			01	10
11		55	52	01	01	07			18		11	61	11
12		15	11	01			59		47	08	01	73	12
13		74	32			02			19	03	06	1.24	13
14		56	24			19	07	01		47	24	46	14
15	01	05	19				13	08	01	02	47	01	15
16		01					05		16		01		16
17		59	11				01		16			53	17
18		02	17								01	56	18
19		08	55			10	75				15	27	19
20		47	30			04						36	20
21		60	14							13		05	21
22		01	01		07	06	17	02		38			22
23		12	19			01	01			02			23
24	01	01	16								19		24
25	04		13					14		37	02	10	25
26		01	01				01	10		07	31	78	26
27	05	01	01							01	09	39	27
28	01	03		12			06			13	58	68	28
29	23	X	13							37	38	01	29
30	01	X	18							17	90	70	30
31	04	X		X	08	X	05		X	06	X	03	31
Total	82	6.41	5.30	1.74	1.30	1.08	2.63	1.67	1.61	2.31	4.54	11.32	40.73
Rain Days.	14	22	28	11	10	13	18	12	8	14	21	26	197

82
and in morning 25.11.16
REGISTER OF RAINFALL IN 1915

815
26
FORM A.
BRITISH RAINFALL.

Kept at Grayshott
in the County of Hampshire
by C. Lyndon

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. <i>in.</i>	Feb. <i>in.</i>	March. <i>in.</i>	April. <i>in.</i>	May. <i>in.</i>	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.85	.12	.02		.01	-	.04	.05	.14	.08	.19	.50	1
2	.38	.36	.22	.08		.02	-	.42	.15	.06	.01	.22	2
3	.63	.01	.15	.15	.12	~~.02~~	-	.02	.01	-	-	.41	3
4	.08					-	-	.01	-	-	-	.56	4
5	.03	.83		.04		-	-	.08	-	.02	-	.51	5
6	.53	.18		.58		~~.01~~	1.01	.03	-	-	-	.26	6
7	.38	.51	.01	.02		-	.52	.01	-	-	-	.42	7
8	.02	.87	.04			-	.16	.05	-	-	-	-	8
9	.04	.06		.08		.11	-	.01	-	-	.48	.72	9
10	.31	.02				-	-	.01	-	-	-	.29	10
11	.07		.05			-	-	-	-	.02	.80	.01	11
12	.06	.29		.34	.38	-	-	-	-	.02	.55	.01	12
13	.02	.79			1.29	-	-	-	.03	-	-	-	13
14	.04	.03				-	.11	.12	.05	-	-	.80	14
15	.08	.01			.06	-	.04	.41	-	-	.05	.45	15
16	.01	.80			.11	-	1.03	.06	-	-	-	.09	16
17		.67			1.72	-	-	1.45	-	-	-	-	17
18		.18	.04		.23	-	-	-	-	-	.03	-	18
19		.20			.05	-	.07	-	-	.01	-	-	19
20	.25		.01	.04	.02	-	-	-	-	-	-	.14	20
21	.09	.04			.01	-	.03	-	-	.17	-	.09	21
22	1.28	.32	.14	.02		-	1.09	-	-	-	-	.27	22
23	.01	.13	.06			.02	.30	-	.41	.40	-	.39	23
24		.01				-	.10	-	.66	.46	-	.47	24
25			.01	.07		.04	-	-	-	-	.01	.24	25
26		.07				.14	.13	-	-	-	-	.92	26
27		.02				.24	.01	-	-	.46	.01	.04	27
28		.05				.15	-	-	.72	.15	-	-	28
29		~~X~~				.35	.24	.11	-	.01	.53	.04	29
30	.08	~~X~~				.42	-	-	-	.46	.74	.05	30
31	.02	~~X~~	.01	~~X~~		~~X~~	-	.29	~~X~~	2.24	~~X~~	.49	31
Total	5.26	6.57	.76	1.42	4.00	1.49	4.88	3.13	2.17	4.56	3.40	8.39	46.03
Rain Days.	22	24	12	10	11	9	15	16	8	14	11	25	179

REGISTER OF RAINFALL IN 1916

Kept at Grayshott
in the County of Hampshire
by C. Lyndon

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	21	04	05		27				45	04	33		1
2	46	13	13		45				26	1.14	08		2
3	02	87	26				01		07	73	66		3
4	25	10	01		01	41			17	01	60		4
5	03	06		01	17	09				14	87		5
6	01	21	03	04	04	09	62			29	88		6
7		03	70		08	04	11			03	1.36	02	7
8			01		27	01						42	8
9		01	01		30	01						24	9
10		42	10	04	01	68	23				02	12	10
11	11	08	05	09		09						15	11
12	04	10	05	02	08	09	09	03		04			12
13		27	08	07	02	05	02	05	04	03	01		13
14		49	27	02	03			01		06		04	14
15	01	20	55	01				87		01			15
16	01	07	35	19			10	54				02	16
17	25	18		03			01	32	45	94			17
18	05	12	02	02				04	10	02	44	02	18
19	29	02	15	37		03		17	25		30	13	19
20	14		54	04							02	77	20
21	02		34				21				01	39	21
22	01		04		01	01				12	01	68	22
23	02	40	02	01		12		03		06	12	07	23
24		05	01		11	01		04		39	17	38	24
25		81	14					14	18	02	10	03	25
26		40	05			03		11	11	60		01	26
27	02	06	1.12					37	07	50	01	01	27
28		49	12			26		06	45	11	03	22	28
29		37	01			36		96	14	52		35	29
30		X			03			02		69	21		30
31		X		X		X		05	X	17	X	04	31
Total	1.95	5.98	5.21	.96	1.88	2.38	1.40	3.81	2.74	6.66	6.23	4.11	43.31
Rain Days.	18	25	27	14	15	17	9	17	13	23	20	20	218

81 J

REGISTER OF RAINFALL IN 1917

767
276
FORM A.
BRITISH RAINFALL.

Kept at Grayshott
in the County of Hampshire
by C Lyndon

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12	32				1.71	08		03	02	1
2			02	22				04		01	18		2
3	01			18			1.09	55		15	02		3
4		25	10	01			06	51		37		02	4
5	32		06	54		01		01	20	28	18		5
6	01		25	04		04			12	01	10	01	6
7	30						08			48	01	06	7
8	27			07			51	12	01	32	28	43	8
9	01		10	02	02		14	01	02	01	04	32	9
10	15		26	30	01	02		21			01	04	10
11	18		27	28		01		08	24	29			11
12	05		03	17				13		38		01	12
13	07		14	17				18	03	18		01	13
14	03		01	11				18		01	01		14
15				01	01		14	02		08		04	15
16	02	16		14	02		02	05		1.40	01	65	16
17		01		12	23		26	14	64	15			17
18	05	03		05	04	05	29	01	44				18
19	03	20	15			01		02	17				19
20	02	06	05		65	01		26	10			02	20
21	03	02	04			01		01		02	01		21
22			02			17		27		08	02		22
23		23			13	03		19		01		05	23
24		08				21	01	03		35	03		24
25		13	02				04			01			25
26		01	03					42	06	02	24		26
27			01		05	01		1.63					27
28			06			1.57		22		01		09	28
29			09		48	13	09	02		48		13	29
30	01		37				1.51	14		01	01	01	30
31	02		05				21	09		02		07	31
Total	1.58	1.17	2.25	2.75	1.64	2.28	4.45	7.25	2.11	5.13	1.18	1.98	33.77
Rain Days.	18	11	22	17	10	14	14	28	12	25	16	17	204

REGISTER OF RAINFALL IN 1918

Kept at Grayshott
in the County of Hampshire
by C. Lyndon

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01		.01				.06			.60	.10	1
2		.03		.15				.28	.01	.02	.45	.32	2
3		.02	.06	.23	.50			.04		.04	.45	.01	3
4		.31	.14	.02				.03	.14		1.28	.04	4
5		.10	.06		.08			.16	.03	.16		.05	5
6	.18	.19		.32	.22			.01	.01	.04		.11	6
7	.01	.16		.21	.18			.04	.35	.06	.25	.10	7
8		.50			.01				.11	.07	.11	.04	8
9	.01	.03		.16		.16	.50		.70	.19	.01	.60	9
10				.12			.45		.16	.05	.01	.30	10
11	.01						.30		.03	.33	.09	.12	11
12		.11			.22		.50		.04			.03	12
13	.14				.11		.20		.25	.01		.03	13
14	.22		.15		.02	.16	.08		.34	.16		.28	14
15	1.44			.56		.01	.19		.01			.16	15
16	.12		.02	.32		.04			.60	.05			16
17	.40			.14			.13	.03	.01			.28	17
18	.75					.42	.01		.71			.10	18
19	.11		.05	.01		.15	.28		.01	.08		.03	19
20	.05	.20		.52		.04	.16		.65	.09	.02		20
21	.31	.07		.34		.01	.02		.49	.07	.01	.08	21
22	.23	.02			.20		.62		.25	.01	.01	.19	22
23	.11			.02	.05	.01	.40	.04	.01		.01		23
24		.30		.01		.11	.01		.19		.12		24
25	.01	.01		.14			.21	.25		.03	.01		25
26							.68		.07	.02	.09	.16	26
27		.14	.10	.04			.03	.21	.04	.01	.11	.07	27
28		.01	.38	.04							.16	.02	28
29		~~X~~	.04						.94		.01	.03	29
30		~~X~~	.50					.03	.08	.07	.07	.05	30
31	.01	~~X~~	.04	~~X~~		~~X~~			~~X~~	.19	~~X~~		31
Total	4.11	2.21	1.54	3.36	1.59	1.14	4.77	1.18	6.23	1.75	3.87	3.30	35.05
Rain Days.	17	17	11	19	10	10	18	12	26	21	20	25	206

8h
8087h
REGISTER OF RAINFALL IN 1919

722

FORM A.
BRITISH RAINFALL.

Kept at Grayscott
in the County of Hampshire
by E. Lyndon

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	42	05	01		01		29			03	03	1.43	1
2	61		03	01	16		01		04	01	06	05	2
3	47		46		01		03		04		04	35	3
4	27	03	46			05	14	07	14		07	02	4
5	01	39	1.02				18		27		17	26	5
6	35		08		07						01	09	6
7	15		57								01		7
8	28		17	04									8
9	17		08	12	05						33		9
10	1.03		22	05							01	28	10
11	09		14	36	11		01					06	11
12	04		03	15			06			06	05	01	12
13	05		01	82						01		06	13
14	68			31			08		56	01		10	14
15	30	06	03									1.02	15
16	07	65		03							10		16
17		29									13	01	17
18	01	27	29					07	02		08	03	18
19	09	37	1.10			16	50	28			03	01	19
20	52	14	25			44	03	19				03	20
21	07	62				01	02				02	06	21
22		02				01	20		42		01	25	22
23	01					01		04		02	07	03	23
24		02		04		02				25	05	05	24
25	02	12						35		01		04	25
26	06	24	08	05			02	02	13		02	54	26
27	64			76			01	68			02	04	27
28	03		33	02				88			44	41	28
29	05			03				45		09		08	29
30	01		02	28		13		31		01	50	1.05	30
31	06		06				06					14	31
Total	6.56	3.27	5.44	3.07	41	83	1.64	3.34	1.62	50	2.30	6.50	35.48
Rain Days	28	14	21	15	6	8	15	11	8	10	22	27	185

REGISTER OF RAINFALL IN 1920.

Kept at Grayshott
in the County of Hampshire
by Mrs E. Lydon

Lat. 51° 7' N Long. 0° 46' W
Time of Observation 9.2 L.M.T.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 661 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.3	-	0.2	5.1	4.0	-	11.4	-	-	18.3	0.3	12.9	1
2	0.5	-	2.7	1.0	1.4	-	0.5	7.3	3.2	2.0	-	5.1	2
3	3.0	1.5	0.2	1.0	8.7	~~11.4~~	4.9	-	0.2	9.3	-	0.9	3
4	-	2.2	-	1.9	-	-	28.8	6.2	-	8.6	-	2.6	4
5	-	-	4.9	0.5	-	-	21.6	10.4	-	0.6	-	2.2	5
6	-	0.2	6.6	-	4.3	-	11.4	-	-	0.3	-	1.1	6
7	1.0	-	-	4.6	0.4	-	4.1	-	-	0.8	-	-	7
8	-	0.4	-	1.2	2.2	-	6.0	-	-	0.3	-	-	8
9	5.6	1.3	0.8	3.4	0.3	0.8	1.0	-	-	-	-	-	9
10	19.5	7.3	1.7	0.1	-	7.9	7.3	-	-	-	-	0.2	10
11	10.4	0.4	2.0	16.7	0.4	~~16.5~~	5.6	-	-	0.3	-	3.6	11
12	1.1	2.2	-	7.7	-	16.5	-	-	-	-	1.3	-	12
13	3.3	0.5	6.2	1.8	-	~~16.5~~	-	-	-	-	1.9	-	13
14	-	0.5	10.6	12.2	-	0.2	-	-	3.4	5.3	17.8	0.5	14
15	0.4	1.0	0.4	6.1	0.2	2.2	1.0	-	8.3	4.0	3.6	-	15
16	-	-	0.4	2.7	-	1.1	-	-	6.4	-	-	-	16
17	-	-	-	-	5.0	-	0.4	-	~~21.8~~	-	-	1.8	17
18	2.7	-	-	-	1.3	~~16.5~~	-	22.1	3.2	-	-	2.1	18
19	1.7	-	-	7.7	-	0.6	-	0.2	0.4	-	-	0.9	19
20	2.1	2.8	-	6.1	-	16.2	-	-	-	-	0.2	1.3	20
21	-	-	-	2.1	-	~~16.5~~	17.9	-	7.7	-	-	5.9	21
22	0.8	0.1	-	5.5	-	-	0.3	-	1.5	-	-	12.4	22
23	-	-	-	-	-	-	9.5	5.2	-	-	-	10.3	23
24	0.4	-	4.5	-	-	-	-	-	-	-	0.3	3.0	24
25	0.2	0.1	0.5	-	0.6	-	11.8	-	-	-	-	-	25
26	2.7	-	9.4	0.4	-	0.7	0.7	-	-	-	-	2.7	26
27	17.5	0.6	1.0	2.1	-	1.7	2.3	-	-	-	11.9	6.3	27
28	11.5	-	13.1	0.3	-	0.6	3.2	-	-	-	0.8	0.6	28
29	17.0	-	4.0	0.3	-	-	-	-	-	-	5.0	10.5	29
30	0.8	~~X~~	0.3	-	0.5	1.0	4.7	-	5.1	-	8.7	7.3	30
31	2.2	~~X~~	6.8	~~X~~	-	~~X~~	-	-	~~X~~	23.9	~~X~~	4.0	31
TOTAL	107.7	21.1	76.3	90.5	29.3	49.5	154.4	51.4	71.2	73.7	51.8	98.2	875.1
Days with 0.2 mm. or more	22	13	20	22	13	12	21	6	4	12	11	25	186

738

1914

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at
in the County of
by

GREATHAM, LE COURT

1914 - 20

Long.
on 9 am.
Station
Gauge 5 in.
Gauge above Ground ft. 6 in.
Sea Level 420 ft.
m. and the result entered to the
most universal rule, he is earnestly
wing year in the space provided

IMPORTA
previous day.
requested to ad
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
1914

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07	.07			.04		.07			.17	.84	1
2			.05					.19			.10	.11	2
3							.01	.09			.15	.27	3
4			.13		.42	.01	.04	.02			.02	.03	4
5			.04	.33			.02	.20			.31	.34	5
6	.10		.10	.56	.30	.02	.21	.34			.07		6
7		.21	.03	.21	.08	.08	.16	.05			.07	.48	7
8		1.49	.29	.16	.13		.28					.30	8
9	.08	.56	.53	.10	.02	.04		.30				.14	9
10	.12		.90	.40		.09		.02	.33			2.22	10
11	.03	.38	.04	.10	.17				.26				11
12		.64	(64)		.01	.04			.11		.12	.61	12
13		.27	.14				.76		.40			.69	13
14		.73	.40						.21	.19	.18	.94	14
15		.58	.30			.59	.05			.54	.28	.39	15
16		.02	.21				.02	.24		.02	.34	.01	16
17							.05		.24		.03		17
18		.83	.14						.13			.72	18
19			.21				.01					.61	19
20		.14	.41				1.30				.17	.36	20
21		.53	.39						.02			.29	21
22		.67	.11							.28		.05	22
23		.05	.03		.07	.02	.12	.06		.25			23
24		.33	.24				.02			.02			24
25			.05								.26		25
26	.08		.09					.16		.38	.02	.19	26
27								.21		.08	.27	.80	27
28	.05									.02	.12	.39	28
29					.15					.12	.58	.98	29
30	.28		.16							.34	.33		30
31	.02		.16							.23		.76	31
Total	.76	7.60	5.82	1.86	1.35	.43	3.05	1.95	1.70	2.47	3.59	12.52	YEAR'S TOTAL
Rain Days.	89	16	25	7	10	8	15	12	8	13	19	23	165

1914

BRITISH RAINFALL FORM A. 1914

Lat. _____ Long. _____

Time of Observation 9 am

Nearest Railway Station Liss

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground _____ ft. 6 in.

Sea Level 420 ft.

Kept at _____

in the County of Hampshire

by Mr J. A. Perrett

(gardener to Heath Harrison Esq)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
1914

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07	.07			.04		.07			.17	.84	1
2			.05					.19			.10	.11	2
3							.01	.09			.15	.27	3
4			.13		.42	.01	.04	.02			.02	.03	4
5			.04	.33			.02	.20			.31	.34	5
6	.10		.10	.56	.30	.02	.21	.34			.07		6
7		.21	.03	.21	.08	.08	.16	.05			.07	.48	7
8		1.49	.29	.16	.13		.28					.30	8
9	.08	.56	.53	.10	.02	.04		.30				.14	9
10	.12		.90	.40		.09		.02	.33			2.22	10
11	.03	.38	.04	.10	.17				.26				11
12		.64	(64)		.01	.04			.11		.12	.61	12
13		.27	.14				.76		.40			.69	13
14		.73	.40						.21	.19	.18	.94	14
15		.58	.30			.59	.05			.54	.28	.39	15
16		.02	.21				.02	.24		.02	.34	.01	16
17							.05		.24		.03		17
18		.83	.14						.13			.72	18
19			.21				.01					.61	19
20		.14	.41				1.30				.17	.36	20
21		.53	.39						.02			.29	21
22		.67	.11							.28		.05	22
23		.05	.03		.07	.02	.12	.06		.25			23
24		.33	.24				.02			.02			24
25			.05								.26		25
26	.08		.09					.16		.38	.02	.19	26
27								.21		.08	.27	.80	27
28	.05									.02	.12	.39	28
29					.15					.12	.58	.98	29
30	.28		.16							.34	.33		30
31	.02		.16							.23		.76	31
Total	.76	7.60	5.82	1.86	1.35	.43	3.05	1.95	1.70	2.47	3.59	12.52	YEAR'S TOTAL 43.50
Rain Days.	89	16	26	7	10	8	15	12	8	13	19	23	165

REGISTER OF RAINFALL IN 1915

Kept at Le Court Gardens
in the County of Hampshire
by J. A. Pickett & E. A. Petch

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Liss. L.S.W.
Diameter of Rain Gauge _____ in. 5
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level 300 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04	.03		.01			.02	.16	.12	.11	.49	1
2	.88	.20	.24	.06		.02		.40	.03	.09		.24	2
3	.30	.32	.13	.20	.13			.07				.40	3
4	.55							.20				.63	4
5	.06			.05				.09				.58	5
6	.02	.61	.01	.73			.70					.20	6
7	.60	.16	.03				.41	.02				.28	7
8	.46	.65					.11	.06					8
9	.04	.98		.17		.11					.63	.80	9
10	.06	.12						.03				.25	10
11	.29		.05								.77		11
12	.14			.23	.44						.71		12
13	.05	.37			1.54				.17				13
14	.09	.67					.18	.27	.06			1.15	14
15	.04				.07			.49	.01		.11	.31	15
16	.12				.29		1.48					.22	16
17		.99			1.21			.17					17
18		.72			.15								18
19		.32			.10		.09						19
20		.18		.04	.13							.13	20
21	.38				.43					.30		.11	21
22		.04	.16				1.10					.28	22
23	.95	.26	.04			.07	.24		.48	.37		.43	23
24	.03	.15	.01				.05		.71	.30		.58	24
25				.05		.56						.23	25
26						.07	.36					1.02	26
27		.16				.12			.07	.56		.11	27
28		.04				.28			.77				28
29						.02	.14	.12			.64	.05	29
30		~~X~~				.38				.53	.84	.08	30
31	.16	~~X~~	.70	~~X~~		~~X~~	.01	.18	~~X~~	1.62	~~X~~	.52	31
Total	5.22	6.98	1.44	1.53	4.50	1.63	4.87	2.12	2.46	3.89	3.81	9.09	46.80
Rain Days.	19	19	10	8	11	9	12	13	9	8	7	23	147

REGISTER OF RAINFALL IN 1917

Kept at Le Court, Grestham
in the County of Hampshire
by Sir Heath Harrison Bart

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Liss
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 420 ft.

FORM A.
BRITISH RAINFALL.
178 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..0	..0	.18	..4	..0	..0	..0	1.37	.23	..0	..3	..2	1
2	..0	..0	..4	.54	..0	..0	..0	..4	..0	..3	..4	..0	2
3	..1	..0	..0	.32	..0	..0	.73	.31	..0	.16	..11	..0	3
4	..0	..0	..5	..0	..0	..0	..3	.33	..0	.34	..0	..1	4
5	.44	..0	.18	.58	..0	..0	..0	..4	.11	.24	.18	..0	5
6	..0	..0	.20	..5	..0	..3	..0	..0	.15	..0	.10	..0	6
7	.33	..0	..0	..0	..0	..0	..5	..0	..0	.53	..0	..9	7
8	.42	..0	.10	.10	..0	..0	.53	.22	..0	.28	.25	.40	8
9	..1	..0	.15	..4	..1	..0	..3	..2	..0	..2	.11	..7	9
10	.17	..0	.32	.20	..4	..1	..0	.13	..0	..0	..0	..3	10
11	.16	..0	.26	.22	..0	..0	..0	..0	.20	.40	..0	..0	11
12	..5	..0	..8	..2	..0	.16	..0	..7	..0	.32	..0	..0	12
13	..3	..0	.19	.19	..0	..0	..0	..5	..2	.16	..0	..0	13
14	..2	..0	..2	.16	..0	..0	..0	.36	..0	..0	..0	..0	14
15	..0	..0	..0	..0	..0	..0	.12	..5	..0	.18	..0	..6	15
16	..1	.24	..0	.11	..4	..0	..2	..5	..0	1.34	..1	.25	16
17	..1	..1	..0	.15	.28	..0	.25	.21	.68	.22	..0	..4	17
18	..2	..5	..0	..2	..0	..1	.27	..5	.47	..1	..0	..9	18
19	..2	.22	.17	..0	..0	..2	..0	..4	.25	..0	..0	..1	19
20	..0	.10	.10	..0	.75	..1	..0	.15	.10	..0	..0	..5	20
21	..0	..0	..4	..0	..0	..1	..0	..0	..0	..3	..1	.10	21
22	..0	..0	..4	..0	..0	.10	..0	.11	..0	.11	..1	..3	22
23	..2	.18	..0	..0	..0	..7	..0	.35	..0	..2	..0	..7	23
24	..0	.14	..0	..0	..0	..9	.11	..6	..0	.49	..7	..5	24
25	..0	..4	..4	..0	..0	..0	..9	..0	..0	..7	..0	..0	25
26	..0	..0	..8	..0	..0	..0	..0	.33	..8	..4	.20	..0	26
27	..0	..0	..3	..0	.23	..2	..0	1.81	..0	..0	..0	..1	27
28	..0	..0	..8	..0	..0	2.57	..0	.19	..0	..0	..0	..9	28
29	..0		.11	..0	.87	.11	.38	..3	..0	.42	..0	.13	29
30	..0	X	.22	..0	..0	.0	1.04	.16	..0	..2	..2	..1	30
31	0	X	.29	X	..0	X	.16	..3	X	..4	X	..2	31
Total	1.72	.98	2.87	2.74	2.22	3.21	3.81	6.56	2.29	5.47	1.14	1.63	34.64
Rain Days.	15	8	22	15	7	13	14	26	10	23	13	21	187

REGISTER OF RAINFALL IN 1918

Kept at Le Court, Grestham

in the County of Hampshire

by E. E. Carr Gardner to Sir Hester Harcourt Bt

Lat. Long. Time of Observation Nearest Railway Station Diameter of Funnel of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

BRITISH RAINFALL FORM A. 1.10 as in former years

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..2	..1	..0	..2	..0	..0	..0	..2	..0	..0	.60	..5	1
2	..0	..5	..0	..5	..0	..0	..0	.53	..0	..0	.42	.29	2
3	..0	..3	..3	.16	.35	..0	..0	.21	..0	..5	.24	..2	3
4	..0	.35	.10	..2	..0	..0	..0	.3	.36	..0	1.28	..5	4
5	..0	..3	.10	..0	.15	..0	..0	.12	.15	.19	..0	..3	5
6	.16	.17	..0	.33	.4	..0	..0	.6	..0	..4	..0	.10	6
7	..0	.22	..0	.10	.40	..0	..0	..2	..0	..8	.35	..6	7
8	..0	.42	..0	..0	..0	..0	..0	..0	.45	.12	..6	..4	8
9	..0	..4	..0	..8	..0	..9	.38	..0	.68	.15	..0	.62	9
10	..2	..0	..0	.14	..0	.30	.63	..0	.21	..6	..2	.33	10
11	..2	..0	..0	..0	..0	..0	.22	..0	..1	.37	..5	.10	11
12	..0	.16	..0	..0	.22	..0	.38	..0	..0	..0	..0	..5	12
13	..0	..1	..0	..0	.30	..0	.27	..0	.22	..0	..0	..4	13
14	.42	..0	..7	..0	..2	.12	..7	..0	.32	.19	..0	.36	14
15	1.46	..0	..0	.47	..0	..4	..9	..0	..3	..0	..0	.22	15
16	..2	..0	..0	.26	..0	..10	..0	..0	.60	.16	..0	..0	16
17	.56	..0	..0	.11	..0	..0	.18	..2	..0	..0	..0	.31	17
18	.80	..0	..0	..0	..0	.36	..0	..0	.85	..0	..0	.24	18
19	.10	..0	.10	..0	..0	..5	.41	..0	..6	..5	..0	..5	19
20	..7	.20	..0	.50	..0	..2	..6	..0	.47	..6	..0	..0	20
21	.23	.16	..0	..5	..0	..2	.14	..0	.39	..5	..0	..7	21
22	.20	..2	..0	..0	..8	..0	.50	..0	.30	..0	..0	.22	22
23	.11	..0	..0	..0	..9	..0	.44	..2	..2	..0	..0	..0	23
24	..1	.33	..0	..0	..0	..4	..0	..0	.14	..0	.11	..0	24
25	..1	..0	..0	..4	..0	..0	.15	.30	..0	..2	..1	..0	25
26	..0	..0	..0	..0	..0	..0	.46	..0	..6	..0	.10	.19	26
27	..0	.18	..8	..1	..0	..0	..0	.20	..8	..0	.12	..2	27
28	..0	..2	.38	..3	..0	..0	..0	..0	0	..0	.22	..4	28
29	..2		..2	..0	..0	..0	..0	..0	1.42	..0	..1	..3	29
30	..0	X	.44	..0	..0	..0	..0	..0	..1	.08	6	..5	30
31	..1	X	..2	X	..0	X	..0	..0	X	.23	X	..0	31
Total	4.24	2.40	1.34	2.37	1.65	1.14	4.38	1.53	6.63	1.91	3.65	3.58	YEAR'S TOTAL 34.82
Rain Days.	18	17	10	16	9	10	15	11	21	18	15	25	18.4

REGISTER OF RAINFALL IN 1919

Kept at Le Court. Greatham
in the County of Hampshire
by Sir Heath Harrison Bart

Lat. _____ Long _____
Time of Observation 9 a.m. daily
Nearest Railway Station Liss
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level 350 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.61	..0	..2	..0	..0	..0	.22	..0	..0	..5	..3	1.61	1
2	.44	..0	..8	..0	.16	..0	..0	..0	.13	..0	..4	..6	2
3	.45	..0	.51	..0	..1	..0	.29	..0	..6	..0	..0	.35	3
4	.24	..6	.48	..0	..0	..0	..2	..7	.29	..0	..6	..8	4
5	..0	.30	1.21	..0	..0	..0	.63	..0	.25	..0	.12	.33	5
6	.43	..0	.12	..0	.20	..0	..0	..0	..0	..0	..0	.20	6
7	.15	..0	.64	..0	..0	..0	..0	..0	..0	..0	..4	..0	7
8	.30	..0	.18	..2	..0	..0	..0	..0	..0	..0	..0	..0	8
9	.17	..0	..4	.10	..7	..0	..0	..0	..0	..0	.22	..0	9
10	.56	..0	.30	..8	..0	..0	..0	..0	..0	..0	..2	.37	10
11	..8	..0	.13	.28	..11	..0	.10	..0	..0	..0	..2	..6	11
12	..2	..0	..5	.10	..0	..0	..9	..0	..0	..0	..3	..2	12
13	..9	..0	..0	.72	..0	..0	..0	..0	..0	..0	..0	..7	13
14	.60	..3	..0	.45	..0	..0	.18	.10	.37	..2	..0	.12	14
15	.35	..3	..2	..2	..0	..0	..0	..0	..0	..0	..0	1.30	15
16	..9	.66	..0	..0	..0	..0	..0	..0	..0	..0	.12	..0	16
17	..0	.18	..0	..0	..0	..0	..0	..0	..0	..0	.20	..4	17
18	..0	.25	.28	..0	..0	..0	..0	..2	..0	..0	.13	..5	18
19	.16	.46	.96	..0	..0	.11	.40	.26	..0	..0	..8	..2	19
20	.59	.19	.23	..0	..0	.46	..2	.24	..0	..0	..0	..5	20
21	..7	.68	..0	..0	..0	..0	..7	..0	..0	..0	..2	..6	21
22	..0	..2	..0	..0	..0	..0	.21	..0	.44	..0	..2	.33	22
23	..0	..0	..0	..0	..0	..0	..0	..0	..0	..0	..8	..7	23
24	..0	..5	..0	..0	..0	..3	..0	..0	..0	.27	..9	.12	24
25	..0	.13	..0	..0	..0	..3	..0	.46	..0	..0	..0	.11	25
26	..9	.23	.13	.15	..0	..0	..1	..2	.15	..0	..9	.67	26
27	..2	..0	..1	.49	..0	..0	..0	.50	..0	..0	..0	..7	27
28	.85	..0	.29	.20	..0	..0	..0	1.12	..0	..0	.73	.44	28
29	..2		..0	..2	..0	1	..0	.24	..0	.11	..0	..7	29
30	..0	X	2	.23	..0	11	..0	.66	..0	..2	.69	1.12	30
31	..4	X	3	X	..0	X	..1	0	X	..0	X	12	31
Total	6.42	3.27	5.73	2.86	.55	.75	2.25	3.69	1.69	0.47	2.83	7.91	38.42
Rain Days.	23	14	21	13	5	6	13	11	7	5	20	27	165

REGISTER OF RAINFALL IN 1920.

Kept at Le Court Gardens, Gresham
in the County of Hampshire
by Sir Heath Harrison Bt

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Liss
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.9	.0	.2	4.0	.22	.0	.32	.0	.0	1.06	.3	4.0	1
2	.4	.0	.6	.5	.4	.0	.8	.5	.5	.5	.0	.9	2
3	.19	.6	.0	.0	.15	.0	.10	.0	.0	.50	.0	.0	3
4	.0	.10	.0	.8	.0	.0	1.26	.23	.0	.47	.0	.0	4
5	.0	.0	.13	.20	.0	.0	.81	.58	.0	.11	.0	.5	5
6	.6	.0	.31	.0	.21	.0	.49	.0	.0	.3	.0	.2	6
7	.2	.0	.0	.23	.0	.0	.21	.0	.0	.0	.0	.0	7
8	.0	.0	.0	.5	.6	.0	.30	.0	.0	.1	.0	.0	8
9	.30	.7	.1	.6	.10	.6	.9	.0	.0	.0	.0	.0	9
10	.83	.37	.5	.0	.0	.22	.29	.0	.0	.0	.0	.0	10
11	.39	.0	.7	.44	.2	.4	.28	.0	.0	.0	.0	3.12	11
12	.6	.10	.12	.34	.0	.43	.0	.0	.0	.0	.8	.0	12
13	.18	.2	.24	.6	.0	.0	.0	.0	.0	.0	.6	.0	13
14	.0	.3	.45	.60	.0	.0	.0	.0	.12	.82	.72	.2	14
15	.5	.4	.3	.38	.7	.0	.2	.0	.46	.20	.15	.0	15
16	.0	.1	.2	.7	.0	.0	.0	.0	.27	.0	.0	.0	16
17	.1	.0	.0	.2	.22	.0	.61	.0	.70	.0	.0	.5	17
18	.19	.0	.0	.0	.11	.0	.0	.83	.21	.0	.0	.3	18
19	.9	.0	.0	.23	.0	.0	.0	.0	.0	.0	.1	.3	19
20	.8	.7	.0	.30	.0	.58	.0	.0	.0	.0	.0	.9	20
21	.0	.0	.0	.0	.0	.0	.62	.0	.17	.0	.0	.24	21
22	.4	.0	.0	.27	.0	.0	.0	.0	.11	.0	.0	.47	22
23	.0	.0	.0	.0	.0	.0	.37	.10	.0	.0	.0	.43	23
24	.2	.10	.21	.4	.0	.0	.0	.0	.0	.2	.4	.15	24
25	.1	.2	.4	.0	.2	.0	.48	.0	.0	.0	.0	.0	25
26	.13	.0	.34	.0	.0	.10	.0	.0	.0	.0	.0	.15	26
27	.84	.0	.2	.16	.0	.9	.0	.0	.0	.0	.21	.30	27
28	.57	.1	.8	.0	.0	.2	.12	.0	.0	.0	.2	.3	28
29	.73	.0	.9	2	.2	.0	.0	.0	.0	.0	.24	.50	29
30	.6	X	.0	0	.2	.1	.17	.0	.11	.2	.30	.40	30
31	.18	X	.13	X	.0	X	.0	.0	X	.11	X	.24	31
TOTAL	5.16	1.00	2.42	4.00	1.26	1.58	6.02	2.12	2.20	4.40	1.86	3.91	YEAR'S TOTAL
Days with 0.1 in. or more	24	13	19	20	13	10	18	5	9	12	11	20	35.93
	20	8	12	18	9	7	16	5	9	8	8	15	135

754

L IN 1915

Key GREY WELL PS

in the

by

1915-20

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

" " " " Sea Level

daily at 9 a.m. and the result entered to the

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.03	.10									.35	1
2	.44	.06	.03		.06					.10		.28	2
3	.22	.22	.12	.04		.02		.48		.09		.21	3
4	.83	.02	.05	.11	.04			.03				.14	4
5	.10			.02				.04				.32	5
6	.34	.60										.48	6
7		.04		.28			.60	.03				.24	7
8	.18	.30	.02				.14						8
9	.05	.60					.11				31	.53	9
10	.08	.08		.13		.04		.06				.56	10
11	.13										.31		11
12		.16	.02								.64		12
13	.03	.02		.28	.42						.18		13
14	.01	.60			1.28			.14				.83	14
15	.02	.02					.42	.20				.12	15
16	.12				.05		.60				.12	.20	16
17	.02	.82											17
18		.22			1.46			.02				.03	18
19		.14	.06		.11						.01		19
20		.02			.02		.08					.13	20
21	.18			.03	.04							.08	21
22	.83	.01			.36	.01	.08					.16	22
23	.02	.25	.21	.01			.68					.18	23
24		.04	.02	.02			.22		.23	.23		.84	24
25			.01				.18		1.34	.22		.10	25
26		.04				.40	.30		.01	.29		.80	26
27		.03				.04	.28					.66	27
28		.04				.48						.04	28
29		~~.02~~				.03			1.02	.06	.09		29
30		~~.02~~						.13		.23	.80	.03	30
31	.08	~~.02~~								1.82	~~.02~~	.08	31
Total	3.30	4.12	.64	.92	3.84	1.02	3.60	1.46	2.63	2.44	1.86	6.82	32.08
Rain Days.	19	23	10	9	10	4	12	9	11	8	8	24	143

L IN 1915

FORM A.
BRITISH RAINFALL
28 APR 1915

Kept at Sperryswell

in the County of Hampshire

by The Spinley & Hamborough
District Water Co

Time of Observation 9 a.m.

Nearest Railway Station Hamborough

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level about 266 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.03	.10									.38	1
2	.44	.06	.03		.06					.10		.28	2
3	.22	.22	.12	.04		.02		.48		.09		.21	3
4	.83	.02	.05	.11	.04			.03				.14	4
5	.10			.02				.04				.32	5
6	.34	.60										.48	6
7		.04		.28			.60	.03				.24	7
8	.18	.30	.02				.14						8
9	.08	.60					.11						9
10	.08	.08		.13		.04		.06					10
11	.13												11
12		.16	.02										12
13	.03	.02		.28	.42								13
14	.01	.60			.28			.14				.83	14
15	.02	.02					.42	.20				.12	15
16	.12				.05		.60					.20	16
17	.02	.82											17
18		.22			.46			.02				.03	18
19		.14	.06		.11						.01		19
20		.02			.02		.08					.13	20
21	.18			.03	.04							.08	21
22	.83	.01			.36	.01	.08					.16	22
23	.02	.25	.21	.01			.68					.18	23
24		.04	.02	.02			.22		.23	.23		.84	24
25			.01				.18		.34	.22		.10	25
26		.04				.40	.30		.01	.29		.80	26
27		.03				.04	.28						27
28		.04				.48						.04	28
29		~~.04~~				.03			1.02	.06	.09		29
30		~~.04~~						.13		.23	.80	.03	30
31	.08	~~.04~~								1.82	~~.04~~	.08	31
Total	3.30	4.12	.64	.92	3.84	1.02	3.60	1.46	2.63	2.44	1.86	6.82	32.08
Rain Days.	19	23	10	9	10	4	12	9	11	8	8	24	143

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1965

Kept at GREY WELLS

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	74	06	03		06					10		35		1
2	22	22	12	07		02		75		09		25		2
3	53	02	05	11	04			03				21		3
4	10			02								17		4
5	—	60						07				32		5
6	34	07		25			60					48		6
7	15	30	02				14	03				24		7
8	05	60					11							8
9	05	05		13		04					31	89		9
10	13							06				20		10
11	—	16	02								64			11
12	03	02		28	42						18			12
13	01	60			125									13
14	02	02					42	17				53		14
15	12				05		—	20			12	12		15
16	02	52					60					20		16
17	—	22			146									17
18	—	14	06		11			02			01	03		18
19	—	02			02		08							19
20	15			03	07							13		20
21	—	01			36	01	08					05		21
22	53	25	21	01			65					16		22
23	02	07	02	02			22		23	23		15		23
24			01				15		137	22		57		24
25		04				40	30		01			10		25
26		03				04	25					56		26
27		07				48				29		04		27
28		10				03			102	06				28
29		X									09	03		29
30	05	X						13		23	50	08		30
31	03	X		X		X			X	152	X	22		31
TOTAL	3.29	4.19	0.54	0.92	3.84	1.02	3.52	1.46	2.63	2.74	1.85	6.08	32.08	Year's Total
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19616

Kept at GREY WELLS

COPY

in the County of WILTSHIRE

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft..... in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04				20	02			32	08	40			1
2	18	04	07		40				04	68	01			2
3	07	97							04	40	23			3
4	08	10		05					20		30			4
5	02				08	15				04	62			5
6			07			35	30			06	55			6
7	04		21		25	13	04			07	52	03		7
8					05	08						24		8
9					11	01				07		10		9
10		26		03			01					08		10
11	05	06	02	04	13	50								11
12	02	02				06	01	08						12
13		17	11	08		04		16						13
14		30	10					08				06		14
15		11	56					50						15
16		01	30				10	80						16
17	08	17		08				33	35	38	51			17
18	01	05	06					11	09	02				18
19	08		07	25		03		01	02		18			19
20	08		37									80		20
21			25		02		03					32		21
22						12				18		34		22
23		02				11		01		23				23
24		25			10					17		25		24
25		04	12			10		06	11					25
26			04					18		31				26
27		11	75					105		20				27
28		30	03			09		01	25	11		10		28
29						14		90	07	28				29
30		X						01		41		12		30
31	06	X		X		X		02	X	17	X	05		31
TOTAL	0.81	2.98	3.13	0.53	1.34	1.93	0.49	4.31	1.49	3.86	3.32	2.49	26.68	Year's Total
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

REGISTER OF RAINFALL IN 1916

Kept at Greywell
in the County of Hampshire
by Trinley & Hambro's Dis. Water Co

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hook. L.S.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level About 266 ft.

BRITISH RAINFALL FORM A. 30 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(.05)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.22	.06							.02		.17		1
2	.04				.2	.02			.32	.08	.4		2
3	.18	.04	.07		.4				.04	.68	.01		3
4	.07	.07							.04	.4	.23		4
5	.08	.1		.05					.2		.3		5
6	.02				.08	.15				.04	.62		6
7			.07			.35	.3			.06	.55		7
8	.04		.21		.25	.13	.04			.07	.52	.03	8
9					.05	.08						.24	9
10					.11	.01				.07		.1	10
11		.26		.03			.01					.08	11
12	.05	.06	.02	.04	.13	.5							12
13	.02	.02				.06	.01	.08					13
14		.17	.11	.08		.04		.16					14
15		.3	.1					.08				.06	15
16		.11	.56					.5					16
17		.01	.3				.1	.8					17
18	.08	.17		.08				.33	.35	.38	.51		18
19	.01	.05	.06					.11	.09	.02			19
20	.08		.07	.25		.03		.01	.02		.18		20
21	.08		.37									.8	21
22			.25		.02		.03					.32	22
23						.12				.18		.34	23
24		.02				.11		.01		.23			24
25		.25			.1					.17		.25	25
26		.04	.12			.1		.06	.11				26
27			.04					.18		.31			27
28		.11	.75					1.05		.2			28
29		.3	.03			.09		.01	.25	.11		.1	29
30		X				.14		.9	.07	.28			30
31		X		X		X		.01	X	.41	X	.12	31
Total	.66 181	3.04 298	3.13 16	.53 6	1.34 9	1.93 15	.49 6	4.29 43	1.51 11	3.69 31	3.49 332	2.44 249	26.85 2668
Rain Days.	18	17	16	6	9	15	6	16	10	18	9	12	

REGISTER OF RAINFALL IN 1917

Kept at Greywell
in the County of Hampshire
by The Frimley & Hamborough District Water Co.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hoor. Elmer
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level About 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	-	.22	-	.02	-	1.32	-	-	.02	-	1
2	-	-	.10	.10	-	-	-	-	.02	-	.04	-	2
3	-	-	-	.03	-	-	1.00	.42	-	.19	-	-	3
4	-	-	-	-	-	-	.01	.04	-	.20	-	.01	4
5	-	.06	.01	.17	-	-	-	-	.11	.42	.05	-	5
6	.16	-	.03	-	-	.03	-	-	.09	.20	.02	-	6
7	-	-	-	-	-	.17	.36	-	-	-	.04	.04	7
8	.11	-	-	-	-	-	.50	.05	.06	.20	.04	.43	8
9	.23	-	-	.02	-	-	.06	.07	.02	-	.02	.04	9
10	-	-	.25	-	-	.01	-	.14	-	.05	-	-	10
11	.15	-	.13	.24	-	-	-	-	.48	.21	-	-	11
12	.02	-	.33	-	-	-	-	.13	-	.42	-	-	12
13	-	-	.04	.03	-	-	-	.05	.02	.03	-	-	13
14	-	-	.04	.02	-	-	-	.15	-	-	-	-	14
15	-	-	-	-	-	-	.25	.06	-	.06	-	-	15
16	-	-	-	.13	.21	-	.08	.01	-	.63	-	.32	16
17	-	.06	-	-	-	-	.30	.05	.42	.24	-	-	17
18	-	-	-	.12	-	.27	.10	.03	.24	-	-	-	18
19	.13	~~.01~~	-	.01	-	.01	-	-	.20	-	-	~~.84~~	19
20	-	.12	.11	-	.50	-	.01	.03	-	-	-	-	20
21	-	.04	.01	-	-	-	-	-	-	-	.02	-	21
22	-	-	.01	-	-	.03	-	.12	-	-	-	-	22
23	-	-	-	-	.05	.01	-	.11	-	.03	-	.04	23
24	-	.10	-	-	-	.05	.03	-	-	.02	-	-	24
25	-	.03	-	-	-	-	-	-	-	.13	-	-	25
26	-	-	-	-	-	.02	-	.27	-	-	.08	-	26
27	-	-	.01	-	.13	-	-	.76	-	-	-	-	27
28	-	-	-	-	-	1.55	-	.11	-	-	-	-	28
29	-	~~X~~	-	-	1.45	.05	1.32	-	-	.27	-	-	29
30	-	~~X~~	.14	-	-	-	1.42	.06	-	.05	.02	-	30
31	-	~~X~~	.07	~~X~~	-	~~X~~	.10	-	~~X~~	-	~~X~~	-	31
Total	.83	.42	1.28	1.09	2.34	2.22	5.54	3.98	1.66	3.35	.35	.88	23.94
Rain Days.	7	7	14	11	5	12	14	20	10	17	10	6	134

REGISTER OF RAINFALL IN 1918

Kept at Greywell near Odeham
in the County of Staffordshire
by FRIMLEY & FARNBOROUGH
DISTRICT WATER COMPANY.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	Nil	.01	Nil	Nil	Nil	.04	Nil	Nil	.44	.25	1
2	Nil	.04	Nil	.10	Nil	Nil	Nil	.44	Nil	Nil	.22	.13	2
3	Nil	Nil	.03	.18	.22	Nil	Nil	.12	Nil	Nil	.26	Nil	3
4	Nil	.06	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.02	.67	Nil	4
5	Nil	.03	Nil	Nil	.11	Nil	Nil	.04	Nil	.10	Nil	Nil	5
6	.02	.11	Nil	.40	.03	Nil	Nil	Nil	.36	.01	Nil	Nil	6
7	Nil	.09	Nil	.09	.32	Nil	Nil	.02	Nil	.05	.23	.01	7
8	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.06	.06	.01	8
9	Nil	.16	Nil	.10	Nil	.11	.29	Nil	.65	.09	Nil	.18	9
10	Nil	Nil	Nil	.09	Nil	Nil	.62	Nil	Nil	Nil	.03	.36	10
11	Nil	Nil	Nil	Nil	Nil	Nil	.81	Nil	.11	.34	.05	.05	11
12	Nil	.03	Nil	Nil	.10	Nil	.07	Nil	Nil	Nil	Nil	.01	12
13	Nil	Nil	Nil	Nil	.12	Nil	.11	Nil	.21	.04	Nil	.07	13
14	.13	Nil	Nil	Nil	Nil	.39	.02	Nil	.10	.16	Nil	.20	14
15	1.40	Nil	Nil	.64	Nil	.11	.13	Nil	Nil	Nil	Nil	.11	15
16	.10	Nil	Nil	.25	Nil	.04	Nil	Nil	.45	.04	Nil	Nil	16
17	.50	Nil	Nil	Nil	Nil	Nil	.63	.05	.01	Nil	Nil	.14	17
18	.50	Nil	Nil	.10	Nil	Nil	.07	Nil	.47	.04	Nil	.06	18
19	.07	Nil	.06	.10	Nil	.24	.26	Nil	Nil	.04	Nil	Nil	19
20	.06	Nil	Nil	.50	Nil	.02	Nil	Nil	.20	.05	Nil	Nil	20
21	.13	.10	Nil	.10	Nil	.02	.02	Nil	.51	.03	Nil	Nil	21
22	.09	Nil	Nil	Nil	Nil	Nil	.23	Nil	.18	Nil	Nil	.13	22
23	.07	Nil	Nil	Nil	.12	Nil	.56	Nil	.07	Nil	Nil	Nil	23
24	Nil	.25	Nil	.02	Nil	.04	.31	Nil	.07	.02	.08	Nil	24
25	Nil	Nil	Nil	Nil	Nil	Nil	.12	Nil	Nil	.01	Nil	Nil	25
26	Nil	Nil	Nil	Nil	Nil	Nil	.64	Nil	.01	Nil	Nil	.08	26
27	Nil	.02	Nil	Nil	Nil	Nil	Nil	.41	.16	Nil	.07	Nil	27
28	Nil	Nil	.20	Nil	Nil	Nil	Nil	.01	Nil	Nil	Nil	Nil	28
29	Nil	X	Nil	Nil	Nil	Nil	Nil	Nil	1.14	Nil	Nil	Nil	29
30	Nil	X	.27	Nil	Nil	Nil	Nil	Nil	.01	Nil	.09	.04	30
31	Nil	X	.02	X	Nil	X	Nil	Nil	X	.08	X	Nil	31
Total	3.07	.89	.58	2.68	1.02	.97	4.89	1.13	4.71	1.18	2.20	1.83	25.15
Rain Days.	11	10	5	14	7	8	16	8	17	17	11	16	140

REGISTER OF RAINFALL IN 1919.

Kept at Greywell
in the County of Hants
by Frimley & Farnborough District Water Co

Lat. _____ Long. _____
Time of Observation before
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25	-	-	-	-	02	14	-	-	01	01	120	1
2	-	-	02	-	-	-	04	-	10	-	08	05	2
3	33	-	-	-	-	-	05	-	40	-	02	24	3
4	08	-	42	-	02	03	04	01	-	-	06	12	4
5	-	18	36	-	-	-	26	-	27	03	04	13	5
6	24	-	63	-	04	-	-	-	-	-	01	08	6
7	08	-	45	-	-	-	-	-	-	-	04	-	7
8	28	-	10	-	-	-	-	-	-	-	-	-	8
9	07	-	04	03	05	-	-	-	-	-	05	-	9
10	19	-	14	04	-	-	-	-	-	-	-	08	10
11	nil	-	07	24	01	-	17	-	-	-	-	-	11
12	"	-	06	-	-	-	11	-	-	06	-	01	12
13	"	-	02	42	-	-	-	-	-	-	-	01	13
14	18	-	-	29	-	-	-	-	130	02	-	02	14
15	33	03	02	03	-	-	04	-	-	-	-	76	15
16	02	03	-	-	-	-	-	-	-	-	12	-	16
17	-	50	-	-	-	-	-	-	-	-	10	01	17
18	-	13	25	-	-	-	-	-	-	-	06	02	18
19	02	05	-	-	-	16	25	13	-	-	03	01	19
20	29	07	20	-	-	42	01	12	-	-	-	02	20
21	-	03	21	-	-	06	-	-	-	-	02	02	21
22	-	29	-	-	-	-	22	-	15	-	-	25	22
23	-	-	-	03	-	-	-	-	-	09	01	-	23
24	-	-	-	-	-	05	-	02	-	42	07	10	24
25	02	-	-	-	-	-	-	29	-	02	-	05	25
26	-	06	06	04	-	-	-	16	06	-	-	31	26
27	51	25	-	43	-	-	-	42	-	-	-	02	27
28	-	-	16	-	-	-	-	68	-	-	30	23	28
29	05	<del> </del>	-	01	-	01	-	18	-	10	01	04	29
30	-	<del> </del>	02	23	-	16	-	86	-	-	40	42	30
31	-	<del> </del>	-	<del> </del>	-	<del> </del>	11	-	<del> </del>	-	<del> </del>	03	31
TOTAL	294	162	302	179	12	91	144	287	228	75	143	423	YEAR'S TOTAL 2340
Days with 01 in. or more	16	11	17	11	4	8	12	10	6	8	18	25	146

REGISTER OF RAINFALL IN 1920

694
FORM A2.
BRITISH RAINFALL
26 JAN 1921

Kept at Greywell
in the County of Hampshire
by Trimley & Sarnborough Water Co

RAIN GAUGE
Pattern _____
Diameter of top _____ in
Height of top above Ground _____ ft.
" " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station _____ Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	-	.65	.13	-	.20	-	-	.88	.02	.33	1
2	.01	-	-	.03	-	-	.05	.46	.04	.04	-	.04	2
3	.02	-	-	.03	-	-	.60	-	.01	.22	-	-	3
4	-	.04	-	.04	-	-	.36	.09	-	.29	-	.08	4
5	-	-	-	.04	-	-	.81	.09	-	.35	-	.04	5
6	-	-	.20	.01	.04	-	.35	-	-	-	-	.01	6
7	.01	-	-	.05	-	-	.09	-	-	-	-	-	7
8	-	.02	-	.05	.08	-	.20	.02	-	-	-	-	8
9	.14	.01	-	.01	-	.03	.01	-	-	-	-	-	9
10	.50	.04	.04	-	-	.12	.09	-	-	-	-	-	10
11	.26	.03	.06	.10	.05	.01	.30	-	-	-	-	-	11
12	.02	.01	.03	.20	-	.57	.01	-	-	-	.03	-	12
13	.12	.01	.13	.11	-	-	-	-	-	-	.05	-	13
14	-	.01	.26	.25	-	.50	-	-	-	.52	.42	-	14
15	-	-	.01	.15	-	.04	-	-	.06	.11	.05	-	15
16	-	.01	-	.15	-	.25	-	-	.30	-	-	-	16
17	-	-	-	-	.18	-	.06	-	.36	-	-	.04	17
18	.04	-	-	-	.02	-	-	.54	.13	-	-	-	18
19	.03	-	-	.14	-	-	-	.02	-	-	-	.01	19
20	.03	.08	-	.12	-	.44	-	-	-	-	-	.04	20
21	-	-	-	.01	-	-	.45	-	.20	-	-	.08	21
22	-	-	-	.16	-	-	.01	-	.01	-	-	.30	22
23	-	-	-	-	-	-	.43	.16	-	-	-	.31	23
24	-	-	.09	-	-	-	-	-	-	-	.02	.09	24
25	.01	.04	.11	.03	.01	-	.25	-	-	-	-	-	25
26	.11	-	.15	.05	-	-	.09	-	-	-	-	.05	26
27	.30	.01	-	.14	-	.05	-	-	-	-	.28	.08	27
28	.41	-	.01	.12	.05	-	.06	-	.01	-	.03	.01	28
29	.33	-	.06	-	.10	-	-	-	-	-	.06	.11	29
30	.03	~~X~~	-	.04	.01	.03	.14	-	.08	-	.25	.14	30
31	.01	~~X~~	.04	~~X~~	-	~~X~~	-	-	~~X~~	.96	~~X~~	.08	31
Total	2.44	.34	1.22	2.41	.70	2.04	4.86	1.41	1.20	3.40	1.21	1.90	TOTAL 23.43
No. of Rain Days.	19	12	13	24	10	10	20	7	10	8	10	18	161